

6. Literatur

Alting-Mees MA, Short JM (1989). pBluescriptII: Gene mapping vectors (X52328). *Nucleic Acids Res.* 17:9494-9494.

Ambros PF, Matzke AJ, Matzke MA (1986). Localization of *Agromacterium rhizogenes* T-DNA in plant chromosomes by in situ hybridization. *EMBO J.* 5:2073-2077.

Antequera F, Bird A (1999). CpG islands as genomic footprints of promoters that are associated with replication origins. *Curr Biol.* 9(17):R661-667.

Aranda-Anzaldo A (1991). On the regulation of DNA methylation by higher-order structure in the cell nucleus. *Med Hypotheses.* 34(1):81-87.

Assaad FF, Tucker KL, Signer ER (1993). Epigenetic repeat-induced gene silencing (RIGS) in *Arabidopsis*. *Plant Mol Biol.* 22(6):1067-85.

Atkinson RG, Bielecki LR, Gleave AP, Janssen B-J, Morris BA (1998). Post-transcriptional silencing of chalcone synthase in *Petunia* using a geminivirus-based episomal vector. *Plant J.* 15(5):593-604.

Baulcombe DC (1996). Mechanisms of pathogen-derived resistance to virus in transgenic plants. *Plant Cell.* 8:1833-1844.

Baulcombe DC (1999). Fast forward genetics based on virus-induced gene silencing. *Curr Opin Plant Biol.* 2:109-113

Baulcombe DC, English JJ (1996). Ectopic pairing of homologous DNA and post-transcriptional gene silencing in transgenic plants. *Curr Opin Biotechnol.* 7:173-180.

Bestor T, Laudano A, Mattaliano R, Ingram V (1988). Cloning and sequencing of a cDNA encoding DNA methyltransferase of mouse cells. *J Mol Biol.* 203:971-983.

Bollmann J, Carpenter R, Coen ES (1991). Allelic interactions at the *nivea* locus of *Antirrhinum*. *Plant Cell.* 3:1327-1336.

Brandle JE, McHugh SG, James L, Labbe H, Miki BL (1995). Instability of transgene expression in field grown tobacco carrying the *csr1-1* gene for sulfonylurea herbicide resistance. *Bio/Technology* 13:994-998.

Brink RA (1956). A genetic change associated with the R locus in maize which is directed and potentially reversible. *Genetics.* 41:872-889.

Brinkmann S, Pickardt T, Mohmoodzadeh S, Schieder O, Meixner M (1997). Long time progeny analysis of transgenic *Vicia narbonensis* lines regarding the coexpression of two foreign genes located on a single T-DNA. Proceedings of the Third International ISHS Symposium on *In Vitro* Culture and Horticultural Breeding. Altman A, Ziv M (eds.) *Acta Hort.* 447:301-311.

Butkus V, Klimasauskas S, Kersulyte D, Vaitkevicius D, Lebionka A, Janulaitis A (1985). Investigation of restriction-modification enzymes from *M. varians* RFL19 with a new type of specificity toward modification of substrate. *Nucleic Acids Res.* 13(16):5727-5746.

Cambareri EB, Jensen BC, Schabtach E, Selker EU (1989). Repeat-induced G-C to A-T mutations in *Neurospora*. *Science.* 244:1571-1575.

- Chyi YS, Jorgensen RA, Goldstein D, Tanksley SD, Loaiza-Figuera F (1986). Locations and stability of *Agrobacterium*-mediated T-DNA insertions in the *Lycopersicon* genomes. *Mol Gen Genet.* 204:64-69.
- Clark SJ, Harrison J, Frommer M (1995). CpNpG methylation in mammalian cells. *Nat Genet.* 10(1):20-27.
- Conner AJ, Mlynarova L, Stiekema WJ, Nap JP (1998). Meiotic stability of transgene expression is unaffected by flanking matrix-associated regions. *Molecular Breeding* 4:47-58.
- De Neve M, De Buck S, De Wilde C, Van Houdt H, Strobbe I, Jacobs A, Van Montagu , Depicker A (1999). Gene silencing results in instability of antibody production in transgenic plants. *Mol Gen Genet.* 260(6):582-92.
- De Wilde C, Van Houdt H, De Buck S, Angenon G, De Jaeger G, Depicker A (2000). Plants as bioreactors for protein production: avoiding the problem of transgene silencing. *Plant Mol Biol.* 43:347-359.
- Delgado S, Gomez M, Bird A, Antequera F (1998). Initiation of DNA replication at CpG islands in mammalian chromosomes. *EMBO J.* 17(8):2426-2435.
- Depicker A, Stachel S, Dhaese P, Zambryski P, Goodman HM (1982). Nopaline synthase: transcript mapping and DNA sequence. *J Mol Appl Genet.* 1:561-573.
- Depicker A, van Montagu M (1997). Post-transcriptional gene silencing in plants. *Curr Opin Cell Biol.* 9:373-382.
- Deroles SC, Gardner RC (1988a). Expression and inheritance of kanamycin resistance in a large number of transgenic *Petunias* generated by *Agrobacterium*-mediated transformation. *Plant Mol Biol.* 11:365-377.
- Deroles SC, Gardner RC (1988b). Analysis of the T-DNA structure in a large number of transgenic *Petunias* generated by *Agrobacterium*-mediated transformation. *Plant Mol Biol.* 11:365-377.
- Dörfler W (1983). DNA methylation and gene activity. *Annu Rev Biochem.* 52:93-124.
- Dörfler W (1995). Uptake of foreign DNA by mammalian cells via the gastrointestinal tract in mice: methylation of foreign DNA - A cellular defence mechanism. In: Meyer P (ed.) *Gene silencing in higher plants and related phenomena in other eukaryotes*. Berlin; Springer Verlag 209-224.
- Dorer DR, Henikoff S (1994). Expansions of transgene repeats cause heterochromatin formation and gene silencing in *Drosophila*. *Cell.* 77:993-1002.
- Elbashir SM, Harborth J, Lendeckel W, Yalcin A, Weber K, Tuschl T (2001a). Duplexes of 21-nucleotide RNAs mediate RNA interference in cultured mammalian cells. *Nature.* 411:494-498.
- Elbashir SM, Lendeckel W, Tuschl T (2001b). RNA interference is mediated by 21- and 22-nucleotide RNAs. *Genes Dev.* 15(2):188-200.
- Elmayan T, Vaucheret H (1996). Expression of single copies of a strongly expressed 35s transgene can be silenced post-transcriptionally. *Plant J.* 9(6):787-797.

- English JJ, Müller E, Baulcombe DC (1996). Suppression of virus accumulation in transgenic plants exhibiting silencing of nuclear genes. *Plant Cell*. 8:179-188.
- Feil R, Khosla S (1999). Genomic imprinting in mammals: an interplay between chromatin and DNA methylation? *Trends Genet*. 15(11):431-435.
- Finnegan EJ, Dennis ES (1993). Isolation and identification by sequence homology of a putative cytosine methyltransferase from *Arabidopsis thaliana*. *Nucleic Acids Res*. 21(10):2383-2388.
- Finnegan EJ, Kovac KA. (2000). Plant DNA methyltransferases. *Plant Mol Biol*. 43(2-3):189-201.
- Finnegan EJ, Peacock WJ, Dennis ES (1996). Reduced DNA methylation in *Arabidopsis thaliana* results in abnormal plant development. *Proc Natl Acad Sci U S A*. 93(16):8449-54.
- Fire A (1999). RNA-triggered gene silencing. *Trends Genetics*. 15(9):358-363.
- Flavell RB (1994). Inactivation of gene expression in plants as a consequence of specific sequence duplication. *Proc Natl Acad Sci U S A*. Review.91(9):3490-6.
- Franck A, Guilley H, Jonard G, Richards K, Hirth L (1980). Nucleotide sequence of cauliflower mosaic virus DNA. *Cell*. 21(1):285-294.
- Frommer M, McDonald LE, Millar DS, Collis CM, Watt F, Grigg GW, Molloy PL, Paul CL (1992). A genomic sequencing protocol that yields a positive display of 5-methylcytosine residues in individual DNA strands. *Proc Natl Acad Sci U S A*. 89:1827-1831.
- Furner IJ, Sheikh MA, Collett CE (1998). Gene silencing and homology-dependent gene silencing in *Arabidopsis*: genetic modifiers and DNA methylation. *Genetics*. 149(2):651-62.
- Fu X, Kohli A, Twyman RM, Christou P (2000). Alternative silencing effects involve distinct types of non-spreading cytosine methylation at a three-gene, single-copy transgenic locus in rice. *Mol Gen Genet*. 263:106-118.
- Genger RK, Kovac KA, Dennis ES, Peacock WJ, Finnegan EJ (1999). Multiple DNA methyltransferase genes in *Arabidopsis thaliana*. *Plant Mol Biol*. 41(2):269-278.
- Goldberg B, Urnovitz HB, Stricker RB (2000). Beyond danger: unmethylated CpG dinucleotides and the immunopathogenesis of disease. *Immunol Lett*. 73(1):13-18.
- Goodwin J, Chapman K, Swaney S, Parks TD, Wernsman AE, Dougherty WG (1996). Genetic and biochemical dissection of transgenic RNA-mediated virus resistance. *Plant Cell*. 8:95-105.
- Goto T, Monk M (1998). Regulation of X-chromosome inactivation in development in mice and humans. *Microbiol Mol Biol Rev*. 62(2):362-378.
- Gowher H, Leismann O, Jeltsch A (2000). DNA of *Drosophila melanogaster* contains 5-methylcytosine. *EMBO J*. 19(24):6918-6923.
- Gritz L, Davies J (1983). Plasmid-encoded hygromycin B resistance: the sequence of hygromycin B phosphotransferase gene and its expression in *Escherichia coli* and *Saccharomyces cerevisiae*. *Gene*. 25:2-3.

- Grünbaum Y, Cedar H, Razin A (1982). Substrate and sequence specificity of a eukaryotic DNA methylase. *Nature*. 295(5850):620-622.
- Grünbaum Y, Naveh-Many T, Cedar H, Razin A (1981). Sequence specificity of methylation in higher plant DNA. *Nature*. 292(5826):860-862.
- Hart CM, Fischer B, Neuhaus JM, Meins F (1992). Regulated inactivation of homologous gene expression in transgenic *Nicotiana sylvestris* plants containing a defense-related tobacco chitinase gene. *Mol Gen Genet*. 235:179-188.
- Henikoff S, Comai L (1998). A DNA methyltransferase homolog with a chromodomain exists in multiple polymorphic forms in *Arabidopsis*. *Genetics*. 149:307-318.
- Hobbs SL, Kpodar P, DeLong CM (1990). The effect of T-DNA copy number, position and methylation on reporter gene expression in tobacco transformants. *Plant Mol Biol*. 15(6):851-64.
- Hobbs SL, Warkentin TD, DeLong CM (1993). Transgene copy number can be positively or negatively associated with transgene expression. *Plant Mol Biol*. 21(1):17-26.
- Ingelbrecht I, Van Houdt H, Van Montagu M, Depicker A (1994). Posttranscriptional silencing of reporter transgenes in tobacco correlates with DNA methylation. *Proc Natl Acad Sci U S A*. 91(22):10502-6.
- Ingram R, Charrier B, Scollan C, Meyer P (1999). Transgenic tobacco plants expressing the *Drosophila* Polycomb (Pc) chromodomain show developmental alterations: possible role of Pc chromodomain proteins in chromatin-mediated gene regulation in plants. *Plant Cell*. 11(6):1047-1060.
- Jacobsen SE, Meyerowitz EM (1997). Hypermethylated SUPERMAN epigenetic alleles in *Arabidopsis*. *Science*. 277(5329):1100-3.
- Jacobsen SE. (1999) Gene silencing: Maintaining methylation patterns. *Curr Biol*. 9(16):R617-9.
- Jakowitsch J, Papp I, Moscone EA, van der Winden J, Matzke M, Matzke AJM (1999). Molecular and cytogenetic characterization of a transgene locus that influence silencing and methylation of homologous promoters *in trans*. *Plant J*. 17:131-140.
- Jones JDG, Gilbert DE, Grady KL, Jorgensen RA (1987). T-DNA structure and gene expression in *Petunia* plants transformed by *Agrobacterium tumefaciens* C58 derivatives. *Mol Gen Genet*. 207:478-485.
- Jongsma M, Korneef M, Zabel P, Hille J (1987). Tomato protoplast DNA transformation: physical linkage and recombination of exogenous DNA sequences. *Plant Mol Biol*. 8:383-394.
- Kakutani T, Munakata K, Richards EJ, Hirochika H (1999). Meiotically and mitotically stable inheritance of DNA hypomethylation induced by ddm1 mutation of *Arabidopsis thaliana*. *Genetics*. 151(2):831-8.
- Kasschau KD, Carrington JC (1998). A counter defensive strategy of plant viruses: suppression of posttranscriptional silencing. *Cell*. 95:461-470

Kass SU, Pruss D, Wolffe AP (1997). How does DNA methylation repress transcription? Trends Genet. 13(11):444-449.

Kilby NJ, Leyser HM, Furner IJ (1992). Promotor methylation and progressive transgene inactivation in *Arabidopsis*. Plant Mol Biol. 20:103-112.

Knox JD, Araujo FD, Bigey P, Slack AD, Price GB, Zannis-Hadjopoulos M, Szyf M (2000). Inhibition of DNA methyltransferase inhibits DNA replication. J Biol Chem. 275(24):17986-17990.

Kobayashi N, Horikoshi T, Katsuyama H, Handa T, Takayanagi K (1998). A simple and efficient DNA extraction method for plants, especially woody plants. Plant Tissue Culture Biotech. 4(2):76-80.

Kooter JM, Matzke MA, Meyer P (1999). Listening to the silent genes: Transgene silencing, gene regulation and pathogen control. Trends plant Science. 4(5):340-347.

Kundu TK, Rao MR (1999). CpG islands in chromatin organization and gene expression. J Biochem. 125(2):217-222.

Lam E, Benfey PN, Gilmartin PM, Fang RX, Chua NH (1989). Site-specific mutations alter *in vitro* factor binding and change promoter expression pattern in transgenic plants. Proc Natl Acad Sci U S A. 86:7890-7894.

Li E, Bestor TH, Jaenisch R (1992). Targeted mutation of the DNA methyltransferase gene results in embryonic lethality. Cell. 69(6):915-926.

Linn F, Heidmann I, Saedler H, Meyer P (1990). Epigenetic changes in the expression of the maize A1 gene in *Petunia hybrida*: Role of numbers of integrated gene copies and state of methylation. Mol Gen Genet. 222:329-336.

Malagnac F, Wendel B, Goyon C, Faugeron G, Zickler D, Rossignol JL, Noyer-Weidner M, Vollmayr P, Trautner TA, Walter J (1997). A gene essential for de novo methylation and development in *Ascombolus* reveals a novel type of eukaryotic DNA methyltransferase structure. Cell. 91(2):281-90.

Maniatis T, Fritsch EF, Sambrook J (1983). Molecular cloning: A laboratory manual (Cold Spring Harbor Lab., Cold Spring Harbor, NY.

Matzke AJ, Matzke MA (1998a). Position effects and epigenetic silencing of plant transgenes. Curr Opin Plant Biol. 1(2):142-8.

Matzke AJ, Neuhuber F, Park YD, Ambros PF, Matzke MA (1994). Homology-dependent gene silencing in transgenic plants: epistatic silencing loci contain multiple copies of methylated transgenes. Mol Gen Genet. 244(3):219-29.

Matzke MA, Matzke AJ, Eggleston WB (1996). Paramutation and transgene silencing: a common response to invasive DNA? Trends Plant Sci. 1(11):382-388.

Matzke MA, Matzke AJ (1991). Differential inactivation and methylation of a transgene in plants by two suppressor loci containing homologous sequences. Plant Mol Biol. 16(5):821-30.

Matzke MA, Matzke AJ (1998b). Epigenetic silencing of plant transgenes as a consequence of diverse cellular defence responses. Cell Mol Life Sci. Review. 54(1):94-103.

- Matzke MA, Matzke AJM (1990). Gene interactions and epigenetic variation in transgenic plants. *Dev. Genet.* 11:214-223.
- Matzke MA, Matzke AJM, Pruss GJ, Vance VB (2001). RNA-based silencing strategies in plants. *Curr Opin Genet Dev.* 11:221-227.
- Matzke MA, Mette MF, Matzke AJM (2000). Transgene silencing by the host genome defense: implications for the evolution of epigenetic control mechanisms in plants and vertebrates. *Plant Mol Biol.* 43:401-415.
- Matzke MA, Primig M, Trnovsky J, Matzke AJM (1989). Reversible methylation and inactivation of marker genes in sequentially transformed tobacco plants. *EMBO J.* 8(3):643-649.
- Mayerhofer R, Nawrath Z, Bakkeren KG, Crameri A, Angelis K, Redei GP, Schell J, Hohn B, Koncs C (1991). T-DNA integration in a mode of illegitimate recombination in plants. *EMBO J.* 10(3):697-704.
- Meins F, Kunz C (1994). Silencing of chitinase expression in transgenic plants: An autoregulatory Model. J. Paszkowski (ed.). Homologous recombination and gene silencing in plants. Kluwer Academics Publishers. 335-348.
- Meixner M, Brinkmann S, Schieder O (1996). Genetic stability and expression of foreign genes in transgenic Lines of the legume *Vicia narbonensis*. Springer-Verlag Berlin Heidelberg New York. Schmidt ER, Hankeln Th (eds). Transgenic Organisms and Biosafety 249-260.
- Meixner M, Schneider U, Schieder O, Pickardt T (1995). Studies on the stability of foreign genes in the progeny of transgenic lines of *Vicia narbonensis*. Terzi M et al. (eds). Current issues in plant molecular and cellular biology, Kluwer Academic Publishers/Netherlands. 285-290.
- Messeguer R, Ganai MW, Steffens JC, Tanksley SD (1991). Characterization of the level, target sites and inheritance of cytosinemethylation in tomato nuclear DNA. *Plant Mol Biol.* (5):753-770
- Messer W, Noyer-Weidner M (1988). Timing and targeting: the biological functions of dam methylation in *E. coli*. *Cell.* 54(6):735-737.
- Mette MF, Aufsatz W, van der Winden J, Matzke MA, Matzke AJM (2000). Transcriptional silencing and promoter methylation triggered by double-stranded RNA. *EMBO J.* 19(19):5194-5201.
- Mette MF, van der Winden J, Matzke MA, Matzke AJM (1999). Production of aberrant promoter transcripts contributes to methylation and silencing of unlinked homologous promoters *in trans*. *EMBO J.* 18(1):241-248.
- Metzlaff M, O'Dell M, Cluster PD, Flavell RB (1997). RNA-mediated RNA degradation and chalcone synthase a silencing in *Petunia*. *Cell.* 88:845-854.
- Meyer P (1995). Understanding and controlling transgene expression. *Trends Biochem.* 13:332-337.
- Meyer P, Heidmann I, Niedenhof I (1993). Differences in DNA-methylation are associated with a paramutation phenomenon in transgenic *Petunia*. *Plant J.* 4(1),89-100.

- Meyer P, Heidmann I (1994). Epigenetic variants of a transgenic petunia line show hypermethylation in transgene DNA: an indication for specific recognition of foreign DNA in transgenic plants. *Mol Gen Genet.* 243:390-399.
- Meyer P, Heidmann I (1994). Epigenetic variants of a transgenic petunia line show hypermethylation in transgene DNA: an indication for specific recognition of foreign DNA in transgenic plants. *Mol Gen Genet.* 243(4):390-9.
- Meyer P, Linn F, Heidmann I, Meyer H, Niedenhof I, Saedler H (1992). Endogenous and environmental factors influence 35S promoter methylation of a maize A1 gene construct in transgenic petunia and its colour phenotype. *Mol Gen Genet.* 231:345-352.
- Meyer P, Niedenhof I, ten Lohuis M (1994). Evidence for cytosine methylation of non-symmetrical sequences in transgenic *Petunia hybrida*. *EMBO J.* 13(9):2084-2088.
- Meza TU, Kamfjord D, Hakelien AM, Evans I, Godager LH, Mandal A, Jakobsen KS, Aalen RB (2001). The frequency of silencing in *Arabidopsis thaliana* varies highly between progeny of siblings and can be influenced by environmental factors. *Transgenic Res.* 10(1):53-67.
- Mittelsten-Scheid O (1995). Transgene inactivation in *Arabidopsis thaliana*. In: Meyer P (Ed.) Gene silencing in higher plants and related phenomena in other eukaryotes. Springer Verlag Berlin. 29-43.
- Mittelsten Scheid O, Afsar K, Paszkowski J (1998). Release of epigenetic gene silencing by trans-acting mutations in *Arabidopsis*. *Proc Natl Acad Sci U S A.* 95(2):632-7.
- Monk M, Boubelik M, Lehnert S (1987). Temporal and regional changes in DNA methylation in the embryonic, extraembryonic and germ cell lineages during mouse embryo development. *Development.* 99(3):371-382.
- Morino K, Olsen OA, Shimamoto K (1999). Silencing of an aneurone-specific gene in transgenic rice is caused by a rearranged transgene. *Plant J.* 17:275-295.
- Müller E, Brown PTH, Harke S, Lörz H (1990). DNA variation in tissue-culture-derived rice plants. *Theor Appl Genet.* 80:673-679.
- Muskens MWM, Vissers APA, Mol JNM, Kooter JM (2000). Role of inverted DNA repeats in transcriptional and post-transcriptional gene silencing. *Plant Mol Biol.* 43:243-260.
- Nagy F, Kay SA, Bountry M, Hsu M-Y, Chua N-H (1986). Phytochrome-controlled expression of a wheat cab gene in transgenic tobacco seedlings. *EMBO J.* 5:1119-1124.
- Nagy F, Kay S A, Chua NH (1988). Analysis of gene expression in transgenic plants. *Plant Mol Biol Manual.* Kluwer Academic Publishers, Dordrecht – Printed in Belgium. B4 1-29.
- Nan XS, Ng HH, Johnson CA, Laherty CD, Turner BM, Eisenman RN, Bird A (1998). Transcriptional repression by the methyl-CpG-binding protein MeCP2 involves a histone deacetylase complex. *Nature.* 393:386-389.
- Napoli C, Lemieux C, Jorgensen R (1990). Introduction of a chimeric chalcone synthase gene into *Petunia* results in reversible cosuppression of homologous genes in trans. *Plant Cell.* 2:279-289.

- Neuhuber F, Park YD, Matzke AJM, Matzke MA (1994). Susceptibility of transgene loci to homology-dependent gene silencing. *Mol Gen Genet.* 244:230-241.
- Ng HH, Bird AP (1999). DNA-methylation and chromatin modification. *Curr Opin Genet Dev.* 9:158-163.
- Nong VH, Schlesier B, Bassüner R, Repik A, Horstmann C, Müntz K (1995). Narbonin, a novel 2S protein from *Vicia narbonensis* L. seeds: cDNA, gene structure and developmentally regulated formation. *Plant Mol Biol.* 28:61-72.
- Oakeley E, Jost JP (1996). Non-symmetrical cytosine methylation in tobacco pollen DNA. *Plant Mol Biol.* 31:927-930.
- Okano M, Xie S, Li E (1998a). Cloning and characterization of a family of novel mammalian DNA (cytosine-5)methyltransferases. *Nat Genet.* 19(3):219-220.
- Okano M, Xie S, Li E (1998b). Dnmt2 is not required for de novo and maintenance methylation of viral DNA in embryonic stem cells. *Nucleic Acids Res.* 26(11):2536-2540.
- Ottaviani MP, Smits T, Hänisch ten Cate CH (1993). Differential methylation and expression of the β -glucuronidase and neomycin phosphotransferase genes in transgenic plants of potato cv. Bintje. *Plant Science.* 88:73-81.
- Park SH, Pinson SR, Smith RH (1996). T-DNA integration into genomic DNA of rice following *Agrobacterium* inoculation of isolated shoot apices. *Plant Mol Biol.* 32(6):1135-48.
- Park YD, Papp I, Moscone EA, Iglesias VA, Vaucheret H, Matzke AJ, Matzke MA (1996). Gene silencing mediated by promoter homology occurs at the level of transcription and results in meiotically heritable alterations in methylation and gene activity. *Plant J.* 9(2):183-94.
- Paszkowski J, Baur M, Bogucke A, Potrykus I (1988). Gene targeting in plants. *EMBO J.* 7(13):4021-4026.
- Peach C, Velten J (1991). Transgene expression variability (position effect) of CAT and GUS reporter genes driven by linked divergent T-DNA promoters. *Plant Mol Biol.* 17(1):49-60.
- Pelissier T, Thalmeir S, Kempe D, Sanger HL, Wassenegger M (1999). Heavy *de novo* methylation at symmetrical and non-symmetrical sites is a hallmark of RNA-directed DNA methylation. *Nucleic Acids Res.* 27:1625-1634.
- Pelissier T, Wassenegger M (2000). A DNA target of 30 bp is sufficient for RNA-directed DNA methylation. *RNA* 6:55-65.
- Pickardt T, Meixner M, Schade V, Schieder O (1991). Transformation of *Vicia narbonensis* via *Agrobacterium*-mediated gene transfer. *Plant Cell Rep.* 9:535-538.
- Pietrzak M, Shillito RD, Hohn T, Potrykus I (1986). Expression in plants of two bacterial antibiotic resistance genes after protoplast transformation with a new plant expression vector. *Nucleic Acids Res.* 14(14):5857-5868.
- Plasterk RH, Ketting RF (2000). The silence of the genes. *Curr Opin Genet Dev.* 10:562-567.
- Pröls F, Meyer P (1992). The methylation patterns of chromosomal integration regions influence gene activity of transferred DNA in *Petunia hybrida*. *Plant J.* 2:465-475.

- Raizis AM, Schmitt F, Jost J-P (1995). A bisulfite method of 5-methylcytosine mapping that minimizes template degradation. *Anal. Biochemistry*. 226:161-166.
- Ratcliff FG, MacFarlane SA, Baucombe DC (1999). Gene silencing without DNA: RNA-mediated cross-protection between viruses. *Plant Cell*. 11:1207-1216.
- Reynaerts A, de Block M, Hernalsteens JP, van Montague M (1988). Selectable and screenable markers: *Plant Mol Biol Manual*. Gelvin S, Schilperoort RA, Verma DPS (eds.). Kluwer Academic Publishers/Belgium. A9:1-16
- Rhounim L, Gregoire A, Salama S, Faugeron G (1994). Clustering of multiple transgene integrations in highly-unstable *Ascobolus immersus* transformants. *Curr Genet*. 26(4):344-51.
- Rhounim L, Rossignol JL, Faugeron G (1992). Epimutation of repeat genes in *Ascobolus immersus*. *EMBO J*. 11(12):4451-4457.
- Robertson KD (2001). DNA methylation, methyltransferases, and cancer. *Oncogene*. 20(24):3139-3155.
- Ronchi A, Petroni K, Tonelli C (1995). The reduced expression of endogenous duplications (REED) in the maize R gene family is mediated by DNA methylation. *EMBO J*. 14(21):5318-28.
- Ronemus MJ, Galbiati M, Ticknor C, Chen J, Dellaporta SL (1996). Demethylation-induced developmental pleiotropy in *Arabidopsis*. *Science*. 273(5275):654-7.
- Rountree MR, Bachman KE, Herman JG, Baylin SB (2001). DNA methylation, chromatin inheritance, and cancer. *Oncogene*. 20(24):3156-3165
- Sawasaki T, Takahashi M, Goshima N, Morikawa H (1998). Structure of transgene loci in transgenic *Arabidopsis* plants obtained by particle bombardment: junction regions can bind to nuclear matrices. *Gene*. 218:27-35.
- Scheule RK (2000). The role of CpG motifs in immunostimulation and gene therapy. *Adv Drug Deliv Rev*. 44(2-3):119-134.
- Selker EU, Fritz DY, Singer MJ (1993). Dense non-symmetrical DNA methylation resulting from repeat-induced point mutation (RIP) in *Neurospora*. *Science*. 262:1724-1728.
- Selker EU, Garrett, PW (1988). DNA-sequence duplications trigger gene inactivation in *Neurospora crassa*. *Proc Natl Acad. Sci U S A*. 85:6870-6874.
- Selker EU (1990). Premeiotic instability of repeated sequences in *Neurospora crassa*. *Ann Rev Genet*. 24:579-613.
- Selker EU (1998). Trichostatin A causes selective loss of DNA methylation in *Neurospora*. *Proc Natl Acad Sci U S A*. 95:9430-9535.
- Shaw CH, Carter GH, Watson MD, Shaw CH (1984). A functional map of the nopaline synthase promoter. *Nucleic Acids Res*. 12:7831-7846.
- Short JM, Fernandez JM, Sorge JA, Huse WD (1988). Lambda ZAP: A bacteriophage lambda expression vector with in vivo excision properties. *Nucleic Acids Res*. 16:7583-7600.

- Sijen T, Wellink J, Hiriart J-B, van Kammen A (1996). RNA-mediated virus resistance: role of repeated transgenes and delineation of targeted regions. *Plant Cell*. 8:2277-2294.
- Simpson RB, O'Hara P, Kwok W, Montoya AL, Lichtenstein C, Gordon MP, Nester EW (1982): DNA from the A6/2 crown gall tumor contains scrambled Ti plasmid sequences near ist junctions with the plant DNA. *Cell*. 29:1005-1014.
- Singer M, Marcotte B, Selker E (1995). DNA methylation associated with repeat-induced point mutation in *Neurospora crassa*. *Mol Cell Biol*. 15:5586-5597.
- Smith HA, Powers H, Swaney SL, Brown C, Dougherty WG (1995). Transgenic potato virus Y resistance in potato: Evidence for an RNA-mediated cellular response. *Phytopathology* 85:864-870.
- Smith HA, Swaney SL, Parks TD, Wernsman EA, Dougherty WG (1994). Transgenic plant virus resistance mediated by untranslatable sense RNA: Expression, regulation and fate of non essential RNAs. *Plant Cell*. 6:1441-1453.
- Smith SS (1998). Stalling of DNA methyltransferase in chromosome stability and chromosome remodelling. *Int J Mol Med*. 1(1):147-156.
- Stam M, Mol JNM, Kooter JM (1997). The silence of genes in transgenic plants. *Annals of Botany*. 79:3-12.
- Stam M, Viterbo A, Mol JNM, Kooter JM (1998). Position-dependent methylation and transcriptional silencing of transgenes in inverted T-DNA repeats: Implications for posttranscriptional silencing of homologous host genes in plants. *Mol Cell Biol*. 18:6165-6177.
- Steffens P, Van HN, Hillmer S, Saalbach I, Müntz K (1997). Subcellular localization of the 2S globulin narbonin in seeds of *Vicia narbonensis*. *Planta*. 203(1):44-50.
- Ten Lohuis M, Müller A, Heidmann I, Niedenhof I, Meyer P (1995). A repetitive DNA fragment carrying a hot spot for *de novo* DNA methylation enhances expression variegation in tobacco and petunia. *Plant J*. 8(6):919-932.
- Tian L, Chen ZJ (2001). Blocking histone deacetylation in *Arabidopsis* induces pleiotropic effects on plant gene regulation and development. *Proc Natl Acad Sci U S A*. 98:200-205.
- Timmermans MC, Das OP, Messing J (1996). Characterization of a meiotic crossover in maize identified by a restriction fragment length polymorphism-based method. *Genetics*. 143(4):1771-1783.
- Turker MS, Bestor TH (1997). Formation of methylation patterns in the mammalian genome. *Mut Res*. 386:119-130.
- Van Blokland R, van der Geest N, Mol JNM, Kooter JM (1994). Transgene-mediated suppression of chalcone synthase expression in *Petunia hybrida* results from an increase in RNA turnover. *Plant J*. 6:861-877.
- Van Eldik GJ, Litiere K, Jacobs JJMR, van Montagou M, Cornelissen M (1998). Silencing of beta-1,3-glucanase genes in tobacco correlates with an increased abundance of RNA degradation intermediates. *Nucleic Acids Res*. 26:5176-5181.

- Van der Krol AR, Mur LA, Beld M, Mol JNM, Stuitje AR (1990). Flavonoid genes in *Petunia*: addition of a limited number of gene copies may lead to a suppression of gene expression. *Plant Cell*. 2:291-299.
- Van Houdt H, Ingelbrecht I, van Montagu M, Depicker A (1997). Post-transcriptional silencing of a neomycin phosphotransferase II transgene correlates with the accumulation of unproductive RNAs and with increased cytosine methylation of 3' flanking regions. *Plant J*. 12:379-392.
- Vaucheret H, Fagard M (2001). Transcriptional gene silencing in plants: targets, inducers and regulators. *Trends Genet*. 17(1):29-35.
- Vilkaitis G, Klimasauskas S (1999). Bisulfite sequencing protocol displays both 5-methylcytosine and N₄-methylcytosine. *Anal Biochem*. 271:116-119.
- Wade PA, Geggion A, Jones PL, Ballestar E, Aubry F, Wolffe AP (1999). Mi-2 complex couples DNA methylation to chromatin remodelling and histone deacetylation. *Nature Genet*. 23:1-5.
- Wallroth M, Gerates AGM, Rogers SG, Fraley RT, Horsch RB (1986). Chromosomal localisation of foreign genes in *Petunia hybrida*. *Mol Gen Genet*. 202:6-152.
- Wang L, Heinlein M, Kunze R (1996). Methylation pattern of Activator transposase binding sites in maize endosperm. *Plant Cell*. 8(4):747-758.
- Wassenegger M, Heimes S, Riedel L, Sanger HL (1994). RNA-directed de novo methylation of genomic sequences in plants. *Cell*. 76(3):567-576.
- Wassenegger M (2000). RNA-directed DNA methylation. *Plant Mol Biol*. 43(2-3):203-20. Review.
- Waterhouse P, Graham MW, Wang M-B (1998). Virus resistance and gene silencing in plants can be induced by simultaneous expression of sense and antisense RNA. *Proc Natl Acad Sci U S A*. 95:13959-13964.
- Waterhouse PM, Smith NA, Wang MB (1999). Virus resistance and gene silencing: killing the messenger. *Trends Plant Sci*. 4:452-457.
- Wu K, Malik K, Tian L, Brown D, Miki B (2000). Functional analysis of a RPD3 histone deacetylase homologue in *Arabidopsis thaliana*. *Plant Mol Biol*. 44(2):167-176.
- Wu JC, Santi DV (1987). Kinetic and catalytic mechanism of HhaI methyltransferase. *J Biol Chem*. 262(10):4778-4786.
- Yoder JA, Bestor TH (1998). A candidate mammalian DNA methyltransferase related to Pmt1p of fission yeast. *Hum Mol Genet*. 7(2):279-284.
- Zambryski P, Herrera-Estrella L, de Block M, von Montagu M, Schell J (1984). The use of the Ti plasmid of *Agrobacterium* to study the transfer and expression of foreign DNA in plant cells: New vectors and methods. Hollaender A, Setlow J (eds.). *Principles & Methods*. Plenum Press. Genetic engineering Vol. VI
- Zhou Y, Magill CW, Magill JM, Newton RJ (1998). An apparent case of nonsymmetrical and sustained strand-specific hemimethylation in the Dc8 gene of carrot. *Genome*. 41(1):23-33.