

7. Literaturverzeichnis

- Aebi, U., Cohn, J., Buhle, L. und Gerace, L. (1986)
The Nuclear Lamina Is A Meshwork Of Intermediate-Type Filaments
Nature **323**, 560-564
- Alexandrov, M.L., Gall, L.N., Krasnov, N.V., Nikolaev, V.I., Pavlenko, V.A. und Shkurov, V.A. (1984)
(Titel konnte nicht ermittelt werden)
Dokl.Akad.NaukSSSR **277**, 379 ff.
zitiert bei: Edmond, C.G. und Smith, R.D. (1990)
Electrospray Ionization Mass Spectrometry
Meth.Enzymol. **193**, 412-431
- Arlucea, J., Andrade, R., Alonso, R. und Arechaga, J. (1998)
The Nuclear Basket Of The Nuclear Pore Complex Is Part Of A Higher-Order Filamentous Network That Is Related To Chromatin
J.Struct.Biol. **124**, 51-58
- Ashery-Padan, R., Weiss, A.M., Feinstein, N. und Gruenbaum, Y. (1997)
Distinct Regions Specify The Targeting Of Otefin To The Nucleoplasmic Side Of The Nuclear Envelope
J.Biol.Chem. **272**, 2493-2499
- Bangs, P., Burke, B., Powers, C., Craig, R., Purohit, A. und Doxsey, S. (1998)
Functional Analysis Of Tpr: Identification Of Nuclear Pore Complex Association And Nuclear Localization Domains And A Role In Mrna Export
J.Cell Biol. **143**, 1801-1812
- Berger, R., Theodor, L., Shoham, J., Gokkel, E., Brok-Simoni, F., Avraham, K.B., Copeland, N.G., Jenkins, N.A., Rechavi, G. und Simon, A.J. (1996)
The Characterization And Localization Of The Mouse Thymopoietin/Lamina-Associated Polypeptide 2 Gene And Its Alternatively Spliced Products
Genome Res. **6**, 361-370
- Bhattacharya, M., Peri, K.G., Ribeiro-da-Silva, A., Almazan, G., Shichi, H., Durocher, Y., Abramovitz, M., Hou, X., Varma, D.R. und Chemtob, S. (1998)
Nuclear Localization Of Prostaglandin EP2 Receptors
Proc.Natl.Acad.Sci.USA **95**, 15792-15797
- Bhattacharya, M., Peri, K.G., Ribeiro-da-Silva, A., Almazan, G., Shichi, H., Hou, X., Varma, D.R. und Chemtob, S. (1999)
Localization Of Functional Prostaglandin E2 Receptors EP3 And EP4 In The Nuclear Envelope
J.Biol.Chem. **274**, 15719-15724
- Biemann, K. (1990)
Sequencing Of Peptides By Tandem Mass Spectrometry And High-Energy Collision-Induced Dissociation
Meth.Enzymol. **193**, 455-479
- Bione, S., Maestrini, E., Rivella, S., Mancini, M., Regis, S., Romeo, G. und Toniolo, D. (1994)
Identification Of A Novel X-Linked Gene Responsible For Emery-Dreifuss Muscular Dystrophy
Nature Genet. **8**, 323-327
- Blackstock, W.P. und Weir, M.P. (1999)
Proteomics: Quantitative And Physical Mapping Of Cellular Proteins
Trends Biotechn. **17**, 121-127
- Borononkov, I.V., Loijens, J.C., Umeda, M. und Anderson, R.A. (1998)
Phosphoinositide Signaling Pathways In Nuclei Are Associated With Nuclear Speckles Containing Pre-mRNA Processing Factors
Mol.Biol.Cell **9**, 3547-3560

- Boyle, W.J., Van der Geer, P. und Hunter, T. (1991)
Phosphopeptide Mapping And Phosphoamino Acid Analysis By Two-Dimensional Separation On Thin-Layer Cellulose Plates
Meth.Enzymol. **201B**, 110-149
- Bradford, M.M. (1976)
A Rapid And Sensitive Method For The Quantitation Of Microgramm Quantaties Of Protein Utilizing The Principle Of Protein-Dye-Binding
Anal.Biochem. **72**, 248-254
- Brown, R.S. und Lennon, J.J.
Mass Resolution Improvement By Incorporation Of Pulsed Ion Extraction In A Matrix-Assisted Laser Desorption/Ionization Linear Time-Of-Flight Mass Spectrometer
Anal.Chem. **67**, 1998-2003
- Buchner, K. (1995)
Protein Kinase C In The Transduction Of Signals Towards An Within The Cell Nucleus
Eur.J.Biochem. **228**, 211-221
- Buchner, K., Lindschau, C. und Hucho, F. (1997)
Nuclear Localization Of Protein Kinase C (And Its Association With Nuclear Components In Neuro-2a Neuroblastoma Cells
FEBS Lett. **406**, 61-65
- Buendia, B. und Courvalin, J.C. (1997)
Domain-Specific Disassembly And Reassembly Of Nuclear Membranes During Mitosis
Exp.Cell Res. **230**, 133-144
- Byrd, D.A., Sweet, D.J., Panté, N., Konstantinov, K.N., Guan, T., Saphire, A.C.S., Mitchell, P.J., Cooper, C.S., Aebi, U. und Gerace, L. (1994)
Tpr, A Large Coiled-Coil Protein Whose Amino Terminus Is Involved In Activation Of Oncogenic Kinases, Is Localized To The Cytoplasmic Surface Of The Nuclear Pore Complex
J.Cell Biol. **127**, 1515-1526
- Cardoso, M.C. und Leonhardt, H. (1998)
Protein Targeting To Subnuclear Higher Order Structures: A New Level Of Regulation And Coordination Of Nuclear Processes
J. Cell. Biochem. **70**, 222-230
- Carr, S.A., Huddleston, M.J. und Bean, M.F. (1993)
Selective Identification And Differentiation Of N- And O-Linked Oligosaccharides In Glycoproteins By Liquid Chromatography-Mass Spectrometry
Protein Sci. **2**, 183-196
- Carr, S.A., Huddleston, M.J. und Annan, R.S. (1996)
Selective Detection And Sequencing Of Phosphopeptides At The Femtomole Level By Mass Spectrometry
Anal.Biochem. **239**, 180-192
- Cartegni, L., Raffaele di Barletta, M., Barresi, R., Squarzoni, S., Sabatelli, P., Maraldi, N., Mora, M., Di Blasi, C., Cornelio, F., Merlini, L., Villa, A., Cobiachi, F. und Toniolo, D. (1997)
Heart-Specific Localization Of Emerin: New Insights Into Emery-Dreifuss Muscular Dystrophy
Hum. Mol. Genet. **6**, 2257-2264
- Chaudhary, N. und Courvalin, J.C. (1993)
Stepwise Reassembly Of The Nuclear Envelope At The End Of Mitosis
J. Cell Biol. **122**, 295-306
- Chu, A., Rassadi, R. und Stochaj, U. (1998)
Velcro in the nuclear envelope: LBR and LAPs
FEBS Lett. **441**, 165-169

- Colgan, D.F., Murthy, K.G., Zhao, W., Prives, C. und Manley, J.L. (1998)
Inhibition Of Poly(A)-Polymerase Requires p34^{cdc2}/Cyclin B Phosphorylation Of Multiple Consensus And Non-Consensus Sites
EMBO J. **17**, 1053-1062
- Collas, P. (1999)
Sequential PKC - And Cdc2 - Mediated Phosphorylation Events Elicit Zebrafish Nuclear Envelope Disassembly
J. Cell Sci. **112**, 977-987
- Collas, P. und Poccia, D. (1996)
Distinct Egg Membrane Vesicles Differing In Binding And Fusion Properties Contribute To Sea Urchin Male Pronuclear Envelope Formed *In Vitro*
J. Cell Sci. **109**, 1275-1283
- Cooper, J.A., Esch, F.S., Taylor, S.S. und Hunter, T. (1984)
Phosphorylation Sites In Enolase And Lactate Dehydrogenase Utilized By Tyrosine Kinases In Vivo And In Vitro
J. Biol. Chem. **259**, 7835-7841
- Cordes, V.C., Reidenbach, S., Rackwitz, H.R. und Franke, W.W. (1997)
Identification Of Protein p270/Tpr As A Constitutive Component Of The Nuclear Pore Complex-Attached Intracellular Filaments
J. Cell Biol. **136**, 515-529
- Courvalin, J.C., Segil, N., Blobel, G. und Worman, H.J. (1992)
The Lamin B Receptor Of The Nuclear Membrane Undergoes Mitosis-Specific Phosphorylation And Is A Substrate For p34^{cdc2}-Type Protein Kinase
J. Biol. Chem. **267**, 19035-19038
- Davis, L.I. (1995)
The Nuclear Pore Complex
Ann. Rev. Biochem. **64**, 865-896
- Dechat, T., Gotzmann, J., Stockinger, A., Harris, C.A., Talle, M.A., Siekierka, J.J. und Foisner, R. (1998)
Detergent-Salt Resistance Of LAP 2 α In Interphase Nuclei And Phosphorylation-Dependent Association With Chromosomes Early In Nuclear Assembly Implies Functions In Nuclear Structure Dynamics
EMBO J. **17**, 4887-4902
- Divecha, N., Banfic, H. und Irvine, R.F. (1991)
The Polyphosphoinositide Cycle Exists In The Nuclei Of Swiss 3T3 Cells Under The Control Of A Receptor (For IGF-1) In The Plasma Membrane, And Stimulation Of The Cycle Increases Nuclear Diacylglycerol And Apparently Induces Translocation Of Protein Kinase C To The Nucleus
EMBO J. **10**, 3207-3214
- Dreger, M., Krauss, M., Herrmann, A. und Hucho, F. (1997)
Interactions Of The Nicotinic Acetylcholine Receptor Transmembrane Regions With The Lipid Bilayer In Native Receptor-Rich Membranes
Biochemistry **36**, 839-847
- Dreger, M., Otto, H., Neubauer, G., Mann, M. und Hucho, F. (1999)
Identification Of Phosphorylation Sites In Native Lamina-Associated Polypeptide 2 β
Biochemistry **38**, 9426-9434
- D'Santos, C.S., Clarke, J.H. und Divecha, N. (1998)
Phospholipid Signalling In The Nucleus
Biochim. Biophys. Acta **1436**, 201-232
- Egerton, M., Moritz, R.L., Druker, B., Kelso, A. und Simpson, R.J. (1996)
Identification Of The 70kd Heat Shock Cognate Protein (Hsc70) And Actinin-1 As Novel Phosphotyrosine-Containing Proteins In T Lymphocytes

Biochem.Biophys.Res.Comm. **224**, 666-674

Ellenberg, J., Siggia, E.D., Moreira, J.E., Smith, C.L., Presley, J.F., Worman, H.J. und Lippincott-Schwartz, J. (1998)

Nuclear Membrane Dynamics And Reassembly In Living Cells: Targeting Of An Inner Nuclear Membrane Protein In Interphase And Mitosis

J.Cell Biol. **138**, 1193-1206

Ellis, J.A., Craxton, M., Yates, J.R.W. und Kendrick-Jones, J (1998)

Aberrant Intracellular Targeting And Cell Cycle-Dependent Phosphorylation Of Emerin Contribute To The Emery-Dreifuss Muscular Dystrophy Phenotype

J. Cell Sci. **111**, 781-792

Emery, A.E.H. (1989)

Emery-Dreifuss syndrome

J.Med.Genet. **26**, 637-641

Emig, S., Schmalz, D., Shakibaei, M. und Buchner, K. (1995)

The Nuclear Pore Complex Protein P62 Is One Of Several Sialic Acid-Containing Proteins Of The Nuclear Envelope

J. Biol. Chem. **270**, 13787-13793

Emig, S. (1995)

Identifizierung und Charakterisierung von Proteinen der Kernhülle

Dissertation, FU Berlin 1995

Englmeier, L. und Mattaj, I.

Nucleocytoplasmic transport: the soluble phase

Ann.Rev.Biochem. **67**, 265-306

Enoch,T., Peter, M., Nurse, P. und Nigg, E.A. (1991)

p34cdc2 Acts As A Lamin Kinase In Fission Yeast

J.Cell Biol. **112**, 797-807

Farnsworth, C.C., Wolda, S.L., Gelb, M.H. und Glomset, J.A. (1989)

Human Lamin B Contains A Farnesylated Cysteine Residue

J. Biol. Chem. **264**, 20422-20429

Favreau, C., Worman, H.J., Wozniak, R.W. Frappier, T. und Courvalin, J.C. (1996)

Cell Cycle-Dependent Phosphorylation Of Nucleoporins And Nuclear Pore Membrane Protein gp210

Biochemistry **35**, 8035-8044

Firnbach-Kraft, I. und Stick, R. (1995)

Analysis Of Nuclear Lamin Isoprenylation In Xenopus Oocytes: Isoprenylation Of Lamin B3 Precedes Its Uptake Into The Nucleus

J. Cell Biol. **129**, 17-24

Foisner, R. und Gerace, L. (1993)

Integral Membrane Proteins Of The Nuclear Envelope Interact With Lamins And Chromosomes, And Binding Is Modulated By Mitotic Phosphorylation

Cell **73**, 1267-1279

Fricker, M., Hollinshead, M., White, N. und Vaux, D. (1997)

Interphase Nuclei Of Many Mammalian Cell Types Contain Deep, Dynamic, Tubular Membrane-Bound Invaginations Of The Nuclear Envelope

J. Cell Biol. **136**, 531-544

Furukawa, K., Panté, N., Aebi, U. und Gerace, L. (1995)

Cloning Of A cDNA For Lamina-Associated Polypeptide 2 (LAP 2) And Identification Of Regions That Specify Targeting To The Nuclear Envelope

EMBO J. **14**, 1626-1636

- Furukawa, K., Fritze, C.E. und Gerace, L. (1998)
The Major Nuclear Envelope Targeting Domain Of LAP 2 Coincides With Its Lamin Binding Region But Is Distinct From Its Chromatin Interaction Domain
J. Biol. Chem. **273**, 4213-4219
- Furukawa, K (1999)
LAP2 Binding Protein 1 (L2BP1/BAF) Is A Candidate Mediator Of LAP2-Chromatin Interaction
J. Cell Sci. **112**, 2485-2492
- Gant, T.M. und Wilson, K.L. (1997)
Nuclear Assembly
Ann. Rev. Cell Dev. Biol. **13**, 669-695
- Gant, T.M., Harris, C.A. und Wilson, K.L. (1999)
Roles Of LAP 2 Proteins In Nuclear Assembly And DNA Replication: Truncated LAP 2 β Proteins Alter Lamina Assembly, Envelope Formation, Nuclear Size, And DNA Replication Efficiency In *Xenopus Laevis* Extracts
J. Cell Biol. **144**, 1083-1096
- Gerace, L. und Blobel, G. (1980)
The Nuclear Envelope Lamina Is Reversibly Depolymerized During Mitosis
Cell **19**, 277-287
- Gerasimenko, O.V., Gerasimenko, J.V., Tepikin, A.V. und Petersen, O.H. (1995)
ATP-Dependent Accumulation And Inositol Trisphosphate Or Cyclic ADP-Ribose - Mediated Release Of Ca²⁺ From The Nuclear Envelope
Cell **80**, 439-444
- Glass, J.R. und Gerace, L. (1990)
Lamins A And C Bind And Assemble At The Surface Of Mitotic Chromosomes
J. Cell Biol. **111**, 1047-1057
- Greber, U.F. und Gerace, L. (1992)
Nuclear Protein Import Is Inhibited By An Antibody To A Luminal Epitope Of A Nuclear Pore Complex Glycoprotein
J. Cell Biol. **116**, 15-30
- Greco, A., Miranda, C., Pagliardini, S., Fusetti, L., Bongarzone, I. und Pierotti, M.A. (1997)
Chromosome 1 Rearrangements Involving The Genes TPR And NTRK1 Produce Structurally Different Thyroid-Specific TRK Oncogenes
Genes Chromos. Cancer **19**, 112-123
- Goldberg, M., Huihua, L., Stuurman, N., Ashery-Padan, R., Weiss, A.M., Yu, J., Bhattacharyya, D., Fisher, P.A., Gruenbaum, Y. und Wolfner, M.F. (1998)
Interactions Among *Drosophila* Nuclear Envelope Proteins Lamin, Otefin, And YA
Mol. Cell. Biol. **18**, 4315-4323
- Harel, A., Zlotkin, E., Nainudel-Epszteyn, S., Feinstein, N., Fisher, P.A. und Gruenbaum, Y. (1989)
Persistence Of Major Nuclear Envelope Antigens In An Envelope-Like Structure During Mitosis In *Drosophila Melanogaster* Embryos
J. Cell Sci. **94**, 463-470
- Harris, C.A., Andryuk, P.J., Cline, S., Chan, H.C., Natarajan, A., Siekierka, J.J. und Goldstein, G. (1994)
Three Distinct Human Thymopoietins Are Derived From Alternatively Spliced mRNAs
Proc. Natl. Acad. Sci USA **91**, 6283-6287
- Harris, C.A., Andryuk, P.J., Cline, S.W., Mathew, S., Siekierka, J.J. und Goldstein, G. (1995)
Structure And Mapping Of The Human Thymopoietin (TMPO) Gene And Relationship Of Human TMPO β To Rat Lamin-Associated Polypeptide 2
Genomics **28**, 198-205

- Hartertinger, J., Stenius, K., Hogemann, D. und Jahn, R. (1996)
16-BAC/SDS-PAGE: A Two-Dimensional Gel Electrophoresis System For The Separation Of Integral Membrane Proteins
Anal.Biochem. **240**, 126-133
- Holmer, L., Pezhman, A. und Worman, H.J. (1998)
The Human Lamin B Receptor/Sterol Reductase Multigene Family
Genomics **54**, 469-476
- Holtz, D., Tanaka, R.A., Hartwig, J. und McKeon, F. (1989)
CaaX Motif Of Lamin A Functions In Conjunction With The Nuclear Localization Signal To Target Assembly To The Nuclear Envelope
Cell **59**, 969-977
- Hopfield, J.F., Tank, D.W., Greengard, P. und Huganir, R. (1988)
Functional Modulation Of The Nicotinic Acetylcholine Receptor By Tyrosine Phosphorylation
Nature **336**, 677-680
- Humbert, J.P., Matter, N., Artault, J.C., Köppler, P. und Malviya, A.N. (1996)
Inositol 1,4,5-Trisphosphate Receptor Is Located To The Inner Nuclear Membrane Vindicating Regulation Of Nuclear Calcium Signaling By Inositol 1,4,5-Trisphosphate
J.Biol.Chem. **271**, 478-485
- Hunter, T. (1982)
Synthetic Peptide Substrates For A Protein Tyrosine Kinase
J.Biol.Chem. **257**, 4843-4848
- Jans, D.A. und Hassan, G. (1998)
Nuclear Targeting By Growth Factors, Cytokines, And Their Receptors: A Role In Signaling ?
BioEssays **20**, 400-411
- Jenkins, H., Holman, T., Lyon, C., Lane, B., Stick, R. und Hutchison, C. (1993)
Nuclei That Lack A Lamina Accumulate Karyophilic Proteins And Assemble A Nuclear Matrix
J. Cell Sci. **106**, 275-285
- Jungblut, P. und Thiede, B. (1997)
Protein Identification From 2-DE Gels By MALDI Mass Spectrometry
Mass Spectrom.Rev. **16**, 145-162
- Kajii, Y., Ninomiya, D., Kato, M., Mizuguchi, M., Saji, M., Katsumoto, T., Ohno, K., Takashima, S. und Onodera, K. (1996)
A Tyrosine Kinase-Like Molecule Is Localized In The Nuclear Membrane Of Neurons: Hippocampal Behaviour Under Stress
Biol.Chem. **88**, 45-54
- Kamps, M.P. und Sefton, B.M. (1989)
Acid And Base Hydrolysis Of Phosphoproteins Bound To Immobilon Facilitates Analysis Of Phosphoamino Acids In Gel-Fractionated Proteins
Anal.Biochem. **176**, 22-27
- Karas, M. und Hillenkamp, F. (1988)
Laser Desorption Ionization Of Proteins With Molecular Masses Exceeding 10000 Daltons
Anal.Chem. **60**, 2299-2301
- Kaufmann, R., Spengler, B. und Lutzenkirchen, F. (1993)
Mass Spectrometric Sequencing Of Linear Peptides By Product-Ion Analysis In A Reflectron Time-Of-Flight Mass Spectrometer Using Matrix-Assisted Laser Desorption Ionization
Rapid Comm.Mass Spectrom. **7**, 902-910
- Keresztes, M. und Boonstra, J. (1999)
Import(ance) Of Growth Factors In(to) The Nucleus
J. Cell Biol. **145**, 421-424

- Klose, J. (1975)
Protein Mapping By Combined Isoelectric Focusing And Electrophoresis Of Mouse Tissues. A Novel Approach To Testing For Induced Point Mutations In Mammals
Humangenetik **26**, 231-243
- Kozu, T., Henrich, B., und Schäfer, K.P. (1995)
Structure And Expression Of The Gene (HNRNPA2B1) Encoding The Human hnRNP Protein A2/B1
Genomics **25**, 365-371
- Kulikova, O.G., Savostyanov, G.A., Belyavtseva, L.M. und Razumoskaya, N.I. (1982)
Study Of AtPase Activity And ATP - Dependent Accumulation Of ⁴⁵Ca²⁺ In Skeletal Muscle Nuclei: Effects Of Denervation And Electrical Stimulation
Biokhimiya **47**, 1216-1221
- Laemmli, U.K. (1970)
Cleavage Of Structural Proteins During The Assembly Of The Head Of Bacteriophage T4
Nature **227**, 680-685
- Lamond, A.I. und Earnshaw, W.C. (1998)
Structure And Function In The Nucleus
Science **280**, 547-552
- Lamond, A.I. und Mann, M. (1997)
Cell Biology And The Genome Projects-A Concerted Strategy For Characterizing Multiprotein Complexes By Using Mass Spectrometry
Trends Cell Biol. **7**, 139-142
- Lewin, B. (1994)
Cell Cycle And Growth Regulation
in: *Genes V*, Oxford University Press inc., New York, 349-373
- Livneh, E. und Fishman, D.D. (1997)
Linking Protein Kinase C To Cell-Cycle Control
Eur.J.Biochem. **248**, 1-9
- Lourim, D. und Krohne, G. (1993)
Membrane-Associated Lamins In Xenopus Egg Extracts: Identification Of Two Vesicle Populations
J.Cell Biol. **123**, 501-512
- Macaulay, C., Meier, E. und Forbes, D.J. (1995)
Differential Mitotic Phosphorylation Of Proteins Of The Nuclear Pore Complex
J. Biol. Chem. **270**, 254-262
- Macaulay, C. und Forbes, D.J. (1996)
Assembly Of The Nuclear Pore-Biochemically Distinct Steps Revealed With NEM, GTP γ S, And BAPTA
J. Cell Biol. **132**, 5-20
- Maison, C., Pyrpasopoulou, A., Theodoropoulos, P.A. und Georgatos, S.D. (1997)
The Inner Nuclear Membrane Protein LAP 1 Forms A Native Complex With B-Type Lamins And Partitions With Spindle-Associated Mitotic Vesicles
EMBO J. **16**, 4839-4850
- Malviya, A.N. und Rogue, P.J. (1998)
"Tell Me Where Is Calcium Bred": Clarifying The Roles Of Nuclear Calcium
Cell **92**, 17-23
- Manial, S., Nguyen, T.M., Sewry, C.A. und Morris, G.E. (1996)
The Emery-Dreifuss Muscular Dystrophy Protein, Emerin, Is A Nuclear Membrane Protein
Hum. Mol. Genet. **5**, 801-808
- Mann, M. und Wilm, M. (1994)
Error-Tolerant Identification Of Peptides In Sequence Databases By Peptide Sequence Tags

Anal. Chem. **66**, 4390-4399

Marshall, I.C.B. und Wilson, K.L. (1997)
Nuclear Envelope Assembly After Mitosis
Trends Cell Biol. **7**, 69-74

Matsuoka, Y., Takagi, M., Ban, T., Miyazaki, M., Yamamoto, T., Kondo, Y. und Yoneda, Y. (1999)
Identification And Characterization Of Nuclear Pore Subcomplexes In Mitotic Extract Of Human Somatic Cells
Biochem. Biophys. Res. Comm. **254**, 417-423

Matthews, R.P., Guthrie, C.R., Wailes, L.M., Zhao, X., Means, A.R. und McKnight, G.S. (1994)
Calcium/Calmodulin Dependent Kinase Types II And IV Differentially Regulate CREB - Dependent Gene Expression
Mol. Cell. Biol. **14**, 6107-6116

Mayeda, A., Munroe, S.H., Cáceres, J.F. und Krainer, A.R. (1994)
Function Of Conserved Domains hnRNP A1 And Other hnRNP A/B Proteins
EMBO J. **13**, 5483-5495

Meyer, H.E., Eisermann, B., Heber, M., Hoffmann-Posorske, E., Korte, H., Weigt, C., Wegner, A., Hutton, T., Donella-Deana, A. und Perich, J.W. (1993)
Strategies For Nonradioactive Methods In The Localization Of Phosphorylated Amino Acids In Proteins
FASEB J. **7**, 776-782

Mical, T.I. und Monteiro, M.J. (1998)
The Role Of Sequences Unique To Nuclear Intermediate Filaments In The Targeting And Assembly Of Human Lamin B: Evidence For Lack Of Interaction Of Lamin B With Its Putative Receptor
J. Cell Sci. **111**, 3471-3485

Misteli, T. und Spector, D.L. (1997)
Protein Phosphorylation And The Nuclear Organization Of Pre-mRNA Splicing
Trends Cell Biol. **7**, 135-138

Misteli, T., Cáceres, J.F. und Spector, D.L. (1997)
The Dynamics Of A Pre-mRNA Splicing Factor In Living Cells
Nature **387**, 523-527

Misteli, T. und Spector, D.L. (1998)
The Cellular Organization Of Gene Expression
Curr. Opin. Cell Biol. **10**, 323-331

Michell, P.J. und Cooper, C.S. (1992)
Nucleotide Sequence Analysis Of Human tpr cDNA Clones
Oncogene **7**, 383-388

Morgan, D.O. (1997)
Cyclin-Dependent Kinases: Engines, Clocks And Microprocessors
Ann. Rev. Cell Dev. Biol. **13**, 261-291

Morinville, A., Maysinger, D. und Shaver, A. (1998)
From Vanadis To Atropos: Vanadium Compounds As Pharmacological Tools In Cell Death Signalling
Trends Pharmacol. Sci. **19**, 452-460

Morris, H.R., Paxton, T., Dell, A., Langhorne, J., Berg, M., Bordoli, R.S., Hoyes, J. und Bateman, R.H. (1996)
High Sensitivity Collisionally-Activated Decomposition Tandem Mass Spectrometry On A Novel Quadrupole/ Orthogonal-Acceleration Time-Of-Flight Mass Spectrometer
Rapid Comm. Mass Spectrom. **10**, 889-896

Murray, N.R. und Fields, A.P. (1998)
Phosphatidylglycerol Is A Physiologic Activator Of Nuclear Protein Kinase C

J.Biol.Chem. **273**, 11514-11520

Nagano, A., Koga, R., Ogawa, M., Kurano, Y., Kawada, J., Okada, R., Hayashi, Y.K., Tsukahara, T. und Arahata, K. (1996)
Emerin Deficiency At The Nuclear Membrane In Patients With Emery-Dreifuss Muscular Dystrophy
Nature Genet. **12**, 254-259

Neubauer, G., King, A., Rappsilber, J., Calvio, C., Watson, M., Ajuh, P., Sleeman, J., Lamond, A. und Mann, M. (1998)
Mass Spectrometry And EST-Database Searching Allows Characterization Of The Multi-Protein Spliceosome Complex
Nature Genet. **20**, 46-50

Neri, L.M., Milani, D., Bertolaso, L., Stroschio, M., Bertagnolo, V. und Capitani, S. (1994)
Nuclear Translocation Of Phosphatidylinositol 3-Kinase In Rat PC 12 Cells After Treatment With Nerve Growth Factor
Cell.Mol.Biol(Noisy-le-grand) **40**, 619-626

Neri, L.M., Billi, A.M., Manzoli, L., Rubbini, S., Gilmour, R.S., Cocco, L. und Martelli, A.M. (1994)
Selective Nuclear Translocation Of Protein Kinase C In Swiss 3T3 Cells Treated With IGF-1, PDGF And EGF
FEBS Lett. **347**, 63-68

Neubauer, G. und Mann, M. (1999)
Mapping Of Phosphorylation Sites Of Gel-Isolated Proteins By Nanoelectrospray Tandem Mass Spectrometry: Potentials And Limitations
Anal.Chem. **71**, 235-242

Nickerson, J.A., Blencowe, B.J. und Penman, S. (1995)
The Architectural Organization Of The Nuclear Metabolism
Int. Rev. Cytol. **162A**, 67-123

Nickerson, J.A. (1998)
Nuclear Dreams: The Malignant Alteration Of Nuclear Structure
J.Cell.Biochem. **70**, 172-180

Nigg, E.A. (1992)
Assembly And Cell Cycle Dynamics Of The Nuclear Lamina
Sem. Cell Biol. **3**, 245-253

Nigg, E.A., Kitten, G.T. und Vorburger, K. (1992)
Targeting Lamin Proteins To The Nuclear Envelope: The Role Of Caax Box Modifications
Biochem. Soc. Trans. **20**, 500-504

Nigg, E.A. (1997)
Nucleocytoplasmic Transport: Signals, Mechanisms And Regulation
Nature **386**, 779-787

Nikolakaki, E., Simos, G., Georgatos, S.D. und Giannakouros, T. (1996)
A Nuclear Envelope-Associated Kinase Phosphorylates Arginine-Serine Motifs And Modulates Interactions Between The Lamin B Receptor And Other Nuclear Proteins
J. Biol. Chem. **271**, 8365-8372

Nikolakaki, E., Meier, J., Simos, G., Georgatos, S.D. und Giannakouros, T. (1997)
Mitotic Phosphorylation Of The Lamin B Receptor By A Serine/Arginine Kinase And p34(Cdc2)
J. Biol. Chem. **272**, 6208-6213

O'Farrell, P.H. (1975)
High-Resolution Two-Dimensional Electrophoresis
J.Biol.Chem. **250**, 4007-4021

Ohashi, K., Mizuno, K., Miyata, T. und Nakamura, T. (1994)

Cloning Of The cDNA For A Novel Receptor Tyrosine Kinase, Sky, Predominantly Expressed In Brain
Oncogene **9**, 699-705

Ohashi, K., Nagata, K., Nakano, T., Arita, H., Tsuda, H., Suzuki, K. und Mizuno, K. (1995)
Stimulation Of Sky Receptor Tyrosine Kinase By The Product Of Growth Arrest-Specific Gene 6
J.Biol.Chem. **270**, 22681-22684

Okuna, Y., Imamoto, N. und Yoneda, Y. (1993)
70-kDa Heat Shock Cognate Protein Colocalizes With Karyophilic Proteins Into The Nucleus During Their Transport In Vitro
Exp.Cell Res. **206**, 134-142

Otto, H., Buchner, K., Beckmann, R., Hilbert, R. und Hucho, F. (1992)
GTP-Binding Proteins In Bovine Brain Nuclear Membranes
Neurochem.Int. **21**, 409-414

Padan, R., Nainudel-Epszteyn, S., Goitein, R., Fainsod, R. und Gruenbaum, Y. (1990)
Isolation And Characterization Of The Drosophila Nuclear Envelope Otefin cDNA
J. Biol. Chem. **265**, 7808-7813

Paddy, M.R., Belmeont, A.S., Saumweber, H., Agard, D.A. und Sedat, J.W. (1990)
Interphase Nuclear Envelope Lamins Form A Discontinuous Network That Interacts With Only A Fraction Of The Chromatin In The Nuclear Periphery
Cell **62**, 89-106

Papoutsopoulou, S., Nikolakaki, E. und Giannakouros, T. (1999)
SRPK1 And LBR Protein Kinases Show Identical Substrate Specificities
Biophys. Biochem. Res. Comm. **255**, 602-607

Panté, N. und Aebi, U. (1996)
Molecular Dissection Of The Nuclear Pore Complex
Crit. Rev. Biochem. Mol. Biol. **31**, 153-199

Patschinsky, T., Hunter, T., Esch, F.S., Cooper, J.A. und Sefton, B.M. (1982)
Analysis Of The Sequence Of Amino Acids Surrounding Sites Of Tyrosine Phosphorylation
Proc.Natl.Acad.Sci.USA **79**, 973-977

Patton, W. (1999)
Protein Subcellular Redistribution: Linking Physiology To Genomics Via The Proteome And Separation Technologies Involved
J.Chromatography B **722**, 203-223

Paulin-Levasseur, M., Blake, D.L., Julien, M. und Rouleau, L. (1996)
The MAN Antigens Are Non-Lamin Constituents Of The Nuclear Lamina In Vertebrate Cells
Chromosoma **104**, 367-379

Pendergast, A.M. (1996)
Nuclear Tyrosine Kinases: From Abl To Wee1
Curr.Opin.Cell Biol. **8**, 174-181

Peter, M., Nakagawa, J., Doree, M., Labbe, J.C. und Nigg, E.A. (1990)
In Vitro Disassembly Of The Nuclear Lamina And M-Phase Specific Phosphorylation Of Lamins By Cdc2 Kinase
Cell **61**, 591-602

Peters-Golden, M. (1998)
Cell Biology Of The 5-Lipoxygenase Pathway
Am.J.Crit.Care Med. **157**, S227-S232

Posner, B., Faure, R., Burgess, J.W., Bevan, A.P., Lachance, D., Zhang-Sun, G., Fantus, I.G., Ng, J.B., Hall, D.A., Soo Lum, B. und Shaver, A. (1994)

- Peroxoovanadium Compounds: A New Class Of Potent Phosphotyrosine Phosphatase Inhibitors Which Are Insulin Mimetics
J.Biol.Chem. **269**, 4596-4604
- Possenti, R., Eldridge, J.D., Paterson, B.M., Grasso, A. und Levi, A. (1989)
A Protein Induced By NGF In PC12 Cells Is Stored In Secretory Vesicles And Released Through The Regulated Pathway
EMBO J. **8**, 2217-2223
- Powers, M.A., Macaulay, C., Masiarz, F.R. und Forbes, D.J. (1995)
Reconstituted Nuclei Depleted Of A Vertebrate GLFG Nuclear Pore Protein, p97, Import But Are Defective In Nuclear Growth And Replication
J.Cell Biol. **128**, 721-736
- Powers, M.A., Forbes, D.J., Dahlberg, J.E. und Lund, E. (1997)
The Vertebrate GLFG Nucleoporin, Nup98, Is An Essential Component Of Multiple RNA Export Pathways
J.Cell Biol. **136**, 241-250
- Prentice, H.M., Moore, S.E., Dickson, J.G., Doherty, P. und Walsh, F.S. (1987)
Nerve Growth Factor-Induced Changes In Neural Cell Adhesion Molecule (N-CAM) In PC12 Cells
EMBO J. **6**, 1859-1863
- Pype, S., Siegers, H., Moens, L., Merlevede, W. und Goris, J. (1994)
Tyrosine Phosphorylation Of A Mr 38,000 A/B-Type hnRNP Protein Selectively Modulates Its RNA Binding
J.Biol.Chem. **269**, 31457-31465
- Pyrpasopoulou, A., Meier, J., Maison, C., Simos, G. und Georgatos, S.D (1996)
The Lamin B Receptor (LBR) Provides Essential Chromatin Docking Sites At The Nuclear Envelope
EMBO J. **15**, 7108-7119
- Radu, A., Blobel, G. und Moore, M.S. (1995)
Identification Of A Protein Complex That Is Required For Nuclear Protein Import And Mediates Docking Of Import Substrate To Distinct Nucleoporins
Proc.Natl.Acad.Sci.USA **92**, 1769-1773
- Sadrasuki, C., Chapman, R. und Walter, P. (1998)
The Unfolded Protein Response: An Intracellular Pathway With Many Surprising Features
Trends Cell Biol. **8**, 245-249
- Santella, L. und Carafoli, E. (1997)
Calcium Signalling In The Nucleus
FASEB J. **11**, 1091-1109
- Schägger, H. und Jagow, G. (1991)
Blue Native Electrophoresis For Isolation Of Membrane Protein Complexes In Enzymatically Active Form
Anal.Biochem. **199**, 223-231
- Schuler, E., Lin, F. und Worman, H.J. (1994)
Characterization Of The Human Gene Encoding LBR, An Integral Protein Of The Nuclear Envelope Inner Membrane
J. Biol. Chem. **269**, 11312-11317
- Schwartz, Y., Ben-Dor, I., Navon, A., Motro, B. und Nir, U. (1998)
Tyrosine Phosphorylation Of The TATA Element Modulatory Factor By The FER Nuclear Tyrosine Kinases
FEBS Lett. **434**, 339-345
- Sheng, M., Thompson, M.A. und Greenberg, M.E. (1991)
CREB: A Ca²⁺ - Regulated Transcription Factor Phosphorylated By Calmodulin-Dependent Kinases
Science **252**, 1427-1430

- Shevchenko, A., Jensen, O.N., Podtelejnikov, A.V., Sagliocco, F., Wilm, M., Vorm, O., Mortensen, P., Shevchenko, A., Boucherie, H. und Mann, M. (1996)
Linking Genome And Proteome By Mass Spectrometry: Large-Scale Identification Of Yeast Proteins From Two Dimensional Gels
Proc.Natl.Acad.Sci.USA **93**, 14440-14445
- Shevchenko, A., Wilm, M., Vorm, O. und Mann, M. (1996)
Mass Spectrometric Sequencing Of Proteins From Silver-Stained Polyacrylamide Gels
Anal.Chem. **68**, 850-858
- Silve, S., Dupuy, P.-H., Ferrara, P. und Loison, G. (1998)
Human Lamin B Receptor Exhibits Sterol C14-Reductase Activity In *Saccharomyces Cerevisiae*
Biochim. Biophys. Acta **1392**, 233-244
- Siniouoglou, S., Santos-Rosa, H., Rappsilber, J., Mann, M. und Hurt, E. (1998)
A Novel Complex Of Membrane Proteins Required For The Formation Of A Spherical Nucleus
EMBO J. **17**, 6449-6464
- Smith, M.A., Fanger, G.R., O'Connor, L.T., Bridle, P. und Maue, R.A. (1997)
Selective Regulation Of Agrin mRNA Induction And Alternative Splicing In PC12 Cells By Ras-Dependent Actions Of Nerve Growth Factor
J.Biol.Chem. **272**, 15675-15681
- Songyang, Z., Blechner, S., Hoagland, N., Hoekstra, M.F., Piwnica-Worms, H. und Cantley, L.C. (1994)
Use Of An Oriented Peptide Library To Determine The Optimal Substrates Of Protein Kinases
Curr.Biol. **4**, 973-982
- Songyang, Z., Carraway, K.L.III, Eck, M.J., Harrison, S.C., Feldman, R.A., Mohammadi, M., Schlessinger, J., Hubbard, S.R., Smith, S.P., Eng, C., Lorenzo, M.J., Ponder, B.A.J., Mayer, B.J. und Cantley, L.C. (1995)
Catalytic Specificity Of Protein Tyrosine Kinases Is Critical For Selective Signalling
Nature **373**, 536-539
- Songyang, Z. und Cantley, L.C. (1995)
Recognition And Specificity In Protein Tyrosine Kinase-Mediated Signalling
TIBS **20**, 470-475
- Soullam, B. und Worman, H.J. (1993)
The Aminoterminal Domain Of The Lamin B Receptor Is A Nuclear Envelope Targeting Signal
J. Cell Biol. **120**, 1093-1100
- Soullam, B. und Worman, H.J. (1995)
Signals And Structural Features Involved In Integral Membrane Protein Targeting To The Inner Nuclear Membrane
J. Cell Biol **130**, 15-27
- Spann, T.P., Moir, R.D., Goldman, A.E., Stick, R. und Goldman, R.D. (1997)
Disruption Of Nuclear Lamin Organization Alters The Distribution Of Replication Factors And Inhibits DNA Synthesis
J. Cell. Biol. **136**, 1201-1212
- Spengler, B., Kirsch, D., Kaufmann, R. und Jaeger, E. (1992)
Peptide Sequencing By Matrix-Assisted Laser-Desorption Mass Spectrometry
Rapid Commun.Mass Spectrom. **6**, 105-108
- Stoffler, D., Goldie, K.N., Feja, B. und Aebi, U. (1999)
Calcium-Mediated Structural Changes Of Native Nuclear Pore Complexes Monitored By Time-Lapse Atomic Force Microscopy
J.Mol.Biol. **287**, 741-752
- Strambio-de-Castillia, C., Blobel, G. und Rout, M.P. (1999)
Proteins Connecting The Nuclear Pore Complex With The Nuclear Interior
J. Cell Biol. **144**, 839-855

- Stuurman, N., Heins, S. und Aebi, U (1998)
Nuclear Lamins: Their Structure, Assembly, And Interactions
J. Struct. Biol. **122**, 42-66
- Subramanian, K. und Meyer, T. (1997)
Calcium-Induced Restructuring Of Nuclear Envelope And Endoplasmic Reticulum Calcium Stores
Cell **89**, 963-971
- Sukegawa, J. und Blobel, G. (1993)
A Nuclear Pore Complex Protein That Contains Zinc Finger Motifs, Binds DNA, And Faces The Nucleoplasm
Cell **72**, 29-38
- Taagepera, S., McDonald, D., Loeb, J.E., Whitaker, L.L., McElroy, A.K., Wang, J.Y.J. und Hope, T.J. (1998)
Nuclear-Cytoplasmic Shuttling Of C-Abl Tyrosine Kinase
Proc.Natl.Acad.Sci. USA **95**, 7457-7462
- Tang, T., Hirata, Y., Whalin, M. und Guroff, G. (1996)
Nerve Growth Factor-Stimulated Nuclear S6 Kinase In PC12 Cells
J.Neurochem. **66**, 1198-1206
- Tavner, F.J., Simpson, R., Tashiro, S., Favier, D., Jenkins, N.A., Gilbert, D.J., Copeland, N.G., Macmillan, E.M., Lutwyche, J., Keough, R.A., Ishi, S. und Gonda, T.J. (1998)
Molecular Cloning Reveals That The p160 Myb-Binding Protein Is A Novel, Predominantly Nucleolar Protein Which May Play A Role In Transactivation By Myb
Mol.Cell.Biol. **18**, 989-1002
- Thomas, S.M., Soriano, P. und Imamoto, A. (1995)
Specific And Redundant Roles Of Src And Fyn In Organizing The Cytoskeleton
Nature **376**, 267-271
- Thompson, L.J., Bollen, M. und Fields, A.P. (1997)
Identification Of Protein Phosphatase 1 As A Mitotic Lamin Phosphatase
J.Biol.Chem. **272**, 29693-29697
- Tsuchiya, Y., Hase, A., Ogawa, M., Yorifuji, H. und Arahata, K. (1999)
Distinct Regions Specify The Nuclear Membrane Targeting Of Emerin, The Responsible Protein For Emery-Dreifuss Muscular Dystrophy
Eur.J.Biochem. **259**, 859-865
- Van Etten, R.A. (1999)
Cycling, Stressed-Out And Nervous: Cellular Functions Of C-Abl
Trends Cell Biol. **9**, 179-186
- Vuletic, N. und Djordjevic, C. (1973)
Oxodiperoxovanadate (V) Complexes With Bidentate Ligands
J.Chem.Soc.Dalton Trans. 2/2268, 1137-1141
- Wagner, K., Edson, K., Heginbotham, L., Haganir, R.L. und Czernik, A.J. (1991)
Determination Of The Tyrosine Phosphorylation Sites Of The Nicotinic Acetylcholine Receptor
J.Biol.Chem. **266**, 23784-23789
- Whittal, R.M. und Li, L.(1995)
High-Resolution Matrix-Assisted Laser Desorption/Ionization In A Linear Time-Of-Flight Mass Spectrometer.
Anal.Chem. **67**,1950-4
- Wilm, M. und Mann, M. (1996)
Analytical Properties Of The Nanoelectrospray Ion Source
Anal.Chem. **68**, 1-8

- Wilm, M., Neubauer, G. und Mann, M. (1996)
Parent Ion Scans Of Unseparated Peptide Mixtures
Anal. Chem. **68**, 527-533
- Wilson, K.L. und Wiese, C. (1996)
Reconstituting The Nuclear Envelope And Endoplasmic Reticulum In Vitro
Sem. Cell Dev. Biol. **7**, 487-496
- Wolda, S.L. und Glomset, J.A. (1988)
Evidence For Modification Of Lamin B By A Product Of Mevalonic Acid
J. Biol. Chem. **263**, 5997-6000
- Worman, H.J., Evans, C.D. und Blobel, G. (1990)
The Lamin B Receptor Of The Nuclear Envelope: A Polytropic Protein With Eight Potential Transmembrane Domains
J. Cell Biol. **111**, 1535-1542
- Yamashita, M. und Fenn, J.B. (1984)
Electrospray Ion Source. Another Variation Of The Free-Jet Theme
J. Phys. Chem. **88**, 4451-4459
- Yang, J., Liu, J. und DeFranco, D.B. (1997)
Subnuclear Trafficking Of Glucocorticoid Receptors In Vitro: Chromatin Recycling And Nuclear Export
J. Cell Biol. **137**, 523-538
- Yang, L., Guan, T. und Gerace, L. (1997)
Lamin-Binding Fragment Of LAP 2 Inhibits Increase In Nuclear Volume During The Cell Cycle And Progression Into S Phase
J. Cell Biol. **139**, 1077-1087
- Yang, L., Guan, T. und Gerace, L. (1997)
Integral Membrane Proteins Of The Nuclear Envelope Are Dispersed Throughout The Endoplasmic Reticulum During Mitosis
J. Cell Biol. **137**, 1199-1210
- Yang, Y.S., Hanke, J.H., Carayannopoulos, L., Craft, C.M., Capra, J.D. und Tucker, P.W. (1993)
NonO, A Non-POU-Domain-Containing, Octamer-Binding Protein, Is The Mammalian Homolog Of Drosophila NonAdiss
Mol. Cell. Biol. **13**, 5593-5603
- Yang, Y.S., Yang, M.C., Tucker, P.W. und Capra, J.D. (1997)
NonO Enhances The Association Of Many DNA-Binding Proteins On Their Target
Nucleic Acids Res. **25**, 2284-2292
- Ye, Q. und Worman, H.J. (1994)
Primary Structure Analysis And Lamin B And DNA Binding Of Human LBR, An Integral Protein Of The Nuclear Envelope Inner Membrane
J. Biol. Chem. **269**, 11306-11311
- Ye, Q. und Worman, H.J. (1996)
Interaction Between Integral Protein Of The Nuclear Envelope Inner Membrane And Human Chromodomain Proteins Homologous To Drosophila HP1
J. Biol. Chem. **271**, 14653-14656
- Ye, O., Callebaut, I., Pezhman, A., Courvalin, J.C. und Worman, H.J. (1997)
Domain-Specific Interactions Of The Human HP1-Type Chromodomain Proteins And Inner Nuclear Membrane Protein LBR
J. Biol. Chem. **272**, 14983-14989
- Zhang, Z.Y., MacLean, D., Thieme-Sefler, A.M., Roeske, R.W. und Dixon, J.E. (1993)
A Continuous Spectrophotometric And Fluorimetric Assay For Protein Tyrosine Phosphatase Using Phosphotyrosine-Containing Peptides

Anal. Biochem. **211**, 7-15

Zini, N., Martelli, A.M., Neri, L.M., Bavelloni, A., Sabatelli, P., Santi, S. und Maraldi, N.M. (1995)
Immunocytochemical Evaluation Of Protein Kinase C Translocation To The Inner Nuclear Matrix In 3T3
Mouse Fibroblasts After IGF-1 Treatment
Histochem. Cell. Biol. **103**, 447-457