

9. Literaturverzeichnis

ABELE, U. (1999):

Calcium in organischer Bindung für Kühe.
Nutztierspiegel H4, 350-355.

ALLEN, W. M., DAVIES, D. C. (1981):

Milk fever, hypomagnesaemia and the 'downer cow' syndrome.
Brit. Vet. J. 137, 435-441.

ANDRESEN, U., KIETZMANN, M., ANDRESEN, P. (1999):

Zur Wirksamkeit und Verträglichkeit einer Kalzium-Magnesium-Aspartat-Lösung bei der Behandlung der hypokalämischen Gebärparäse des Rindes.
Berl. Münch. Tierärztl. Wschr. 112, 400-406.

ANKE, M. (1994):

Pathobiochemie des Stoffwechsels - Störungen im Mengenelementhaushalt.
In: HARTMANN, H., MEYER, H. (Hrsg.): Klinische Pathologie der Haustiere.
Gustav Fischer-Verlag, Jena, Stuttgart.

ASLAM M., TUCKER, W. B. (1998):

Influence of intramammary infusion of calcium on the calcium status of periparturient lactating dairy cows.
J. Dairy Sci. 81, 1883-1888.

BAKER, L. A., TOPLIFF, D. R., FREEMAN, D. W., TEETER, R. G., STOECKER, B. (1998):
The comparison of two forms of sodium and potassium and chloride versus sulfur in the dietary cation-anion difference equation: effects on acid-base status and mineral balance in sedentary horses.
J. Equine Vet. Sci. 18/6, 389-395.

BAR, A., PERLMAN, R., SACHS, M. (1985):

Observation on the use of 1α-Hydroxyvitamin D₃ in the prevention of bovine parturient paresis:
the effect of a single injection on plasma 1α-Hydroxyvitamin D₃, calcium, and hydroxyproline.
J. Dairy Sci. 68, 1952-1958.

BARLET, J.-P., ROSS, R. (1984):

The influence of calcium intake on plasma calcium and 1,25-Dihydroxycholecalciferol concentrations in parturient cows.
Br. Vet. J. 140, 392-397.

BARRETT, E. J., BARRETT, P. (2003):

The parathyroid glands and Vitamin D.
In: BARON, W. F., BOULPAEP, E. L. (Hrsg.): Medical physiology, 1. Auflage.
Saunders-Verlag.

BARTON, B. A., HORST, R. L., JORGENSEN, N. A., DELUCA (1981):

Concentration of calcium, phosphorus, and 1,25-Dihydroxyvitamin D in Plasma of dairy cows during the lactation cycle.

J. Dairy Sci. 64, 850-852.

BEARDSWORTH, L. J., BEARDSWORTH, P. M., CARE, A. D. (1987):

The effect of increased potassium concentration on the absorption of magnesium from the reticulo-rumen of conscious sheep.
J. Phys. 386, 89.

BECK, N., KIM, H. P., KIM, K. S. (1975):

Effect of metabolic acidosis on renal action of parathyroid hormone.
Am. J. Physiol. 228, 1483-1488.

- BEEDE, D. (1996):
Nutritional management of cows in transition.
Michigan Dairy Review 1/3, 1-3.
- BEENING, S. (1998):
Untersuchungen zu den Effekten einer Veränderung des Kationen-Anionen-Verhältnisses (DCAB) in Wiederkäuerrationen auf Parameter des Säuren-Basen-Status und auf die Mineralstoffbilanz.
Hannover: Tierärztl. Hochschule, Diss.
- BELYEA, R. L., COPPOCK, C. E., LAKE, G. B. (1976):
Effects of a low calcium diet on feed intake, milk production, and response to blood calcium challenge in lactating Holstein cows.
J. Dairy Sci. 59, 1068-1077.
- BEN-GHEDALIA, D., TAGARI, H., ZAMWEL, S., BONDI, A. (1975):
Solubility and net exchange of calcium, magnesium and phosphorus in digesta flowing along the gut of the sheep.
Br. J. Nutr. 33, 87-94.
- BENDER, S., GELFERT, C.-C., STAUFENBIEL, R. (2001):
Einflüsse bestimmter Futterkomponenten in Milchkuhrationen auf diagnostische Parameter in Harnproben. I. Säure-Basen-Haushalt.
Tierärztl. Umschau 56, 639-644.
- BERTHARD, G., STOKES, S. (2000):
Managing transition cows for better health and production.
WREP 149, 1-7.
- BEST, J. B., TAYLOR, N. B. (1991):
Physiological basis of medical practice, 12th Ed. Baltimore, MD.
- Zit. n.: BAKER, L. A., TOPLIFF, D. R., FREEMAN, D. W., TEETER, R. G., STOECKER, B. (1998):
The comparison of two forms of sodium and potassium and chloride versus sulfure in the dietary cation-anion difference equation: effects on acid-base status and mineral balance in sedentary horses.
J. Equine Vet. Sci. 18/6, 389-395.
- BLOCK, E. (1984):
Manipulating dietary anions and cations for prepartum dairy cows to reduce incidence of milk fever.
J. Dairy Sci. 67, 2939-2948.
- BLOCK, E. (1994):
Manipulation of dietary cation-anion difference on nutritionally related production diseases, productivity, and metabolic responses of dairy cows.
J. Dairy Sci. 77, 1437-1450.
- BODA, J. M., COLE, H. H. (1954):
The influence of dietary calcium and phosphorus on the incidence of milk fever in dairy cattle.
J. Dairy Sci. 37, 360-372.
- BODA, J. M., COLE, H. H. (1956):
Calcium metabolism with special reference to parturient paresis (milk fever) in dairy cattle: a review.
J. Dairy Sci. 39, 1027-1054.
- BOEHNCKE, E. (1981):
Zur Diagnostik der Natriumversorgungslage von Milchkühen.
Prakt. Tierarzt 62, 954-960.
- BORUCKI CASTRO, S. I., PHILLIP, L. E., GIRARD, V., TREMBLAY, A. (2004):
Altering dietary cation-anion difference in lactating dairy cows to reduce phosphorus excretion to the environment.
J. Dairy Sci. 87, 1751-1757.

BRAITHWAITE, G. D., RIAZUDDIN, S. H. (1971):
The effect of age and level of dietary calcium intake on calcium metabolism in sheep.
Br. J. Nutr. 26, 215-225.

BRAITHWAITE, G. D. (1972):
The effect of ammonium chloride on calcium metabolism in sheep.
Br. J. Nutr. 27, 201-209.

BREVES, G., HÖLLER, H., PACKHEISER, P., GÄBEL, G., MARTENS, H. (1988):
Flux of inorganic phosphate across the sheep rumen wall in vivo and in vitro.
Qu. J. Exp. Physiol. 73, 343-351.

BREVES, G., DIENER, M. (2000):
Funktionen des Dickdarmes.
In: ENGELHARDT, W. V., BREVES, G. (Hrsg.): Physiologie der Haustiere.
Enke Verlag, Stuttgart.

BUHMANN, M., GRÜNDER, H.-D. (1985):
Der Wert von Harn- oder Blutuntersuchungen für die Beurteilung der Kalziumversorgung bei
Milchkühen.
Dtsch. Tierärztl. Wschr. 92, 259-262.

BURKHALTER, D. L., NEATHERY, M. W., MILLER, W. J., WHITLOCK, R. H., ALLEN, J. C. (1979):
Effects of low chloride intake on performance, clinical characteristics, and chloride, sodium, potassium,
and nitrogen metabolism in dairy calves.
J. Dairy Sci. 62, 1895-1901.

BURKHALTER, D. L., NEATHERY, M. W., MILLER, W. J., WHITLOCK, R. H., ALLEN, J. C.,
GENTRY, R. P. (1980):
Influence of a low chloride practical diet on acid-base balance and other factors of blood in young
dairy calves.
J. Dairy Sci. 63, 269-276.

BUSHINSKY, D. A. (1995):
Stimulated osteoclastic and suppressed osteoblastic activity in metabolic but not respiratory acidosis.
Am. J. Physiol. 268, C80-C88.

BUSHINSKY, D. A. (2000):
The effect of acid on bone.
Curr. Opin. Nephrol. Hypertens. 9, 369-379.

BUSHINSKY, D. A., PARKER, W. R., ALEXANDER, K. M., KRIEGER, N. S. (2001):
Metabolic, but not respiratory, acidosis increases bone PGE₂ levels and calcium release.
Am. J. Physiol. Renal Physiol. 281, F1058-F1066.

BUSHINSKY, D. A., SMITH, S. B., GAVRIOV, K. L., GAVRILOV, L. F., LI, J., LEVI-SETTI, R. (2003):
Chronic acidosis-induced alteration in bone bicarbonate and phosphate.
Am. J. Physiol. Renal Physiol. 285, F532-F539.

BYERS, D. I. (1994):
Management considerations for successful use of anionic salts in dry-cow diets.
Compend. Cont. Educ. Pract. Vet. 16/2, 237-242.

CAPEN, C. C., YOUNG, D. M. (1967):
Thyrocacitonin: evidence for release in a spontaneous hypocalcemic disorder.
Science 157, 205-206.

CARE, A. D., BEARDSWORTH, L. J., BEARDSWORTH, P. M., BREVES, G. (1989):
The absorption of calcium and phosphate from the rumen.
Acta Vet. Scand. (Suppl.) 86, 152-158.

CONTRERAS, P. A., MANSTON, R., SANSOM, B. F. (1982) :
Calcium mobilisation in hypomagnesaemic cattle.
Res. Vet. Sci. 33, 10-16.

CRAIGE, A. H. (1947):
A clue to the cause of milk fever in the metabolism of the springing cow.
Am. J. Vet. Res. 8, 247-256.

CURTIS, C. R., ERB, H. N., SNIFFEN, C. J., SMITH, R. D. (1984):
Epidemiology of parturient paresis: predisposing factors with emphasis on dry cow feeding and
management.
J. Dairy Sci. 67, 817-825.

CURTIS, C. R., ERB, H. N., SNIFFEN, C. J., SMITH, R. D., KRONFELD, D. S. (1985):
Path analyses of dry period nutrition, postpartum metabolic and reproductive disorders, and mastitis in
Holstein cows.
J. Dairy Sci. 68, 2347-2360.

DAMIR, A. H., PHILLIPPO, M., THORP, B. H., MILNE, J. S., DICK., L., NEVISON, I. M. (1994):
Effects of dietary acidity on calcium balance and mobilization, bone morphology and
1,25-dihydroxyvitamin D in prepartal dairy cows.
Res. Vet. Sci. 56, 310-318.

DELAQUIS, A. M., BLOCK, E. (1995):
Acid-base status, renal function, water and macromineral metabolism of dry cows fed diets differing in
cation-anion difference.
J. Dairy Sci. 78, 604-619.

DENTON, D. A. (1956):
The effect of Na^+ depletion on the $\text{Na}^+ : \text{K}^+$ ratio of the parotid saliva of the sheep.
J. Physiol. 161, 516-525.

DE SOUSA, R. C., HARRINGTON, J. T., RICANTI, E. S., SHELKROT, J. W.,
SCHWARTZ, W. B. (1974):
Renal regulation of acid-base equilibrium during chronic administration of mineral acid.
J. Clin. Invest. 53, 465-476.

DHIMAN, T. R., SASIDHARAN, V. (1999):
Effectiveness of calcium chloride in increasing blood calcium concentrations of periparturient dairy
cows.
J. Anim. Sci. 77, 1597-1605.

DISHINGTON, I. W. (1975):
Prevention of milk fever (hypocalcemic paresis puerperalis) by dietary salt supplements.
Acta Vet. Scand. 16, 503-512.

DISHINGTON, I. W., BJORNSTAD, J. (1982):
Prevention of milk fever by dietary means: the effect of a concentrate fortified with mineral salts.
Acta Vet. Scand. 23, 336-343.

DÖCKE, F. (1994):
Keimdrüsen.
In: DÖCKE, F. (Hrsg.): Veterinärmedizinische Endokrinologie, 3. Auflage.
Gustav Fischer-Verlag, Jena, Stuttgart.

- DRYERRE, H., GREIG, J. R. (1925):
 Milk fever: Its possible association with derangements in the internal secretions.
Vet. Record 5, 225.
- Zit. n.: BODA, J. M., COLE, H. H. (1954): The influence of dietary calcium and phosphorus on the incidence of milk fever in dairy cattle.
J. Dairy Sci. 37, 360-372.
- EDVI, P., ROSSOW, N. (1976):
 Kalzium-, Phosphat- und Skelettstoffwechsel bei der latenten alimentären metabolischen Azidose des Schafes.
Mhft. Vet. Med. 31, 410-413.
- ERDMAN, R. A., HEMKEN, R. W., BULL, L. S. (1982):
 Dietary sodium bicarbonate and magnesium oxide for early postpartum lactating dairy cows: effects on production, acid-base metabolism, and digestion.
J. Dairy Sci. 65, 712-731.
- FENWICK, D. C. (1990):
 The relationship between certain blood constituents in cows with milk fever response following treatment with calcium borogluconat solution.
Austr. Vet. J. 67, 102-448.
- FENWICK, D. C. (1994):
 Limitations to the effectiveness of subcutaneous calcium solutions as a treatment for cows with milk fever.
Vet. Rec. 134, 446-448.
- FLEISCHER, P., METZNER, M., HOEDEMAKER, M., SLOSARKOVA, S., SKRIVANEK, M. (2001):
 Clinical disorders in Holstein cows: incidence and associations among lactational risk factors.
Acta Vet. Brno 70, 157-165.
- FLEMING, S. A., HUNT, E. L., BROWNIE, C., RAKES, A., McDANIEL, B. (1992):
 Fractional excretion of electrolytes in lactating dairy cows.
Am. J. Vet. Res. 53, 222-224.
- FREDEEN, A. H., DEPETERS, E. J., BALDWIN, R. L. (1988a):
 Effects of acid-base disturbances caused by differences in dietary fixed ion balance on kinetics of calcium metabolism in ruminants with high calcium demand.
J. Anim. Sci. 66, 174-184.
- FREDEEN, A. H., DEPETERS, E. J., BALDWIN, R. L. (1988b):
 Characterization of acid-base disturbances and effects on calcium and phosphorus balances of dietary fixed ions in pregnant or lactating does.
J. Anim. Sci. 66, 159-173.
- FROMM, M., HIERHOLZER, K. (2000):
 Niere: Calcium und Magnesium, Phosphat und Sulfat.
 In: ENGELHARDT, W. V., BREVES, G. (Hrsg.): *Physiologie der Haustiere*.
 Enke Verlag, Stuttgart.
- FÜRLL, M., SCHÄFER, M., AMIN, M., KIRBACH, H. (1994):
 Kochsalzeinfluss auf den Säure-Basen- und Elektrolyt-Haushalt bei gesunden Kühen.
Tierärztl. Umschau 49, 158-168.
- FÜRLL, M., JÄKEL, L., BAUERFELD, J., GROPPEL, B. (1996):
 Gebärpareseprophylaxe mit "Anionenrationen".
Prakt. Tierarzt, Coll. Vet. XXVI, 31-34.

- FÜRLL, M. (2002):
Störungen des Säure-Basen-Haushaltes.
In: DIRKSEN, G., GRÜNDER, H.-D., STÖBER, M. (Hrsg.): Innere Medizin und Chirurgie des Rindes.
Parey-Verlag im Blackwell-Verlag, Berlin, Wien.
- GARDNER, R. W., PARK, R. L. (1973):
Effects of prepartum energy intake and calcium to phosphorus ratios on lactation response and parturient paresis.
J. Dairy Sci. 56, 385-389.
- GASPERLIN, B., ZADNIK, T., JAZBEC, I., ZUST, J. (2002):
Effects of dietary cation-anion differences on serum calcium, phosphorus and magnesium concentrations in periparturient dairy cows.
Slov. Vet. Res. 39, 215-225.
- GAST, D. R., HORST, R. L., JORGENSEN, N. A., DeLUCA, H. F. (1979):
Potential use of 1,25-Dihydroxycholecalciferol for prevention of parturient paresis.
J. Dairy Sci. 62, 1009-1013.
- GAYNOR, P. J., MUELLER, F. J., MILLER, J.K., RAMSEY, N., GOFF, J. P., HORST, R. L. (1989):
Parturient hypocalcemia in Jersey cows fed alfalfa haylage-based on diets with different cation to anion ratios.
J. Dairy Sci. 72, 2525-2531.
- GELFERT, C.-C., ZARRATH, M., EUSTERMANN, S., STAUFENBIEL, R. (2004):
Überwachung des Einsatzes saurer Salze in Milchviehherden durch Futter- und Harnuntersuchungen.
Prakt. Tierarzt 85, 422-430.
- GENUTH, S. M. (1998):
Endocrine regulation of calcium and phosphate metabolism.
In: BERNE, R. M., LEVY, M. N. (Hrsg.): Physiology, 4. Auflage.
Mosby-Verlag.
- GERLOFF, B. J. (1988):
Feeding the dry cow to avoid metabolic disease.
Vet. Clin. North Am.: Food Anim. Pract. 4, 379-390.
- GIEBISCH, G., WINDHAGER, E. (2003):
Transport of urea, glucose, phosphate, calcium, magnesium, and organic solutes.
In: BARON, W. F., BOULPAEP, E. L. (Hrsg.): Medical physiology, 1. Auflage.
Saunders-Verlag.
- GOFF, J. P., LITTLEDIKE, E. T., HORST, R. L. (1986):
Effect of synthetic bovine parathyroid hormone in dairy cows: prevention of hypocalcemic parturient paresis.
J. Dairy Sci. 69, 2278-2289.
- GOFF, J. P., HORST, R. L., REINHARDT, T. A. (1987):
The pathophysiology and prevention of milk fever.
Veterinary Medicine, 943-950.
- GOFF, J. P., HORST, R. L., MUELER, F. J., MILLER, J. K., KIESS, G. A., DOWLEN, H. H. (1991a):
Addition of chloride to a prepartal diet high in cations increases 1,25-Dihydroxyvitamin D response to hypocalcemia preventing milk fever.
J. Dairy Sci. 74, 3863-3871.
- GOFF, J. P., REINHARDT, T. A., HORST, R. L. (1991b):
Enzymes and factors controlling vitamin D metabolism and action in normal and milk fever cows.
J. Dairy Sci. 74, 4022-4032.

- GOFF, J. P. (1992):
 Effects of acid/base balance on mineral metabolism of lactating dairy cattle.
Proc. 1992 Nutr Inst Natl Feed Ingredients Assoc. 1-15, 1992.
- Zit. n.: OETZEL, G. R. (1993): Use of anionic salts for prevention of milk fever in dairy cattle.
Comp. Contin. Educ. Pract. Vet. 15, 1138-1146.
- GOFF, J. P., HORST, R. L. (1993):
 Oral administration of calcium salts for treatment of hypocalcemia in cattle.
J. Dairy Sci. 76, 101-108.
- GOFF, J. P., HORST, R. L. (1994):
 Calcium salts for treating hypocalcemia: carrier effects, acid-base balance, and oral versus rectal administration.
J. Dairy Sci. 77, 1451-1456.
- GOFF, J. P., REINHARDT, T. A., HORST, R. L. (1995):
 Milk fever and dietary cation-anion balance effects on concentration of vitamin D receptor in tissue of periparturient dairy cows.
J. Dairy Sci. 78, 2388-2394.
- GOFF, J. P., HORST, R. L. JARDON, P. W., BORELLI, C., WEDAM, J. (1996):
 Field trials of an oral calcium propionate paste as an aid to prevent milk fever in periparturient dairy cows.
J. Dairy Sci. 79, 378-383.
- GOFF, J. P., HORST, R. L. (1997):
 Effects of the addition of potassium or sodium, but not calcium, to prepartum ratios on milk fever in dairy cows.
J. Dairy Sci. 80, 176-186.
- GOFF, J. P., HORST, R. L. (1998):
 Use of hydrochloric acid as a source of anions for prevention of milk fever.
J. Dairy Sci. 81, 2874-2880.
- GOFF, J. P. (2000):
 Pathophysiology of calcium and phosphorus disorders.
 National Animal Disease Center, USDA-Agricultural Research Service, Ames, IA 50010
- GOFF, J. P., RUIZ, R., HORST, R. L. (2004):
 Relative acidifying activity of anionic salts commonly used to prevent milk fever.
J. Dairy Sci. 87, 1245-1255.
- GOINGS, R. L., JACOBSON, N. L., BEITZ, D. L., LITTLEDIKE, E. T., WIGGERS, K. D. (1974):
 Prevention of parturient paresis by a prepartum, calcium-deficient diet.
J. Dairy Sci. 57, 1184-1188.
- GREEN, H. B., HORST, R. L., BEITZ, D. C., LITTLEDIKE, E. T. (1981):
 Vitamin D metabolites in plasma of cows fed a prepartum low calcium diet for prevention of parturient hypocalcemia.
J. Dairy Sci. 64, 217-226.
- GRÜNDER, H.-D. (1985):
 Rezidivprophylaxe und Vorbeuge der hypokalzämischen Gebärparese des Rindes.
Tierärztl. Umschau 40, 166-168.
- GRÜNDER, H.-D. (1991):
 Aussagefähigkeit von Blutuntersuchungsbefunden.
Prakt. Tierarzt, Coll. Vet. XXII, 12-17.

- HALLGREN, W. (1965):
Gebärparesse: Begriff, Name, Behandlung, Verhütung.
Wien. Tierärzt. Mschr. 52, 359-369.
- HAMM, L. L., SIMON, E. E. (1987):
Roles and mechanisms of urinary buffer excretion.
Am. J. Physiol. 253, F595-F605.
- HANSARD, S. L., COMAR, C. L., DAVIS, G. K. (1954):
Effects of age upon the physiological behavior of calcium in cattle.
Am. J. Phys. 177, 383-389.
- HARTMANN, H., BANDT, C. (2000):
Pathophysiologische Mechanismen der Kalzium- und Magnesiumhomöostase sowie Bedeutung der renalen Exkretion für die Diagnostik von Elektrolytunbalancen beim Rind.
Tierärztl. Praxis 28, 190-198.
- HARTMANN, H., BANDT, C., GLATZEL, P. S. (2001):
Einfluss wechselnder oraler Mineralstoffzufuhr auf Nierenfunktionen einschließlich renaler fraktioneller Exkretion von Ca, Mg und Phosphat bei Kühen.
Berl. Münch. Tierärztl. Wschr. 114, 267-272.
- HARTMANN, H., MEYER, H. (1994):
Anhang – Physiologische Richtwerte einiger Blutinhaltsstoffe und der Blutzellen bei Haussäugetieren.
In: HARTMANN, H., MEYER, H. (Hrsg.): Klinische Pathologie der Haustiere.
Gustav Fischer-Verlag, Jena, Stuttgart.
- HEUER, C., SCHUKKEN, Y. H., DOBBELAAR, P. (1999):
Postpartum body condition score and results from the first test day milk as predictors of disease, fertility, yield, and culling in commercial dairy herds.
J. Dairy Sci. 82, 295-304.
- HIBBS, J. W., POUNDEN, W. D., KRAUSS, W. E. (1947):
Fever cows at parturition.
J. Dairy Sci. 30, 565-566.
- HIBBS, J. W., POUNDEN, W. D., KRAUSS, W. E. (1951):
Study on milk fever in dairy cows II. Further studies on the effect of vitamin D on some of the blood changes at parturition and the composition of colostrums in normal and milk fever cows.
J. Dairy Sci. 34, 855-864.
- HIERHOLZER, K., FROMM, M. (1987):
Physiologie der Niere – Wasser- und Elektrolythaushalt.
In: SCHEUMERT, A., TRAUTMANN, A. (Hrsg.): Lehrbuch d. Veterinärphysiologie, 7. Auflage.
Paul Parey-Verlag.
- HODNETT, D. W., JORGENSEN, N. A., DELUCA, H. F. (1992):
 1α -Hydroxyvitamin D₃ plus 25-Hydroxyvitamin D₃ reduces parturient paresis in dairy cows fed high dietary calcium.
J. Dairy Sci. 75, 485-491.
- HÖLLER, H., BREVES, G., KOCABATMAZ, M., GERDES, H. (1988):
Flux of calcium across the sheep rumen wall in vivo and in vitro.
Q. J. Exp. Physiol. 73, 609-618.
- HÖNDEROP, J. G. J., WILLEMS, P. H. G. M., BINDELS, R. J. M. (2000):
Toward a comprehensive molecular model of active calcium reabsorption.
Am. J. Physiol. Renal Physiol. 278, F352-F360.

HOFMANN, W. (1992):

Rinderkrankheiten.

Bd. I. Innere und chirurgische Erkrankungen.

Eugen Ulmer-Verlag, Stuttgart.

HORST, R. L., JORGENSEN, N. A. (1974):

Effect of ammonium chloride on nitrogen and mineral balance lactating and nonlactating goats.

J. Dairy Sci. 57, 683-688.

HORST, R. L., JORGENSEN, N. A., DELUCA, H. F. (1978):

Plasma 1,25-dihydroxyvitamin D and parathyroid hormone levels in paretic dairy cows.

Am. J. Phys. 235, E634-E637.

HORST, R. L. (1986):

Regulation of calcium and phosphorus homeostasis in the dairy cow.

J. Dairy Sci. 69, 604-616.

HORST, R. L., GOFF, J. P., REINHARDT, T. A. (1994):

Calcium and vitamin D metabolism in the dairy cow.

J. Dairy Sci. 77, 1936-1951.

HORST, R. L., GOFF, J. P., REINHARDT, T. A., BUXTON, D. R. (1997):

Strategies for preventing milk fever in dairy cattle.

J. Dairy Sci. 80, 1269-1280.

HUSTMYER, F. G., BEITZ, D. C., GOFF, J. P., NONNECKE, B. J., HORST, R. L.,

REINHARDT, T. A. (1995):

In vivo parathyroid hormone stimulates in vitro bone resorption by bovine Monocytes.

J. Dairy Sci. 78, 2700-2708.

JACKSON, H. D., PAPPENHAGEN, A. R., GOETSCH, G. D., NOLLER, C. H. (1962):

Effect of parathyroid hormone on calcium and other plasma constituents of dairy cattle near parturition.

J. Dairy Sci. 45, 897-903.

JACKSON, J. A., HOPKINS, D. M., XIN, Z., HEMKEN, R. W. (1992):

Influence of cation-anion balance on feed intake, body weight gain, and humoral response of dairy calves.

J. Dairy Sci. 75, 1281-1286.

JACOBI, U. (1988):

Stoffwechsel-Überwachung in Milchviehbeständen.

In: ROSSOW, N., HORVATH, Z. (Hrsg.): Innere Krankheiten der Haustiere.

Gustav Fischer-Verlag.

JARDON, P. W. (1995):

Using urine pH to monitor anionic salt programs.

Comp. Contin. Educ. Pract. Vet. 17/2, 860-862.

JEROCH, H., DROCHNER, W., SIMON, O. (1999):

Mineralstoffe.

In: JEROCH, H., DROCHNER, W., SIMON, O. (Hrsg.): Ernährung landwirtschaftlicher Nutztiere.

Eugen Ulmer-Verlag, Stuttgart.

JITTAKHOK, S., SCHONEWILLE, J. T., WOUTERSE, H., YOUANGKLANG, C.,

BEYNEN, A. C. (2004):

Apparent magnesium absorption in dry cows fed at 3 levels of potassium and 2 levels of magnesium intake.

J. Dairy Sci. 87, 379-385.

JÖNSSON G., PEHRSON, B. (1969):
Studies on the downer syndrome in dairy cows.
Zbl. Vet. Med. A 16/9: 757-783.

JONAS, K. (1971):
Mineralstoffbestimmung im Harn – Methoden und Bedeutung als diagnostische Möglichkeit zur rechtzeitigen Erkennung von Fehlernährung bei Milchkühen.
Mh. Vet.-Med. 26, 441- 445.

JORGENSEN, R. J., NYENGAARD, N. R., HARA, S., ENEMARK, J. M., ANDRESEN, P. H. (1998):
Rumen motility during induced hyper- and hypocalcaemia.
Acta Vet. Scand. 39, 331-338.

JOYCE, P. W., SANCHEZ, W. K., GOFF, J. P. (1997):
Effect of anionic salts in prepartum diets based on alfalfa.
J. Dairy Sci. 80, 2866-2875.

KAMPHUES, J. (1993):
Neue Entwicklungen im Bereich der Rinderfütterung.
Wien. Tierärztl. Mschr. 80, 15-21.

KAMPHUES, J., SCHNEIDER, D., LEIBETSEDER, J. (1999):
Supplemente zu Vorlesungen und Übungen in der Tierernährung, 9. Auflage.
M. & H. Schaper-Verlag.

KENDALL, K. E., HARSHBARGER, K. E., HAYS, R. L., ORMISTON, E. E. (1969):
Some responses of dairy cows to acid or alkaline dietary additives.
J. Dairy Sci. 52, 931-932.

KENNY, A. D. (1981):
Nutritional aspects of calcium absorption – aminoacids and protein.
In: KENNY, A. D. (Hrsg.): Intestinal calcium absorption and its regulation.
CRC Press, Florida.

KICHURA, R. S., HORST, R. L., BEITZ, D. C., LITTLEDIKE, E. T. (1982):
Relationships between prepartal dietary calcium and phosphorus, vitamin D metabolism, and parturient paresis in dairy cows.
J. Nutr. 112, 480-487.

KOLB, E. (1957):
Calciumstoffwechsel und Gebärparese.
Berl. Münch. Tierärztl. Wschr. 70/23, 483-487.

KOLB, E. (1989):
Physiologie der Haustiere Band 1 und 2.
Gustav Fischer-Verlag, Jena.

KRAFT, W., DÜRR, U. M. (1999):
Elektrolyte und Säure-Basen-Haushalt.
In: KRAFT, W., DÜRR, U. M. (Hrsg.): Klinische Labordiagnostik in der Tiermedizin, 5. Auflage.
Schattauer-Verlag, Stuttgart, New York.

KUEMPER, H. (1992):
Aspirationspneumonie und andere Komplikationen infolge oraler Applikation von Kalziumchloridgel bei der Milchkuh.
Prakt. Tierarzt, Coll. Vet. XXIII, 19-23.

- KUTCHAI, H. C. (1998):
 The gastrointestinal system.
 In: BERNE, R. M., LEVY, M. N. (Hrsg.): Physiology, 4. Auflage.
 Mosby-Verlag.
- LACHMANN, G., SIEGL, W., SIEBERT, H., SCHÄFER, M., ALKAFF, O. (1983):
 Untersuchungen zur renalen Kalziumausscheidung bei der metabolischen Azidose des Rindes.
 Wiss. Z. Karl-Marx-Univ. Leipzig, Math.-Naturwiss. R. 32/3, 314-320.
- LA MANNA, A. F., OWENS, F. N., JANLOO, S., AHMAD, Y. H., WELTY, S. D. (1999):
 Impact of dietary cation anion balance on water intake and physiological measurements of feedlot cattle.
 Anim. Sci. Res. Report 152-158.
- LAUNER, P., STORM, R. (1979):
 Untersuchungen zur Diagnostik des Natriummangels bei Milchkühen.
 Mh. Med.-Vet. 34, 364-372.
- LECLERC, H., BLOCK, E. (1989):
 Effects of reducing dietary cation-anion balance for prepartum dairy cows with specific reference to hypocalcemic parturient paresis.
 Can. J. Anim. Sci. 69, 411-423.
- LEMA, M., TUCKER, W. B., ASLAM, M., SHIN, I. S., LE RUYER, P., ADAMS, G. D. (1992):
 Influence of calcium chloride fed prepartum on severity of edema and lactational performance of dairy heifers.
 J. Dairy Sci. 75, 2388-2393.
- LEMANN, J., LITZOW, J. R., LENNON, E. J., KELLY, O. A (1967):
 Studies of the mechanism by which chronic metabolic acidosis augments urinary calcium excretion in man.
 J. Clin. Invest. 46, 1318-1328.
- LEONHARD, S., MARTENS, H., GÄBEL, G. (1989):
 New aspects of magnesium transport in ruminants.
 Acta Vet. Scand. (Suppl.) 86, 146.
- LEONHARDT, H. (1990):
 Binde- und Stützgewebe.
 In: LEONHARDT, H. (Hrsg.): Histologie, Zytologie und Mikroanatomie des Menschen. 8. Auflage.
 Georg Thieme-Verlag, Stuttgart, New York.
- LITTLE, W. L., MATTICK, E. C. V. (1933):
 The calcium content of cow's blood.
 Vet. Rec. 43, 1091-1097.
- LITTLEDIKE, E. T. (1976):
 Relationship of milk secretion to hypocalcemia in the dairy cow.
 J. Dairy Sci. 59, 1947-1953.
- LITTLEDIKE, E. T., YOUNG, J. W., BEITZ, D. C. (1981):
 Common metabolic diseases of cattle: ketosis, milk fever, grass tetany, and downer cow complex.
 J. Dairy Sci. 64, 1465-1482.
- LOMBA, F., CHAUVAUX, G., TELLER, E., LENGELE, L., BIENFET, V. (1978):
 Calcium digestibility in cows as influenced by the excess of alkaline ions over stable acid ions in their diets.
 Br. J. Nutr. 39, 425-429.

LOTTHAMMER, K.-H. (1979):
Einfluss der Fütterung und Futterproduktion auf Gesundheit und Fruchtbarkeit von Milchrindern.
Tierärztl. Prax. 7, 425-438.

LOTTHAMMER, K.-H. (1985):
Auswirkungen einer erhöhten Aufnahme einiger Mengen- und Spurenelemente sowie von Nitrat über
wirtschaftseigene Futtermittel auf die Gesundheit und Fruchtbarkeit von Milchkühen.
Dtsch. Tierärztl. Wschr. 92, 205-244.

MACGREGOR, R. R., HINTON, D. A., RIDGEWAY, R. D. (1988):
Effects of calcium on synthesis and secretion of parathyroid hormone and secretory protein I.
Am. J. Physiol. 255, E299-E305.

MAHLKOW-NERGE, K. (2001):
Gesunderhaltung der Hochleistungskuh durch gezielte Fütterungsmaßnahmen.
Deutsche Vilomix Tierernährung GmbH, Fachtagung Tierernährung 2001/2002.

MALZ, C., MEYER, C. (1992):
Neue Aspekte zur Pathogenese und Therapie der hypocalcämischen Gebärparesie.
Prakt. Tierarzt 73, 507-515.

MÄNNER, K., BRONSCH, K. (1987):
Mineralstoffe.
In: SCHEUMERT, A., TRAUTMANN, A., WITTKE, G. (Hrsg.): Lehrbuch d. Veterinärphysiologie,
7. Auflage.
Paul Parey-Verlag, Berlin, Hamburg.

MARTENS, H., HARMEYER, J., MICHAEL, H. (1978):
Magnesium transport by isolated rumen epithelium of sheep.
Res. Vet. Sci. 24, 161-168.

MARTENS, H. (1995):
Die Konzentration von Mineralstoffen im Plasma von Wiederkäuern: Geeigneter Parameter zur
Beurteilung der Mineralstoffversorgung.
Tierärztl. Umschau 50, 321-326.

MARTIG, J. (2002):
Hypokalzämische Gebärlähmung.
In: DIRKSEN, G., GRÜNDER, H.-D., STÖBER, M. (Hrsg.): Innere Medizin und Chirurgie des Rindes.
Paul Parey-Verlag im Blackwell-Verlag, Berlin, Wien.

MASSEY, C. D., WANG, C., DONOVAN, A., BEEDE, D. K. (1993):
Hypocalcemia at parturition as a risk factor for left displacement of the abomasums in dairy cows.
JAVMA 203, 852-853.

MAYER, G. P., RAMBERG, C. F., KRONFELD, D. S. (1967):
Udder insufflation and its physiologic basis for treatment of parturient paresis in cattle.
JAVMA 151, 1673-1680.

MAYER, G. P., RAMBERG, C. F., KRONFELD, D. S., BUCKLE, R. M., SHERWOOD, L. M.,
AURBACH, G. D., POTTS, J. T. (1969):
Plasma parathyroid hormone concentration in hypocalcemic parturient cows.
Am. J. Vet. Res. 30/9, 1587-1597.

MAYER, G. P., BLUM, J. W., DEFTOS, L. J. (1975):
Diminished prepartal plasma calcitonin concentration on cows developing parturient hypocalcemia.
Endocrinology 96, 1478-1485.

- McDOWELL, L. R. (2003):
Minerals in animal nutrition and human nutrition, 2. Auflage.
Elsevier Science.
- MELLAU, L. S. B., JORGENSEN, R. J., KAMBARAGE, D. M. (2002):
The influence of short-term anion salt exposure on urine pH and on resistance to experimentally induced hypocalcaemia in cows.
J. Vet. Med. A 49, 225-229.
- MEYER, D. J., HARVEY, J. W. (2004):
Veterinary Laboratory Medicine – Interpretation and Diagnosis, 3. Auflage.
Saunders-Verlag.
- MEYER, H., STEHLING, W. (1972):
Einfluss hoher Kalium- und Milchsäuregaben auf den Mineralstoffwechsel und Säure-Basenhaushalt beim Schaf.
Berl. Münch. Tierärztl. Wschr. 85/11, 201-207.
- MOORE, S. J., VANDE HAAR, M. J., SHARMA, B. K., PILBEAM, T. E., BEEDE, D. K., BUCHOLTZ, H. F., LIESMAN, J. S., HORST, R. L., GOFF, J. P. (2000):
Effects of altering dietary cation-anion difference on calcium and energy metabolism in peripartum cows.
J. Dairy Sci. 83, 2095-2104.
- MUELLER, R. K., COOPER, S. R., TOPLIFF, D. R., FREEMAN, D. W., MACALLISTER, C., CARTER, S. D. (2001):
Effect of dietary cation-anion difference on acid-base status and energy digestibility in sedentary horses fed varying levels and types of starch.
J. Equine Vet. Sci. 21, 498-504.
- NAITO, Y., GOFF, J. P., HORST, R. L., REINHARDT, T. A. (1989):
Effects of continuous administration of 1,25-Dihydroxyvitamin D₃ on plasma minerals and unoccupied colon mucosal 1,25-Dihydroxyvitamin D₃ Receptor concentrations.
J. Dairy Sci. 72, 2936-2941.
- NELSON, A. B., MAC VICAR, R. W., ARCHER, W. M., MEISKE, J. C. (1955):
Effect of a high salt intake on the digestibility of ration constituents and on nitrogen, sodium, and chloride retention by steers and wethers.
J. Anim. Sci. 14, 825-830.
- NEWTON, G. L., FONTENOT, J. P., TUCKER, R. E., POLAN, C. E. (1972):
Effects of high dietary potassium intake on the metabolism of magnesium by sheep.
J. Anim. Sci. 35, 440-445.
- NATIONAL RESEARCH COUNCIL – SUBCOMMITTEE ON MINERAL TOXICITY IN ANIMAL (1980):
Mineral tolerance of domestic animals.
National Academy of Science, Washington D. C.
- O'CONNOR, B. (2002):
Hypocalcaemia and hypomagnesaemia in beef cows fed cereal greenfeed.
Animal Health Expositor 2/2, 3-4.
- OETZEL, G. R. (1988):
Parturient paresis and hypocalcemia in ruminant livestock.
Vet. Clin. North Am. Pract. 4, 351-364.
- OETZEL, G. R., OLSON, J. D., CURTIS, C. R., FETTMAN, M. J. (1988):
Ammonium chloride and ammonium sulfate for prevention of parturient paresis in dairy cows.
J. Dairy Sci. 71, 3302-3309.

OETZEL, G. R., FETTMAN, M. J., HAMAR, D. W., OLSON, J. D. (1991):
Screening of anionic salts for palatability, effects on acid-base status and urinary calcium excretion in dairy cows.
J. Dairy Sci. 74, 965-971.

OETZEL, G. R. (1991):
Meta-analysis of nutritional risk factors for milk fever in dairy cows.
J. Dairy Sci. 74, 3900-3912.

OETZEL, G. R. (1993):
Use of anionic salts for prevention of milk fever in dairy cattle.
Compend. Contin. Educ. Pract. Vet. 15, 1138-1146.

OETZEL, G. R., BARMORE, J. A. (1993):
Intake of a concentrate mixture containing various anionic salts fed to pregnant, nonlactating dairy cows.
J. Dairy Sci. 76, 1617-1623.

OETZEL, G. R. (2000):
Management of dry cows for the prevention of milk fever and other mineral disorders.
Vet. Clin. North Am., Food Anim. Pract. 16, 369-386.

PANSU, D., BELLATON, C., BRONNER, F. (1983):
Developmental changes in the mechanisms of duodenal calcium transport in the rat.
Am. J. Phys. 244, G20-G26.

PEHRSON, B., SVENSSON, C., JONSSON, M. (1998):
A comparative study of the effectiveness of calcium propionate and calcium chloride for the prevention of parturient paresis in dairy cows.
J. Dairy Sci. 81, 2011-2016.

PEHRSON, B., SVENSSON, C., GRUVAEUS, I., VIRKKI, M. (1999):
The influence of acidic diets on the acid-base balance of dry cows and the effect of fertilization on the mineral content of grass.
J. Dairy Sci. 82, 1310-1316.

PERNTHANER, A., HIESS, G., GLAWISCHNIG, E. (1996):
Einfluss von per os appliziertem Kalziumchlorid auf die Mineralstoffkonzentrationen und Enzymaktivitäten im Plasma gesunder Kalbinnen.
Wien. Tierärztl. Mschr. 83, 73-79.

PHELPS, M. S., HOUSE, J., DAVIES, C. A. (2001):
The outer side of DCAD: Health problems associated with feeding anionic rations.
Proc., 19th American Colledge of Veterinary Internal Medicine, 23.-26.05.2001, Denver. S. 315-317.
In: EUSTERMANN, S. (2003): Einsatzmöglichkeiten der Mengenelementanalytik im Harn zur Überwachung einer anionenreichen Fütterung im Rahmen der prophylaktischen Bestandsbetreuung von Milchviehherden.
Berlin: FU-Berlin, Fachbereich Veterinärmedizin, Diss.

PHILLIPPO, J. REID, G. W., NEVISON, L. M. (1994):
Parturient hypocalcaemia in dairy cows: effects of dietary acidity on plasma minerals and calciotrophic hormones.
Res. Vet. Sci. 56, 303-309.

PULS , R. (1994) :
Mineral levels in animal health, 2. Auflage.
Canadian Cataloguing in Publication Data.

- QUEEN, W. G., MILLER, G. Y., MASTERSON, M. A. (1993):
Effects of oral administration of a calcium-containing gel on serum calcium concentration in postparturient dairy cows.
JAVMA 202, 607-609.
- RADOSTITS, O. M., GAY, C. C., BLOOD, D. C., HINCHCLIFF, K. W. (2000):
Veterinary medicine, 9. Auflage.
Saunders-Verlag.
- RAJALA-SCHULZ, P. J., GRÖHN, Y. T., McCULLOCK, C. E. (1999):
Effects of milk fever, ketosis, and lameness on milk yield in dairy cows.
J. Dairy Sci. 82, 288-294.
- RAM, L., SCHONEWILLE, J. T., MARTENS, H., VAN'T KLOOSTER, A. T., BEYNEN, A. C. (1998):
Magnesium absorption by wethers fed potassium bicarbonate in combination with different dietary magnesium concentrations.
J. Dairy Sci. 81, 2485-2492.
- RAMBERG, C. F., JOHNSON, E. K., FARGO, R. D., KRONFELD, D. S. (1984):
Calcium homeostasis in cows, with special reference to parturient hypocalcemia.
Am. J. Physiol. 246, R698-R704.
- REINHARDT, T. A., HORST, R. L., GOFF, J. P. (1988):
Calcium, phosphorus and magnesium homeostasis in ruminants.
Vet. Clin. North. Am., Food Anim. Pract. 4, 331-350.
- ROBY, K. A. W., CHALUPA, W., ORSINI, J. A., ELSEY, A. H., KRONFELD, D. S. (1987):
Acid-base and electrolyte balance in dairy heifers fed forage and concentrate rations: effects of sodium bicarbonate.
Am. J. Vet. Res. 48, 1012-1016.
- ROCHE, C., BELLATON, C., PANSU, D., MILLER, A., BRONNER, F. (1986):
Localization of vitamin D-dependent active Ca^{2+} transport in rat duodenum and relation to CaBP.
Am. J. Phys. 251, G314-G320.
- ROCHE, C., MORTON, J., KOLVER, E. S. (2002):
Sulfur and chlorine play a non-acid base role in periparturient calcium homeostasis.
J. Dairy Sci. 85, 3444-3460.
- ROCHE, J. R., DALLEY, D., MOATE, P., GRAINGER, C., RATH, M., O'MARA, F. (2003):
Dietary cation-anion difference and the health and production of pasture-fed dairy cows.
1. Dairy cows in early lactation.
J. Dairy Sci. 86, 970-285.
- ROGERS, J. A., MULLER, L. D., DAVIS, C. L., CHALUPA, W., KRONFELD, D. S., KARCHER, L. F., CUMMINGS, K. R. (1985):
Response of dairy cows to sodium bicarbonate and limestone in early lactation.
J. Dairy Sci. 68, 646-660.
- ROMO, G. A., KELLEMS, R. O., POWELL, K., WALLENTINE, M. V. (1991):
Some blood minerals and hormones in cows fed variable mineral levels and ionic balance.
J. Dairy Sci. 74, 3068-3077.
- ROSENBERGER, G. (1990):
Die klinische Untersuchung des Rindes, 3. Auflage.
Paul Parey-Verlag, Berlin, Hamburg.

RUKKWAMSUK, T., KRUIP, T. A. M., WENSING, T. (1999):
Relationship between overfeeding and overconditioning in the dry period and the problems of high
producing dairy cows during the postparturient period.
Vet. Quart. 21, 71-77.

SALAMON, E. (1972):
Versuche zur Prophylaxe der Gebärparesie mit einem Kortikosteroid.
Tierärztl. Umschau 28, 544-549.

SANCHEZ, W. K., BEEDE, D. K., CORNELL, J. A. (1997):
Dietary mixtures of sodium chloride, and potassium chloride: effects on lactational performance, acid-base status, and mineral metabolism of Holstein cows.
J. Dairy Sci. 80, 1207-1216.

SCHEID, P. (1996):
Säure-Basen-Gleichgewicht.
In: KLINKE, R., SILBERNAGEL, S. (Hrsg.): Lehrbuch der Physiologie, 2. Auflage.
Georg Thieme-Verlag, Stuttgart, New York.

SCHIFFL, H., BINSWANGER, U. (1980):
Calcium ATPase and intestinal calcium transport in uremic rats.
Am. J. Phys. 238, G424-G428.

SCHMIDT, J. (1897):
Studies and experiments on the etiology and treatment of milkfever. (In Danish).
Maanedsskr. Dyrlæg. 9, 225-297.
Zit. n.: KVART, C., LARSSON, L. (1987): An alternative regimen for calcium treatment of parturient paresis based on clinical signs.
J. Vet. Med. A 34, 684-689.

SCHNEIDER, P. L., BEEDE, D. K., WILCOX, C. J. (1986):
Responses of lactating cows to dietary sodium source and quantity and potassium quantity during heat stress.
J. Dairy Sci. 69, 99-110.

SCHNIER, C., HIELM, S., SALONIEMI, H. S. (2002):
Comparison of the disease incidences of dairy cows kept in cold and warm loose-housing systems.
Prev. Vet. Med. 53, 247-261.

SCHONEWILLE, J. T., VAN'T KLOOSTER, A. T., DIRKZWAGER, A., BEYNEN, A. C. (1994a):
Stimulatory effect of an anion (chloride)-rich ration on apparent calcium absorption in dairy cows.
Livestock Prod. Sci. 40, 233-240.

SCHONEWILLE, J. T., VAN'T KLOOSTER, A. T., BEYNEN, A. C. (1994b):
The addition of extra calcium to a chloride-rich does not affect the absolute amount of calcium absorbed by non pregnant, dry cows.
J. Anim. Physiol. A. Anim. Nutr. 72, 272-280.
Zit. n.: TRAN, T.-D. (1997): Mit Elektrolyten-Balance gegen Milchfieber?
Rinderwelt Juni 1997, 26-28.

SCHONEWILLE, J. T., VAN'T KLOOSTER, A. T., WOUTERSE, H., BEYNEN, A. C. (1999a):
Hypocalcemia induced by intravenous administration of disodium ethylenediaminetetraacetate and its effects on excretion of calcium in urine of cows fed a high chloride diet.
J. Dairy Sci. 82, 1317-1324.

SCHONEWILLE, J. T., VAN'T KLOOSTER, A. T., WOUTERSE, H., BEYNEN, A. C. (1999b):
Effects of intrinsic potassium in artificially dried grass and supplemental potassium bicarbonate on apparent magnesium absorption in dry cows.
J. Dairy Sci. 82, 1824-1830.

SCHONEWILLE, J. T., VAN'T KLOOSTER, A. T., WOUTERSE, H., BEYNEN, A. C. (2000):
Time courses of plasma magnesium concentrations and urinary magnesium excretion in cows
subjected to acute changes in potassium intake.
Vet. Quart. 22, 136-140.

SCHÜLTKEN, A., MOLL, G. (1998):
Effizienz einer oralen Prophylaxe der hypocalcämischen Gebärparesen mit der Calciumchlorid-Öl-
Emulsion Calol® in der Praxis.
Prakt. Tierarzt 79, 150-161.

SCOTT, D., WHITELAW, F. G., KAY, M. (1971):
Renal excretion of acid in calves fed either roughage or concentrate diets.
Q. J. Exp. Physiol. 56, 18-32.

SCOTT, D., BUCHMAN, W. (1981):
Changes in blood compensation and urinary mineral excretion in the sheep in response to acute acid-
base disturbance.
Res. Vet. Sci. 31, 43-47.

SILBERNAGEL, S., DESPOPOULOS, A. (1991):
Taschenatlas der Physiologie, 4. Auflage.
Georg Thieme-Verlag, Stuttgart, New York.

SIMMONS, D. H., AVEDON, M. (1959):
Acid-base alterations and plasma potassium concentration.
Am. J. Physiol. 197, 319-326.

SKLAN, D., HURWITZ, S. (1985):
Movement and absorption of major minerals and water in ovine gastrointestinal tract.
J. Dairy Sci. 68, 1659-1666.

SMITH, N., PADILLA, M., WASSERMAN, R. H., KALLFELZ, F. A. (1982):
Calcium and 24,25-Dihydroxyvitamin D: Inverse relation in cows with parturient paresis.
Calcif. Tissue Int. 34, 564-566.

SPIEKER, R. (1989):
Der Einfluss der Tageszeit auf die renale Ausscheidung einiger Mineralstoffe bei Rindern.
Berl. Münch. Tierärztl. Wschr. 102, 52-56.

STACY, B. D., WILSON, B. W. (1970):
Acidosis and hypercalcuria: renal mechanism affecting calcium, magnesium and sodium
excretion in the sheep.
J. Physiol. 210, 549-564.

STANTON, B. A., KOEPPEN, B. M. (1998):
The kidney.
In: BERNE, R. M., LEVY, M. N. (Hrsg.): Physiology, 4. Auflage.
Mosby-Verlag.

STAUFENBIEL, R., ENGELHARD, T. (1999):
Vier Strategien gegen Milchfieber.
Top Agrar 9/99, R16-R20.

STAUFENBIEL, R. (2000):
Prophylaxe der Gebärparesen, Teil 2.
Nutztier Spiegel 1/2000, 58-61.

- STEWART, P. (1981):
How to understand acid-base: A quantitative acid-base primer for biology and medicine.
Elsevier, New York.
- Zit. n.: BAKER, L. A., TOPLIFF, D. R., FREEMAN, D. W., TEEETER, R G., STOECKER, B. (1998):
The comparison of two forms of sodium and potassium and chloride versus sulfure in the dietary cation-anion difference equation: effects on acid-base status and mineral balance in sedentary horses.
J. Equine Vet. Sci. 18/6, 389-395.
- STUDER, E. (1998):
A veterinary perspective of on-farm evaluation of nutrition and reproduction.
J. Dairy Sci. 81, 872-876.
- TAKAGI, H., BLOCK, E. (1988):
Effect of manipulating dietary anion-cation balance on calcium kinetics in normocalcemic and EGTA-infused sheep.
J. Dairy Sci. 71, Suppl. 1, 153.
- TAKAGI, H., BLOCK, E. (1991):
Effects of manipulating dietary cation-anion balance on macromineral balance in sheep.
J. Dairy Sci. 74, 4202-4214.
- THEWS, G., VAUPEL, P. (1997):
Hormonale Regulation – Homonale Kalzium- und Phosphat-Regulation.
In: THEWS, G., VAUPEL, P. (Hrsg.): Vegetative Physiologie, 3. Auflage.
Springer-Verlag, Berlin, Heidelberg.
- THILSING-HANSEN, T., JORGENSEN, R. J. (2001):
Hot topic: prevention of parturient paresis and subclinical hypocalcemia in dairy cows by Zeolite A administration in the dry period.
J. Dairy Sci. 84, 691-693.
- THILSING-HANSEN, T., JORGENSEN, R. J., OSTERGAARD, S. (2002):
Milk fever control principles: a review.
Acta Vet. Scand. 43, 1-19.
- TRAN, T.-D. (1997):
Mit Elektrolyten-Balance gegen Milchfieber?
Rinderwelt Juni 1997, 26-28.
- TUCKER, W. B., HARRSION, G. A., HEMKEN, R. W. (1988):
Influence of dietary cation-anion balance on milk, blood, urine, and rumen fluid in lactating dairy cattle.
J. Dairy Sci. 71, 346-354.
- TUCKER, W. B., XIN, Z., HEMKEN, R. W. (1991):
Influence of calcium chloride on systemic acid-base status and calcium metabolism in dairy heifers.
J. Dairy Sci. 74, 1401-1407.
- TUCKER, W. B., HOGUE, J. F., ASLAM, M., LEMA, M., LE RUYET, P., SHIN, I. S., VAN KOEVERING, M. T., VERNON, R. K., ADAMS, G. D. (1993):
Controlled ruminal infusion of sodium bicarbonate.
3. Influence of infusion dose on systemic acid-base status, minerals, and ruminal milieu.
J. Dairy Sci. 76, 2222-2234.
- ULUTAS, B., ÖZLEM, M. B., ULUTAS, P. A., EREN, V., PASA, S. (2003):
Fractional excretion of electrolytes during pre- and postpartum periods in cows.
Acta Vet. Hung. 51, 521-528.
- VAGG, M. J., PAYNE, J. M. (1970):
The effect of ammonium chloride induced acidosis on calcium metabolism in ruminants.
Br. Vet. J. 126, 531-537.

VAGNONI, D. B., OETZEL, G. R. (1997):
Effects of acidified fermentation by-products and anionic salts on acid-base status of non-lactating dairy cows.
U. S. Dairy Forage Research Center, MAR 1997, 110-111.

VAGNONI, D. B., OETZEL, G. R. (1998):
Effects of dietary cation-anion difference on the acid-base status of dry cows.
J. Dairy Sci. 81, 1643-1652.

VAN DE BRAAK, A. E., VAN'T KLOOSTER, A. T., MALESTEIN, A., FABER, J. A. J. (1986a):
Effects of low and high calcium intake prepartum on calcium mobilization rate around parturition in dairy cows.
Vet. Quart. 8, 12-23.

VAN DE BRAAK, A. E., VAN'T KLOOSTER, A. T., MALESTEIN, A. (1986b):
Influence of prepartum calcium intake on calcium mobilization rate around parturition in dairy cows fed at a high prepartum feeding level.
Vet. Quart. 8, 24-37.

VAN DIJK, C. J., LOURENS, D. C. (2001) :
Effects of anionic salts in a pre-partum dairy ration on calcium metabolism.
Tydskr. S. Afr. Vet. Ver. 72/2, 76-80.

VAN MOSEL, M., VAN'T KLOOSTER, A. T., VAN MOSEL, F., VAN DER KUILEN, J. (1993):
Effects of reducing dietary ($[Na^+ + K^+] - [Cl^- + SO_4^{=}]$) on the rate of calcium mobilisation by dairy cows at parturition.
Res. Vet. Sci. 54, 1-9.

VAN MOSEL, M., WOUTERSE, H. S., VAN'T KLOOSTER, A. T. (1994):
Effects of reducing dietary ($[Na^+ + K^+] - [Cl^- + SO_4^{=}]$) on bone in dairy cows at parturition.
Res. Vet. Sci. 56, 270-276.

VAN' T KLOOSTER, A. T. (1976):
Adaptation of calcium absorption from the small intestine of dairy cows to changes in the dietary calcium intake and at onset of lactation.
Tierphysiologie, Tierernährung und Futtermittelkunde. 37, 169-182.
Zit. n.: SCHONEWILLE , J. T., VAN' T KLOOSTER, A. T., DIRKZWAGER, A., BEYNEN, A. C. (1994):
Stimulatory effect of an anion (chloride)-rich ration on apparent calcium absorption in dairy cows.
Livestock Prod. Sci. 40, 233-240.

VERDARIS, J. N., EVANS, J. L. (1976):
Diet calcium and pH versus mineral balance in Holstein cows 84 days pre- to 2 days postpartum.
J. Dairy Sci. 59, 1271-1277.

VON FELDE, A. (1999):
Innovationen bei der Anwendung saurer Salze.
Kraftfutter, Feed Magazine 11, 414-420.

WADSWORTH, J. C., COHEN, R. D. H. (1977):
Phosphorus utilization by ruminants.
Rev. Rural Sci. 3, 143.
Zit. n.: HORST, R. L. (1986): Regulation of calcium and phosphorus homeostasis in the dairy cow.
J. Dairy Sci. 69, 604-616.

WANG, C., BEEDE, D. K. (1992a):
Effects of ammonium chloride and sulfate on acid-base status and calcium metabolism of dry Jersey cows.
J. Dairy Sci. 75, 820-828.

WANG, C., BEEDE, D. K. (1992b):
Effects of diet magnesium on acid-base status and calcium metabolism of dry cows fed acidogenic salts.
J. Dairy Sci. 75, 829-836.

WASSERMANN, R. H., TAYLOR, A. N. (1976):
Gastrointestinal absorption of calcium and phosphorus.
In: AUBACH, G. D. (Hrsg.): Handbook of physiology, Endocrinology, Parathyroid gland.
Am. Physiol. Soc., Washington DC.
Zit. n.: HORST, R. (1986): Regulation of calcium and phosphorus homeostasis in the dairy cow.
J. Dairy Sci. 69, 604-616.

WATERMAN, D. F., SWENSON, T. S., TUCKER, W. B., HEMKEN, R. W. (1991):
Role of magnesium in the dietary cation-anion balance equation for ruminants.
J. Dairy Sci. 74, 1866-1873.

WEISS, J. (1993):
Zur Calcium- und Phosphorversorgung der Milchkühe – Neue Erkenntnisse erfordern neue Strategien.
Milchpraxis 31, 213-217.

WEST, J. W., COPPOCK, C. E., MILAM, K. Z., NAVES, D. H., LABORE, J. M., ROWE, L. D. (1987):
Potassium carbonate as a potassium source and dietary buffer for lactating Holstein cows during hot weather.
J. Dairy Sci. 70, 309-320.

WESTENHOFF, R. A. (2000):
Zum Einsatz (Akzeptanz, Wirkung auf den Mineralstoffwechsel und Säure-Basen-Haushalt) von
gecoatetem Calciumchlorid beim Wiederkäuer.
Hannover: Tierärztl. Hochschule, Diss.

WOOD, C. M., MILLIGAN, C. L., WALSH, P. J. (1999):
Renal responses of trout to chronic respiratory and metabolic acidosis and metabolic alkalosis.
Am. J. Physiol. 277, R482-R492.

WRIGTH, T. (2003):
Dietary cation-anion difference (DCAD).
Ontario, Ministry of agriculture and food 2003, 1-3.