

Structure and Function Relationship of the Cardiac Transmembrane Serine Protease Corin

Identification of Key Elements Required for
Pro-Atrial Natriuretic Peptide Processing

Dissertation zur Erlangung des akademischen Grades des
Doktors der Naturwissenschaften (Dr. rer. nat.)

eingereicht am Fachbereich Biologie, Chemie, Pharmazie
der Freien Universität Berlin

vorgelegt von

Sabine Knappe

aus Görlitz

Oktober, 2004

1. Gutachter: Prof. Dr. P. Donner

2. Gutachter: Prof. Dr. F. Hucho

Disputation am: 15. Dezember 2004

Parts of this study were published in:

Knappe, S., Wu, F., Masikat, M.R., Morser, J., and Wu, Q. (2003) Functional analysis of the transmembrane domain and activation cleavage of human corin: design and characterization of a soluble corin. *J Biol Chem*, **278**, 52363-52370

Knappe, S., Wu, F., Madlansacay, M.R., and Wu, Q. (2004) Identification of domain structures in the propeptide of corin essential for the processing of proatrial natriuretic peptide. *J Biol Chem*, **279**, 34464-34471

Acknowledgements

The work presented in this dissertation was carried out in the Cardiovascular Department at Berlex Biosciences in Richmond, California between July 2000 and October 2004.

First and foremost, I would like to thank my mentor, Dr. Qingyu Wu, who superbly guided my project during that time. Over the years, he has taught me with endless patience how to structure my thoughts, experiments, and the written word. I have benefited enormously from the frequent discussions with him in which he shared with me his invaluable knowledge in the field of serine proteases. During the writing process, he always read and responded to the drafts of each chapter of my work more quickly than I could have hoped.

I would especially like to thank Prof. Peter Donner and Prof. Ferdinand Hucho for giving me the opportunity to start this dissertation project. They kindly agreed to act as reviewers of my thesis as representatives of the Freie Universität Berlin and supported my plan to do my research abroad.

I am deeply grateful to Dr. William Dole, who made it possible to carry out my research project in the Cardiovascular Department that he guided with excellence. His enthusiasm and optimistic attitude have been a great source of motivation for me.

I would like to take the opportunity to thank Dr. John Morser for the helpful discussions we have had and his valuable suggestions and comments. I also want to express my gratitude that Dr. Morser initially gave me the chance to join the Cardiovascular Department as an intern.

A very special thank you to my colleague Faye Wu, the most caring person I know, for her constant helpfulness, for sharing the inevitable periods of frustration in the lab and for being a great listener. I also extend my gratitude to my friends and co-workers Dr. Joyce Chan, Dr. Mariko Nagashima, Dr. Junliang Pan, Kathy Tran, and Lei Zhao for their helpful advice and friendship. Especially, I want to thank Dr. Mariko Nagashima for first introducing me to scientific research. I also want to thank all the other wonderful and talented members of the Cardiovascular Department for their help and friendship. I am very fortunate to have been able to spend this important time of my career with people like them.

My thanks go out to Dr. Brent Larsen, Silke Finster, Mary Rose Madlansacay, and Rene Pagila for their help with protein purification and their willingness to answer my numerous questions about the process.

I wish to thank Dr. Edward Croze for his support and encouragement, especially during the last months of my dissertation.

This project would not have been possible without the love and understanding of my husband Dean Harde, who helped me through the ups and downs of the last four years. I am grateful for his patience, support, his contagious humor, and his talent to create fabulous paintings that my eyes could rest on after hours of staring at the computer screen. My greatest motivation (and sometimes distraction) was the *joie de vivre* my precious daughters, Anika and Tessa never failed to express. They were an inexhaustible source of hugs, smiles and fantastic stories.

Finally, I would like to thank my parents, Hans-Werner and Monika Knappe for their support and care over the years.

Table of Contents

Abbreviations	10
I. Introduction	14
I.1 Natriuretic Peptides and Their Roles in the Cardiovascular System.....	14
I.1.1 Discovery of natriuretic peptides.....	14
I.1.2 The natriuretic peptide receptors.....	16
I.1.3 The function of natriuretic peptides	17
I.1.4 Biosynthesis and processing of natriuretic peptides.....	18
I.1.4.1 Biosynthesis and processing of ANP	19
I.1.4.2 Biosynthesis and processing of BNP.....	20
I.1.4.3 Biosynthesis and processing of CNP.....	21
I.2 Discovery of Corin.....	23
I.2.1 Cloning of corin.....	23
I.2.2 Structural elements of the <i>corin</i> gene.....	24
I.2.3 Corin as a new candidate for the pro-ANP convertase.....	24
I.3 Structure of Corin.....	26
I.3.1 Cell membrane expression of corin protein.....	26
I.3.2 The modular architecture of corin	28
I.3.2.1 Frizzled domains	30
I.3.2.2 Low-density lipoprotein receptor repeats	31
I.3.2.3 Scavenger receptor domain	32
I.3.2.4 Serine protease domain	33
I.4 Corin in Human Diseases.....	34
I.4.1 Corin and hypertension.....	34
I.4.2 Corin in congestive heart failure	35
I.4.3 Implication of corin in cancer.....	37
I.4.4 Corin and total anomalous pulmonary venous return	38
I.5 Objective of the Dissertation.....	38

II. Materials and Methods.....	39
II.1 Materials.....	39
II.1.1 Chemicals and reagents	39
II.1.2 Molecular biology	40
II.1.3 Cell culture	41
II.1.4 Proteases and chromogenic substrates.....	42
II.1.5 Protein chemistry.....	43
II.1.6 Instruments and accessories	44
II.1.7 Buffers and solutions.....	45
II.2 Design and Biochemical Characterization of Soluble Corin.....	46
III.2.1 Overview of the experimental approach	46
III.2.1.1 Considering specific features of corin.....	46
III.2.1.2 Analyzing cell-membrane association and activation cleavage of corin.....	46
III.2.1.3 Designing a soluble and activatable recombinant corin for biochemical studies	47
III.2.1.4 Comparative studies of two soluble forms of corin.....	47
II.2.2 Construction of expression plasmids encoding soluble forms of corin.....	48
II.2.2.1 Generating plasmid pSECsolCorin encoding WTsolCorin protein.....	49
II.2.2.2 Generating plasmids pSECEKsolCorin and pSECEKshortCorin encoding	
EKsolCorin and EKshortCorin proteins.....	54
II.2.3 Establishing stable cell lines expressing soluble corin proteins	57
II.2.4 Purification and analysis of soluble corin proteins.....	58
II.2.4.1 Purification	58
II.2.4.1.1 <i>Affinity chromatography</i>	58
II.2.4.1.2 <i>Ion exchange chromatography</i>	59
II.2.4.2 Analysis of purified EKsolCorin and EKshortCorin.....	60
II.2.4.2.1 <i>Determination of protein concentration by UV spectrophotometry</i>	60
II.2.4.2.2 <i>SDS-PAGE</i>	60
II.2.4.2.3 <i>Coomassie blue staining</i>	62
II.2.4.2.4 <i>Silver staining</i>	62
II.2.4.2.5 <i>Western blot analysis</i>	62
II.2.4.2.6 <i>Analytical size exclusion chromatography</i>	63
II.2.4.2.7 <i>N-terminal sequencing</i>	63
II.2.5 Activation of soluble corin proteins by EK	65

II.2.6 Biochemical characterization of recombinant soluble corin proteins.....	66
II.2.6.1 Enzyme kinetics.....	66
II.2.6.1.1 Selecting chromogenic substrates.....	66
II.2.6.1.2 Determination of kinetic constants of corin using selected chromogenic substrates	69
II.2.6.2 Inhibitor assays.....	71
II.2.6.3 Effect of human plasma on pro-ANP processing activity of EKsolCorin.....	73
II.2.7 Pro-ANP processing assays for R801A corin, WTsolCorin, EKsolCorin, and EKshortCorin.....	74
II.2.7.1 Co-transfection of pro-ANP and corin mutants R801A or WTsolCorin	74
II.2.7.2 Analysis of pro-ANP and its derivatives in conditioned medium	74
II.2.7.3 Detection of corin proteins in cell lysates	75
II.2.7.4 Production of recombinant pro-ANP in 293 cells	75
II.2.7.5 Sequence specificity of EKsolCorin for pro-ANP	76
II.2.7.6 Pro-ANP processing assay for EKsolCorin and EKshortCorin.....	76
II.2.7.7 cGMP assay to determine activity of ANP.....	77
II.3 Generation and Functional Analysis of Transmembrane Corin Mutants...78	
II.3.1 Generation of expression plasmids encoding transmembrane mutant corin proteins	80
II.3.1.1 Generation of plasmids encoding deletion mutant corin proteins	80
II.3.1.2 Generation of plasmids encoding mutant corin proteins with single amino acid substitutions	87
II.3.2 Functional characterization of transmembrane corin mutants	90
II.3.2.1 Pro-ANP processing assay for transmembrane corin mutants	90
II.3.2.2 Cell surface protein expression of corin deletion mutants	91
III. Results92	
III.1 Design and Biochemical Characterization of Soluble Corin.....92	
III.1.1 Requirement of the transmembrane domain of corin for its function	93
III.1.2 Pro-ANP processing activity of activation site mutant R801A.....	96
III.1.3 Effects of thrombin, factor Xa and kallikrein on corin activation.....	98
III.1.4 Generation and characterization of EKsolCorin.....	98
III.1.4.1 Expression, purification and activation of EKsolCorin protein	99
III.1.4.2 Dose-dependent activation of EKsolCorin by EK.....	101
III.1.4.3 Catalytic activity of EKsolCorin	102
III.1.4.3.1 Screening for small molecule substrates for EKsolCorin.....	102
III.1.4.3.2 Determination of kinetic constants and substrate specificity of EKsolCorin	104

III.1.4.4 Effects of protease inhibitors on EKsolCorin.....	107
III.1.4.5 Processing of pro-ANP by purified EKsolCorin.....	109
III.1.4.6 The activity of EKsolCorin-processed recombinant ANP	111
III.1.4.7 Effects of human plasma on EKsolCorin activity	113
III.2 Requirement of the Propeptide of Corin for Pro-ANP Processing.....	115
III.2.1 Expression and purification of EKshortCorin	115
III.2.2 Pro-ANP processing activity of EKshortCorin	117
III.2.3 Comparison of kinetic constants of EKsolCorin and EKshortCorin.....	119
III.2.4 Effects of inhibitors on EKsolCorin and EKshortCorin.....	119
III.3 Identification of Functional Domains in the Propeptide of Corin.....	121
III.3.1 Sequential truncations of modular domains in corin.....	122
III.3.2 Pro-ANP processing activity of corin mutants lacking Fz1 domain or LDLR repeats 1-5	124
III.3.3 Expression of corin mutant proteins on the cell surface.....	125
III.3.4 Functional analysis of LDLR repeats 1-5.....	127
III.3.4.1 Effects of deletions in LDLR repeats 1-5	127
III.3.4.2 Effects of point mutations in LDLR repeats 1-4	132
III.3.5 Contribution of additional domains to the pro-ANP processing activity of corin	134
IV. Discussion	137
IV.1 Requirement of the Transmembrane Domain of Corin.....	139
IV.2 Activation Cleavage of Corin.....	140
IV.3 Biochemical Properties of a Soluble Corin.....	141
IV.4 The Requirement of the Propeptide of Corin for Pro-ANP Processing Activity.....	143
IV.5 Domain Structures in the Propeptide of Corin Essential for Pro-ANP Processing.....	144
IV.5.1 Importance of Fz domains in corin for pro-ANP processing.....	146
IV.5.2 Importance of LDLR repeats in corin for pro-ANP processing.....	147
IV.6 Proposed Model of Substrate Recognition by Corin.....	150
V. Summary	153
V. Zusammenfassung.....	155
VI. References	157

Abbreviations

aa	amino acid(s)
ADH	antidiuretic hormone
ANP	atrial natriuretic peptide
AT-III	antithrombin III
ATZ	anilinothiazolinone
bp	base pair(s)
BHK	baby hamster kidney
β-ME	β-mercaptoethanol
BNP	brain natriuretic peptide
BSA	bovine serum albumin
°C	degree Celsius
CaCl ₂	calcium chloride
cDNA	complementary DNA
cGMP	cyclic guanosine monophosphate
CHF	congestive heart failure
CNP	C-type natriuretic peptide
CO ₂	carbondioxide
CPZ	carboxypeptidase Z
C-terminal or -terminus	carboxyl-terminal or -terminus
CUB	complement, urchin embryonic growth factor and bone morphogenic protein
DESC	differentially expressed in squamous cell carcinoma
DNA	deoxyribonucleic acid
dNTP	deoxyribonucleoside triphosphate
ECL	enhanced chemiluminescent
ECM	extracellular matrix

<i>E. coli</i>	<i>Escherichia coli</i>
EDTA	ethylenediaminetetraacetic acid
EIA	enzyme immunoassay
EK	enterokinase
EST	expressed sequence tag
EtBr	ethidium bromide
FBS	fetal bovine serum
Fig.	figure
FPLC	fast performance liquid chromatography
Fz	frizzled-like
GC	guanylyl cyclase
h	hour(s)
HAI-1	hepatocyte growth factor activator inhibitor-1
HAT	human airway trypsin-like protease
HEK	human embryonic kidney
HPLC	high pressure liquid chromatography
HRP	horseradish peroxidase
Igκ	immunoglobulin κ
k _{cat}	turnover number
kb	kilo base(s)
KCl	potassium chloride
kDa	kilo Dalton
K _m	Michaelis-Menten constant
K ₂ PO ₄	potassium phosphate
L	liter(s)
LB	Luria-Bertani
LDLR	low-density lipoprotein receptor
LDLR-CI and -CII	LDLR-clusterI or -clusterII
LRP	LDLR-related protein
M	molar
mA	milliampere(s)

MAM	meprin-like
MEM	modified Eagle's medium
μ g	microgram(s)
min	minute(s)
mL	milliliter(s)
μ L	microliter(s)
mM	millimolar
μ M	micromolar
mRNA	messenger RNA
MW	molecular weight
NaCl	sodium chloride
ng	nanogram(s)
nm	nanometer(s)
nM	nanomolar
NPR	natriuretic peptide receptor
NTA	nitrilotriacetic acid
N-terminal or -terminus	amino-terminal or -terminus
OD	optical density
PA	polyacrylamide
PAGE	PA gel electrophoresis
PBS	phosphate buffered saline
PCR	polymerase chain reaction
PC	prohormone convertase
PE	phenylephrine
<i>Pfu</i>	<i>Pyrococcus furiosus</i>
pg	picogram(s)
PMSF	Phenyl methyl sulfonyl fluoride
pro-ANP	pro-atrial natriuretic peptide
pro-BNP	pro-brain natriuretic peptide
pro-CNP	pro-C-type natriuretic peptide
PTH	phenylthiohydantoin

R	repeat
RAP	receptor associated protein
RNA	ribonucleic acid
rpm	revolutions per minute
RT-PCR	reverse transcriptase-PCR
s	second(s)
SCLC	small cell lung cancer
S.D.	standard deviation
SDS	sodium dodecyl sulfate
SEA	sea urchin sperm protein
SEC	size exclusion chromatography
Serpins	serine protease inhibitors
SIADH	syndrome of inappropriate secretion of ADH
siRNA	small interfering RNA
SR	scavenger receptor
TAE	Tris-acetate-EDTA
TAPVR	total anomalous pulmonary venous return
<i>Taq</i>	<i>Thermus aquaticus</i>
TFA	trifluoroacetic acid
TLCK	tosyl-Lys-chloromethylketone
T _m	melting temperature
TMPRSS	type II transmembrane serine protease
TPCK	tosyl-Phe-chloromethylketone
TTSP	type II transmembrane serine protease
UV	ultraviolet
V	velocity
VLDLR	very low-density lipoprotein receptor
V _{max}	maximum velocity
WT	wild-type