

Literaturverzeichnis

- Allinger, N.L.**, 1977: Conformational analysis. 130. MM2. A hydrocarbon force field utilizing V_1 and V_2 torsional terms., *J. Am. Chem. Soc.*, 99(25), 8127–8134.
- Allinger, N.L., Y. H. Yuh and J. H. Lii**, 1989: Molecular mechanics. The MM3 force field, *J. Am. Chem. Soc.*, 111(23), 8551–8566.
- Banks, W., and C.T. Greenwood**, 1975: Starch and its compounds., University Press Edinburgh.
- Bender, M.L., and M. Komiya**, 1978: Cyclodextrin chemistry, Springer-Verlag.
- Berendsen, H.J.C., J.R. Grigera and T.P. Straatsma**, 1987: *J. Phys. Chem.*, 91, 6269.
- Bergmann, L., C. Schaefer**, 1980: Aufbau der Materie, Vol. 1Walter de Gruyter.
- Betzel, C.H., W. Saenger, B.E. Hingerty, G.M. Brown**, : Circular and flip-flop hydrogen bonding in β -cyclodextrin undecahydrate: a neutron diffraction study, *J. Am. Chem. Soc.*, 106, 7545–7557.
- Blumhagen, K., I. Muegge and E.W. Knapp**, 1995: Diffusion of two different water models and thermal conductivity in a protein-water system, *Int. J. Quan. Chem.*, 59, 271–279.
- Brooks, C.L., R.E. Bruccoleri, B.D. Olafson, D.J. States, S. Swaminathan and M. Karplus**, 1983: CHARMM: a program for macromolecular energy, minimization, and dynamics calculation, *J. Comp. Chem.*, 4, 187–217.
- Busing, W.R., H.A. Levy**, 1964: The effect of thermal motion on the estimation of bond length from Diffraction measurements, *Acta Cryst.*, 17, 142–146.
- Carslaw, H.S., J.C. Jaeger**, 1946: Conduction of heat in solids, Oxford University Press.
- Ceccarelli, C., G.A. Jeffrey, R. Taylor**, 1981: A survey of O-H \cdots O hydrogen bond geometries determined by neutron diffraction, *J. Molec. Struct.*, 70, 255–271.
- Christen, H.R.**, 1982: Grundlagen der Organischen Chemie, Salle + Sauerländer.
- Connors, K.A.**, 1997: The stability of cyclodextrin complexes in solution, *Chem. Rev.*, 97, 1325–1358.
- Cruickshank, D.W.J.**, 1956a: Errors in bond lengths due to rotational oscillations of molecules, *Acta Cryst.*, 9, 757–758.
- Cruickshank, D.W.J.**, 1956b: The termination of the anisotropic thermal motion of atoms in crystals, *Acta Cryst.*, 9, 747–753.
- Cruickshank, D.W.J.**, 1956c: The analysis of the anisotropic thermal motion of molecules in crystals, *Acta Cryst.*, 9, 754–756.

- Cruickshank, D.W.J.**, 1956d: The variation of vibration amplitudes with temperature in some molecular crystals, *Acta Cryst.*, 9, 1005–1009.
- Dunitz, J.D., E.F. Maverick, K.N. Trueblood**, 1988: Atomic motion in molecular crystals from diffraction measurements, *Angew. Chem., Int. Ed. Engl.*, 27, 880–885.
- Dunitz, J.D., and D.N.J. White**, 1985: Non-rigid-body thermal motion analysis, *Acta Cryst. A*, 29, 93–94.
- Dunitz, J.D., V. Schomaker, K.N. Trueblood**, 1988: Interpretation of atomic displacement parameters from diffraction studies of crystals, *J. Phys. Chem.*, 92, 856–867.
- Epstein, J., and T.R. Welbery**, 1983: Least-squares analyses of diffuse scattering from substitutionary disordered molecular crystals: application to 2,3-dichloro-6,7-dimethylnanthracene, *Acta Cryst. A*, 39, 882–892.
- FAO**, : Nutrition Meetings, (Series No. 46).
- Fava, F., D. di Gioia and L. Marchetti**, 1998: Cyclodextrin effects on the ex-situ bioremediation of a chronically polychlorobiphenyl-contaminated soil, *Biotechnol Bioeng.*, 58, 345–355.
- Fischer, R.X., E. Tillmanns**, 1988: The equivalent isotropic displacement factor, *Acta Cryst C*, 44, 775–776.
- Frauenfelder, H., G.A. Petsko, D. Tsernoglou**, 1979: Temperature-dependent X-ray diffraction as a probe of protein structural dynamics, *nature*, 280, 558–563.
- French, D., A.O. Pulley, J.A. Effenberger, M.A. Rougvie and M. Abdullah**, 1965: Studies on the Schardinger dextrans XII. The molecular size and structure of the δ -, ϵ -, ζ - and η -dextrans, *Arch. Biochem. Biophys.*, 111, 153–160.
- French, D.**, 1957: The Schardinger dextrans, *Adv. Carbohydr. Chem.*, 12, 189–260.
- French, D., M.L. Levine, J.H. Pazur and E. Norberg**, 1949: Studies on the Schardinger dextrans. The preparation and solubility characteristics of α -, β - and γ -dextrans, *J. Am. Chem. Soc.*, 71, 353–358.
- Freudenberg, K. und M. Meyer-Delius**, 1938: Über die Schardinger-Dextrine aus Stärke, *Ber. Dtsch. Chem. Ges.*, 71, 1596–1600.
- Fujiwara, T., M. Yamasaki, Y. Tomiza, R. Tokuoka, K-I. Matsuo, H. Suga, W. Saenger**, 1983: The crystal structure of a new form of β -cyclodextrin water inclusion compound and thermal properties of β -cyclodextrin inclusion complexes, *Nippon Kagaku Kaishi*, 2, 181–187.
- Fujiwara, T., N. Tanaka and S. Kobayashi**, 1990: Structure of δ -cyclodextrin 13.75 H_2O , *Chem. Lett.*, , 739–742.
- Gardiner, C.W.**, 1985: Stochastic methods for physics, chemistry and the natural sciences, Springer-Verlag.
- Glusker, J.P., M. Lewis, M. Rossi**, 1994: Crystal structure analysis for chemists and biologists, VCH Publ.
- Goldstein, H.**, 1987: Klassische Mechanik, Aula-Verlag.
- Haken, H.**, 1983: Synergetics, Springer.

- Hankins, D., J.W. Moskowitz and F.H. Stillinger**, 1970: Water molecule interactions, *J. Chem. Phys.*, 53, 4544–4554.
- Hazel, A., R.G. Hazel, F.K. Larsen**, 1986: Orientational disorder in cyclohepta[de]-naphthalene. Structure determination at 78, 100, 135, 200 and 2985K, *Acta Cryst. B*, 42, 621–626.
- He, X.M., and B.M. Craven**, 1985: Internal molecular vibrations from crystal diffraction data by quasi-normal mode analysis, *Acta Cryst. A*, 41, 244–251.
- Hedges, A.R.**, 1998: Industrial applications of cyclodextrins, *Chem. Rev.*, 41(5), 2035–2044.
- Hirshfeld, F.L.**, 1976: Can X-ray data distinguish bonding effects from vibrational smearing ?, *Acta Cryst. A*, 32, 239–244.
- Hockney, R.W. and J.W. Eastwood**, 1981: Computer simulation using particles, McGrawHill.
- Holbrook, S. R., R. E. Dickerson, S.-H. Kim**, 1985: *Acta Cryst. B*, 41, 255–262.
- Jacob, J., K. Gessler, D. Hoffmann, H. Sanbe, K. Koizumi, S.M. Smith, T. Takaha, W. Saenger**, 1998: Spannungsinduzierte Band-Flips in Cyclodecaamylose und höheren Homologen, *Angew. Chem.*, 110(5), 626–629.
- Jeffrey, G.A. and W. Saenger**, 1994: Hydrogen bonding in biological structures, Springer.
- Jeffrey, G.A., J. Mitra**, 1983: The hydrogen bonding patterns in pyranose and pyranoside crystal structures, *Acta Cryst. B*, 39, 469–480.
- Jeffrey, G.A., S. Tagaki**, 1978: Hydrogen-bond structure in carbohydrate crystals, *Accts Chem. Res.*, 11, 264–270.
- Johnson, C.K.**, *Generalized treatments for thermal motion. In Thermal Neutron Diffraction*, pages 132–160. Oxford University PressLondon1970.
- Kabsch, W.**, 1976: A solution for the best rotation to relate two sets of vectors, *Acta. Cryst A*, 32, 922–923.
- Knapp, E.W., and I. Muegge**, 1993: Heterogeneous diffusion of water at protein surfaces: application to BPTI, *J. Phys. Chem.*, 97, 11339–11343.
- Knapp, E.W., S.F. Fischer, F. Parak**, 1982: Protein dynamics from Mossbauer spectra. The temperature dependence, *J. Phys. Chem.*, 86, 5042.
- Koehler, J.E.H., B. Lesyng and W. Saenger**, 1987c: Cooperative effects in extended hydrogen bonded systems involving OH-groups. Ab initio studies of the cyclic S_4 water tetramer., *J. Compt. Chem.*, 8, 1090–1098.
- Koehler, J.E.H., W. Saenger and W.F. van Gunsteren**, 1987a: A molecular dynamics simulation of crystalline α -cyclodextrin hexahydrate, *Eur. Biophys. J.*, 15, 197–210.
- Koehler, J.E.H., W. Saenger and W.F. van Gunsteren**, 1987b: Molecular dynamics simulation of crystalline β -cyclodextrin dodecahydrate at 293K and 120K, *Eur. Biophys. J.*, 15, 211–224.
- Korn, G.A., and T. M. Korn**, 1985: Mathematical handbook for scientists and engineers, McGraw Hill.

- Koshlyakov, N.S., M.M. Smirnov, E.B. Gliner**, 1964: Differential equations of mathematical physics, North Holland Publ. Comp.
- Kraulis, P.J.**, 1991: MOLSCRIPT: A program to produce both detailed and schematic plots of protein structures, *J. Appl. Crys.*, 24, 946–950.
- Lach, J.L. and W.A. Pauli**, 1963: Interaction of pharmaceuticals with Schardinger dextrans II interaction with selected compounds, *J. Pharm. Sci.*, 52, 137–142.
- Lach, J.L. and W.A. Pauli**, 1966: Interaction of pharmaceuticals with Schardinger dextrans VI interactions of β -cyclodextrin, sodium deoxycholate, and deoxycholic acid with amines and pharmaceutical agents, *J. Pharm. Sci.*, 55, 32–43.
- Latscha, H.P., und H.A. Klein**, 1982: Organische Chemie, Springer Verlag.
- Lesyng, B., and W. Saenger**, 1981: Theoretical investigations on circular and chain-like hydrogen bonded structures found in two crystal forms of α -cyclodextrin hexahydrate. Models for hydration and water clusters, *Biochim. Biophys. Acta*, 678, 408–413.
- Lipkowitz, K.B.**, 1998: Applications of computational chemistry to the study of cyclodextrins, *Chem. Rev.*, 41(5), 1829–1874.
- Loftsson, T., and M.E. Brewster**, 1996: Pharmaceutical applications of cyclodextrins. 1. Drug solubilization and stabilization, *J. Pharm. Sci.*, 85(10), 1017–1025.
- Loncharich, R.J., B.R. Brooks and R.W. Pastor**, 1992: Langevin dynamics of peptides: the fractional dependence of isomerisation rates of N-acetylalanin-N'-methylamide, *Biopolymers*, 32, 523–535.
- MacKerell, A.D., D. Bashford, M. Bellot, R.L. Dunbrack, Jr. and J.D. Evanseck, M.J. Field, S. Fischer, J. Gao, H. Guo, S. Ha, D. Joseph-McCarthy, L. Kuchnir, K. Kuczera, F.T.K. Lau, C. Mattos, S. Michnick, T. Ngo, D.T. Nguyen, B. Prodhom, W.E. Reiher, B. Roux, M. Schlenkrich, J. C. Smith, R. Stote, J. Straub, M. Watanabe, J. Wiorkiewicz-Kuczera, D. Yin, M. Karplus**, 1998: All-atom empirical potential for molecular modeling and dynamics studies of proteins, *J. Phys. Chem. B*, 102, 3586–3616.
- McCammon, J.A., and S.C. Harvey**, 1989: Dynamics of proteins and nucleic acids, Cambridge University Press.
- McMullan, R.K., W. Saenger, J. Fayos and D. Mootz**, 1973: Topography of cyclodextrin inclusion complexes. Part I . Classification of crystallographic data of α -cyclodextrin inclusion complexes, *Carbohydr. Res.*, 31, 37–46.
- Menard, F.A., M.G. Dedhiya and C.T. Rhodes**, 1988: Studies of the effect of pH, temperature and ring size on the complexation of phenytoin with cyclodextrins, *Pharm. Acta Helv.*, 63, 303–308.
- Menard, F.A., M.G. Dedhiya and C.T. Rhodes**, 1990: Physico-chemical aspects of the complexation of some drugs with cyclodextrins, *Drug Dev. Ind. Pharm.*, 16, 91–113.
- Miyazawa, I., H. Ueda, H. Nagase, T. Endo, S. Kobayashi and T. Nagai**, 1995: Physico-Chemical properties and inclusion complex formation of δ -cyclodextrins, *Eur. J. Pharm. Sci.*, 3, 153–162.
- Murphy, V.G., B. Zaslow and A.D. French**, 1975: *Biopolymers*, 14, 1487.

- Newton, M.D., G.A. Jeffrey, S. Tagaki**, 1979: Application of ab-initio molecular orbital calculations to the structural moieties of carbohydrates, *Am. Chem. Soc.*, 101, 1997–2002.
- Newton, M.D.**, 1983: Theoretical aspects of the OH-O hydrogen bond and its role in structural and kinematic phenomena, *Acta Cryst. B*, 39, 104–113.
- Pauling, L.**, 1939: The nature of the chemical bond, Cornell Univ. Press.
- Press, W.H., B.P. Flannery**, 1988: Numerical Recipes in C, Cambridge Univ. Press.
- Quentrec, B. and C. Brot**, 1975: New method for searching for neighbors in molecular dynamics computations, *J. comput. Phys.*, 13, 430–432.
- Ryckaert, J.C., G. Ciccotti, H.J.C. Berendsen**, 1977: Numerical integration of the cartesian equations of motion of a system with constraints., *J. Comp. Phys.*, 23, 327.
- Sadourny, N., A. Arakawa, Y. Mintz**, 1968: Integration of the nondivergent barotropic vorticity equation with an icosahedral grid for the sphere, *Mon. Wea. Rev.*, 96, 351–356.
- Sadourny, N.**, *Méthodes et techniques d'intégration numérique adaptées à l'étude des écoulements planétaires in Lecture Notes in Computer Sciences*, Vol. 11 pages 22–36. Springer Verlag Berlin, Heidelberg, New York 1974.
- Saenger, W., Ch. Betzel, B.E. Hingerty, G.M. Brown**, 1982: Flip-flop hydrogen bonding in a partially disordered system, *Nature(London)*, 296, 581–583.
- Saenger, W., J. Jacob, K. Gessler, T. Steiner, D. Hoffmann, H. Sanbe, K. Koizumi, S.M. Smith, T. Takaha**, 1998: Structures of the common cyclodextrins and their larger analogues - beyond the doughnut, *Chem. Rev.*, 41(5), 1787–1802.
- Saenger, W.**, 1979: Circular hydrogen bonds, *Nature*, 279, 343–344.
- Saenger, W.**, 1980: Cyclodextrin-Einschlußverbindungen in Forschung und Industrie, *Angew. Chem.*, 92, 343–361.
- Saenger, W.**, 1985: Nature and size of included guest molecule determines architecture of crystalline cyclodextrin host matrix, *Isr. J. Chem.*, 25, 43–50.
- Sands, D.E.**, 1982: Vectors and tensors in cristallography, Addison-Wesley.
- Schardinger, F.**, 1904: *Wien. Klin. Wochenschr.*, 17, 207.
- Schardinger, F.**, 1911: *Zentralbl. Bakteriol. Parasitenkd. Infektionskr. Hyg. II*, 29, 188.
- Schomaker, V., K.N. Trueblood**, 1968: On the rigid-body motion of molecules in crystals, *Acta Cryst. B*, 24, 63–76.
- Schomaker, V., R.E. Marsh**, 1983: E.s.d. of equivalent isotropic temperatur factor, *Acta Cryst A*, 39, 819–820.
- Seiler, P.**, 1987: Hochauflösende Röntgenstrukturanalyse, *Chimia*, 41, 104–116.
- Steiner, T., and G. Koellner**, 1994: Crystalline β -cyclodextrin hydrate at various humidities: fast, continuous, and reversible dehydration studied by X-ray diffraction, *J. Am. Chem. Soc.*, 116(12), 5122–5128.

- Steiner, T., W. Saenger, G. Kearley, R.E. Lechner**, 1989: Dynamics of hydrogen bonding disorder in β -cyclodextrin undecahydrate, *Physica B*, 156&157, 336–338.
- Stezowski, J.J.**, 1984: Molecular motion in host-substate complexes: the β -cyclodextrin:N-acetylphenylalanine methyl ester system, *Trans. Amer. Cryst. Assn.*, 20, 73–82.
- Sundarajan, P.R. and V.S.R. Rao**, 1970: Conformal studies on cycloamyloses, *Carbohydr. Res.*, 13, 351–358.
- Szejtli, J.**, 1998: Introduction and general overview of cyclodextrin chemistry, *Chem. Rev.*, 41(5), 1743–1754.
- Szejtli, J. and T. Osa**, 1996: Cyclodextrins, *Compr. Supra. Chem.*, 3.
- Trueblood, K.N.**, 1978: Analysis of molecular motion with allowance of intramolecular torsion, *Acta Cryst. A*, 34, 950–954.
- Trueblood, K.N., and J.D. Dunitz**, 1983: Internal molecular motions in crystals. The estimation of force constants, Frequencies and barriers from diffraction data. A feasibility study, *Acta Cryst. B*, 39, 120–133.
- van Gunsteren, W.F., H.J.C. Berendsen, J. Hermans, W. Hol and J. Postma**, 1987: Computer simulation of the dynamics of hydrated protein crystals and its comparison with x-ray data, *Proc. Natl. Acad. Sci.*, 80, 4315–4319.
- Verlet, L.**, 1967: Computer experiments on classical fluids. I. Thermodynamical properties of Lennard-Jones molecules, *Phys. Rev.*, 159, 98–103.
- Warshel, A., and S.T. Russel**, 1984: Calculations of electrostatic interactions in biological systems, *Q. Rev. Biophys.*, 17, 283.
- Weinert, P.K., and P.A. Kollmann**, 1981: AMBER: Assisted Model Building with Energy Refinement. A general program for modeling molecules and their interactions, *J. Comp. Phys.*, 2, 287.
- Willis, B.T.M., and A.W. Pryor**, 1985: Thermal vibrations in cristallography, Cambridge University Press.
- Winter, W.T. and A. Sarko**, 1974a: Crystal and molecular structure of V-anhydrous amylose, *Biopolymers*, 13(1447-1460), 1461.
- Winter, W.T. and A. Sarko**, 1974b: Crystal and molecular structure of amylose-DMSO complex, *Biopolymers*, 13(1461-1482), 1461.
- Xiang, T.-X., and B. D. Anderson**, 1990: Inclusion complexes of purine nucleosides with cyclodextrines II. Investigation of inclusion complex geometry and cavity microenviroment, *Int. J. Pharm.*, 59, 45–55.
- Xie, G.-H., D.J. Skanchy and J.F. Stobaugh**, 1997: Chiral separations of enantiomeric pharmaceuticals by capillary electrophoresis using sulphobutyl ether β -cyclodextrins as isomer selector, *Biomed. Chromatogr.*, 11, 193–199.
- Zabel V., W. Saenger, S.A. Mason**, 1986: Neutron diffraction study of the hydrogen bonding in β -cyclodextrin undecahydrate at 120K: from dynamic flip-flops to static homodromic chains, *J. Am. Chem. Soc.*, 108, 3664–3673.