

## 10 Literaturverzeichnis

Akermann S, Kopp S, Rohlin M. Histological changes in temporomandibular joints from elderly individuals. *Acta Odontol Scand* 1987; 44: 231-239

Ash MM, Major M. Schienentherapie; Urban & Fischer 1995

Augthun M, Müller-Leisse C, Bauer W, Spiekermann H. Klinische, axiografische und MRT-Untersuchungen bei Patienten mit Diskusverlagerung ohne Reposition. *Dtsch Zahnärztl Z* 1994; 49: 529-532

Barclay P, Hollender L, Maravilla KR, Truelove EL. Comparison of clinical and magnetic resonance imaging diagnoses in patients with disk displacement in the temporomandibular joint. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 1999; 88: 31-43

Benbelaïd R, Fleiter B. Sensitivity and specificity of a new MRI method evaluating temporo-mandibular joint disc-condyle relationships: an in vivo study. *Surg Radiol Anat* 2006; 28: 71-75

Benner K-U. Bau, Innervation und rezeptive Strukturen des Kiefergelenks, Morphologie, Funktion und Klinik des Kiefergelenks. Quintessenzbibliothek, Berlin-Tokio; 43-59

Boden SD, Davis DO, Dina TS, Patronas NJ, Wiesel SW. Abnormal magnetic-resonance scans of the lumbar spine in asymptomatic subjects. A prospective investigation. *J Bone Joint Surg* 1990; 72: 1178-1184

Brand JW, Whinery WK, Anderson QN, Keenan KM. The effects of temporomandibular joint internal derangement and degenerative joint disease on tomographic and arthrotomographic images. *Oral Surg Oral Med Oral Pathol* 1989; 67: 220-223

Brooks SL, Westesson PL. Temporomandibular Joint: Value of Coronal MR Images. *Radiology* 1993; 188: 317-321

Bumann A, Lotzmann U. Funktionsdiagnostik und Therapieprinzipien. *Farbatlanten der Zahnmedizin*. Thieme 2000; Band 12

Bumann A, Landeweer GG. Reziproke Knackphänomene Zuverlässigkeit der Axiographie. *Phillip J* 1991; 6: 377-379

Chiba M, Echigo S. Longitudinal MRI follow-up of temporomandibular joint internal derangement with closed lock after successful disk reduction with mandibular manipulation. *Dentomaxillofac Radiol* 2005; 34: 106-111

Donlon WC, Moon KL. Comparison of magnetic resonance imaging, arthrotomograph and clinical and surgical findings in temporomandibular joint derangements. *Oral Surg Oral Med Oral Pathol* 1987; 64: 2-5

Drace JE, Enzmann DR. Defining the normal temporomandibular joint: closed-, partially open-, and open-mouth MR imaging of asymptomatic subjects. *Radiology* 1990; 177: 67-71

DuBrul EL. Sichel and DuBrul's Oral Anatomy. Ishiyaku EuroAmerica 1988; 8. Auflage

Dworkin SF, LeResche L. Research Diagnostic Criteria for temporomandibular disorders: review, criteria, examination and specifications, critique. *J Craniomandib Disord Facial Oral Pain* 1992; 6: 301-355

Ehrlicke H-H, Laub G. Integrated 3D display of brain anatomy and intracranial vasculature in MR imaging. *J Comput Assist Tomogr* 1990; 146: 846-852

Emshoff R, Innerhofer K, Rudisch A, Bertram S. Clinical versus magnetic resonance imaging findings with internal derangement of the temporomandibular joint: An evaluation of anterior disk displacement without reduction. *J Oral Maxillofac Surg* 2002; 60: 36-41

Fallon SD, Fritz GW, Laskin DM. Panoramic Imaging of the Temporomandibular Joint: An Experimental Study Using Cadaveric Skulls. *J Oral Maxillofac Surg* 2006; 64: 223-229

Ferrario VF, Sforza C, Miani A, Serrao G, Tartaglia G. Open-close movements in the human temporomandibular joint: does a pure rotation around the intercondylar hinge axis exist? *J Oral Rehabil* 1996; 23: 401-408

Frahm J, Merbold KD, Hänike W, Haase W. Stimulated echo imaging. *J Magn Reson* 1985; 64: 81-93

Frahm J, Haase A, Matthaei D. Rapid three-dimensional MR imaging using the FLASH-technique. *J Comput Assist Tomogr* 1986; 10: 363-368

Gallo LM. Modeling of Temporomandibular Joint Function Using MRI and Jaw-Tracking Technologies-Mechanics. *Cells Tissues Organs* 2005; 180: 54-68

Gibbs SJ, Simmons HC 3<sup>rd</sup>. A Protocol for Magnetic Resonance Imaging of the Temporomandibular Joints. *Cranio* 1998; 16: 236-241

Goto TK, Nishida S, Nakayama E, Nakamaru Y et al. Correlation of the mandibular deviation with temporomandibular joint MR dimensions, MR disc position, and clinical symptoms. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2005; 100: 743-749

Graber TM. Anatomische und physiologische Aspekte bei der Behandlung von Kiefergelenksstörungen. *Fortschr Kieferorthop* 1991; 52: 126-132

Griethe M. Morphometrische Vermessungen von MRT-Aufnahmen des Kiefergelenks. Zahnmed Diss, Berlin 2005

Harms SE, Wilk RM. Magnetic resonance imaging of the temporomandibular joint. Radiographics 1987; 7: 521-542

Heffez L, Fordan S, Going R. Determination of the radiographic position of the temporomandibular joint disc. Oral Surg 1988; 65: 272-280

Held P, Moritz M, Fellner C, Behr M, Gmeinwieser J. Magnetic resonance of the disk of the temporomandibular joint. Clin Imaging 1996; 20: 204-211

Helkimo M. Studies on function and dysfunction of the masticatory system. Svensk Tandläk T 1974; 67: 101-119

Hugger A, Kordaß B, Assheuer J, Stüttgen U. Zur Auswertung sagittaler Kernspintomogramme des Kiefergelenkes. Dtsch Zahnärztl Z 1993; 48: 37-44

Ide Y, Nakazawa K. Anatomical Atlas of the Temporomandibular Joint. Quintessence 1991

Incesu L, Taskaya-Yilmaz N, Ögütçen-Toller M, Uzun E. Relationship of condylar position to disc position and morphology. Euro J Radiol 2003; 51: 269-273

John M. Prävalenz von kranio-mandibulären Dysfunktionen (CMD). Dtsch Zahnärztl Z 1999; 54: 302-309

Kaplan PA, Tu HK, Williams SM et al. The normal temporomandibular joint: MR and arthrographic correlation. Radiology 1987; 165: 177-178

Katzberg RW, Westesson PL, Tallents RH, Anderson R, Kurita K, Manzione JV, Totterman S. Temporomandibular joint: MR assessment of rotational and sideways disc displacements. *Radiology* 1988; 169: 741-748

Katzberg RW, Westesson PL, Tallents RH, Drake CM. Anatomic disorders of the temporomandibular joint disc in asymptomatic subjects. *J Oral Maxillofac Surg* 1996; 54: 147-153

Katzberg RW, Keith DA, Ten Eick WR, Guralnick WC. Internal derangement of the temporomandibular joint: an assessment of condylar position in centric occlusion. *J Prosthet Dent* 1983; 49: 250-254

Katzberg RW, Bessette RW, Tallents RH et al. Normal and abnormal temporomandibular joint: MR imaging with surface coil. *Radiology* 1986; 158: 183-189

Kircos LT, Ortendahl DA, Mark AS, Arakawa M. Magnetic resonance of the tmj disc in asymptomatic volunteers. *Oral Maxillofac Surg* 1986; 45: 852-854

Klett R. Zur Biomechanik des Kiefergelenkknackens II - Diskusverlagerung durch muskuläre Diskoordination. *Dtsch Zahnärztl Z* 1986; 41: 308-312

Kordaß B, Hugger A, Assheuer J, Böttger H, Mai JK. Leitkriterien zur Beurteilung der Kiefergelenke im sagittalen Kernspintomogramm. *Dtsch Zahnärztl Z* 1990; 45: 40-43

Kurita H, Koike T, Tarikawa J, Nakatsuka A, Kobayashi H, Kurashina K. Relationship between alteration of horizontal size and bony morphological change in the mandibular condyle. *Dentomaxillofac Radiol* 2003; 32: 355-358

Kurita H, Ohtsuka A, Kobayashi H, Kurashina K. Alteration of the horizontal mandibular condyle size associated with temporomandibular joint internal derangement in adult females. *Dentomaxillofac Surg* 2002; 31: 373-378

Lang J, Niederfeilner J. Über Flächenwerte der Kiefergelenkspalte. *Anat Anz* 1977; 141: 398-400

Larheim TA, Westesson PL, Sano T. Temporomandibular joint disk displacement: comparison in asymptomatic volunteers and patients. *Radiology* 2001; 218: 428-432

Lauterbur PC. Image formation by induced local interactions. Examples employing nuclear magnetic resonance (NMR). *Clin Orthop Relat Res* 1973; 244: 3-6

Lemke A-J, Griethe M, Peroz I, Lange K-P, Felix R. Morphometrische Analyse des Kiefergelenkes anhand von 320 Gelenken mit der MRT. *RöFo* 2005; 177: 217-228

Levitt SR, McKinney MW. Validating the TMJ scale in a national sample of 10,000 patients: Demographic and epidemiologic characteristics. *J Orofac Pain* 1994; 8: 25-35

Lindauer SJ, Sabol G, Isaacson RJ, Davidovitch M. Condylar movement and mandibular rotation during jaw opening. *Am J Orthod Dentofacial Orthop* 1995; 107: 573-577

Lipton JA, Ship JA, Larach-Robinson D. Estimated prevalence and distribution of reported orofacial pain in the United States. *J Am Dent Assoc* 1993; 124: 115-121

Lückerath W. Die Wertigkeit der klinischen, instrumentellen und bildgebenden Funktionsanalyse in der Beurteilung intraartikulärer Weichgewebsverlagerungen. Eine vergleichende Studie. Med Diss, Bonn 1988

Lückerath W, Leiendecker U, Krahe TH, Gieseke J, Dewes W. Zur Diagnostik funktioneller Störungen des Kiefergelenkes. Dtsch Zahnärztl Z 1988; 43: 71-78

Magnusson T, Carlsson GE, Egermark I. Changes in clinical signs of craniomandibular disorders from the age of 15 to 25 years. J Orofac Pain 1994; 8: 207-215

Major PW, Kinniburgh RD, Nebbe B, Prasad NG, Glover KE. Tomographic assessment of temporomandibular joint osseous articular surface contour and spatial relationships associated with disc displacement and disc length. Am J Orthod Dentofac Orthop 2002; 121: 152-161

Marguelles-Bonnet RE, Carpentier P, Yung JP, Defrennes D, Pharaboz C. Clinical diagnosis compared with findings of magnetic resonance imaging in 242 patients with internal derangement of the TMJ. J Orofac Pain 1995; 9: 244-253

McMillan AS, McMillan DR, Darvell BW. Centers of rotation during jaw movements. Acta Odontol Scand 1989; 47: 323-328

Müller J, Schmid Ch, Vogl Th, Bruckner G, Randzio J. Vergleichende anatomische und MR-tomographische Untersuchung an explantierten Kiefergelenken. Dtsch Zahnärztl Z 1992; 47: 303-308

Müller-Leisse C, Augthun M, Bauer W, Roth A, Günther RW. Kiefergelenkmorphologie und morphometrische Befunde in Abhängigkeit vom Grad der Diskusverlagerung. Radiology 1997; 37: 152-158

Nebbe B, Brooks SL, Hatcher D, Hollender LG, Prasad NGN, Major PW. Interobserver reliability in quantitative MRI assessment of temporomandibular joint disk status. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 1998; 86: 746-750

Ohnuki T, Fukuda M, Nakata A, Nagai H, Takahashi T, Sasano T, Miyamoto Y. Evaluation of the position, mobility, and morphology of the disc by MRI before and after four different treatments for temporomandibular joint disorders. *Dentomaxillofac Radiol* 2006; 35: 103-109

Orsini MG, Kuboki T, Terada S, Matsuka Y, Yatani H, Yamashita A. Clinical Predictability of Temporomandibular Joint Disc Displacement. *J Dent Res* 1999; 78: 650-660

Orsini MG, Terada S, Kuboki T, Matsuka Y, Yamashita A. The influence of observer calibration in temporomandibular joint magnetic resonance imaging diagnosis. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 1997; 84: 82-97

Ozawa S, Boering G, Kawata T et al. Reconsideration of the TMJ condylar position during internal derangement: Comparison between condylar position on tomogram and degree of disk displacement on MRI. *Cranio* 1999; 17: 93-100

Palacios E, Valvassori GE, Shannon M, Reed CF. *Magnetic resonance of the temporomandibular joint*. Thieme 1990

Peroz I. Konservative Therapie bei anteriorer Diskusverlagerung ohne Reposition. *Dtsch Zahnärztl Z* 1998; 53: 462-465

Pilley JR, Mohlin B, Shaw WC, Kingdon A. A survey of craniomandibular disorders in 500 19-year-olds. *Eur J Orthod* 1997; 19: 57-70



Platzer W. Taschenatlas der Anatomie. Bd. 1: Bewegungsapparat. Thieme 1991

Pullinger AG, Seligman DA. Multifactorial analysis of differences in temporomandibular joint hard tissue anatomic relationships between disk displacement with and without reduction in women. J Prosthet Dent 2001; 86: 407-419

Pullinger AG, Seligman DA, John MT, Harkins S. Multifactorial comparison of disk displacement with and without reduction to normals according to temporomandibular joint hard tissue anatomic relationships. J Prosthet Dent 2002; 87: 298-310

Pullinger AG, Solberg WK, Hollender L, Guichet D. Tomographic analysis of mandibular condyle position in diagnostic subgroups of temporomandibular disorders. J Prosthet Dent 1986; 55: 723-729

Rammelsberg P, Jäger L, Pho Duc J-M. Magnetic resonance imaging-based joint space measurements in temporomandibular joints with disk displacements and in controls. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2000; 90: 240-248

Rammelsberg P, Gernet N, Neumaier U. Zur Differenzialdiagnose reziproker Knackphänomene mit Hilfe der elektronischen Axiographie (SAS). Dtsch Zahnärztl Z 1990; 45: 61-64

Rees LA. The structure and the function of the mandibular joint. Br Dent J 1954; 96: 125-133

Ren Y-F, Isberg A, Westesson PL. Condyle position in the temporomandibular joint: comparison between asymptomatic volunteers with normal disk position and patients with diskdisplacement. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 1995; 80: 101-107

Ren Y-F, Isberg A, Westesson PL. Steepness of the articular eminence in the temporomandibular joint: tomographic comparison between asymptomatic volunteers with normal disc position and patients with disc displacement. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 1995; 80: 258-266

Salaorni C, Palla S. Condylar rotation and anterior translation in healthy human temporomandibular joints. *Schweiz Monatsschr Zahnmed* 1994; 104: 415-422

Schellhaus KP, Wilkes CH, Fritts HM et al. Temporomandibular joint: MR imaging of internal derangements and postoperative changes. *AJR* 1988; 150: 381-389

Schiebler, Schmidt, Zilles. *Anatomie*. 7. Auflage. Springer 1997

Schmitter M, Kress B, Ludwig C, Koop A, Gabbert O, Rammelsberg P. Temporomandibular Joint Disk Position Assessed at Coronal MR Imaging in Asymptomatic Volunteers. *Head and Neck Imaging* 2005; 236: 559-564

Schröder HU. *Orale Strukturbiologie: Entwicklungsgeschichte, Struktur und Funktion normaler Hart- und Weichgewebe der Mundhöhle und des Kiefergelenks*. 5. unveränderte Auflage. Thieme 2000

Schwaighofer BW, Tanaka TT, Klein MV et al. MR Imaging of the Temporomandibular Joint: A Cadaver Study of the Value of Coronal Images. *AJR* 1990; 154: 1245-1249

Solberg WK, Woo MW, Houston JB. Prevalence of mandibular dysfunction in young adults. *J Am Dent Assoc* 1979; 98: 25-34

Sommer Oliver J MD, Felix Aigner MD, Ansgar Rudisch MD, Hannes Gruber MD, Helga Fritsch MD, Werner Millesi MD and Michael Stiskal MD. Cross-sectional and Functional Imaging of the Temporomandibular Joint: Radiology, Pathology, and Basic Biomechanics of the Jaw. *Radiographics* 2003; 23: e14

Sülün T, Cemgil T, Pho Duc JM, Rammelsberg P, Jäger L, Gernet W. Morphology of the mandibular fossa and inclination of the articular eminence in patients with internal derangement and in symptom-free volunteers. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2001; 92: 98-107

Tallents RH, Katzberg RW, Murphy W, Proskin H. Magnetic resonance imaging findings in asymptomatic volunteers and symptomatic patients with temporomandibular disorders. *J Prosthet Dent* 1996; 75: 529-533

Tanaka, Eiji, Miho Hirose, Eizo Yamano, Diego A. Dalla-Bona, Reiji Fujita, Masao Tanaka, Theo van Eijden, Kazuo Tanne. Age-associated changes in viscoelastic properties of the bovine temporomandibular joint disc. *Eur Oral Sci* 2006; 114: 70-73

Tanaka E, van Eijden T. Biomechanical behavior of the temporomandibular joint disc. *Crit Rev Oral Biol Med* 2003; 14: 138-150

Tasaki MM, Westesson PL, Raubertas RF. Observer variation in interpretation of magnetic resonance images of the temporomandibular joint. *Oral Surg Oral Med Oral Pathol* 1993; 76: 231-234

Tasaki MM, Westesson PL, Isberg AM, Ren Y-F, Tallents RH. Classification and prevalence of temporomandibular joint disk displacement in patients and symptom-free volunteers. *J Orthod Dentofacial Orthop* 1996; 109: 249-262

Tasaki MM, Westesson PL. Temporomandibular joint: Diagnostic Accuracy with sagittal and coronar MR Imaging. *Radiology* 1993; 186: 723-729

Taskaya-Yilmaz N, Ögütçen-Toller M. Clinical correlation of MRI findings of internal derangements of the temporomandibular joints. *Br J Oral Maxillofac Surg* 2002; 40: 317-321

Vahlensieck M, Okweschikwu S, Greven M. Magnetresonanztomographie (MRT) des Kiefergelenkes: Einfluss auf Therapieentscheidung und Übereinstimmung zweier Auswerter. RÖFo 2002; 174: 1415-1421

Vogl T, Abolmaali N. Magnetresonanztomographie des Temporomandibular-gelenks: Untersuchungstechnik, Ergebnisse, Indikationsstellung. RÖFo 2001; 173: 1-11

Vogl T, Eberhard D. MR-Tomographie Temporomandibulargelenk. Thieme Verlag 1993

Waldeyer A, Mayet A. Anatomie des Menschen 2. 15. Auflage. Walter de Gruyter 1986

Westesson PL. Reliability and validity of imaging diagnosis of temporomandibular joint disorder. Adv Dent Res 1993; 7: 137-151

Westesson PL, Katzberg RW, Tallents RH et al. Temporomandibular joint: comparison of MR images with cryosectional anatomy. Radiology 1987; 164: 59-64

Westesson PL, Katzberg RW. Imaging of the temporomandibular joint. Cranio 1991; 1:93-116

Wiesel SW, Tsourmas N, Feffer HL, Citrin CM, Patronas N. A study of computer-assisted tomography. Spine 1984; 9: 549-551

Wood KB, Garvey TA, Grundy C, Heithoff KB. Magnetic resonance imaging of the thoracic spine. Evaluation of asymptomatic individuals. J Bone Joint Surg 1995; 77: 1631-1638