

Literaturverzeichnis

Adzet, T., Camarasa, J., Laguna, J.C.: Hepatoprotective activity of polyphenolic compounds from *Cynara Scolymus* against CCl_4 toxicity in isolated rat hepatocytes. *Journal of Natural Products* (1987), 50 (4); 612-617

Al Kazaz, M., Desseaux, V., Marchis-Mouren, G., Prodanov, E., Santimone, M.: The mechanism of porcine pancreatic α -amylase. Inhibition of maltopentaose hydrolysis by acarbose, maltose and maltotriose. *European Journal of Biochemistry* (1998), 252; 100-107

Ammon, H.P.T.: Molekulare Pathologie des Diabetes mellitus – Wirkungen des Insulins. *Pharmazie in unserer Zeit* (2001), 1; 21-25

Asano, N., Yamashita, T., Yasuda, K., Ikeda, K., Kizu, H., Kameda, Y., Kato, A., Nash, R.J., Lee, H.S., Ryu, K.S.: Polyhydroxylated Alkaloids isolated from mulberry trees (*Morus alba L.*) and silkworms (*Bombyx mori L.*). *Journal of Agricultural and Food Chemistry* (2001), 49; 4208-4213

AVP-Arzneiverordnung in der Praxis. Therapieempfehlungen der Arzneimittelkommission der deutschen Ärzteschaft. *Diabetes mellitus* (2002)

Brand, N.: *Cynara* in: Hänsel, R., Keller, K., Rimpler, H., Schneider, G. (Hrsg.): *Hagers Handbuch der Pharmazeutischen Praxis* Band 4 Drogen A-D (5. Auflage), Springer Verlag Berlin Heidelberg New York (1992)

Brand, N.: *Cynara scolymus L.* – Die Artischocke. *Zeitschrift für Phytotherapie* (1990), 11; 169-175

Brand, N.: Die Artischocke – eine Dekade interdisziplinärer Forschung. *Zeitschrift für Phytotherapie* (1999), 20; 292-302

Brand N: *Salviae folium* (Salbeiblätter). In: Hänsel R, Keller K, Rimpler H, Schneider G (Hrsg.): *Hagers Handbuch der Pharmazeutischen Praxis*, Band 6, Drogen P-Z. 5. Aufl. Berlin Heidelberg: Springer-Verlag (1994); 548-559

Braune, A., Gütschow, M., Engst, W., Blaut, M.: Degradation of quercetin and Luteolin by *Eubacterium*

ramulus. Applied and Environmental Microbiology (2001), 67 (12); 5558-5567

Brayer, G.D., Luo, Y., Withers, S.G.: The structure of human pancreatic α -amylase at 1.8 Å resolution and comparisons with related enzymes. Protein Science (1995), 4; 1730-1742

Brayer, G.D., Sidhu, G., Maurus, R., Rydberg, E.H., Braun, C., Wang, Y., Nguyen, N.T., Overall, C.M., Withers, S.G.: Subsite mapping of the human pancreatic α -amylase active site through structural, kinetic, and mutagenesis techniques. Biochemistry (2000), 39; 4778-4791

Buisson, G., Duée, E., Haser, R., Payan, F.: Three dimensional structure of porcine pancreatic α -amylase at 2.9 Å resolution. Role of calcium in structure and activity. The EMBO Journal (1987), 6 (13); 3909-3916

Camus, J.-P.: Goutte, Diabète, Hyperlipéme: un trisyndrome Métabolique. Revue du rhumatisme et des maladies ostéo-articulaires (1966), 33; 10-15

Cheng, A.Y.Y., Fantus, I.G.: Oral antihyperglycaemic therapy for type 2 diabetes mellitus. Canadian Medical Association Journal (2005), 172 (2); 213-226

Chiasson, J.-L., Gomis, R., Hanefeld, M., Josse, R.G., Karasik, A., Laakso, M.: The STOP-NIDDM-Trial. An international study on the efficacy of an α -glucosidase inhibitor to prevent type 2 diabetes in a population with impaired glucose tolerance: rationale, design, and preliminary screening data. Diabetes Care (1998), 21 (10); 1720-1725

Chiasson, J.-L., Josse, R.G., Gomis, R., Hanefeld, M., Karasik, A., Laakso, M.: Acarbose for prevention of type 2 diabetes mellitus: the STOP-NIDDM randomised trial. The Lancet (2002), 359; 2072-2077

Cynarae folium: ESCOP Monographs, 2nd Edition (2003), Thieme Verlag Stuttgart-New York; 118-125

Day, A.J., Canada, F.J., Diaz, J.C., Kroon, P.A., McLauchlan, R., Faulds, C.B., Plumb, G.W., Morgan, M.R.A., Williamson, G.: Dietary flavonoid and isoflavone glycosides are hydrolysed by the lactase site of lactase phlorizin hydrolase. FEBS Letters (2000), 468; 166-170

Fachinformation Diastabol® (2002)

Fachinformation Euglucon® (2004)

Fachinformation Glucobay® (2003)

Fachinformation Glucophage® (2005)

Fachinformation NovoNorm® (2005)

Fachinformation Starlix® (2005)

Fritsche J., Beendorff, C.M., Dachtler, M., Zhang, H., Lammers, J.G.: Isolation, characterization and determination of minor artichoke (*Cynara scolymus* L.) leaf extract compounds. European Food Research and Technology (2002), 215; 149-157

Gad, M.Z., El-Sawalhi, M.M., Ismail, M.F., El-Tanbouly, N.D.: Biochemical study of the anti-diabetic action of the Egyptian plants Fenugreek and Balanites. Molecular and Cellular Biochemistry (2006), 281; 173-183

Gebhardt, R.: Inhibition of Cholesterol Biosynthesis in HepG2 Cells by Artichoke Extracts is reinforced by Glucosidase Pretreatment. Phytotherapy Research (2002), 16; 368-372

Gebhardt, R.: Inhibition of Cholesterol Biosynthesis in Primary Cultured Rat Hepatocytes by Artichoke (*Cynara scolymus* L.) Extracts. Journal of Pharmacology and Experimental Therapeutics (1998), 286 (3); 1122-1128

Gella, F.J., Gubern, G., Vidal, R., Canalias, F.: Determination of total and pancreatic alpha-amylase in human serum with 2-Chloro-4-nitrophenyl-alpha-D-maltotrioside as substrate. Clinica chimica acta (1997), 259; 147-160

Gomes, A., Vedasiromoni, J.R., Das, M., Sharma, R.M., Ganguly, D.K.: Anti-hyperglycemic effect of black tea (*Camellia sinensis*) in rat. Journal of Ethnopharmacology (1995), 45; 223-226

Grundy, S.M., Cleemann, J.I., Daniels, S.R., Donato, K.A., Eckel, R.H., Franklin, B.A., Gordon, D.J., Krauss, R.M., Savage, P.J., Smith, S.C., Spertus, J.A., Costa, F.: Diagnosis and Management of the Metabolic Syndrome: An American Heart Association/National Heart, Lung, and Blood Institute Scientific Statement. Circulation (2005), 112; 2735-2752

Hanefeld, M., Leonhardt, W.: The metabolic Syndrome. Sonderdruck: The Metabolic Syndrome – a postprandial disease: Dresden, Germany, April 16 – 18, 2005 (2005)

Hanefeld, M., Temelkova-Kurktschiev, T.: The postprandial state and the risk of atherosclerosis. Diabetes Medicine (1997), 14 (suppl 3); S6-S11

Hanefeld, M.: Kardiovaskuläre Erkrankungen im Umfeld des Metabolischen Syndroms. Cardio Compact (2004); 22-27

Hanefeld, M., Koehler, C., Schaper, F., Fuecker, K., Henkel, E., Temelkova-Kurktschiev, T.: Postprandial plasma glucose is an independent risk factor for increased carotid intima-media thickness in non-diabetic individuals. Atherosclerosis (1999), 144 (1); 229-235

Hinou, J., Harvala, C., Philianos S.: Substances polyphénoliques des feuilles de *Cynara scolymus* L.. Ann. Pharmaceutique française (1989), 47 (2); 95-98

Hitzenberger, K., Richter-Quittner, M.: Ein Beitrag zum Stoffwechsel bei der vaskulären Hypertonie. Wiener Archiv für Innere Medizin (1921), 2; 189-216

Holtmann, G., Adam, B., Haag, S., Collet, W., Grünwald, E., Windeck, T.: Efficacy of artichoke leaf extract in the treatment of patients with functional dyspepsia: a six-week placebo-controlled, double-blind, multicentre trial. Alimentary Pharmacology & Therapeutics (2003), 18 (11-12); 1099-1105

Honermeier, B., Göttmann, S., Bender, L., Matthes, C.: Die Artischocke als Arzneimittel. Pflanzenbau und Pflanzenzüchtung für eine pharmazeutische Nutzung. Spiegel der Forschung (2001), 18 (2); 42-48

Hunnius pharmazeutisches Wörterbuch. 8., neu bearbeitete und überarbeitete Auflage (1998). Berlin, New York de Gruyter

IFCC-International Federation of Clinical Chemistry: IFCC methods for measurement of catalytic concentration of enzymes. Part 9. IFCC method for α -amylase [1,4- α -D-glucan 4-glucanohydrolase, EC 3.2.1.1]. Clinica Chimica Acta (1999), 281; S5-S39

Inzucchi, S.E.: Oral antihyperglycemic therapy for type 2 diabetes. Scientific review. Journal of the American Medical Association (2002), 287 (3); 360-372

Junge, W., Wortmann, W., Wilke, B., Waldenström, J., Kurrel-Weitzenhiller, A., Finke, J., Klein, G.: Development and evaluation of assays for the determination of total and pancreatic amylase at 37°C according to the principle recommended by the IFCC. Clinical Biochemistry (2001), 34; 607-615

Khan, A., Safdar, M., Khan, M.M.A., Khattak, K.N., Anderson, R.A.: Cinnamon Improves Glucose and Lipids of People With Type 2 Diabetes. Diabetes Care (2003), 26 (12); 3215-3218

Kim, J.S., Kwon, Ch.-S., Son, K.H.: Inhibition of alpha-glucosidase and amylase by luteolin, a flavonoid. Bioscience, Biotechnology, and Biochemistry (2000), 64 (11); 2458-2461

Koukiekolo, R., Le Berre-Anton, V., Desseaux, V., Moreau, Y., Rougé, P., Marchis-Mouren, G., Santimone, M.: Mechanism of porcine pancreatic α -amylase. Inhibition of amylose and maltopentaose hydrolysis by kidney bean (*Phaseolus vulgaris*) inhibitor and comparison with that by acarbose. European Journal of Biochemistry (1999), 265; 20-26

Koukiekolo, R., Desseaux, V., Moreau, Y., Marchis-Mouren, G., Santimone, M.: Mechanism of porcine pancreatic α -amylase. Inhibition of amylose and maltopentaose hydrolysis by α -, β - and γ -cyclodextrins. European Journal of Biochemistry (2001), 268; 851-848

Le Berre-Anton, V., Nahoum, V., Payan, F., Rougé, P.: Molecular basis for the specific binding of different α -amylase inhibitors from *Phaseolus vulgaris* seeds to the active site of α -amylase. Plant Physiology and Biochemistry (2000), 38; 657-665

Lemus, I., Garcia, R., Delvillar, E., Knop, G.: Hypoglycaemic activity of four plants used in chilean popular medicine. Phytotherapy Research (1999), 13; 91-94

Llorach, R., Espín, J.C., Tomás-Barberán, F.A., Ferreres, F.: Artichoke (*Cynara scolymus* L.) byproducts as

a potential source of health-promoting antioxidant phenolics. *Journal of Agricultural and Food Chemistry* (2002), 50; 3458-3464

Lorentz, K.: Routine α -amylase assay using protected 4-Nitrophenyl-1,4- α -D-maltoheptaoside and a novel α -glucosidase. *Clinical Chemistry* (2000), 46; 644-649

Marshall, J.J., Lauda, C.M.: Purification and Properties of Phaseolamin, an Inhibitor of α -Amylase, from Kidney Bean, *Phaseolus vulgaris*. *Journal of Biological Chemistry* (1975), 250 (20); 8030-8037

Matuschowski, P., Nahrstedt, A., Winterhoff, H.: Pharmakologische Untersuchungen eines Frischpflanzenpresssaftes aus *Cynara scolymus* auf choloretische Wirkung. *Zeitschrift für Phytotherapie* (2005), 26; 14-19

Mayer, J.G.: *Cynara scolymus* und *Cynara cardunculus* – die Artischocke. Kulturhistorisches Porträt einer wichtigen Arzneipflanze. *Zeitschrift für Phytotherapie* (2003), 24; 291-294

McCue, P.P., Shetty, K.: Inhibitory effects of rosmarinic acid extracts on porcine pancreatic amylase in vitro. *Asia Pacific Journal of Clinical Nutrition* (2004), 13(1); 101-106

McDougall, G.J., Stewart, D.: The inhibitory effects of berry polyphenols on digestive enzymes. *BioFactors* (2005), 23; 189-195

Miranda, P.J., DeFronzo, R.A., Califf, R.M., Guyton, J.R.: Metabolic syndrome: Definition, pathophysiology, and mechanisms. *American Heart Journal* (2005), 149 (1); 33-45

Neuwinger, H.D.: Pflanzen zur Behandlung von Diabetes mellitus in der afrikanischen traditionellen Medizin. Eine Übersicht. *Zeitschrift für Phytotherapie* (2004), 25; 224-233

Neye, H.: Glucosidasehemmstoffe. *Pharmazie in unserer Zeit* (2002), 3; 272-278

Olthof, M.R., Hollman, P.C.H., Katan, M.B.: Chlorogenic acid and caffeic acid are absorbed in humans. *Journal of Nutrition* (2001), 131 (1); 66-71

Payan, F., Qian, M.: Crystall Structure of the Pig Pancreatic α -Amylase Complexed with Malto-Oligosaccharides. *Journal of Protein Chemistry* (2003), 22 (3); 275-284

Perfetti, R., Barnett, P.S., Mathur, R., Egan, J.M.: Novel therapeutic strategies for the treatment of Type 2 Diabetes. *Diabetes/Metabolism Reviews* (1998), 14; 207-225

Perfumi, M., Arnold, N., Tacconi, R.: Hypoglycemic activity of *Salvia fruticosa* Mill. From Cyprus. *Journal of Ethnopharmacology* (1991), 34 (2-3), 135-140

Plumb, G.W., Garcia-Conesa, M.T., Kroon, P.A., Rhodes, M., Ridley, S., Williamson, G.: Metabolism of chlorogenic acid by human plasma, liver, intestine and gut microflora. *Journal of the Science of Food and Agriculture* (1999), 79; 390-392

Przylas, I.: Kristallstrukturanalyse der Amylomaltase aus *Thermus aquaticus*. Dissertation (2000); FU Berlin

Qian, M., Haser, R., Payan, F.: Carbohydrate binding sites in a pancreatic α -amylase-substrate complex, derives from X-ray structure analysis at 2.1 Å resolution. *Protein Science* (1995), 4; 747-755

Qian, M., Nahoum, V., Bonicel, J., Bischoff, H., Henrissat, B., Payan, F.: Enzyme-Catalyzed Condensation Reaction in a Mammalian α -Amylase. High-Resolution Structural Analysis of an Enzyme-Inhibitor Complex. *Biochemistry* (2001), 40; 7700-7709

Qian, M., Spinelli, S., Driguez, H., Payan, F.: Structure of a pancreatic α -amylase bound to a substrate analogue at 2.03 Å resolution. *Protein Science* (1997), 6; 2285-2296

Qian, M., Haser, R., Buisson, G., Duée, E., Payan, F.: The active center of a mammalian α -amylase. Structure of the complex of a pancreatic α -amylase with a carbohydrate inhibitor to 2.2-Å resolution. *Biochemistry* (1994), 33; 6284-6294

Reisin, E., Alpert, M.A.: Definition of the Metabolic Syndrome: Current Proposals and Controversies. *The American Journal of the Medical Sciences* (2005), 330 (6); 269-272

Rizvi, S.I., Zaid, M.A.: Insulin-like effect of (-)epicatechin on erythrocyte membrane acetylcholinesterase

activity in type 2 diabetes mellitus. Clinical and Experimental Pharmacology and Physiology (2001), 28; 776-778

Rohn, S., Rawel, H.M., Kroll, J.: Inhinitory Effects of plant phenols on the activity of selected enzymes. Journal of Agricultural and Food Chemistry (2002), 59; 3566-3571

Rote Liste 2006

Rydberg, E.H., Li, Ch., Maurus, R., Overall, Ch.M., Brayer, G.D., Withers, S.G.: Mechanistic analysis of catalysis in human pancreatic α -amylase: detailed kinetic and structural studies of mutants of three conserved carboxylic acids. Biochemistry (2002), 41; 4492-4502

Schneider, H., Blaut, M.: Anaerobic degradation of flavonoids by *Eubacterium ramulus*. Archive of Microbiology (2000), 173; 71-75

Schoefer, L., Mohan, R., Schwiertz, A., Braune, A., Blaut, M.: Anaerobic degardation of flavonoids by *Clostridium orbiscindens*. Applied and Environmental Microbiology (2003), 69 (10); 5849-5854

Schütz, K., Kammerer, D., Carle, R., Schieber, A.: Identification and quantification of caffeoylquinic acids and flavonoids from artichoke (*Cynara scolymus* L.) heads, juice, and pomace by HPLC-DAD-ESI/MSⁿ. Journal of Agricultural and Food Chemistry (2004), 52; 4090-4096

Shane-McWhorter, L.: Biological Complementary Therapies: A Focus on Botanical Products in Diabetes. Diabetes Spectrum (2001), 14; 199-208

Sheehan, M.T.: Current Therapeutic Options in Type 2 Diabetes Mellitus: A Practical Approach. Clinical Medicine & Research (2003), 1(3); 189-200

Soor, S.K., Hincke, M.T.: Microplate reader-based kinetic determination of alpha-amylase activity: application to quantitation of secretion from rat parotid acini. Analytical Biochemistry (1990), 188; 187-191

Stahl-Biskup E: Melissae folium (Melissenblätter). In: Hänsel R, Keller K, Rimpler H, Schneider G (Hrsg.): Hagers Handbuch der Pharmazeutischen Praxis, Band 5, Drogen E-O. 5. Aufl. Berlin Heidelberg: Springer-Verlag (1993); 814-819

Stahl-Biskup E: Rosmarini folium (Rosmarinblätter). In: Hänsel R, Keller K, Rimpler H, Schneider G (Hrsg.): Hagers Handbuch der Pharmazeutischen Praxis, Band 6, Drogen P-Z. 5. Aufl. Berlin Heidelberg: Springer-Verlag (1994); 494-500

Swanson-Flatt, S.K., Flatt, P.R., Day, C., Bailey, C.J.: Traditional dietary adjuncts for the treatment of diabetes mellitus. Proceedings of the Nutrition Society (1991), 50; 641-651

Swanson-Flatt, S.K., Day, C., Flatt, P.R., Gould, B.J., Clifford, J.: Glycaemic effects of traditional european plant treatments for diabetes. Studies in normal and streptozotocin diabetic mice. Diabetic Research (1989), 10; 69-73

Takenaka, M., Nagata, T., Yoshida, M.: Stability and bioavailability in garland (*Chrysanthemum coronarium* L.). Bioscience, Biotechnology, and Biochemistry (2000), 64 (12); 2689-2691

Tominaga, M., Igarashi, K., Eguchi, H., Kato, T., Manaka, H., Sekikawa, A.: Impaired glucose tolerance is a risk factor for cardiovascular disease, but not impaired fasting glucose. The Funagata Diabetes Study. Diabetes Care (1999), 22; 920-924

Wagner, H., Bladt, S., Zgainski, E.M.: Drogenanalyse: Dünnschichtchromatographische Analyse von Arzneidrogen (1983), Springer-Verlag Berlin, Heidelberg, New York

Wallenfells, K., Földi, P., Niermann, H., Bender, H., Linder, D.: The enzymic synthesis, by transglucosylation of a homologous series of glycosidically substituted malto-oligosaccharides, and their use as amylase substrates. Carbohydrate Research (1978), 61 (1); 359-368

Wang, M., Simon, J.E., Aviles, I.F., He, K., Zheng, Q.-Y., Tadmor, Y.: Analysis of antioxidative phenolic compounds in artichoke (*Cynara scolymus* L.). Journal of Agricultural and Food Chemistry (2003), 51; 601-608

Wegener, T., Schmidt, M.: Artischockenblätterextrakt-Lipidsenkung auf pflanzlicher Basis. Ärzteschrift für Naturheilverfahren (1995), 36 (5); 378-389

WHO: Definition, Diagnosis and Classification of Diabetes Mellitus and its Complications. Report of a WHO Consultation (1999)

WHO: Screening for Type 2 Diabetes. Report of a World Health Organization and International Diabetes Federation Meeting (2003)

Withers, S.G.: Enzymatic cleavage of glycosides: How does it happen? Pure and Applied Chemistry (1995), 67 (10); 1673-1682

Wittemer, S.M., Ploch, M., Windeck, T., Müller, S.C., Drewelow, B., Drendorf, H., Veit, M.: Bioavailability and pharmacokinetics of caffeoylquinic acids and flavonoids after oral administration of Artichoke leaf extracts in humans. Phytomedicine (2005), 12; 28-38

Witters, L.A.: The blooming of the French lilac. Journal of Clinical Investigation (2001), 108; 1105-1107

Wolffram, S., Block, M., Ader, P.: Quercetin-3-glucoside is transported by the glucose carrier SGLT1 across the brush border membrane of rat small intestine. Journal of Nutrition (2002), 132 (4); 630-635

Yanagida, A., Kanda, T., Tanabe, M., Matsudaira, F., Cordeiro, J.G.O.: Inhibitory effects of apple polyphenols and related compounds on cariogenic factors of Mutans streptococci. Journal of Agricultural and Food Chemistry (2000), 48; 5666-5671

Yeh, G.Y., Eisenberg, D.M., Kaptchuk, T.J., Philipps, R.S.: Systematic Review of Herbs and Dietary Supplements for Glycemic Control in Diabetes. Diabetes Care (2003), 26 (4); 1277-1294

Zetkin, M., Schaldach, H.: Wörterbuch der Medizin. 15. Auflage (1992), Ullstein Mosby Verlag, Berlin