

7. LITERATURVERZEICHNIS

- Aebi, U., Häner, M., Troncoso, J., Eichner, R., Engel, A. (1988)
 Unifying principles in intermediate filament (IF) structure and assembly.
Protoplasma 145:73-81
- Ahern, T.E., Bird, C., Curch Bird, A.E. (1996)
 Expression of the oncogene c-erbB-2 in canine mammary cancers and tumor-derived cell lines.
Am J Vet Res 57:693-696
- Ahmed, A. (1974)
 The myoepithelium in human breast carcinoma.
J Pathol 113:129-35
- Albert, R.R., Benjamin, S.A. and Shukla, R. (1994)
 Life span and cancer mortality in the beagle dog and humans.
Mechanisms of Ageing and Development 74:149-159
- Alenza, P. D., Rutteman, G.R., Pena, L., Beynen, A.C., Cuesto, P. (1998)
 Relation between Habitual Diet and Canine Mammary Tumors in Case-Control Study.
J Vet Intern Med 12:132-139
- Allen, S.W., Prasse, K.W., Mahaffey, E.A. (1986)
 Cytologic differentiation of benign from malignant canine mammary tumors.
Vet Pathol 23:649-655
- Altmannsberger, M., Osborn, M., Hölscher A., Schauer, A. and
 Weber, K. (1981)
 The distribution of keratin type intermediate filaments in human breast cancer; an
 immunhistological study.
Virchows Archiv (Cell Pathol) 37:277-284
- Altmannsberger, M., Osborn, M, Droese, K., und Weber,K. (1985a)
 Cytokeratine in Mammacarcinomen.
Verhandlungen der Deutschen Gesellschaft für Pathologie 69:2004-206
- Altmannsberger, M., Dirk, T., Droese, M., Weber, K. und Osborn, M. (1986)
 Keratin polypeptide distribution in benign and malignant breast tumors: subdivision of ductal carcinomas using monoclonal antibodies.
Virchows Archiv B, Cell Pathology 51:265-275

- Amos, L.A. (1985)
 Structure of muscle filaments studied by electron microscopy.
Annual Review of Biophysics and Biophysical Chemistry 14:291-313
- Arnold, S. (2001)
 Weiblicher Geschlechtsapparat, Physiologie der Fortpflanzung.
 in: Niemand, H.G. und Suter, P.F.(Hrsg.). Praktikum der Hundeklinik, 9. Auflage, Parey
 Buchverlag im Blackwell Wissenschafts-Verlag GMBH, Berlin, Wien , 905-906
- Baden, H.P., Goldsmith, L.A. und Fleming, B. (1973)
 The polypeptide composition of epidermal prekeratin.
Biochemica et Biophysika Acta 317:303-311
- Baldwin, R. L., Pucinski,T. (1977)
 Mammary gland. Development and Lactation.
 In: Cole, H. H., Cupps, P.T.. Reproduction in domestic animals. 3rd Edition, Academic Press,
 New York, San Francisco, London, 369-400
- Bannash, P., Zerban,H., Schmid, E. and Franke, W.W. (1980)
 Liver tumors distinguished by immunfluorescence microscopy with antibodies to proteins of
 intermediate-sized filaments.
Proc Nat Acad Sci USA 77 :4948-4952
- Barbareschi, M., Pecciarini, L., Cangi, G., Macrì, E., Rizzo A., Viale, G., Doglioni, C. (2001)
 p63, a p53 Homologue, is a Selective Nuclear Marker of Myoepithelial Cells of the Human
 Breast.
Am J Surg Pathol 25:1054-1060
- Battiflora, H., Sun, T.-T., Bagu, R.M. and Rao, S. (1980)
 The use of antikeratin antiserum as a diagnostic tool: thyoma versus lymphoma.
Human Pathol 11:635-641
- Bauer, C. and Traub, P. (1995)
 Interaction of intermediate filaments with ribosomes in vitro.
Eur J Cell Biol 68:288-296
- Benett, D.C., Peachey, L.A., Durbin, H. (1978)
 A possible mammary stem cell line.
Cell 15:283-298

Biberfeld, D., Ericsson, J.-L.E., Perlman, P., Raftell, M. (1965)
 Increased occurrence of cytoplasmatic filaments in vitro propagated rat liver epithelial cells.
Experimental Cell Research 39:301-305

Bigler, B. (2001)
Hautkrankheiten des Hundes.
 In: Suter, P.F. (Hrsg.): *Praktikum der Hundeklinik.*
 9.Auflage. Parey Buchverlag im Blackwell Wissenschafts-Verlag GMBH, Berlin, Wien, 379-443

Boecker, W. und Burger, H. (2003)
 Evidence of progenitor cells of glandular and myoepithelial cell lineages in the human adult female breast epithelium: a new progenitor (adult stem) cell concept.
Cell Prolif 36 Suppl 1:73-84

Boenisch, T. (1997)
 Antikörper. Einführung in die Immunhistochemie. Enzyme. Färbemethoden. Kontrollen.
 Hintergrundaktivität.
 In: Nash, S.J.(Hrsg.): *Handbuch II immunhistochemischer Färbemethoden.* 3.Auflage DAKO Corporation, Carpinteria, Californien, USA, 1-33

Bomhard , D.v., Kappes, H. (1976)
 Ultrastrukturelle Untersuchungen an der Milchdrüse des Hundes.
Zbl Vet Med C5, 68-78

Bostock, D.E. (1975)
 The prognosis following the surgical excision of canine mammary neoplasms.
Eur J Cancer 11:389-396

Bostock, D.E. (1986)
 Canine und feline mammary neoplasms.
British Veterinary J. 142, 506-515

Bostock, D.E. (1986)
 Neoplasms of the skin and subcutaneus tissues in dogs and cats.
Br Vet J 142:1-19

Brodey, R.S., Fideler, I.J., Howson, A.E. (1966)
 The relationship of estrus irregularity, pseudopregnancy to the development of canine mammary neoplasms.
J Am Vet Assoc 149: 1047-1049

Brodey, R.S. (1970)
 Canine and feline neoplasia.
Adv Vet Sci Comp Med 14:309-354

Brodey, R.S., Goldschmidt, M.H., Roszel, J.R. (1983)
 Canine mammary gland neoplasms.
J Am Anim Hosp Assoc 19:61-90

Bucher, O. und Wartenberg, H. (1997)
 Das Cytoplasma.
 in: Bucher, O. und Wartenberg, H.. Cytologie und Histologie und mikroskopische Anatomie des Menschen. 12.Auflage, Verlag Hans Huber, Bern, Göttingen, Toronto, Seattle

Budras, K.-D. und Fricke, W. (2000)
 Äußere Haut, Hautdrüsen und Hautmodifikationen.
 in: Budras, K.-D.(Hrsg.) und Fricke,W.. Atlas der Anatomie des Hundes. 6. Auflage.
 Schlütersche Verlagsanstalt und Druckerei, Hannover

Busch, U. (1993)
 Immunhistochemischer Nachweis von okkulten Tumorzellembole und Micrometastasen in den regionären Lymphknoten beim caninen Mammakarzinom operierter Hündinnen.
 Diss med vet, Berlin

Busch, U. und Rudolph, R. (1995)
 Mammakarzinom der Hündin: Eine neue Routinediagnostik zum Nachweis okkuler Micrometastasen in den regionären Lymphknoten.
Berl Münch Tierärztl Wschr 108: 43-46

Bussolati, G., Botta, G., Gugliotta, P. (1980)
 Actin-rich (myoepithelial) cells in ductal Carcinoma in situ of the breast.
Virchows Archiv B 34:251-9

Bussolati, G. (1980)
 Actin-rich (myoepithelial) cells in lobular carcinoma in situ of the breast.
Virchows Archiv B 32:165-76

Bussolati, G., Botto-Micca, F.B., Eusebi, V., Betts, C. M. (1981)
 Myoepithelial cells in lobular carcinoma in situ of the breast: a parallel immunocytochemical and ultrastructural study.
Ultrastruct Pathol 2:219-30

- Cameron, A.M., Faulkin, L.J. (1971)
 Hyperplastic and inflammatory nodules in the canine mammary gland.
J Natl Cancer Inst 47:1277-1287
- Capel-Edwards, K., Hall, D. et al. (1973)
 Long term administration of progesterone to the female beagle dog.
Toxicology and Applied Pharmacology 24:474-488
- Carlier, M.L. und Pantaloni, D. (1994)
 Actin assembly in response to extracellular signals: role of capping proteins, thymosin und profiling.
Seminars in Cell Biology 5:183-191
- Casey, H.W., Gilles, R.C., Kwapien, R.P. (1979)
 Mammary neoplasia in animals. Pathologic aspects and the effect of contraceptive steroids.
Rec Res Cancer Res 66:129-160
- Celis, J.E., Holm Rassmusen, H., Olsen, E., Madsen, P., Leffers, H., Honoré, B., Dejgaard, K., gromov, P., Vorum, H., Vassilev, A., Baskin, Y., Liu, X., Celis, A., Basse, B., Lauridsen, J.B.,ratz, G.P., Andersen, A.H., Walbum, E., Kjaergaard, I., Andersen, I., Puype, M., Van Damme, J. und Vandeekerckhove, J. (1994)
 The human keratinocyte two-demensional protein database: Towards and integrated approach to the study of cell proliferation, differentiation and skin diseases.
Elektrophoresis 15:1349-1458
- Celli, J., Duijf, P., Hamel, B.C.J., Bamshad, M., Kramer, B. and Smits, A.P.T. (1999)
 Heterozygous germline mutations in the p53 homolog p63 are the cause of EEC syndrome.
Cell 99:143-53
- Chariet, L., Wolf, F.J. (1964)
 The properties of streptavidin, a biotin-binding protein produced by streptomycetes.
Arch Biochem Biophys 106:1-5
- Chu, Y.-W., Runyan, R.B., Oshima, R.G. and Hendrix, M. J. C. (1993)
 Expression of completekeratin filaments in mouse L cells migration and invasion.
Proceedings of the National Acadamy of Science of the United States of America 90 : 4261-4265

- Chu, L.L., Kong, M.C., Gahremani, M. (1998)
Genomic organization of the canine p53 gene and its mutational status in canine mammary neoplasia.
Breast Cancer Res Treat 50:11-25
- Coleman, M., Murchison, T. (1976)
Mammary nodules in dogs receiving Depo-Provera and progesterone: an interim process report.
Toxicology and Applied Pharmacology 37:213
- Concannon, P., Altszuler N. (1980)
Growth hormone, prolactin and cortisol in dogs developing mammary nodules and an acromegaly-like appearance during treatment with medroxyprogesterone acetate.
Endocrinology 106:1173-1178
- Conroy, J.D. (1983)
Canine skin tumors.
J Am Hosp Assoc 19:91-114
- Cooper, D. und Sun, T.-T. (1986)
Monoclonal antibody analysis of bovine epithelial keratins.
J Biol Chem 261:4646-4654
- Cordell, J.L., Falini, B., Erber, W.N., Ghosh, A.K., Abdulaziz, Z., Macdonald, S. and Pulford, K.A.F. (1984)
Immunoenzymatic labelling of monoclonal antibodies using immune complexes of alkaline phosphatase and monoclonal antikaline phosphatase (APAAP complexes).
J Histochem Cytochem 32:219-229
- Cotchin, E. (1959)
Some tumours of dogs and cats of comparative veterinary and human interest.
Vet Rec 71:1040-1050
- Cotchin, E. (1972)
Comparative oncology. Neoplasms of interest to medical and veterinary pathologists.
Pesquisa Agropecuária Brasileira, série Veterinária 7 (Suppl.):1-16
- Cullen, J.M., Page, R. und Misdorp, W. (2002)
An overview of cancer pathogenesis, Diagnosis and Management.
In : Meuten, D.J.M. (Hersg.) :Tumors of domestic animals. Fourth edition, Iowa state press

- Dahme, E. und Weiss, E. (1958)
Zur Systematik der Mammatumoren des Hundes.
Dtsch Tierärztl Wochensch 65:458-461
- Dahme, E. und Weiss, E. (1999)
Die Milchdrüse.
in: Dahme, E., Weiss, E.. Grundriß der speziellen pathologischen Anatomie der Haustiere.
5.Auflage, Ferdinand Enke Verlag, Stuttgart, 311-319
- Dairkee, S.H., Mayall, B.H., Smith, H.S. und Hackett, A.J. (1987)
Monoclonal marker that predicts early recurrence of breast cancer.
Lancet 1:514
- Debus, E., Weber,K. und Osborn, M. (1983)
Monoclonal antibodies specific for glial fibrillary acidic (GFA) protein and for each of the neurofilament triplet polypeptides.
Differentiation 25:193-203
- Denk, H., Krepler, R., Lackinger, E., Artlieb, U. and Franke, W.W. (1982)
Biochemical and immunocytochemical analysis of the intermediate filament cytoskeleton in human hepatocellular carcinomas and in hepatic neoplastic nodules of mice.
Lab Invest 46:584-596
- Desnoyers, M.M., Haines, D.M. und Searcy, G.P. (1990)
Immunhistochemical detection of intermediate filament proteins in formalin fixed normal and neoplastic canine tissues.
Can J Vet Res 54:360-365
- Destexhe, E., Lespagnard, L., Degeyter, M., Heymann, R. and Coignoul, E. (1993)
Immunhistochemical Identification of myoepithelial, epithelial and connective tissue cells in canine Mammary Tumors.
Vet Pathol 30:146-154
- De Vitta, J. (1939)
Mammary Adenofibroma of the Female dog.
N Amer Vet 20:53-55
- Dorn, C.R., Taylor, D.O.N., Schneider, R. (1968)
Survey of animal neoplasms in Alameda and Contra Costa Counties, California.II.Cancer morbidity in dogs and cats from Alameda country.
J Natl Cancer Inst 40:307-318

Ducatelle, R., Broekaert, D., Coucke, P., Gillis, E. und Hoorens, J. (1985)
 Immunoperoxidase kleurigen voor tumor diagnose en de toepassing in de diergeneeskunde.
 Vlaams Diergeneeskd. Tijdschr. 54, 187-207

Dumiani, A., Ludvikova, M., Tomasic, G., Bianchi, S., Gown, A.M. und Eubesi, V. (1999)
 Myoepithelial cells and basal-lamina in poorly differentiated in situ duct carcinoma of the breast. An immunhistochemical study.
 Virchows Archiv 434:227-234

Easte, G.C., Easte, D.M., Monaghan, P. (1980)
 Preparations and identification of the human breast epithelial cells in culture.
 Int J Cancer 26:577-584

Eichner, R., Bonitz, P. and Sun, T.-T. (1984)
 Classification of epidermal keratins according to their immunoreactivity isoelectric point and the mode of expression.
 J of Cell Biology 98:1388-1396

Eigenmann, J.E., Eigenmann, R.Y., Rijnberk, A. (1983)
 Progesterone-controlled growth hormone overproduction and naturally occurring canine diabetes and acromegaly.
 Acta Endocrinol (Kbh) 104:167-176

El Etreby, M. und Fath El Bab M. (1977)
 Effect of cyproterone acetate on cells of the pars distalis of the adenohypophysis in the beagle dog.
 Cell Tissue Research 183:177-189

Else, R.W. und Hannant, D. (1979)
 Some Epidemiological Aspects of Mammary Neoplasia in the Bitch.
 Vet Rec 104:296-304

Enghardt, M. H. und HALE J.H (1989)
 An epithelial and spindel cell breast tumour of myoepithelial origin.
 Virchows Archiv A Pathol Anat 416:177-187

Eskens, U. (1983)
 Statistische Untersuchungen über nach den Empfehlungen der Weltgesundheitsorganisation (WHO) klassifizierte Geschwülste des Hundes unter besonderer Berücksichtigung der Mamma- und Hauttumoren.
 Diss med vet, Gießen

Esplin, D.G. (1984)

Basaloid adenoma of the mammary gland in two dogs.

J Am Vet Med Assoc 184:855-857

Evans, H.E. (1993)

The mammae.

in: Evans, H.E.. Miller's Anatomy of the dog. 3rd Edition, W.B. Saunders Company

Farmilio, A.J. und Stead, R. (1989)

Fixierung in der Immunzytochemie.

In: Naish, S.J. (Hers.):Handbuch II immunhistochemischer Färbemethoden.3. Auflage DAKO Corporation, Carpinteria, California, USA, 34-40

Ferguson, H.R. (1985)

Canine mammary gland tumors.

Vet Clin North Small Anim Pract 15:501-511

Fiedler, H. (1975)

Ein Beitrag zur Häufigkeit der Tumoren des Hundes unter besonderer Berücksichtigung der Haut- und Mammatumoren.

Diss vet med, München

Fidler, I.J. and Brodely, R.S. (1967)

A Necropsy Study of Canine Malignant Mammary Neoplasms.

J Amer Vet Med Assoc 151:710-715

Foster, C.S., Smith, C.A., Dinsdale, E.A. (1983)

Human mammary gland morphogenesis in vitro:the growth and differentiation of normal breast epithelium in collagen gel cultures defined by electron microscopy, monoclonal antibodies, and autoradiography.

Dev Biol 96:197-216

Fowler, E.H., Wilson, G.P., Koestner A. (1974)

Biologic behavior of canine mammary neoplasms based on histogenetic classification.

Vet Pathol 11:212-229

Fowler, E., Vaughan (1977)

Pathological changes in mammary glands and uteri from beagle bitches receiving low levels of medroxyprogesterone acetate: an overview of research in progress.

Monographs Mario Negri Institute for Pharmacological Research. Garattini, S. and Berendes, H.New York, Raven Press :185-210

Franke, W. W., Schmid, E., Osborn, M., Weber, K. (1978a)
 Different intermediate-sized filaments distinguished by immunofluorescence microscopy.
 Proceedings of the national Academy of Sciences of the United States of America 75:5034-5038

Franke, W. W., Weber, K., Osborne, M., Schmid, E. and Freudenstein, C. (1978b)
 Antibody to prekeratin. Decoration of tonofilament-like arrays in various cells of epithelial character.
 Exp Cell Res 118:429-445

Franke, W.W., Schmid, E., Osborn, M., Weber, K. (1979a)
 He-La cells contain intermediate-sized filaments of the prekeratin type.
 Exp Cell Res 118:95-109

Franke, W.W., Schmid, E., Winter, S., Osborne, M. and Weber, K. (1979b)
 Widespread occurrence of intermediate-sized filaments of the vimentin type in cultured cells from diverse vertebrates.
 Experimental Cell Research 123:25-46

Frese, K., Eskens, U. und Frank, H. (1982)
 Hauttumoren des Hundes. Pathologie, klinische und differentialdiagnostische Aspekte.
 Dtsch Vet Gesellschaft e.V, 28. Jahrestagung der Fachgruppe Kleintierkrankheiten in Frankfurt/Main, 188-208

Freye, F.L., Dorn, C.R., Taylor, D.O.N., Hibbard, H.H., Klauber, M.R. (1967)
 Characteristics of canine mammary gland tumor cases.
 Anim Hosp 3: 1-12

Fritzsche, A., Mathis, G.A., und Althaus, F.R. (1991)
 Pharmakologische Wirkungen von Biotin auf Epidermiszellen.
 Schweiz Arch Tierheilk 133:277-283

Fritz,P., Müller, J., Wegner,G. Braun,U., Grau, A., Tuczak, H.-V., Moessner, E. und Schenk, R. (1985)
 Immunhistochemie: Theoretische Möglichkeiten und praktische Anwendung.
 Zentralbl Allg Pathol Anat 130:187-203

Fuchs, E. und Green, H. (1981)
 Regulation of the terminal differentiation of cultured human keratinocytes by vitamin a.
 Cell 25:617-625

Fuchs, E. (1988)

Keratins as biochemical markers of epithelial differentiation.

Trends in Genetics 4:277-281

Gabbiani, G. Kapanci, Y., Barrazone, P. and Franke, W.W. (1981)

Immunochemical identification of intermediate-sized filaments in human neoplastic cells: a diagnostic aid for the surgical pathologist.

Am J Pathol 104:206-216

Gama, A., Alves, A., Gartner, F. und Schmitt, F. (2003)

p63: A novel myoepithelial cell marker in canine mammary tissues.

Vet Pathol 40:412-420

Garderen, E. van, De Wit, M., Voorhout, W.F., Rutteman, G.R., Mol, J.A., Nederbragt, H. und Misdorp, W. (1997)

Expression of growth hormone in canine mammary tissue and mammary tumors.

Amer J Pathol 150(3):1037-1047

Geisel, O. (1987)

Bioptische Untersuchungen der Hauttumoren vom Hund.

Tierärztl Umschau 42, 788-796

Gibertson, S.R., Kurzmann, I.D., Zachrau, R.E., Hurvitz, A.I. und Black, M.M. (1983)

Canine mammary epithelial neoplasms: Biological implications of morphologic characteristics assessed in 232 dogs.

Vet Pathol 20:127-142

Gilett, C.E., Bobrow, L.G., Millis, R.R. (1990)

S-100-protein in human mammary tissue- immunoreactivity in breast carcinoma, including paget's disease of the nipple, and value as a marker of myoepithelial cells.

J of Pathol Vol.160:19-24

Gilles, U. (2000)

Prognostische Relevanz von lymphozytären Infiltraten und deren Differenzierung in caninen Tumoren der Mamma.

Diss med vet, Berlin

Goldschmidt, M.H. und Shofer, F.S (1992)

Basal Cell Tumors.

In: Goldschmidt, M.H. und Shofer, F.S.:Skin Tumors of the dog and cat.

Pergamon Press Ltd, 16-28

- Goldschmidt, M. H., Dunstan, R.W., Stannard, A.A., von Tscharner, C., Walder, E.J and Yager, J.A. (1998)
Histological Classification of Epithelial and melanocytic Tumors of the Skin of Domestic Animals.
 Second series, Volume III; Published by the Armed Forces Institute of Pathology in cooperation with the American Registry of Pathology and the World Health Organization Collaborating Center for the Worldwide Reference on Comparative Oncology, Washington, D.C.
- Gottlieb, C., Raju, U. and Greenwald , K.A. (1990)
 Myoepithelial cells in the differential diagnosis of complex benign and malignant breast lesions: An immunhistochemical study.
Mod Pathol 3:135
- Gottwald, D. (1998)
 Ein Beitrag zur Häufigkeit von Mammatumoren beim Hund. Statistische Auswertung der Einsendungen einer Praxis für Tierpathologie aus den Jahren 1990-1995.
Diss med vet, München
- Gould, V.E., Jao, W., Battiflora, H. (1980)
 Ultrastructural analysis in the differential Diagnosis of breast tumors: the significance of myoepithelial cells, basal lamina, intracytoplasmatic lumina and secretory granules.
Pathol Res Pract 167:45-70
- Gould, V.E., Koukoulis, G.K., Jansson, D.S., Nagl, R.B., Franke, W.W. and Moll, R. (1990)
 Coexpression patterns of vimentin and glial filament proteins with cytokeratins in the normal, hyperplastic and neoplastic breast.
Am J Pathol 137:1143-55
- Gräf, K.J. und El. Etreby, M. (1978)
 The role of the anterior pituitary in progesterone-induced proliferative mammary gland tumorigenesis.
Arzneim Forsch 28:54-58
- Gräf, K.J. and El Etreby, M. (1979)
 Endocrinology of reproduction in the female Beagle dog and its significance in mammary gland tumorigenesis.
Acta Endocrinologica Suppl 222:1-34
- Green, M.H. (1997)
 Genetics of breast cancer.
Mayo Clin Proc 72:54-65

- Griffey, S.M., Madewell, B.R., Dairkee, S.H., Hunt, J.E., Nydan, D.K. und Higgins, R.J. (1993)
 Immunhistochemical Reactivity of basal and luminal epithelium-specific Cytokeratin Antibodies within normal and neoplastic canine mammary glands.
Vet Pathol 30:155-161
- Gugliotta, P., Sapino, A., Macri, L., Skalli, O., Gabbiani, G. und Bussolati, G. (1988)
 Specific demonstration of myoepithelial cells by anti-alpha smooth muscle actin antibody.
J Histochem 36:659-63
- Gusterson, B.A., Wartburton, M.J., Mitchell, D., Ellison, M., Neville, A.M., und Rudland, P.S. (1982)
 Distribution of myoepithelial cells and basement membrane proteins in the normal breast and benign and malignant breast diseases.
Cancer Res 42:4763-70
- Gutberlet, K. (1994)
 Mammatumoren bei Hunden: Immunhistochemische Darstellung von Gefäßendothel bei Krebszelleinbrüchen und Überarbeitung der WHO – Klassifikation.
 Diss med vet, Berlin
- Gutberlet, K. und Rudolph, R. (1994)
 Immunhistochemical identification of vessel in cancer cell invasion in canine mammary tumours.
Eur J Vet Pathol 1:11-14
- Gutberlet, K. und Rudolph, R. (1996)
 Angiosis carcinomatosa bei Mammatumoren der Hündin - Häufigkeit und Verbindung mit prognostisch wichtigen Faktoren.
Kleintierpraxis 41, Heft 7:469-536
- Gutberlet, K. Wey, N. Rudolph, R. und Brunnberg, L. (1998)
 Mammatumoren der Hündin.
Handlexikon Der Tierärztlichen Praxis, Hersg. Wiesner, E.. Ferdinand Enke Verlag, Stuttgart
- Hamada, M., Oyamada, T., Yoshikawa, T. und Itakura, C. (1990)
 Keratin expression in equine epidermis and cutaneus papillomas using monoclonal antibodies.
J Comp Path 102:405-420

Hamilton, J.M. (1974)
 Comparative aspects of mammary tumors.
 Adv Cancer Res 19:1-45

Hampe, J.F. und Misdorp, W. (1974)
 Tumours and dysplasia of the mammary gland.
 Bull World Health Organ. 50:111-133

Heatley, M., Maywell, P., Whieside, C. and Toner, P. (1995)
 Cytokeratin intermediate filament expression in benign and malignant breast disease.
 J Clin Pathol 48:26-32

Hamperl, H. (1970)
 The myoepithelia (myoepithelial cells) normal state; regressive changes; hyperplasia; tumors.
 Curr Top Pathol 53:161-220

Heid, H.W., Moll, I. und Franke, W.W. (1988a)
 Patterns of expression of trichophytic and epithelial cytokeratins in mammalian tissues.
 I. Human and bovine hair follicles.
 Differentiation 37: 137-157

Heid, H.W., Moll, I., und Frankw, W.W. (1988b)
 Patterns of expression of trichophytic and epithelial cytokeratins in mammalian tissues. II.
 Concomitant and mutually exclusive synthesis of trichocytic and epithelial cytokeratins in
 divers human and bovine tissues (hair follicle, nail bed and matrix, lingual papilla, thymic
 Reticulum).
 Differentiation 37:215-230

Hellmén, E., Lindgren, A., Linell, F. (1988)
 Comparison of histology and clinical variables to DNA ploidy in canine mammary tumors.
 Vet Pathol 25:219-226

Hellmén, E. und Lindgren, A. (1989)
 The Expression of Intermediär Filaments in Canine Mammary Glands and their Tumors.
 Vet Pathol 26:420-428

Hellmén, E. (1992)
 Charakterization of four in vitro established canine mammary carcinoma and one atypical
 benign mixed tumor cell lines.
 In Vitro Cell Dev. Biol. 28A:309-319

- Hellmén, E., Bergstrom, R., Holmberg, L., Spangberg, I.B., Hannson, K. und Lindgren, (1993) Prognostic factors in canina mammary tumors: A multivariant Study of 202 consecutive cases. *Vet Pathol* 30:20-27
- Hellmén, E., Moller, M., Blanckenstein, M.A., Andersson, L. and Westermark, B. (2000) Expression of different phenotypes in cell lines from canine mammary spindel-cell tumours and osteosarcomas indicating a pluripotent mammary stem cell origin. *Breast Cancer Res Treat* 61:197-210
- Holck, S., Pederson, L. , Schiodt, T., Zedeler, K., Mouridson, H. and Schidt, T. (1993) Vimentinexpression in98 breast cancers with medulary features and it's prognostic significance. *Virchows Archiv A Pathological Anatomy and Histopathology* 422:475-479
- Holland, M.S., Tai, M.H., Trosko, J.E., Griffin, L.D., Stasko, J.A., Cheville, N.C. and Holland, R.E. (2003) Isolation and differentiation of bovine mammary gland progenitor cell populations. *Am J Vet Res* 64(4):396-403
- Howard, E.B. and Nielson (1965) Neoplasms of the boxer dog. *Amer J Vet Res* 26:1121-1131
- Hynes, R.O. and Destree, A.T. (1978) 10 nm filaments in normal and transformed cells. *Cell* 13:151-163
- Ishikawa, H., Bischoff, R. and Holtzer, H. (1968) Mitosis and intermediate-sized filaments in developing skeletal muscle. *Journal of Cell Biology* 38:538-555
- Ishikawa, H., Bischoff, R. and Holtzer, H. (1969) Formation of arrowhead complexes with heavy meromysin in a variety of cell types. *Journal of Cell Biology* 43:312-328
- Ivanyi, D., Minke, J.M.H.M., Hageman, C. Groeneveld, G., Van Doornewaard, G. and Misdorp, W. (1993) Cytokeratins as markers of initial stages of squamous metaplasia in feline mammary carcinoma. *Am J Vet Res* 54:1095-1102

Jetten, A.M. and Harvat, B.L. (1997)
 Epidermal differentiation and squamos metaplasia: from stem cell to death.
J Dermatol 24:711-25

Joshi, K., Ellis, J.T., Hughes, C.M., Monaghan, P., Neville, A.M. (1986)
 Cellalur Proliferation in the rat mammary gland during pregnancy and lactation.
Lab Invest 54:52-61

Joshi, M.G., Lee, A.K., Pederson, C.A., Schnitt, S., Camus, M.G.
 and Hughes, K.S. (1996)
 The role of immuncytochemical markers in the differential diagnosis of proliferative and
 neoplastic lesions of the breast.
Mod Pathol 9:57-62

Karlson, P., Doenecke, D. und Koolman, J. (1994)
 Das Cytoskelett.
 in:Karlson et al.. Biochemie für Mediziner und Naturwissenschaftler, 14.Auflage, Georg
 Thieme Verlag, Stuttgart, New York, 350-351

Kessler, M. (1999)
 Hauttumoren des Hundes.
 In: Kessler, M. (Hersg.):Kleintieronkologie.1.Auflage. Parey Buchverlag im Blackwell
 Wissenschafts-Verlag GMBH, Berlin, Wien, 219-241

Koch, T. und Berg, R. (1993)
 Milchdrüse, Glandula lactifera.
 In: Koch, T. und Berg, R.. Lehrbuch der Vetrinär-Anatomie, Band III,
 5. Auflage, VEB Gustav Fischer Verlag, Jena, 566-569

Korge, B.P., Gan, S.-Q., McBride, O.W., Mischke, D. und Steinert, P.M. (1992)
 Extensive size polymorphism of the human keratin 10 chain resides in the C-terminal V2
 subdomain due to variable numbers and sizes of glycerin loops.
 Proceedings of the National Acadamy of Scienes of the United States of America 89:910-914

Kral, F. und Schwartzmann, R.M. (1964)
 Cutaneous neoplasms.
 In: Veterinary and comperative dermatology.
 J.B. Lippincott Company, Philadelphia, Montreal, 106-126

Krook, L. (1954)
 A statistical investigation of carcinoma in the dog.
Acta Pathol Microbiol Scand 35:407

Krüger, K. (1996)

Histochemie des Vellushaarfollikels im Vergleich zum Terminalhaarfollikel. Beziehungen zur Histogenese des Basalioms.

Diss hum med, Berlin

Krüger, K., Blume-Peytavi, U. und Orfanos, C.E. (1999)

Basal cell carcinoma possibly originates from the outer root sheath and/or the bulge region of the vellus hair follicle.

Arch Dermatol Res 291:253-259

Kurzman, I.D. and Gilbertson, S.R. (1986)

Prognostic Factors in Canine Mammary Tumors.

Sem Vet Med Surg 1:25-32

Kwapien, R.P., Gilles, R.C., Geil, R.G. and Casey, H.W. (1977)

Basaloid Adenomas of the Mammary Gland in Beagle Dogs Administered Investigational Contraceptive Steroids.

J Natl Cancer Inst Vol 59, No.3:933-937

Lane, E.B., Bärte, J., Purkis, P.E. and Leigh, I.M. (1985)

Keratins antigens in differentiating skin.

Ann NY Acad Sci 455:241-58

Leeuwen, I. L. v., van Garderen, E. et al. (2000)

Cloning and cellular localization of the canine progesterone receptor: co-localisation with growth hormone in the mammary gland.

J Steroid Biochem Mol Biol 75:219-228

Liebich, H.-G. (1993)

Haut und Hautorgane.

In: Liebich, H.-G.. Funktionelle Histologie, Farbatlas und Kurzlehrbuch der mikroskopischen Anatomie der Haussäugetiere. 2. Auflage, Schattauer, Stuttgart, New York, 284-287

Liotta, L.A., Wicha, M.S., Foidart, J.M., Rennard, S.I., Gabrisa, S. und Kidwell, W.R. (1979)

Hormonal requirements for basement membrane collagen disposition by cultured rat epithelium.

Lab Invest 41:511-518

Livingston, L.R. (1992)

Altered cell cycle arrest and gene amplification potential accompany loss of wild type p53.

Cell 70:923-35

Lobeck, H., Bartke, I., Naujoks, K., Müller, D., Bronhöft, G., Mischke, D. und Wild, G. (1989)

Verteilungsmuster der Zytokeratinpolypeptide 4 und 5 im normalen und neoplastischen Epithel unter Verwendung neuer paraffingängiger monoklonaler Antikörper (eine immunhistochemische Untersuchung).

Verhandlungen dr deutschen Gesellschaft für Pathologie 73:645

Lowe, S. W., Schmitt E.M., Smith, S.W., Osborne, B.A. und Jacks, T. (1993)

P53 is required for radiation-induced apoptosis in mouse thymocytes.

Nature 362: 847-849

Luby-Phelps, K. (1994)

Physical properties of cytoplasma.

Current Opinion in Cell Biology 6:3-9

Magnol, J.P., Al Saati, T. und Delsol, G. (1985)

Marquage immunoctochimique des cytokeratines des carcinomes canins.

Revue Med Vet 136, 357-362

Maiolino, J.P., Al Saati, T. und Delsol, G. (1996)

Mitotic phase distribution, mitotic activity and apoptosis in basal cell tumors of canine skin.

J Vet Med 43, 619-624

McDonald, L. (1969)

Reproductive patterns of dogs.

Veterinary Endocrinology and Reproduction. Philadelphia, 377-385

Mills, A.A., Zheng, B., Wang, X.-J., Vogel, H., Roop, D.-R.

and Bradley, A. (1999)

P63 is a p53 homologue required for limb and epidermal morphogenesis.

Nature 398: 708-714

Mischke, D. und Wild, G. (1987)

Polymorphic keratins in human epidermis.

J Invest Dermatol 88:191-197

Misdorp, W., Cotchin, E., Hampe, J.F., Jabara, A.G., von Sandersleben (1971)

Canine mammary tumours.I. Sarcomas.

Vet Pathol 8:99-117

Misdorp, W., Cotchin,E., Hampe, J.F., Jabara, A.G. und von Sandersleben, J. (1972)
 Canine malignant mammary tumors, II: adenocarcinomas and spindel cell carcinomas.
Vet Pathol 9:447-470

Misdorp, W., Cotchin,E., Hampe, J.F., Jabara, A.G. und von Sandersleben,J. (1973)
 Canine malignant mammary tumors.III.Special types of carcinomas, malignant mixed tumours.
Vet Pathol 10:241-256

Misdorp, W. und Hart, A.A.M. (1979)
 Canine mammary cancer.
 II. Therapy and causes of death
J small Anim Pract 20:395-404

Misdorp, W. (1988)
 Canine mammary tumors: protective effect of late ovariohysterectomy and stimulating effect of progestins.
Vet Q 10:26-33

Misdorp, W. (1991)
 Progestagens and mammary tumors in dogs and cats.
Acta Endocr (Copenhagen) 125:27-31

Misdorp, W., Else, R.W., Hellmèn, E., Lipscomb, T.P. (1999)
 Histological Classification of Mammary Tumors in the dog and Cat.
 Second Series, Voyme VII; Published by the Armed Forces Institute of Pathology in cooperation with the American Registry of Pathology and the World Health Organization Collaborating Center for the Worldwide Reference on Comperative Oncology,Washington, D.C.

Misdorp, W. (2002)
 Tumors of the mammary gland.
 in: Meuten, D.J..Tumors in domestic animals. 4th edition, Iowa State Press

Mitchell, L. (1974)
 Mammary tumors in dogs: Survey of clinical and pathological characteristics.
Can Vet J 15: 13

Möller, A.C. and Hellmén, E. (1994)

S-100-protein is not specific for Myoepithelial cells in the canina mammary gland.

J Comp Path Vol 110:49-55

Moll R, Franke W.W. and Schiller, DL. (1982a)

The Catalog of Human Cytokeratins: Patterns of Expression in Normal Epithelia, Tumors and Cultures Cells.

Cell 31: 11-24

Moll, R. Franke, W.W., Volc-Platzer, B. und Krepler, R. (1982b)

Different keratin polypeptides in epidermis and other epithelia of human skin: a specific cytokeratin of molecular weight 46,000 in epithelia of the pilosebaceous tract and basal cell epitheliomas.

Journal of Cell Biology 95:285-295

Moll, R., Schiller, D.L. und Franke, W.W. (1990)

Identification of protein IT of the intestinal cytoskeleton as a novel type I cytokeratin with unusual properties and expression Patterns.

J Cell Biol 111:567-580

Moll, R. (1993)

Cytokeratins als Differenzierungsmarker: Expressionsprofile von Epithelien und epithelialen Tumoren.

Veröffentlichungen aus der Pathologie / Progress in Pathology 142:1-191

Moll, J, Garderen, E. (1996)

New insights in the molecular mechanism of progestin induced proliferation of mammary epithelium; induction of the local biosynthesis of growth hormone (GH) in the mammary gland of dogs, cats and humans.

J Steroid Biochem Mol Biol 57:67-71

Monlux, A.W., Roszel, J.F., MacVean, D.W., Palmer, T.W. (1977)

Classification of epithelial canine mammary tumors of a defined population.

Vet Pathol 14:194-217

Monteros de los, A.E., Millà, M.Y., Ordàs, J., Carrasco, L., Reymond, C. und Mulas de las, M. (2002)

Immunolocalization of the Smooth Muscle-specific Protein Calponin in Complex and Mixed Tumors of the Mammary Gland of the dog: Assessment of the Morphogenetic Role of the Myoepithelium.

Vet Pathol 39:247-256

- Moore, A.S., Madewell, B.R. und Lund, J.K. (1989)
Immunhistochemical evaluation of intermediate filament expression in canine und feline neoplasms.
Am J Vet Res 50:80-92
- Morgan, J.M., Navabi,H., Schmid, K.W. und Jasani, B. (1994)
Possible Role of Tissue-bound Calcium Ions In Citrate-Mediated High Temperature Antigen Retrieval.
J of Pathol 174:301-307
- Morrison, W.B. (2002)
Canine and feline mammary tumors.
in Morrison, W.B.. Cancer in dogs and cats, Medical and surgical Management. 2nd edition,
Teton NewMedia, Jackson, Wyoming
- Mosimann, W. und Kohler, T. (1990)
Die Milchdrüse.
in: Mosimann W. und Kohler, T.. Zytologie, Histologie und mikroskopische Anatomie der Haussäugetiere. Verlag Paul Parey, Berlin
und Hamburg, 288-294
- Moulton, J.E. et al. (1970)
Canine mammary tumors.
Pathol Vet 7:289
- Moulton, J.E., Rosenblatt, L.S. and Goldman, M. (1986)
Mammary Tumors in a Colony of Beagle Dogs.
Vet Path 23:741-749
- Moulton, J.E. (1990)
Tumors of the mammary gland.
in: Moulton, J.E.. In Tumors in domestic animals. 3rd edition, University of California Press,
Berkley, 518-552
- Muijen, G.N.P. van, Ruitter, D.J., Ponec, M., Huiskens-van der Mey und
Warnaar, S.O. (1984)
Monoclonal Antibodies with different specificities against cytokeratins.
Am J Pathol 114:9-17

- Mulas de las, J.M., Ordàs, J., Millà,M.Y., Espinosa de los Monteros A. and Reymundo, C. (2002)
Spontaneous Basaloid Adenoma of the Mammary Gland in Four Dogs: Clinicopathologic and Immunhistochemical Features.
Vet Pathol 39:739-743
- Mulligan, R.M. (1963)
Comparative Pathology of Human and Canine Cancer.
Ann NY Acad Sci 108:642-690
- Mulligan, R.M. (1975)
Mammary cancer in the dog.: a study of 120 cases.
Am J Vet Res 36:1391
- Naritouku, W.Y. and Taylor, C.R. (1982)
A comparative study of the use of monoclonal antibodies using three different immunhistochemical methods.
J Histochem Cytochem 30:253-260
- Nehrlich, A.G., Lebeau, A., Hagedorn, H.G., Sauer, U. and Schleicher, E.D. (1998)
Morphological aspects of altered basement membrane metabolism in invasive carcinomas of the breast and larynx.
Anticancer Res 18:3515-20
- Nelson, L.W. and Kelly, W.A. (1973)
Changes in canine mammary gland histology during estrus cycle.
Toxikol Appl Pharmakol 27, 113-122
- Nerurkar, V.R., Chitale, A.R., Jalnakurpar, B.V., Naik, S.N. and Lalitha, V.S. (1989)
Comparative pathology of canine mammary tumours.
J Comp Pathol 101:289-397
- Neylander, K., Coates, P.J., Hall, P.A. (2000)
Charakterization of the expression pattern of p63 alpha and delta Np63 alpha in benign and malignant oral epithelial lesions
Int J Cancer 87: 368-372

Nickel, R., Schummer, A. und Seiferle, E.- Überarbeitete Ausgabe von Habermehl, K.-H., Vollmerhaus, B. und Wilkens, H. (1984)
 Milchdrüse, Mamma. Die Milchdrüse des Hundes.
 in: Nickel, R. et al.. Lehrbuch der Anatomie der Haustiere Band III,
 2. Auflage, Verlag Paul Parey, Berlin und Hamburg, 485-493; 511-513

Nielson, S.W. and Cole, C.R. (1960)
 Cutaneus Epithelial Neoplasms of the dog-A Report of 153 Cases.
 Am J Vet Res 21:931-948

Ormerod, E. J. und Rudland, P.S. (1982)
 Mammary gland morphogenesis in vitro: formation of branched tubules in collagen gels by a cloned rat mammary cell line.
 Dev Biol 91:360-375

Osborne, M. und Weber, K. (1982)
 Intermediate filaments: cell-type specific markers in differentiation and pathology.
 Cell 31:303-306

Patsikas, M.N. and Dessiris, A. (1996 a)
 The lymph drainage of the mammary glands in bitch: a lymphographic study. Part I: the 1st, 2nd, 3th, 4th and 5th mammary gland.
 Anat Histol Embryol 25:131-138

Pellegini, G., Dellambra, E., Golisano, O. (2001)
 P63 identifies keratinocyte stem cells.
 Proc Natl Acad Sci USA: 98:3156-161

Perkins, W., Campbell, I., Leigh, I.M. and MacKie, R.M. (1992)
 Keratin expression in normal skin and epidermal neoplasms demonstrated by a panel of monoclonal antibodies.
 J Cutan Pathol 19:472-82

Prasad, M.L., Osborne, M.P. and Hoda, S.A. (1998)
 Observations on the histopathologic diagnosis of microinvasive carcinoma of the breast.
 Anat Pathol 3:209-32

Priester, W.A. (1979)
 Occurrence of mammary neoplasms in bitches in relation to breed, age, tumor type and geographical region from which reported.
 J Small Anim Pract 20:1-11

Priester, W.A. and McKay, F.W. (1980)

The occurrence of tumors in domestic animals.

NCL Monograph 54, Bethesda, MD, National Cancer institute 155-174

Pulley, L.T. (1973)

Ultrastructural and Histochemical Demonstration of Myoepithelium in the Normal Canine Mammary Gland.

Am J Vet Res Vol 34 No12:1505-1512

Pulley, L.T. (1973)

Ultrastructural and Histochemical Demonstration of Myoepithelium in Mixed Tumors of the Canine Mammary Gland.

Am J Vet Res 34:1513-1522

Pulley, L.T. und Stannard, A.A. (1990)

Tumors of the skin and soft tissues.

In: Moulton, J.E. (Hersg.): Tumours in domestic animals.

Third edition. University of California Press, Berkley, Los Angeles, London, 23-87

Quinlan, R.A., Schiller ,D.L., Hatzfeld, M., Achtstätter, T., Moll, R. Jorcano, L.M., Magin, T.M. und Franke, W.WE. (1985)

Patterns of expression and organization of cytokeratin intermediate filaments.

Annals of the New York Academy of Sciences 455: 282-306

Rabanal, R.H., Fondevila, D.M., Montane, V., Domingo, M. und

Ferrer, L. (1989)

Immuncytochemical diagnosis of skin tumours of the dog with special reference to undifferentiated types.

Res.Vet Sci 47:129-133

Raymond, W.A. and Leong, A.S. (1991)

Assessment of invasion in breast lesions using antibodies to basement membrane components and myoepithelial cells.

Pathology 23:291-7

Reis-Filho, J.S. and Schmitt, F.C. (2002)

Taking advantage of Basic Research:p63 is a reliable myoepithelial and stem cell Marker.

Advances in Anatomic Pathol Vol9 No5: 280-289

Remaeckers, F.C.S., Puts, J., Moesker, O., Kant, A., Jap, P. und Vooijs, P. (1993)

Demonstration of Keratin in Human Adenocarcinomas.

American Journal of Pathology 111:213-223

Rudland, P.S. (1987)

Stem cells and the development of mammary cancers in experimental rats and humans.

Cancer Metastasis Rev 6:55-83

Rudolph, R. (1999)

Persönliche Mitteilung

Rüsse, F. und Sinowatz, F. (1991)

Die Milchdrüse.

In: Russe, F. und Sinowatz, F.. Lehrbuch der Embryologie der Haustiere. Paul Parey Verlag, Berlin und Hamburg, 403-406

Rutteman, G.R., Wilekes-Koolschijn, N. and Bevers, M.M. (1986)

Prolactin binding in benign and malignant mammary tissue of female dogs.

Anticancer Res 9:829-835

Rutteman, G.R., Cornelisse, C.J., Dijkshoorn, N.J. (1988)

Flow cytometric analysis of DNA ploidy in canine mammary tumors.

Cancer Res 48:3411-3417

Rutteman, G. R., Misdorp, W. and Blanckenstein, M.A.(1988)

Estrogen (ER) and Progestin receptors (PR) in mammary tissue of female dog: different receptor profile in non-malignant and malignant states.

Br J Cancer 58:594-599

Rutteman, G.R., Misdorp, W., Van den Brom, W.E., et al. (1989)

Anterior Pituary function in female dogs with mammary tumors I: Growth hormon.

Anticancer Res 9:235-240

Rutteman, G.R. (1990)

Hormones and mammary tumor disease in the female dog: an update.

In Vivo 4:33-40

Rutteman, G.R. (1992)

Contraceptive steroids and the mammary gland: is there a hazard? Insights from animal studies.

Breast Cancer Res Treat 23: 29-41

- Rutteman, G.R., Misdorp, W. (1993)
Hormonal background of canine and feline mammary tumors.
J Reprod Fertil Suppl 47:483-487
- Rutteman, G.R. (2000)
Mammatumoren.
in: Kessler, M.. Kleintieronkologie, Diagnose und Therapie von Tumorerkrankungen bei Hunden und Katzen. Parey Buchverlag Berlin,
261-272
- Rutteman, G.R., Withrow, J.S. und MacEwen, E.G. (2001)
Tumors of the mammary gland.
in: Withrow, J.S. und MacEwen, E.G.. Small Animal clinical Oncology. 3rd Edition, W.B. Saunders Company, 455-477
- Sandersleben, J. von (1959)
Beitrag zur Frage der Malignität der Mammatumoren des Hundes.
Monatshefte für Tierheilkunde 11:191-198
- Sandersleben, J. von (1967)
Die epithelialen Geschwülste der Haut bei den Haussäugetieren unter besonderer Berücksichtigung der benignen Epitheliome.
Berl Münch Tierärztl Wochenschrift 80, 285-289
- Sandersleben, J. von (1964)
Gutartige epitheliale Neubildungen in der Haut des Hundes.
Zentralbl Veterinärmed Reihe A 11:702-728
- Sandersleben, J. von (1989)
Epitheliale Geschwülste.
In: Sandersleben, J. von, Dämmerich, K. und Dahme, E.: Pathologische Histologie der Haustiere.
Gustav Fischer Verlag. Stuttgart, New York, 59-60
- Sandunsky, G., Wightman, K. and Carlton, W. (1991)
Immuncytocchemical study of tissues from clinically normal dogs and neoplasms, using keratin monoclonal antibodies.
Am J Vet Res 52:613-618

- Sapino, A.P., Schürich, H.P. und Gabiani, G. (1990)
Differentiation repertoire of fibroplastic cells: Expression of cytoskeletal proteins and markers of phenotypic modulations.
Lab invest 63:144-61
- Sapino, A, Macri, L., Tonda, L. and Busolatti, G. (1993)
Oxytocin enhances myoepithelial cell differentiation and proliferation in the mouse mammary gland.
Endocrinology 133:838-42
- Sautet, J.Y., Ruberte, J., Lopez, C., Gine, J.M., Ordonez, G. and Cingia, A. (1992)
Lymphatic System of the Mammary Glands in the Dog: An Approach to the Surgical Treatment of malignant mammary tumors.
Canine Practice Vol 17 No2:30-33
- Schäfer, E. (1967)
Histologische Klassifizierung epithelialer Hauttumoren bei Hund und Katze.
Disse vet med, München
- Schiller, D.L., Franke, W.W. und Geiger, B. (1982)
A subfamily of relatively large and basic cytokeratin polypeptides as defined by peptide mapping is represented by one or several polypeptides in epithelial cells.
European Molecular Biology Organization Journal 1: 761-769
- Schlegel, R., Banks-Schlegel, S., McLeod; J.A. and Pinkus, G.S. (1980a)
Immunoperoxidase localization of keratin in human neoplasms.
Am J Pathol 110:41-49
- Schliwa, M. (1986)
The cytoskeleton. An introductory survey.
Vol.13, Cell Biol. Monographs. Berlin: Springer Verlag
- Schneider, R., Dorn,C.R. and Taylor, D.O.N. (1969)
Factors influencing canine development and postsurgical survival.
J Natl Cancer Inst 43:1279-1261
- Schneider, R. (1970)
Comparison of age, sex and incidence rates in humans and canine breast cancer.
Cancer 26, 419-426

Schneider, A.C. (2002)
 Immunhistochemische Untersuchungen an Hautanhängstumoren beim Hund unter Berücksichtigung der Novellierung der WHO-Klassifikation.
 Disse vet med, München

Schnorr, B. (1996)
 Entwicklung der Haut und Hautorgane.
 in:Schnorr B.. Embryologie der Haustiere. 3.Auflage, Ferdinand Enke Verlag,
 Stuttgart, 102-108

Schoepe, C. (2001)
 Die Charakterisierung des caninen Basalzelltumors.
 Disse vet med, Berlin

Scott, D.W., Miller, W.H.und Griffin, C.E. (1995)
 Structure and function of the skin (1).
 Neoplastic and non-neoplastic tumours (19).
 In:Miller's and Kirk's small animal dermatology. Fifth edition. Saunders Company,
 Philadelphia, London, Toronto, Montreal, Sedney, Tokyo, 1-54, 990-1126

Sedlmeier, H. und Weiss, E. (1963)
 Zur Beurteilung der Hauttumoren von Hund und Katze.
 Berl Münch Tierärztl Wochenschrift 76:181-185

Sedlmeier, H., Weiss, E. und Schäfer, E. (1967)
 Die histologische Klassifizierung der Basalzellkarzinome der Haut des Hundes und der Katze.
 Dtsch Tierärztl Wochenschr 74:176-178

Sekhri, K.K. and Faulkin, L.J. (1970)
 Mammary gland.
 In: Andersen, A.C., Good , L.S.. The beagle as an experimental dog. IWO State University
 Press, Ames, Iwo, U.S.A., 327-349

Selmann, P., Mol, J. (1994)
 Progestin induced growth-hormon excess in the dog originates in the mammary gland.
 Endocrinology 134:287-292

Senzaki, H., Tsubura, A., Shoji, T., Okada, H., Takahashi, H. and Morii, S. (1992)
 Immunhistochemical detection of keratin, actin and typ-IV collagen in serial sections of methacarn-fixed breast cancer tissues.
 Acta Histochem Cytochem 25:31-8

- Shi, S.-R, Key, M.E. und Kalra, K.L. (1991)
Antigen retrieval in formalin-fixed, paraffin-embedded tissues:an enhancement method for immunohistochemical staining based on microwave oven of tissue sections.
J Histochem Cytochem 39:741-748
- Silver, I.A. (1966)
Symposium on Mammary Neoplasia in the Dog and Cat-I. The Anatomy of the Mammary Gland of the dog and the Cat.
J small Anim Pract 7:689-696
- Sinowatz, S. and Wrobel, K. (1980)
On the ultrastructure of the canine mammary gland during pregnancy and lactation.
J Anat 131:321-323
- Smith, C.A., Monaghan, P. and Neville, A.M. (1984)
Basal clear cells of the normal human breast.
Virchows Archiv 402:319-24
- Smith, G.H. (2002)
Mammary cancer and epithelial stem cells: a problem or a solution?
Breast Cancer Res 4(2):47-50
- Smollich, A. und Michel, G. (1992)
Milchdrüse.
in: Smollich A. und Michel, G.. *Mikroskopische Anatomie der Haustiere*. 2.Auflage, VEB Gustav Fischer Verlag, Jena, 336-354
- Soloff. M.S., Chakraborty and J., Saghuhan, P. (1980)
Purification and characterisation of mammary myoepithelial and secretory cells from the lactating rat.
Endocrinology 106 (3):887-97.
- Sonnenberg, A., Daams, H., Van, D.V. et al. (1986)
Development of the mouse mammary gland: identification of stages in differentiation of luminal and myoepithelial cells using monoclonal Antibodies and polyvalent antiserum against keratin.
J histochem Cytochem 34:1037-46
- Sorenmo, K. (2003)
Canine mammary gland tumors.
Vet Clin North Am Small Anim Pract 33:573-596

- Sorenson, S., Asch, ., Conolly, J., Burstein, N. and Asch, H. (1987)
 Structural distinctions among human breast epithelial cells revealed by the monoclonal antikeratin antibodies AE1 and AE3.
J Pathol 153 (2):151-162
- Stalker, L.K. and Schlotthauer, C.F. (1936)
Neoplasms of the Mammary Gland in the Dog. The Surgical Treatment of Mammary Tumors. Report on two Cases and Study of the lymphatic Drainage of the Mammary Glands.
North American Veterinarian 17:33-43
- Steinert, P.M., Steven, A.C. und Roop, D.R. (1985)
 The molecular biology of the intermediate filaments.
Cell 42:411-419
- Sternlicht, M.D., Kedeshian, P., Shao, Z.M., Safarians, S.,
 Barsky, S.H. (1997)
 The human myoepithelial cells is a natural tumor suppressor.
Clin Cancer Res 3:1949-56
- Stingl, J., Eaves, C.J., Kuusk, U. and Merman, J.T. (1998)
 Phenotypic and functional characterization in vitro of a multipotent epithelial cell present in the normal adult human breast.
Differentiation 63(4):201-13
- Stingl, J., Eaves, C.J., Zandieh, I. and Merman, J.T. (2001)
 Characterization of bipotent mammary epithelial progenitor cells in normal adult human breast tissue.
Breast Cancer Res Treat 67(2):93-109
- Stingl, J., Emerman, J.T and Eaves, C.J. (2005)
 Enzymatic dissociation and culture of normal human mammary tissue to detect progenitor activity.
Methods Mol Biol 290:249-63
- Stockhaus, C., Kohn, B., Rudolph, R., Brunnberg und Giger, U. (1999)
 Correlation of haemostatic abnormalities with tumour stage and characteristics in dogs with mammary carcinoma.
J small Anim Pract 40: 326-331
- Stossel, T.P. (1993)
 On the crawling of animal cells.
Science 260: 1086-1094

Strafuss, A.C. (1976)

Basal Cell Tumors in Dogs.

J Am Vet Med Assoc 169, 322-324

Strange, R., Friis, R. (1995)

Programmed cell death during mammary gland involution.

Methods Cell Biol 46:355-368

Stünzi, H. und Weiss, E. (1990)

Zytoskelett.

in: Stünzi, H. und Weiss, E.. Allgemeine Pathologie für Tierärzte und Studierende der Tiermedizin. 8.Auflage, Paul Parey Verlag, Berlin und Hamburg

Sturm, J.M., Hillman, E.A. (1981)

Human breast epithelium in organ culture: effect of hormones on growth and morphology.

In vitro 17(1):33-43

Sun, T.-T. and Green, H. (1978a)

Immunfluorescent staining of keratin fibers in cultured cells.

Cell 14:469-476

Sun, T.-T., Shih, C.H. and Green, H. (1979)

Keratin cytoskeletons in epithelial cells of internal organs.

Proc Nat Acad Sci USA 76: 2813-2817

Sun, T.-T., Eichner, R., Schermer, A., Cooper, D., Nelson, W.G. and

Weiss, R.A. (1984)

Classification, expression, and possible mechanisms of evolution of mammalian epithelial keratins: a unifying model.

Cancer 1:169-176

Susaneck, S.J., Allen, T.A. and Hoopes, J. (1983)

Inflammatory mammary carcinoma in the dog.

J Am Anim Hosp Assoc 19:971-976

Susaneck, S.J. und Withrow, S.J. (1989)

Tumors of the skin and subcutaneous tissues.

In:Withrow, J.S.(Hersg.): Clinical Veterinary Oncology, 139-149

Suter, M.M., Wilkinson, J.E., Greenberger, L.J., Smith C.A., und Lewis, R.M. (1987)

Monoclonal antibodies: cell surface markers for keratinocytes.

Am J Vet Res 48:1367-1371

- Tateyama, S. und Cotchin, E. (1977)
 Alkaline Phosphatase reaction of the canine mammary mixed tumours: a light and electron microscopic study.
Res Vet Sci.:23:356-364
- Taylor, G.N., Shabestrai, L. and Wilams, J. (1976)
 Mammary neoplasia in a closed beagle colony.
Cancer Res 36:2740-2743
- Theilen, G.H. and Madewell, B.R. (1987)
 Tumors of the mammary gland.
 In: Theilen, G.H., Madewell, B.R.. Veterinary cancer medicine. 2nd Edition, Lea & Febiger, Philadelphia: 327-344
- Thomas, R.C., and Fox, L.E. (2002)
 Tumors of the skin and subcutis.
 In: Morrison, W.B.(Hersg.): Cancer in dogs and cats-Medical and surgery treatment. Second edition.Teton NewMedia, Jackson, Wyoming, 489-510
- Thoon, H., Broekaert, D., Coucke, P., Maenhout, T. und Hoorens, J. (1990)
 Expression of cytokeratins in epithelial tumours of the dog investigated with monoclonal antibodies.
Schweiz Arch Tierheilk 132:477
- Traub, P. and Shoeman, R.L. (1994)
 Intermediate filaments proteins: cytoskeletal elements with a gene-regulatory function?
International Review of cytology 154:1-103
- Tsubura, A., Okada, H., Hatano, T. and Morii, S. (1991)
 Keratinexpression in the normal breast and in breast carcinoma.
Histopathology 18:517-22
- Tsukada, T., Tippens, D., Gordon, D., Ross, R. und Gown, A. (1987)
 HHF35, a muscle-actin specific monoclonal antibody. I.Immuncytochemical and biochemical characterization.
Amer J Pathol 126:51
- Turner, C.W. (1939)
 Comparative Anatomy of the Mammary Glands.
 Columbia, Mo., University Coop Store

Überreiter, O. (1966)

Effect of pregnancy on the occurrence of mammary tumors in the bitch.

Berl Münch Tierärztl Wschr 79:451-456

Vail, D.M. und Withrow, J.S. (2001)

Tumours of the Skin and Subcutaneus Tissues.

In: Withrow, J.S. und MacEwen, E.G.: Small Animal Clinical Oncology.

Third edition. W.B. Saunders Company, Philadelphia, london, New York, St.Louis, Sydney, Toronto, 243-245

Vivaca, O.P., Naccareto, A.G., Collecchi, P., Menard, S., Castronovo, V. and Bevilacqua, G. (1997)

The Spectrum of 67-kD laminin receptor expression in breast carcinoma expression.

J Pathol 182:36-44

Vos, J.H., van den Ingh, T.S.G.A.M., Misdorp, W., Ramaekers, van Mil, F.N. und Neijs de , M. (1989a)

Keratin staining of canine epithelial tissue by a polyclonal antiserum.

J Vet Med. A 36:374-385

Vos, J.H., van den Ingh, T.S.G.A.M., Misdorp, W., Ramaekers, van Mil, F.N. und Neijs de, M. (1989b)

An immunhistochemical study of canine tissues with vimentin, desmin, glial fibrillary acidic protein and neurofilament antisera.

J Vet Med A 39:721-740

Vos, J.H., van den Ingh, T.S.G.A.M., Misdorp, W., Molenbeek, R.F.,Mil van, F.N., Ivanyi,D. und Remaekers, F.C.S. (1993a)

Immunhistochemistry with Keratin, Vimentin, Desmin and Alpha-Smooth-Muscle-Actin Monoclonal Anibodies in Canine Mammary Gland: Benign Mammary Tumours and Duct Ectasias.

Vet Q 14:89-95

Vos, J.H., van den Ingh, T.S.G.A.M., Misdorp, W., Molenbeek, R.F.Mil van, F.N., Rutteman, G.R. Ivanyi,D. und Remaekers, F.C.S. (1993b)

Immunhistochemistry With Keratin, Vimentin, Desmin and Alpha-Smooth-Muscle-Actin Monoclonal Anibodies in Canine Mammary Gland: Malignant Mammary Tumors.

Vet Q 14:96-102

Vos, J.H., van den Ingh, T.S.G.A.M., Misdorp, W., Molenbeek, R.F.Mil van, F.N., Rutteman, G.R. Ivanyi,D. und Remaekers, F.C.S. (1993c)
 Immunhistochemistry With Keratin, Vimentin, Desmin and Alpha-Smooth-Muscle-Actin
 Monoclonal Anibodies in Canine Mammary Gland: Normal Mammary Tissue.
 Vet Q 14:102-107

Walter, J.H. (1995)
 Biochemische und immunhistochemische Charakterisierung von Zytokeratinen in normalen und neoplastischen caninen Mammagewebe.
 Eur J Vet Pathol (3):105-111

Walter, J.H., Gutberlet,K., Schwegeler, K. und Rudolph, R. (1997)
 Vorkommen und Häufigkeiten caniner Neoplasien im Sektionsgut.
 Kleintierpraxis 42, Heft 4:269-356

Walter, J.H. (1998)
 Epikrise epithelialer Neoplasien beim Hund. Epidemiologische, biochemische und immunhistochemische Untersuchungen.
 (CD-Rom Version). Habilitationsschrift, Inst. Vet.-Pathol. FU-Berlin.

Walter, J.H. (1999)
 Persönliche Mitteilung

Walter, J.H. (2003)
 Histomorphology and Mechanisms of Carcinogenicity Effects of the Mammary Gland in Dogs.
 ESTP Riews I-ESTPO-TIHo Seminar on November 20-22, 2003

Wargotz, E.S., Weiss, S.W. und Norris, H.J. (1987)
 Myofibroblastoma of the breast.
 Am J Surg Pathol 11:493-502

Weber, K. und Geisler, N. (1985)
 Intermediate filaments: strucual conservation and divergence.
 Annals of the New York Acadamy of Scienes 455:126-143

Weber, K. und Osborn, M. (1986)
 Die Moleküle des Zytoskeletts.
 In: Die Moleküle des Lebens , edited by P.Sitte. Heidelberg: Spektrum der Wissenschaft

Wehrend, A., Trasch, K., Marquardt, C. und Bostedt, H. (2003)
 Früherkennung und präoperative Dignitätseinschätzung.
 Kleintier Konkret 2:14-17

Weiss, E. und Frese, K. (1974)
 VII. Tumors of the skin.
 In: Beveridge, W.I.B. and Sabin, L.H.(Hersg.): International classification of tumours in domestic animals. Bull World Health Organ 50, 79-100

Weiss, E., Frese, K. und Rudolph, R. (1977)
 Klassifikation und Nomenklatur der Hauttumoren bei Haussäugetieren.
 Tierärztl Umschau 7:361-367

Weiss, E. und Karbe E. (1990)
 Geschwülste.
 In: Stünzi, H. und E. Weiss (Hersg.):Allgemeine Pathologie für Tierärzte und Studierende der Tiermedizin.
 8.Auflage, Paul Parey Verlag, Berlin und Hamburg, 317-376

Welm, B., Behbod, F., Goodell, M.A., Rosen, J.M. (2003)
 Isolation and characterization of functional mammary gland stem cells.
 Cell Prolif 36Suppl 1:17-32

Wetzels, R.H.W., Holland, R., Haelst, U.J.G.M. van, Lane, E.B., Leigh, I.M. and Remaekers, F.C.S. (1989)
 Detection of basement membrane components and basal cell keratin 14 in non-invasive carcinomas and invasive carcinomas of the breast.
 Am J Pathol 134:571-9

Wetzels, R.H.W., Kuijpers, H.J.H., Lane, E.B., Leigh, I.M., Troyanovsky, S.M., Holland, R., Haelst, U.J.G.M. van und Remaekers, F.C.S. (1991)
 Basal cell-specific and hyperproliferation-related keratins in human breast cancer.
 Am J Pathol 138:751-63

Wey, N., Kohn, B., Gutberlet, K., Rudolph, R. und Brunnberg, L. (1999)
 Mammatumore bei der Hündin: klinische Verlaufsstudie (1995-1997).
 Kleintierpraxis 44, Heft 8:561-632

Whitehead, R.H., Bertonello, I. and Webber, L.M. (1983a)
 A new human breast carcinoma cell line (PMC42) with stem cell characteristics.
 I.Morphologic characterization.
 JNCI 70(4):649-661

Whitehead, R.H., Monaghan, P. and Webber, L.M. (1983b)
A new human breast carcinoma cell line (PMC42) with stem cell characteristics.
II.Characterization of cell growing as organoids.
JNCI 71(6):1193-1203

Wiesner, E. und Ribeck, R. (2000)
Lexikon der Veterinärmedizin.
4.Auflage, Enke im Hippokrates Verlag GMBH, Stuttgart

Willbrand, D., Bosman, F.T. and DeGoeij, A.F.P.M. (1986)
Patterns of basement membrane deposition in benign and malignant breast tumors.
Histopathology 10:1231- 41

Yamagami, T., Kobayashi, T. and Takahashi ,K. (1996)
Influence of ovariohysterektomie at the time of mastectomie on the prognosis for canine
malignant mammary tumors.
J Small Anim Pract 37:462-464

Yang, A., Kaghad, M., Wang, Y., Gillet, E., Fleming, M.D. and Dötsch, V. (1998)
p63 is a p53 homolog at 3q27-29, encodes multiple products with transactivating, death-
inducing and dominant-negative activities.
Moll Cell 2:305-16

Yang, A. and McKeon, F. (2000)
p63 und p73:p53 mimics, menaces and more.
Nature Rev Mol Cell Biol 86:684-9

Yaziji, H., Gown, A. M. und Sneige, N. (2000)
Detection of Stromal Invasion in Breast Cancer: The Myoepithelial Markers.
Advances in anatomic Pathology Vol 7 No2 : 100-109

Zavizion, B., Politis, I. and Gorewit, R.C. (1992)
Bovine mammary myoepithelial cells. Isolation, culture and characterization.
J Dairy Sci 75(12):3367-80