

6 Literaturverzeichnis

1. ABELER,V.M, TROPÉ CG.: Early stage ovarian carcinoma--diagnosis and treatment. Tisskr Nor Laegeforen 2000;120 (4):476-8
2. AUER, G.: In: DNA-A Clinical Parameter; Becton Dickinson Immunocytometry Systems. Erembodegem-Aalst, 1990, Belgien
3. AUER ET AL., BAAK J.P.A.: In: manual of quantitative pathology in cancer diagnosis and prognosis. Springer Verlag Berlin Heidelberg New York 1991:224-225
4. AUER, G.: Vortrag 1; Bedeutung der DNA-Messung. Zytologietagung; 1992, Bad Segeberg
5. AURANEN, A., GRÉNMAN, S., MÄKINEN, J., PUKKALA, E., SANKILA, R., SALMI, T., Borderline ovarian tumors in Finland.: Epidemiology and family occurrence. Am J Epidemiol 1996;6:548-553
6. AURE, J., HOEG, K., KOLSTAD, P.: Clinical and histological studies of ovarian carcinoma: long-term follow-up of 990 cases. Obstet Gynecol 1971;37:1-9
7. AVERETTE, H.E.: Ovarian Cancer-1996. Journal of Surgical Oncology 1996;62:237-238
8. BAAK, J.P.A., LINDEMANN, J., OVERDIEP, S.H., LANGLEY, F.A.: Disagreement of histopathological diagnoses of different pathologists in ovarian tumors - with some theoretical considerations. Europ J Obstet Gynecol Biol 1982;13:51-55
9. BAAK, JPA, LANGLEY, FA., TALERMANN, A., DELEMARRE, JFM. Interpathologist and intrapathologist disagreement in ovarian tumor grading and typing. Anal Quant Cytol Histol 1984;8:354-357
- 10.BAAK, J.P.A.: Quantitative Pathology In: Surgical Gynecologic oncology Edited by Burghardt Georg Thieme Verlag Stuttgart New York 1993:452-454
- 11.BAHR, G.F., BARTELS, P.H., DYTCH, H.E., Koss, L.G., WIED, G.L.: Image Analysis and Its Applications to Cytology. In: Koss, L.G. (Hrsg.), Diagnostic Cytology and its Histopathologic Basis, Vol. 2, J.B. Lippincott Company, Philadelphia 1992:1572-1612
- 12.BAUER, T.W., TUBBS, R.R., EDINGER, M.G., SUIT, P.F., GEPHARDT, G.N., LEVIN, H.S. A prospective comparison of DNA quantitation by image analysis and flow cytometry. Am. J. Clin. Pathol 1990;93:322-326
- 13.BELL, D.A., SCULLY, R.E.: Ovarian serous borderline tumors with stromal microinvasion: A report of 21 cases. Human Pathol 1990; 21:397-403

- 14.BERRYMAN, I.L., HARVEY, J.M., STERRETT, G.F. PAPDIMITRIOU, J.M.: The nuclear DNA content of human breast carcinoma. *Anal Quant Cytol Histol* 1987;9:429-434
- 15.BERTINO, B., KNAPE, W.A., PYTLINSKA, M., STRAUSS, K., HAMMOU, J.-C.: A comparative study of DNA content as measured by flow cytometry and image analysis in 1864 specimens. *Anal Cell Pathol* 1994;6:377-394
- 16.BIBBO, M., BARTELS, P.H., DYTCH, H.E., WIED, G.L.:Cell Image Analysis. In: Bibbo (Hrsg.), *Comprehensive Cyopathologie*, W.B. Saunders Company, Philadelphia 1991:965-983
- 17.BÖCKING A., ADLER C.- P., COMMON H., GRANZEN B., AUFFERMANN W.: Algorithm for a DNA-Cytophotometric Diagnosis and Grading of Malignancy. *Analytical and Quantitative Cytology* 1984;6:1-8
- 18.BÖCKING, A.: DNA-Zytometrie und Automation in der klinischen Diagnostik: In: Beiträge zur Onkologie Karger, Basel 1990, Band 38; S. 298-347
- 19.BÖCKING, A.: Abklärung plattenepithelialer Dysplasien mittels DNA-Bildzytometrie. *Deutsches Ärzteblatt* 1998;95:Heft 12:504-508
- 20.BÖCKING, A., CHATELAIN, R.: Diagnostic and prognostic value of DNA Cytometry; *Gynecologic Cytology*. *Anal Quant Cytol Histol.* 1989;11(3):177-186
- 21.BÖHM, N., SANDRITTER, W.: DNA in Human Tumors: A Cytophotometric Study *Curr Top Pathol* 1975;60:151-219
- 22.BORTZ, J. : Statistik; Für Sozialwissenschaftler; Springer Lehrbuch. 1999:5:585-605,620
- 23.BRALY, P.: DNA content and S-Phase Fraction in Epithelial Ovarian Cancer: What information do they really add? *Gynecologic Oncology* 1998;1-2:71
- 24.BRESCIA, R.J., BARAKAT, R.A., BELLER,U., FREDERICKSON, G., SUHRLAND, M.J., DUBIN, N., DEMOPOULOS, R.I.: The prognostic significance of nuclear DNA-content in malignant epithelial tumors of the ovary. *Cancer* 1990;65:141-147
- 25.BÜHL, A., ZÖFEL,P.: SPSS für Windows Version 6 Praxisorientierte Einführung in die moderne Datenanalyse 1994:1. Auflage:337-345
- 26.BURCK, H.C., In: *Histologische Technik*, Thieme Verlag 1988:6:146-148
- 27.BURGER, G., OBERHOLZER, M., GÖSSNER, W.: In: *Morphometrie in der Zyt- und Histopathologie*, Springer-Verlag Berlin Heidelberg 1988:1-63

- 28.BURGHARDT, E.: Arbeitsgemeinschaft für Gynäkologische Onkologie der österreichischen Gesellschaft für Gynäkologie und Geburtshilfe. In: Manual der Gynäkologischen Onkologie. Springer-Verlag Wien New York, 1993:77-81
- 29.BURKS, R.T., SHERMAN, M.E., KURMAN, R.J.: Micropapillary Serous Carcinoma of the Ovary. A Distinctive Low-grade Carcinoma Related to Serous Borderline Tumors. Am J Surg Pathol 1996;20(11):1319-1330
- 30.CASPERSSON, T.: Die quantitative Bestimmung von Thymonucleinsäure mittels fuchsinschwefliger Säure. Biochem Z. 1932;253:97-111
- 31.COHEN, C.: Image Cytometric Analysis in Pathology : Hum. Pathol. 1996;27:482-493
- 32.COLGAN T.J., NORRIS, H.J.: Ovarian epithelial tumors of low malignant potential: a review. Int J Gynecol Pathol 1983;1:367-382
- 33.CZERNOBILSKY, B., KURMANN J. R.: In: Blaustein's Pathology of the Female Genital Tract. Springer Verlag New York Berlin Heidelberg 1988: Third Edition: 560-596
- 34.DALY, M.;G., OBRAMS I.:Epidemiology and Risk Assessment for Ovarian Cancer. Seminars in Oncology 1998 Vol 25, No 3 (June), 255-264
- 35.DANQUE P.O.V., CHEN H.-B., PATIL J., JAGIRDAR J., ORSATTI G., PARONETTO F.: Image analysis versus Flow Cytometry for DNA Ploidy quantitation of solid tumors: A comparison of six methods of sample preparation. Mod Pathol. 1993;6(3):270-275
- 36.DIEHL, J. M., STAUFENBIEL, T.: Statistik mit SPSS für Windows Version 6,1 Verlag: Dietmar Klotz, Eschborn 1997:389-417
- 37.DIETEL, M., BODECKER, R., ARPS, H., BAHNSEN, J., HÖLZEL, F. Borderline- Tumoren des Ovars Geburtsh. und Frauenheilk. 1985;45:213-219
- 38.DIETEL, M., HAUPTMANN : Die neue WHO-Klassifikation der Ovarialtumoren: Darstellung und Kommentar. Geburtshilfe und Frauenheilkunde 2000;4:1-6
- 39.Dilaver, Demirel ; Rodolfo, Laucirica ; Amiram, Fishmann : Ovarian Tumors of Low Malignant Potential; Correlation of DNA Index and S-Phase Fraction with Histologic Grade and Clinical Outcome. American Cancer Society 1996:1494-1500
- 40.DONHUIJSEN, K., Histologisches Malignitätsgrading Ärzteblatt 1998;39:1710-1714
- 41.DRESCHER, C.W.; FLINT, A.: HOPKINS, M.P.; ROBERTS, J.A.: Prognostic Significance of DNA Content and Nuclear Morphology in Borderline Ovarian Tumors. Gynecologic Oncology 1993;48:242-246

- 42.EICHHORN, J.H., BELL, D.A., YOUNG, R.H., SCULLY, R.E.: Ovarian Serous Borderline Tumors with Micropapillary and Cribriform Patterns. Am J Surg Pathol 1999;23(4):397-409
- 43.ERHARD, K., AUER, G., BJÖRKHOLM, E., FORSSLUND, G., MOBERGER, B., SILVERSWÄRD, C., WICKSELL, G., ZETTERBERG, A.: Combined morphologic and cytochemical grading of serous ovarian tumors. Am J Obstet Gynecol 1985;151:356-61
- 44.ESPOSITO M.J., Fuchs A.: Computerized Image Analysis and Flow Cytometric Evaluation of Ovarian Borderline Tumors: A Study of 24 Cases. Cytometry 1994;18:218-222
- 45.EVANS, M.P., WEBB, M.J., GAFFEY, T.A., KATZMANN, J.A., SUMAN, V.J., Hu, T.H.: DNA Ploidy of Ovarian Granulosa Cell Tumors. Cancer 1995;75:2295-2306
- 46.FEULGEN, R., ROSENBECK, H.: Mikroskopisch-chemischer Nachweis einer Aminosäure und die darauf beruhende elektive Färbung von Zellkernen in mikroskopischen Präparaten. Hoppe-Seylers Z. physiolog. Chem. 1924;135: 203-248
- 47.Fox H.: Histopathology In: Surgical Gynecologic Oncology; Edited by Burghardt, Georg Thieme Verlag Stuttgart, New York 1993:432-435
- 48.Fox, H.: Pathology of Early Malignant Change in the Ovary. International Journal of Gynecological Pathology 1993;12:153-155
- 49.FRIEDLANDER, M.L., HEADLEY, D.W., TAYLOR I.W.: Clinical and biological significance of aneuploidy in human tumors. J. Clin. Pathol. 37: 1984:961-974
- 50.FRIEDLANDER, M.L.: Prognostic Factors in Ovarian Cancer. Seminars in Oncology 1998:Vol 25, No. 3 (June):305-314
- 51.FU, Y.S.; HALL, T.L.: DNA ploidy measurements in tissue sections. Anal Quant Cytol 1985;7:90-95
- 52.GERLACH, D., In: Botanische Mikrotechnik; Thieme Verlag 1984;3. Auflage:134-141
- 53.GERSHENSON, D.M.: Contemporary treatment of borderline ovarian tumors. Cancer Invest 1999;17(3):06-10
- 54.GHALI, VS., LIAU, S., TEPLITZ, K., PRUDENTE, R.: A comparative study of DNA ploidy in 115 fresh-frozen breast carcinomas by image analysis versus flow cytometry. Cancer 1992;70:2668-2672

- 55.GIROUD, F., HAROSKE, G., REITH, A., BÖCKING, A., 1997 ESACP consensus report on diagnostic DNA image cytometry. Part II: Specific recommendations for quality assurance. *Anal Cell Path* 1998;17:201-208
- 56.GREENE, M.H., BOICE, J.D., GREER, B.E., BLESSING, J.A., DEMBO, A.J.: Acute nonlymphocytic leukemia after therapy with alkylating agents for ovarian cancer. *N Engl J Med* 1982;307:1416-21
- 57.GRIFFITHS, A.P., CROSS, D., KINGSTON, R.E., HARKIN, P., WELLS, M., QUIRKE, P.: Flow cytometry and AgNORs in benign, borderline, and malignant mucinous and serous tumors of the ovary. *International Journal of Gynecological Pathology* 1993;12:307-314
- 58.GSCHWENDTNER, A., MARINGER, T.: How thick is your section? The influence of section thickness on DNA-cytometry on histological sections. *Analytical Cellular Pathology* 1995;9:29-37
- 59.GUERRIERI, C, HÖGBERG, T., WINGREN, S., FRISTEDT, S., SIMONSEN, E., BOERYD, B.: Mucinous borderline and malignant tumors of the ovary. *Cancer* 1994;74:2329-40
- 60.GUGGENMOOS-HOLZMANN, I., WERNECKE, K.D.: In: *Medizinische Statistik* Blackwell Wissenschafts-Verlag Berlin Wien1996:S:56-59
- 61.HARMER, M. (editor): International Union Against Cancer: *TNM Classifikation of Malignant Tumors* Springer-Verlag, Berlin, 1978 Third edition
- 62.HAROSKE, G., GIROUD, F., REITH, A., BÖCKING, A., 1997. ESACP consensus report on diagnostic DNA-image cytometry . Part I: Bais considerations and recommendations for preparation, measurement and interpretation. *Anal Cell Path* 1998;17:189-200
- 63.HART, W.R, NORIS, HJ.: Borderline and malignant tumors of the ovary. *Cancer* 1973;31:1031-1045
- 64.HEIM, S., MITELMAN, F.: In: *Cancer Cytogenetics*. Alan R. Liss, Inc., New York 1987:3-37
- 65.HOLZNER, J.H. ; FEIGL, W. ; KLUMPFINGER, M. ; LEIBL, W.; ULLRICH, R.; MIKUZ, G.: Histologische Tumorklassifikation, 2. Auflage, Springer Verlag Wien, New York 1994:93
- 66.IVERSEN, O.-E., SKAARLAND, E.: Ploidy assessment of benign and malignant ovarian tumors by flow cytometry. *Cancer* 1987;60:82-87
- 67.KÆRN, J.; TROPÉ, C.; KJORSTAD, KE., ABELER, V., PETTERSEN, E.O.: Cellular DNA content as a New Prognostic Tool in Patients with Borderline Tumors of the Ovary. *Gynecol Oncol* 1990;38: 452-457

- 68.KÆRN, J., WETTELAND, J., TROPÉ, C., FARRANTS, G.W., JUHNG, S.-W., PETTERSEN, E. O., REITH, A., DANIELSEN, H.E.: Comparison Between Flow Cytometry and Image Cytometry in Ploidy Distribution Assessments in Gynecologic Cancer. *Cytometry* 1991;13:314-321
- 69.KÆRN, J., TROPÉ, C.G.; ABELER, V.M.: A retrospective study of 370 borderline tumors of the ovary treated at the Norwegian Radium Hospital from 1970-1982. A review of clinicopathologic features and treatment modalities. *Cancer* 1993;71:1810-1820
- 70.KAUFMANN, M., VON MINCKWITZ, G., KÜHN, W., SCHMID, H., COSTA, S., GOERTTLER, K., BASTERT, G. Combination of new biological parameters as a prognostic index in epithelial ovarian carcinoma. *Int J Gynecol Cancer* 1995;5:49-55
- 71.KENNEDY, A.W., HART, W.R.: Ovarian papillary serous tumors of low malignant potential (serous borderline tumors). A long-term follow-up study, including patients with microinvasion, lymph node metastasis, and transformation to invasive seous carcinoma. *Cancer* 1996;78:278-286
- 72.Koos, LEOPOLD G.: In: Diagnostic Cytology and Its Histopathologic Bases 1992 J.B. Lippincott Company, Volume 1; Forth Edition;
- 73.KRISTENSEN, G B., TROPÉ C.: Epithelial ovarian carcinoma. Seminar. *Lancet* 1997;349:113-17
- 74.KÜHN, W.: Diagnostische und therapeutische Probleme bei ovariellen Borderline-Tumoren. *Zentralbl Gynakol* 1995;117:449-450
- 75.KÜHN, W., BREITBACH, G.P.: Borderlinetumore des Ovars. Ein Beitrag zur Vielfalt der Histologie, zum Ploidiebegriff und zur Therapie. *Frauenarzt* 2000;41, 11:1299-1308
- 76.KÜHN, W.; KAUFMANN, M.; FEICHTER, G.E.; RUMMEL, H.; SCHMID, H.; HEBERLING, D.: DNA Flow Cytometry, clinical and morphological parameters as prognostic factors for advanced malignant and borderline ovarian tumors. *Gynecologic Oncology* 1989;33:360-367
- 77.KÜHN, W., PICKARTZ, H.: Klinische Pathologie des weiblichen Genitale. In: Wissenschaftliche Verlagsgesellschaft mbH Stuttgart 2001, 88-92, 213-239
- 78.KÜHN, W., RUHNKE, M.: Komplette intraperitoneale spontane Remission eines ovariellen Borderlinetumors Stadium III c (pelvine Lymphknotenimplantate und Residualtumor >2cm). *Geburtsh und Frauenheilk* 1998;58:204-207
- 79.KURMANN, R. J., TRIMBLE, C.L.: The Behavoir of Serous Tumors of Low Malignant Potential: Are They Ever Malignant? *International Journal of Gynecological Pathology* 1993;12:120-126

- 80.KURMANN, R.J.; RUSSEL, P.: Surface Epithelial-Stromal Tumors of the Ovary. In: Blaustein's Pathology of the Female Genital Tract, Fourth Edition, Springer-Verlag New York Berlin Heidelberg London:1994:705-782
- 81.LAI, CHYONG-HUEY, HSUEH, SWEI, TSAO, KUO-CHIEN, CHEN HSIU-MEI: DNA Aneuploidy in Benign Tumors and Normal Tissues of the Female Genital Trakt. International Journal of Gynecological Pathology, 1996:15:63-68
- 82.LEAKE, J.F., CURRIE, J.L., ROSENHEIN, N.B., WOODRUFF, J.D., Long-term follow-up of serous ovarian tumors of low malignant potential. Gynecol Oncol 1992:47:150-158
- 83.LEAKE, J.F., RADER, J.S., WOODRUFF, J.D., ROSENSHEIN, N.B.: Retroperitoneal lymphatic involvement with epithelial ovarian tumors of low malignant potential. Gynecol Oncol 1991:42:124-130
- 84.LIM-TAN, S.K., CAJIGAS, H.E., SCULLY, R.E.: Ovarian cystectomy for serous borderline tumors: A follow-up study of 35 cases. Obstet Gynecol 1988:72:775-780
- 85LINK, C.J., REED, E., SAROSY, G., KOHN, E.C.: Borderline ovarian tumors. Am J Med 1996:101:217-225
- 86.MARTIUS, G., BRECKWOLDT, M., PFLEIDERER, A.: In: Lehrbuch der Gynäkologie und Geburtshilfe. Georg Thieme Verlag Stuttgart 1996:2. Auflage:526-532
- 87.MENZIN, A.W., RUBIN, S.C., NOUMOFF, J.S., LIVOLSI, V.A.: The Accuracy of a Frozen Section Diagnosis of Borderline Ovarian Malignancy. Gynecologic Oncology 1995:59:183-185
- 88.MICKEL, U.V., FISHBEIN, W.N., Bahr, G.F.: Some practical considerations in quantitative absorbance microspektrophotometrie: Preparation techniques in DNA cytophotometry. Anal. Quant. Cytol. Histol. 1985:7:107-118
- 89.MIKEL, U.V., BECKER, R.L.: A comperative study of quantitative stains for DNA in image cytometry. Anal. Quant. Cytol. Histol 1991:13:253-260
- 90.MILLER, D.M., EHLEN, T.G., AL SALEH, E.: Sucsessful term pregnancy following conservative debulking surgery for a stage IIIa serous low-malignant-potential tumor of the ovary: a case report. Gynecol Oncol 1997:66:535-538
- 91.MONTAG, A.G., JENISON, E.L., GRIFFITH, C.T., WELCH, W.R., LAVIN, PT., R.C.: Ovarian clear cell carcinoma. A clinopathologic analysis of 44 cases. Int J Gynecol Pathol 1989:8:85-96

- 92.NAVOT, D.; FOX, J.H., WILLIAMS, M., BRODMAN, M., FRIEDMAN, F., COHEN, C.J.: The concept of uterine preservation with ovarian malignancies. *Obstet Gynecol* 1991;78: 566-568
- 93.NICTOLIS DE M., MONTIRONI, R., TOMMASONI, S., VALLI, M., PISANI, E., FABRIS, G., PRAT, J.: Benign, borderline, and well-differentiated malignant intestinal mucinous tumors of the ovary: A clinopathologic, histochemical, immunohistochemical, and nuclear quantitative study of 57 cases. *International Journal of Gynecological Pathology* 1994;13:10-21
- 94.NIE, N.H., HULL, C.H., BEUTEL, P., SCHUBÖ, W.: SPSS 9 Statistik-Programm System für die Sozialwissenschaften. Eine Beschreibung der Programmversionen 8 und 9, 4.Auflage 1983;57:131-159
- 95.OBERHOLZER, M., BUSER, M., PETERLI, R.: Morphometrische Parameter. In: Morphometrie in der Zyt- und Histopathologie. Springer-Verlag Berlin 1988;7-24
- 96.PADBERG, B.-C., ARPS, H., FRANKE, U.: DNA cytophotometry and prognosis in ovarian tumors of borderline malignancy: A clinicomorphologic study of 80 cases. *Cancer* 1992;69:2510-2514
- 97.PETTERSSON, F.: Annual report on the results of treatment in gynecological cancer. Twenty-first volume. Statement of results obtained in patients 1982 to 1986, inclusive 3-5 year survival up to 1990.
- 98.PFISTERER, J. ; KOMMOSS, F.; SAUERBREI, W.: Cellular DNA Content and Survival in Advanced Ovarian Carcinoma. *Obsterics and Gynecology and the Institute of Medical Biometry and Informatics, Albert-Ludwigs-University, Freiburg , Germany* 1994: 2509- 2514
- 99.PFLEIDERER, A.: Therapy of Ovarian Malignant Germ Cell Tumors and Granulosa Tumors. *International Journal of Gynecological Pathology* 1993;12:162-165
- 100.PFLEIDERER, A.: Ovarian Cancer. In: Prognostic Factors in Cancer; UICC International Union Against Cancer, Springer 1995: 207-215
- 101.PFLEIDERER, A.; BASTERT, G.; ANTON, H.-W.; BARDENHEUER, H.J.; BRUNNERT, K.: Klinik der Frauenheilkunde und Geburtshilfe Band 12; Spezielle gynäkologische Onkologie II, in Urban & Schwarzenberg München-Wien Baltimore 1996, 3. Auflage, 4
- 102.PRAT, J.: Ovarian tumors of borderline malignancy (tumors of low malignant potential): a critical appraisal. *Adv Anat Pathol* 1999;6 (5):247-74

- 103.Raab, S.S.; Robinson, R.A., Jensen, C.S., Ozkutlu, D., O'Reilly, P.O., Savell, V.H., Thomas, P.A.: Mucinous tumors of the ovary. Interobserver diagnostic variability and utility of sectioning protocols. Arch Pathol Lab Med 1997;121:1192-1198
- 104.REICH, O., LAHOUSEN, M., PICKEL, H., WINTER, R.: Borderlinetumoren des Ovars - Darstellung eines sich entwickelnden Konzeptes. Geburtshilfe und Frauenheilkunde 1999;488-494; Georg Thieme Verlag Stuttgart New York
- 105.RELES, A. E., GEE, C.; SCHELLSCHMIDT, I.; SCHMIDER, A.; UNGER, M.; FRIEDMANN, W.; LICHTENEGGER, W.; PRESS, M.F.: Prognostic Significance of DNA Content and S-Phase Fraction in Epithelial Ovarian Carcinomas Analyzed by Image Cytometry. Gynecologic Oncology 1998;71:3-13
- 106.REMMELE, W.: Pathologie 4, Weibliches Genitale. Springer Verlag, Zweite neubearbeitete Auflage 1997:92-108
- 107.RIEDE, U.N.; SCHAEFER, H.E.; ROHRBACH, R.; MÜLLER, H.J.: Störungen der zellulären und extrazellulären Organisation. Zellpathologie. In: RIEDE, U.-N., SCHAEFER, H.E., (Hrsg.), Allgemeine und spezielle Pathologie, 3. Auflage, Thieme Verlag, Stuttgart 1993:7-49
- 108.RODENBURG, C.J., PLOEM-ZAAIJER, J.J., CORNELISSE, C.J., MESKER, W.E., HERMANS, E., HEINTZ, P.A.M.: Use of DNA Image Cytometry in Addition to Flow Cytometry for the Study of Patients with Advanced Ovarian Cancer. Cancer Research 1987;47:3938-3941
- 109.RUSSELL, P. ; BANNATYNE, P.: Introduction to mullerian epithelial and mesenchymal tumors. In: Surgical Pathology of the Ovaries. Churchill Livingstone 1996:191-252
- 110.SACHS, .L: In: Angewandte Statistik; Anwendung statistischer Methoden; Effizienz eines diagnostischen Testes. Springer 1997:84-88
- 111.SANDRITTER, W., CARL, M., RITTER, W.: Cytophotometric Measurements of the DNA content of human malignant tumors by means of the Feulgen reaction. Acta Cytol 1966;10:26-30
- 112.SCHAEBLER, D.L., RUSSEL, J., SCHILDER, YOUNG, R.C.: Gynecological malignancies. Cancer Chemotherapy and Biological Response Modifiers Annual 1996;16:564-591
- 113.SCULLY, R.E., YOUNG, R.H., FRCPATH., CLEMENT, P.B.;in: Atlas of Tumor Pathology; Tumors of the Ovary, Maldeveloped Gonads, Fallopian Tube, and Broad Ligament. Armed Forces Institute of Pathology 1998:51

- 114.SEROV, S. F.; SCULLY, R. E.: In: International Histological Classification of Tumors, No. 9 Histological Typing of Ovarian Tumors. World Health Organisation:1973:Geneva
- 115.SCULLY, R.E. (ed) : WHO: International histological classification of tumors. Histological typing of ovarian tumors., 2.ed., Springer, Berlin, Heidelberg, New York 1999, S. 12-13 in Anlage 1 (S.3-9), Anlage 2 (S. 45-48)
- 116.SILVA, E.G., KURMANN, R.J., RUSSEL P., SCULLY R.E., : Symposium: Ovarian Tumors of Borderline Malignancy. International Journal of Gynecological Pathology 1996:15:281-302
- 117.STEGNER, H.-E.: Pathologie der weiblichen Genitalorgane II DOERR, W., SEIFERT, G., UEHLINGER, E.: In: Spezielle pathologische Anatomie. Springer-Verlag Berlin Heidelberg New York 1994:75-80
118. STEINBECK, R.G; AUER, G.U., ZETTERBERG A.D.: Reliability and significance of DNA measurements in interphase nuclei and division figures in histological sections. Eur J Cancer 1999:35:787-795
- 119.SUSNIK, B., POULIN, N., PHILLIPS, D., LERICHE, J., PALCIC, B.: Comparison of DNA measurement performed by flow and image cytometry of embeded breast tissue sections. Anal. Quant. Cytol. Histol. 1995:17:163-171
- 120.SWANSON, S.A., NORRIS, H.J., KELSTEN M.L., WHEELER, J.E.: DNA-content of juvenile granulosa tumors determined by flow cytometry. Int J Gynecol Pathol 1990:9:101-109
- 121.SYDOW, P., REINKE, J.: Ovarialtumor geringer maligner Potenz (Borderline) im fertilen Alter. Geburtsh. u. Frauenheilk. 1997:57:644-646
- 122.SZAMBORSKI, J., ET AL.: Case control study of high-risk factors in ovarian cancer. Gynecol. Oncol. 1981:11:8-16
- 123.TAYLOR, HC.: Malignant and semimalignant tumors of the ovary. Surg Gynecol Obstet 1929:48:204-230
- 124.TRAVIS, L.B., HOLOWATY, E.J., BERGFELDT, K., LYNCH, C.F., KOKLER, B.A.: Risk of Leukemia after Platinum-Based Chemotherapy for Ovarian Cancer. N Engl J Med 1999:340:351-7
- 125.TRIMBLE, C. L., TRIMBLE, E.L.: Management of Epithelial Ovarian Tumors of low Malignant Potential. Gynecol. Oncol. 1994:55:52-61
- 126.TROPÉ, C., KÆRN, J.: Prognosis and management of borderline tumors of the ovary; Curr Opin Obstet Gynecol 1996:8:12-16

- 127.TROPÉ, C., KÆRN, J.: Management of borderline tumors of the ovary: state of the art. Semin Oncol 1998;25 (3):372-80
- 128.TUMORZENTRUM MÜNCHEN: Empfehlungen zur Diagnostik, Therapie und Nachsorge; Maligne Ovarialtumoren 1998:1
- 129.UNVERRICHT C.: DNA-Zytometrie an Exfoliativabstrichen dysplastischer Zervixepithelien. In: Inaugural-Dissertation 1995
- 130.WERSTO, R.P., LIBIT, R.L., KOSS, L.G.: Flow cytometric DNA analysis of human solid tumors: A review of the interpretation of DNA histograms. Hum. Pathol. 1991;22:(11):1085-1098
- 131.WIESENER, B., HAUSER-KRONBERGER, C.E., ZIPPERER, E., DIETZE, O., MENZEL, CH., HACKER, G.W.: p34^{cdc2} in invasive breast cancer: relationship to DNA content, Ki67 index and c-erbB-2 expression. Histopathology 1998;33:522-530
- 132.WILLIAMS, R.A., BAAK, J.P.A., MEIJER, A.G., CHARLTON, I.G.: Further Testing of the Value of a Measurement Protocol for DNA Ploidy Studies Using Image Cytometry. Analytical and Quantitative Cytology and Histology 1996;345-350
- 133.YAMADA, K.; TAKAGI, N.; SANDBERG, A.A.: Chromosomes and causation of human cancer and leukemia. II. Karyotypes of human solid tumors. Cancer 1966;19:(12)1879-1890
- 134.YOUNG, R.H., PEREZ-ATAYDE, A.R., SCULLY, R.E.: Ovarian Sertoli-Leydig cell tumor with retiform and heterologous components. Report of a case with hepatocytic differentiation and elevated serum alpha-fetoprotein. Am J Surg Pathol 1984;8:709-718