
7 LITERATUR

- Akins PT, McCleskey EW (1993) Characterization of potassium currents in adult rat sensory neurons and modulation by opioids and cyclic AMP. *Neuroscience* **56**:759-769.
- Amaya F, Oh-hashii K, Naruse Y, Iijima N, Ueda M, Shimosato G, Tominaga M, Tanaka Y, Tanaka M (2003) Local inflammation increases vanilloid receptor 1 expression within distinct subgroups of DRG neurons. *Brain Res* **963**:190-196.
- Amaya F, Shimosato G, Nagano M, Ueda M, Hashimoto S, Tanaka Y, Suzuki H, Tanaka M (2004) NGF and GDNF differentially regulate TRPV1 expression that contributes to development of inflammatory thermal hyperalgesia. *Eur J Neurosci* **20**:2303-2310.
- Ammer H, Schulz R (1997) Enhanced Stimulatory Adenylyl Cyclase Signaling during Opioid Dependence Is Associated with a Reduction in Palmitoylated G α . *Mol Pharmacol* **52**:993-999.
- Antonijevic I, Mousa SA, Schafer M, Stein C (1995) Perineurial defect and peripheral opioid analgesia in inflammation. *J Neurosci* **15**:165-172.
- Asensio VJ, Miralles A, Garcia-Sevilla JA (2006) Stimulation of mitogen-activated protein kinase kinases (MEK1/2) by mu-, delta- and kappa-opioid receptor agonists in the rat brain: regulation by chronic morphine and opioid withdrawal. *Eur J Pharmacol* **539**:49-56.
- Avidor-Reiss T, Nevo I, Saya D, Bayewitch M, Vogel Z (1997) Opiate-induced adenylyl cyclase superactivation is isozyme-specific. *J Biol Chem* **272**:5040-5047.
- Bagley EE, Gerke MB, Vaughan CW, Hack SP, Christie Mac Donald J (2005) GABA Transporter Currents Activated by Protein Kinase A Excite Midbrain Neurons during Opioid Withdrawal. *Neuron* **45**:433-445.
- Barrett AC, Smith ES, Picker MJ (2003) Capsaicin-Induced Hyperalgesia and {micro}-Opioid-Induced Antihyperalgesia in Male and Female Fischer 344 Rats. *J Pharmacol Exp Ther* **307**:237-245.
- Belcheva MM, Vogel Z, Ignatova E, Avidor-Reiss T, Zippel R, Levy R, Young EC, Barg J, Coscia CJ (1998) Opioid Modulation of Extracellular Signal-Regulated Protein Kinase Activity Is Ras-Dependent and Involves G Subunits. *J Neurochem* **70**:635-645.

- Bezzerides VJ, Ramsey IS, Kotecha S, Greka A, Clapham DE (2004) Rapid vesicular translocation and insertion of TRP channels. *Nat Cell Biol* **6**:709-720.
- Bhave G, Zhu W, Wang H, Brasier DJ, Oxford GS, Gereau IV RW (2002) cAMP-Dependent Protein Kinase Regulates Desensitization of the Capsaicin Receptor (VR1) by Direct Phosphorylation. *Neuron* **35**:721-731.
- Bie B, Peng Y, Zhang Y, Pan ZZ (2005) cAMP-mediated mechanisms for pain sensitization during opioid withdrawal. *J Neurosci* **25**:3824-3832.
- Binder W, Mousa SA, Sitte N, Kaiser M, Stein C, Schafer M (2004) Sympathetic activation triggers endogenous opioid release and analgesia within peripheral inflamed tissue. *Eur J Neurosci* **20**:92-100.
- Blake AD, Bot G, Freeman JC, Reisine T (1997) Differential opioid agonist regulation of the mouse mu opioid receptor. *J Biol Chem* **272**:782-790.
- Bolyard LA, Van Looy JW, Vasko MR (2000) Sensitization of rat sensory neurons by chronic exposure to forskolin or 'inflammatory cocktail' does not downregulate and requires continuous exposure. *Pain* **88**:277-285.
- Bombardier C, Laine L, Reicin A, Shapiro D, Burgos-Vargas R, Davis B, Day R, Ferraz MB, Hawkey CJ, Hochberg MC, Kvien TK, Schnitzer TJ, The VIGOR Study Group (2000) Comparison of Upper Gastrointestinal Toxicity of Rofecoxib and Naproxen in Patients with Rheumatoid Arthritis. *N Engl J Med* **343**:1520-1528.
- Borgland SL, Connor M, Christie MJ (2001) Nociceptin inhibits calcium channel currents in a subpopulation of small nociceptive trigeminal ganglion neurons in mouse. *J Physiol* **536**:35-47.
- Borner C, Kraus J, Schroder H, Ammer H, Holtt V (2004) Transcriptional regulation of the human mu-opioid receptor gene by interleukin-6. *Mol Pharmacol* **66**:1719-1726.
- Bot G, Blake AD, Li S, Reisine T (1997) Opioid regulation of the mouse delta-opioid receptor expressed in human embryonic kidney 293 cells. *Mol Pharmacol* **52**:272-281.
- Bourne HR, Sanders DA, McCormick F (1991) The GTPase superfamily: conserved structure and molecular mechanism. *Nature* **349**:117-127.
- Bradford MM (1976) A rapid and sensitive method for the quantification of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* **72**:248-254.

-
- Breese NM, George AC, Pauers LE, Stucky CL (2005) Peripheral inflammation selectively increases TRPV1 function in IB4-positive sensory neurons from adult mouse. *Pain* **115**:37-49.
- Brune K, Beyer A, Schäfer M (2001) *Schmerz: Pathophysiologie - Pharmakologie - Therapie*. Springer, Berlin; Heidelberg; New York.
- Burkey TH, Hingtgen CM, Vasko MR (2004) Isolation and culture of sensory neurons from the dorsal-root ganglia of embryonic or adult rats. *Methods Mol Med* **99**:189-202.
- Butelman ER, Harris TJ, Kreek MJ (2004) Antiallodynic effects of loperamide and fentanyl against topical capsaicin-induced allodynia in unanesthetized primates. *J Pharmacol Exp Ther* **311**:155-163.
- Cabot PJ, Carter L, Gaiddon C, Zhang Q, Schafer M, Loeffler JP, Stein C (1997) Immune Cell-derived beta-endorphin. Production, Release, and Control of Inflammatory Pain in Rats. *J Clin Invest* **100**:142-148.
- Carlton SM, Zhou S, Du J, Hargett GL, Ji G, Coggeshall RE (2004) Somatostatin modulates the transient receptor potential vanilloid 1 (TRPV1) ion channel. *Pain* **110**:616-627.
- Caterina MJ, Julius D (2001) The vanilloid receptor: A molecular Gateway to the pain Pathway. *Annu Rev Neurosci* **24**:487-517.
- Caterina MJ, Leffler A, Malmberg AB, Martin WJ, Trafton J, Petersen-Zeitz KR, Koltzenburg M, Basbaum AI, Julius D (2000) Impaired nociception and pain sensation in mice lacking the capsaicin receptor. *Science* **288**:306-313.
- Caterina MJ, Schumacher MA, Tominaga M, Rosen TA, Levine JD, Julius D (1997) The capsaicin receptor: a heat-activated ion channel in the pain pathway. *Nature* **389**:816-824.
- Chakrabarti S, Oppermann M, Gintzler AR (2001) Chronic morphine induces the concomitant phosphorylation and altered association of multiple signaling proteins: A novel mechanism for modulating cell signaling. *Proc Natl Acad Sci U S A* **98**:4209-4214.
- Chen JJ, Dymshitz J, Vasko MR (1997) Regulation of opioid receptors in rat sensory neurons in culture. *Mol Pharmacol* **51**:666-673.
- Chen S-R, Pan H-L (2006) Loss of TRPV1-Expressing Sensory Neurons Reduces Spinal mu Opioid Receptors But Paradoxically Potentiates Opioid Analgesia. *J Neurophysiol* **95**:3086-3096.

- Chia YY, Liu K, Wang JJ, Kuo MC, Ho ST (1999) Intraoperative high dose fentanyl induces postoperative fentanyl tolerance. *Can J Anaesth* **46**:872-877
- Chijiwa T, Mishima A, Hagiwara M, Sano M, Hayashi K, Inoue T, Naito K, Toshioka T, Hidaka H (1990) Inhibition of Forskolin-induced Neurite Outgrowth and Protein Phosphorylation by a newly Synthesized Selective Inhibitor of Cyclic AMP-dependent Protein Kinase, N-(2-(p-Bromocinnamylamino)ethyl)-5-isoquinoline-sulfonamide (H-89), of PC12D Pheochromocytoma Cells. *J Bio Chem* **265**:5267-5272.
- Chizhnikov I, Yudin Y, Mamenko N, Prudnikov I, Tamarova Z, Krishtal O (2005) Opioids inhibit purinergic nociceptors in the sensory neurons and fibres of rat via a G protein-dependent mechanism. *Neuropharmacology* **48**:639-647.
- Cholewinski A, Burgess GM, Bevan S (1993) The role of calcium in capsaicin-induced desensitization in rat cultured dorsal root ganglion neurons. *Neuroscience* **55**:1015-1023.
- Chuang HH, Prescott ED, Kong H, Shields S, Jordt SE, Basbaum AI, Chao MV, Julius D (2001) Bradykinin and nerve growth factor release the capsaicin receptor from PtdIns(4,5)P₂-mediated inhibition. *Nature* **411**:957-962.
- Clapham DE, Neer EJ (1997) G Protein Betagamma Subunits. *Annu Rev Pharmacol Toxicol* **37**:167-203.
- Cohen SB, Moreland LW, Cush JJ, Greenwald MW, Block S, Shergy WJ, Hanrahan PS, Kraishi MM, Patel A, Sun G, Bear MB (2004) A multicentre, double blind, randomised, placebo controlled trial of anakinra (Kineret), a recombinant interleukin 1 receptor antagonist, in patients with rheumatoid arthritis treated with background methotrexate. *Ann Rheum Dis* **63**:1062-1068.
- Cooper DM (2003) Regulation and organization of adenylyl cyclases and cAMP. *Biochem J* **375**:517-529.
- Corbett AD, Paterson SJ, Kosterlitz HW (1993) Opioids I, in *Opioids* (Herz A ed) pp 645-673, Springer Verlag, Heidelberg.
- Correll CC, Phelps PT, Anthes JC, Umland S, Greenfeder S (2004) Cloning and pharmacological characterization of mouse TRPV1. *Neurosci Lett* **370**:55-60.
- Crawley JN, Gerfen C (2001) Current Protocols in Neuroscience, in *Neurophysiology* (Crawley JN and Gerfen C eds), Wiley.

-
- Cui M, Honore P, Zhong C, Gauvin D, Mikusa J, Hernandez G, Chandran P, Gomtsyan A, Brown B, Bayburt EK, Marsh K, Bianchi B, McDonald H, Niforatos W, Neelands TR, Moreland RB, Decker MW, Lee CH, Sullivan JP, Faltynek CR (2006) TRPV1 receptors in the CNS play a key role in broad-spectrum analgesia of TRPV1 antagonists. *J Neurosci* **26**:9385-9393.
- Dai Y, Moriyama T, Higashi T, Togashi K, Kobayashi K, Yamanaka H, Tominaga M, Noguchi K (2004) Proteinase-activated receptor 2-mediated potentiation of transient receptor potential vanilloid subfamily 1 activity reveals a mechanism for proteinase-induced inflammatory pain. *J Neurosci* **24**:4293-4299.
- Davis JB, Gray J, Gunthorpe MJ, Hatcher JP, Davey PT, Overend P, Harries MH, Latcham J, Clapham C, Atkinson K, Hughes SA, Rance K, Grau E, Harper AJ, Pugh PL, Rogers DC, Bingham S, Randall A, Sheardown SA (2000) Vanilloid receptor-1 is essential for inflammatory thermal hyperalgesia. *Nature* **405**:183-187.
- De Petrocellis L, Harrison S, Bisogno T, Tognetto M, Brandi I, Smith GD, Creminon C, Davis JB, Geppetti P, Di Marzo V (2001) The vanilloid receptor (VR1)-mediated effects of anandamide are potently enhanced by the cAMP-dependent protein kinase. *J Neurochem* **77**:1660-1663.
- Dell'Acqua ML, Scott JD (1997) Protein Kinase A Anchoring. *J Biol Chem* **272**:12881-12884.
- Ding Q, Gros R, Gray ID, Taussig R, Ferguson SS, Feldman RD (2004) Raf kinase activation of adenylyl cyclases: isoform-selective regulation. *Mol Pharmacol* **66**:921-918.
- Diogenes A, Patwardhan AM, Jeske NA, Ruparel NB, Goffin V, Akopian AN, Hargreaves KM (2006) Prolactin modulates TRPV1 in female rat trigeminal sensory neurons. *J Neurosci* **26**:8126-8136.
- Elattar TM, Lin HS (1981) The relationship between inflammation and cAMP level in human gingiva. *J Dent Res* **60**:674-676.
- Ferrer-Alcon MJ, Garcia-Fuster M, La Harpe R, Garcia-Sevilla JA (2004) Long-term regulation of signalling components of adenylyl cyclase and mitogen-activated protein kinase in the pre-frontal cortex of human opiate addicts. *J Neurochem* **90**:220-230.
- Friderichs E, Straßburger W (2002) Opiatrezeptoren. Vom Schlüssel-Schloss-Modell zur molekularbiologischen Charakterisierung. *Pharm u Z* **1**:32-39.
- Futami T (1977) Possible Involvement of Cyclic AMP in Inflammation Induced by a Surfactant. *Jpn J Pharmacol* **27**:763-767.

- Garcia-Sanz N, Fernandez-Carvajal A, Morenilla-Palao C, Planells-Cases R, Fajardo-Sanchez E, Fernandez-Ballester G, Ferrer-Montiel A (2004) Identification of a tetramerization domain in the C terminus of the vanilloid receptor. *J Neurosci* **24**:5307-5314.
- Gavva NR, Klionsky L, Qu Y, Shi L, Tamir R, Edenson S, Zhang TJ, Viswanadhan VN, Toth A, Pearce LV, Vanderah TW, Porreca F, Blumberg PM, Lile J, Sun Y, Wild K, Louis JC, Treanor JJ (2004) Molecular determinants of vanilloid sensitivity in TRPV1. *J Biol Chem* **279**:20283-20295.
- Gharagozlou P, Demirci H, David, CJ, Lameh J (2003) Activity of opioid ligands in cells expressing cloned mu opioid receptors. *BMC Pharmacology* **3**:1.
- Gold MS, Levine JD (1996) DAMGO inhibits prostaglandin E2-induced potentiation of a TTX-resistant Na⁺-current in rat sensory neurons in vitro. *Neurosci Lett* **212**:83-86.
- Goldstein A, Tachibana S, Lowney LI, Hunkapiller M and Hood L (1979) Dynorphin-(1-13), an extraordinarily potent opioid peptide. *Proc Natl Acad Sci U S A* **76**:6666-6670.
- Guo A, Vulchanova L, Wang J, Li X, Elde R (1999) Immunocytochemical localization of the vanilloid receptor 1 (VR1): relationship to neuropeptides, the P2X3 purinoceptor and IB4 binding sites. *Eur J Neurosci* **11**:946-958.
- Hamill OP, Marty A, Neher E, Sakmann B, Sigworth FJ (1981) Improved Patch-clamp Techniques for High-Resolution Current Recording from Cells and Cell-Free Membrane Patches. *Pflügers Arch* **391**:85-100.
- Hargreaves K, Dubner R, Brown F, Flores C, Joris J (1988) A new and sensitive method for measuring thermal nociception in cutaneous hyperalgesia. *Pain*. **32**:77-88.
- Hassan AH, Ableitner A, Stein C, Herz A (1993) Inflammation of the rat paw enhances axonal transport of opioid receptors in the sciatic nerve and increases their density in the inflamed tissue. *Neuroscience* **55**:185-195.
- Hayes P, Meadows HJ, Gunthorpe MJ, Harries MH, Duckworth DM, Cairns W, Harrison DC, Clarke CE, Ellington K, Prinjha RK, Barton AJ, Medhurst AD, Smith GD, Topp S, Murdock P, Sanger GJ, Terrett J, Jenkins O, Benham CD, Randall AD, Gloger IS, Davis JB (2000) Cloning and functional expression of a human orthologue of rat vanilloid receptor-1. *Pain* **88**:205-215.
- Hellwig N (2005) Protonenleitfähigkeit und TRPV1 und Multimerisierung von TRPV-Kanaluntereinheiten, in *Fachbereich Biologie, Chemie, Pharmazie*, FU Berlin, Berlin.

-
- Hellwig N, Albrecht N, Harteneck C, Schultz G, Schaefer M (2005) Homo- and heteromeric assembly of TRPV channel subunits. *J Cell Sci* **118**:917-928.
- Herlitze S, Garcia DE, Mackie K, Hille B, Scheuer T, Catterall WA (1996) Modulation of Ca²⁺ channels by G-protein beta gamma subunits. *Nature* **380**:258-262.
- Hildebrandt JD, Sekura RD, Codina J, Iyengar R, Manclark CR, Birnbaumer L (1983) Stimulation and inhibition of adenylyl cyclases mediated by distinct regulatory proteins. *Nature* **302**:706-709.
- Hingtgen CM, Waite KJ, Vasko MR (1995) Prostaglandins facilitate peptide release from rat sensory neurons by activating the adenosine 3',5'-cyclic monophosphate transduction cascade. *J Neurosci* **15**:5411-5419.
- Hinz B, Brune K (2007) Antipyretic Analgesics: Nonsteroidal Antiinflammatory Drugs, Selective COX-2 Inhibitors, Paracetamol and Pyrazolinones, in *Analgesia* (Stein C ed), Springer Verlag, Heidelberg.
- Hoerndli FJ, Toigo M, Schild A, Gotz J, Day PJ (2004) Reference genes identified in SH-SY5Y cells using custom-made gene arrays with validation by quantitative polymerase chain reaction. *Anal Biochem* **335**:30-41.
- Hollmann MW, Strumper D, Herroeder S, Durieux ME (2005) Receptors, G proteins, and their interactions. *Anesthesiology* **103**:1066-1078.
- Hu HJ, Bhawe G, Gereau RW (2002) Prostaglandin and protein kinase A-dependent modulation of vanilloid receptor function by metabotropic glutamate receptor 5: potential mechanism for thermal hyperalgesia. *J Neurosci* **22**:7444-7452.
- Huang SM, Bisogno T, Trevisani M, Al-Hayani A, De Petrocellis L, Fezza F, Tognetto M, Petros TJ, Krey JF, Chu CJ, Miller JD, Davies SN, Geppetti P, Walker JM, Di Marzo V (2002) An endogenous capsaicin-like substance with high potency at recombinant and native vanilloid VR1 receptors. *Proc Natl Acad Sci U S A* **99**:8400-8405.
- Hucho TB, Dina OA, Levine JD (2005) Epac Mediates a cAMP-to-PKC Signaling in Inflammatory Pain: An Isolectin B4(+) Neuron-Specific Mechanism. *J Neurosci* **25**:6119-6126.
- Hughes J, Smith TW, Kosterlitz HW, Fothergill LA, Morgan BA and Morris HR (1975) Identification of two related pentapeptides from the brain with potent opiate agonist activity. *Nature* **258**:577-580.
- Ikeda SR (1996) Voltage-dependent modulation of N-type calcium channels by G-protein beta gamma subunits. *Nature* **380**:255-258.

- Irnaten M, Aicher SA, Wang J, Venkatesan P, Evans C, Baxi S, Mendelowitz D (2003) Mu-opioid receptors are located postsynaptically and endomorphin-1 inhibits voltage-gated calcium currents in premotor cardiac parasympathetic neurons in the rat nucleus ambiguus. *Neuroscience* **116**:573-582.
- Jeske NA, Patwardhan AM, Gamper N, Price TJ, Akopian AN, Hargreaves KM (2006) Cannabinoid WIN 55,212-2 Regulates TRPV1 Phosphorylation in Sensory Neurons. *J Biol Chem* **281**:32879-32890.
- Ji RR, Samad TA, Jin SX, Schmoll R, Woolf CJ (2002) p38 MAPK activation by NGF in primary sensory neurons after inflammation increases TRPV1 levels and maintains heat hyperalgesia. *Neuron* **36**:57-68.
- Ji RR, Zhang Q, Law PY, Low HH, Elde R, Hokfelt T (1995) Expression of mu-, delta-, and kappa-opioid receptor-like immunoreactivities in rat dorsal root ganglia after carrageenan-induced inflammation. *J Neurosci* **15**:8156-8166.
- Jin X, Morsy N, Winston J, Pasricha PJ, Garrett K, Akbarali HI (2004) Modulation of TRPV1 by nonreceptor tyrosine kinase, c-Src kinase. *Am J Physiol Cell Physiol* **287**:558-563.
- Joly V, Richebe P, Guignard B, Fletcher D, Maurette P, Sessler DI, Chauvin M (2005) Remifentanyl-induced Postoperative Hyperalgesia and Its Prevention with Small-dose Ketamine. *Anesthesiology* **103**:147-155.
- Jordt SE, Julius D (2002) Molecular basis for species-specific sensitivity to "hot" chili peppers. *Cell* **108**:421-430.
- Jordt SE, McKemy DD, Julius D (2003) Lessons from peppers and peppermint: the molecular logic of thermosensation. *Curr Opin Neurobiol* **13**:487-492.
- Julius D, Basbaum AI (2001) Molecular mechanisms of nociception. *Nature* **413**:203-210.
- Jung J, Shin JS, Lee S-Y, Hwang SW, Koo J, Cho H, Oh U (2004) Phosphorylation of Vanilloid Receptor 1 by Ca²⁺/Calmodulin-dependent Kinase II Regulates Its Vanilloid Binding. *J Biol Chem* **279**:7048-7054.
- Karai LJ, Russell JT, Iadarola MJ, Olah Z (2004) Vanilloid receptor 1 regulates multiple calcium compartments and contributes to Ca²⁺-induced Ca²⁺ release in sensory neurons. *J Biol Chem* **279**:16377-16387.
- Keith DE, Murray SR, Zaki PA, Chu PC, Lissin DV, Kang L, Evans CJ, von Zastrow M (1996) Morphine Activates Opioid Receptors without Causing Their Rapid Internalization. *J Biol Chem* **271**:19021-19024.

-
- Kieffer BL (1999) Opioids: first lessons from knockout mice. *Trends Pharmacol Sci* **20**:19-26.
- Kieffer BL, Befort K, Gavériaux-Guff C, Hirth CG (1992) The delta opioid receptor: isolation of a cDNA by expression cloning and pharmacological characterization. *Proc Natl Acad Sci U S A* **89**:12048 - 12052.
- Kim KS, Lee KW, Im JY, Yoo JY, Kim SW, Lee JK, Nestler EJ, Han PL (2006) Adenylyl cyclase type 5 (AC5) is an essential mediator of morphine action. *Proc Natl Acad Sci U S A* **103**:3908-3913.
- Koch T, Widera A, Bartzsch K, Schulz S, Brandenburg L-O, Wundrack N, Beyer A, Grecksch G, Hollt V (2005) Receptor Endocytosis Counteracts the Development of Opioid Tolerance. *Mol Pharmacol* **67**:280-287.
- Koch WJ, Hawes BE, Inglese J, Luttrell LM, Lefkowitz RJ (1994) Cellular expression of the carboxyl terminus of a G protein-coupled receptor kinase attenuates G beta gamma-mediated signaling. *J Biol Chem* **269**:6193-6197.
- Kogan JH, Nestler EJ, Aghajanian GK (1992) Elevated basal firing rates and enhanced responses to 8-Br-cAMP in locus coeruleus neurons in brain slices from opiate-dependent rats. *Eur J Pharmacol* **211**:47-53.
- Koplas PA, Rosenberg RL, Oxford GS (1997) The role of calcium in the desensitization of capsaicin responses in rat dorsal root ganglion neurons. *J Neurosci* **17**:3525-3537.
- Koppert W (2004) Opioid-induzierte Hyperalgesie. *Anaesthesist* **53**:455-466.
- Labuz D, Berger S, Mousa SA, Zollner C, Rittner HL, Shaqura MA, Segovia-Silvestre T, Przewlocka B, Stein C, Machelska H (2006) Peripheral antinociceptive effects of exogenous and immune cell-derived endomorphins in prolonged inflammatory pain. *J Neurosci* **26**:4350-4358.
- Lai J, Porreca F, Hunter JC, Gold MS (2004) Voltage-gated sodium channels and hyperalgesia. *Annu Rev Pharmacol Toxicol* **44**:371-397.
- Lamotte C, Pert CB, Snyder SH (1976) Opiate receptor binding in primate spinal cord: distribution and changes after dorsal root section. *Brain Res* **112**:407-412.
- Lane-Ladd SB, Pineda J, Boundy VA, Pfeuffer T, Krupinski J, Aghajanian GK, Nestler EJ (1997) CREB (cAMP Response Element-Binding Protein) in the Locus Coeruleus: Biochemical, Physiological, and Behavioral Evidence for a Role in Opiate Dependence. *J Neurosci* **17**:7890-7901.
- Law PY, Wong YH, Loh HH (2000) Molecular Mechanisms and Regulation of Opioid Receptor Signaling. *Annu Rev Pharmacol Toxicol* **40**:389-430.

- Lee SY, Lee JH, Kang KK, Hwang SY, Choi KD, Oh U (2005) Sensitization of vanilloid receptor involves an increase in the phosphorylated form of the channel. *Arch Pharm Res* **28**:405-412.
- Lefkowitz RJ, Shenoy SK (2005) Transduction of receptor signals by beta-arrestins. *Science* **308**:512-517.
- Li CH, Chung D (1976) Isolation and structure of an untrikontapeptide with opiate activity from camel pituitary glands. *Proc Natl Acad Sci U S A* **73**:1145-1148.
- Li CH, Chung D, Doneen BA (1976) Isolation, Characterization and Opiate Activity of beta-Endorphin from Human Pituitary Glands. *Biochem Biophys Res Commun* **72**:1542-1547.
- Li LY, Chang KJ (1996) The stimulatory effect of opioids on mitogen-activated protein kinase in Chinese hamster ovary cells transfected to express mu-opioid receptors. *Mol Pharmacol* **50**:599-602.
- Liapi A, Wood JN (2005) Extensive co-localization and heteromultimer formation of the vanilloid receptor-like protein TRPV2 and the capsaicin receptor TRPV1 in the adult rat cerebral cortex. *Eur J Neurosci* **22**:825-834.
- Likar R, Sittl R, Gragger K, Pipam W, Blatnig H, Breschan C, Schalk HV, Stein C, Schaefer M (1998) Peripheral morphine analgesia in dental surgery. *Pain* **76**:145-150.
- Liu L, Zhu W, Zhang ZS, Yang T, Grant A, Oxford G, Simon SA (2004) Nicotine inhibits voltage-dependent sodium channels and sensitizes vanilloid receptors. *J Neurophysiol* **91**:1482-1491.
- Lopshire JC, Nicol GD (1998) The cAMP transduction cascade mediates the prostaglandin E2 enhancement of the capsaicin-elicited current in rat sensory neurons: whole-cell and single-channel studies. *J Neurosci* **18**:6081-6092.
- Machelska H, Mousa SA, Brack A, Schopohl JK, Rittner HL, Schafer M, Stein C (2002) Opioid Control of Inflammatory Pain Regulated by Intercellular Adhesion Molecule-1. *J Neurosci* **22**:5588-5596.
- Machelska H, Schopohl JK, Mousa SA, Labuz D, Schafer M, Stein C (2003) Different mechanisms of intrinsic pain inhibition in early and late inflammation. *J Neuroimmunol* **141**:30-39.
- Malmberg AB, Brandon EP, Idzerda RL, Liu H, McKnight GS, Basbaum AI (1997) Diminished Inflammation and Nociceptive Pain with Preservation of Neuropathic Pain in Mice with a Targeted Mutation of the Type I Regulatory Subunit of cAMP-Dependent Protein Kinase. *J Neurosci* **17**:7462-7470.

-
- Mandadi S, Numazaki M, Tominaga M, Bhat MB, Armati PJ, Roufogalis BD (2004) Activation of protein kinase C reverses capsaicin-induced calcium-dependent desensitization of TRPV1 ion channels. *Cell Calcium* **35**:471-478.
- Mandadi S, Tominaga T, Numazaki M, Murayama N, Saito N, Armati PJ, Roufogalis BD, Tominaga M (2006) Increased sensitivity of desensitized TRPV1 by PMA occurs through PKCepsilon-mediated phosphorylation at S800. *Pain* **123**:106-116.
- Mao J (2002) Opioid-induced abnormal pain sensitivity: implications in clinical opioid therapy. *Pain* **100**:213-217.
- Marinissen MJ, Gutkind JS (2001) G-protein-coupled receptors and signaling networks: emerging paradigms. *Trends Pharmacol Sci* **22**:368-376.
- Martin WR, Eades CG, Thompson JA, Huppler RE, Gilbert PE (1976) The effects of morphine- and nalorphine- like drugs in the nondependent and morphine-dependent chronic spinal dog. *J Pharmacol Exp Ther* **197**:517-532.
- Matthes HW, Maldonado R, Simonin F, Valverde O, Slowe S, Kitchen I, Befort K, Dierich A, Le Meur M, Dolle P, Tzavara E, Hanoune J, Roques BP, Kieffer BL (1996) Loss of morphine-induced analgesia, reward effect and withdrawal symptoms in mice lacking the mu-opioid-receptor gene. *Nature* **383**:819-823.
- Merskey H, Bogduk N (1994) Classification of Chronic Pain, in *IASP Task Force on Taxonomy* (Merskey H and Bogduk N) pp 209-214, IASP Press, Seattle.
- Mohapatra DP, Nau C (2003) Desensitization of capsaicin-activated currents in the vanilloid receptor TRPV1 is decreased by the cyclic AMP-dependent protein kinase pathway. *J Biol Chem* **278**:50080-50090.
- Mohapatra DP, Nau C (2005) Regulation of Ca²⁺-dependent desensitization in the vanilloid receptor TRPV1 by calcineurin and cAMP-dependent protein kinase. *J Biol Chem* **280**:13424-13432.
- Mohapatra DP, Wang SY, Wang GK, Nau C (2003) A tyrosine residue in TM6 of the Vanilloid Receptor TRPV1 involved in desensitization and calcium permeability of capsaicin-activated currents. *Mol Cell Neurosci* **23**:314-324.
- Moises HC, Rusin KI, Macdonald RL (1994) Mu- and kappa-opioid receptors selectively reduce the same transient components of high-threshold calcium current in rat dorsal root ganglion sensory neurons. *J Neurosci* **14**:5903-5916.
- Montell C (2005) The TRP superfamily of cation channels. *Sci STKE* **2005**:3.

- Morenilla-Palao C, Planells-Cases R, Garcia-Sanz N, Ferrer-Montiel A (2004) Regulated exocytosis contributes to protein kinase C potentiation of vanilloid receptor activity. *J Biol Chem* **279**:25665-25672.
- Moriyama T, Higashi T, Togashi K, Iida T, Segi E, Sugimoto Y, Tominaga T, Narumiya S, Tominaga M (2005) Sensitization of TRPV1 by EP1 and IP reveals peripheral nociceptive mechanism of prostaglandins. *Mol Pain* **1**:3.
- Motulsky H, Christopoulos A (2003) *Fitting Models to Biological Data using Linear and Nonlinear Regression. A practical guide to curve fitting*. GraphPad Software Inc., San Diego CA.
- Mouledous L, Neasta J, Uttenweiler-Joseph S, Stella A, Matondo M, Corbani M, Monsarrat B, Meunier JC (2005) Long-term morphine treatment enhances proteasome-dependent degradation of G beta in human neuroblastoma SH-SY5Y cells: correlation with onset of adenylyl cyclase sensitization. *Mol Pharmacol* **68**:467-476.
- Mousa SA, Zhang Q, Sitte N, Ji R, Stein C (2001) beta-Endorphin-containing memory-cells and mu-opioid receptors undergo transport to peripheral inflamed tissue. *J Neuroimmunol* **115**:71-78.
- Muller DL, Unterwald EM (2004) In Vivo Regulation of Extracellular Signal-Regulated Protein Kinase (ERK) and Protein Kinase B (Akt) Phosphorylation by Acute and Chronic Morphine. *J Pharmacol Exp Ther* **310**:774-782.
- Nagy I, Santha P, Jancso G, Urban L (2004) The role of the vanilloid (capsaicin) receptor (TRPV1) in physiology and pathology. *Eur J Pharmacol* **500**:351-369.
- Neher E, Sakmann B (1976) Single-channel currents recorded from membrane of denervated frog muscle fibres. *Nature* **260**:799-802.
- Nestler EJ (2004) Historical review: Molecular and cellular mechanisms of opiate and cocaine addiction. *Trends Pharmacol Sci* **25**:210-218.
- Nestler EJ, Aghajanian GK (1997) Molecular and cellular basis of addiction. *Science* **278**:58-63.
- Nevo I, Avidor-Reiss T, Levy R, Bayewitch M, Heldman E, Vogel Z (1998) Regulation of adenylyl cyclase isozymes on acute and chronic activation of inhibitory receptors. *Mol Pharmacol* **54**:419-426.
- North RA, Williams JT, Surprenant A, Christie MJ (1987) mu and delta Receptors Belong to a Family of Receptors that are Coupled to Potassium Channels. *Proc Natl Acad Sci U S A* **84**:5487-5491.

-
- Numazaki M, Tominaga T, Toyooka H, Tominaga M (2002) Direct phosphorylation of capsaicin receptor VR1 by protein kinase Cepsilon and identification of target serine residues. *J Biol Chem* **277**:13375-13382.
- Numberger D, Draguhn A (1996) *Patch-Clamp-Technik*. Spektrum Akademischer Verlag, Heidelberg, Berlin, Oxford.
- Offermanns S (2003) G-proteins as transducers in transmembrane signalling. *Prog Biophys Mol Biol* **83**:101-130.
- Oh U, Hwang SW, Kim D (1996) Capsaicin activates a nonselective cation channel in cultured neonatal rat dorsal root ganglion neurons. *J Neurosci* **16**:1659-1667.
- Ohta T, Komatsu R, Imagawa T, Otsuguro K, Ito S (2005) Molecular cloning, functional characterization of the porcine transient receptor potential V1 (pTRPV1) and pharmacological comparison with endogenous pTRPV1. *Biochem Pharmacol* **71**:173-187.
- Olah Z, Karai LJ, Iadarola MJ (2002) Protein Kinase C alpha is required for vanilloid receptor activation. Evidence for multiple signaling pathways. *J Biol Chem* **277**:31163-31170.
- Pareek TK, Keller J, Kesavapany S, Agarwal N, Kuner R, Pant HC, Iadarola MJ, Brady RO, Kulkarni AB (2007) Cyclin-dependent kinase 5 modulates nociceptive signaling through direct phosphorylation of transient receptor potential vanilloid 1. *Proc Natl Acad Sci U S A* **104**:660-665.
- Patwardhan AM, Jeske NA, Price TJ, Gamper N, Akopian AN, Hargreaves KM (2006) The cannabinoid WIN 55,212-2 inhibits transient receptor potential vanilloid 1 (TRPV1) and evokes peripheral antihyperalgesia via calcineurin. *Proc Natl Acad Sci U S A* **103**:11393-11398.
- Petersen M, Lamotte RH, Klusch A, Kniffki KD (1996) Multiple capsaicin-evoked currents in isolated rat sensory neurons. *Neuroscience* **75**:495-505.
- Pfaffl MW (2001) A new mathematical model for relative quantification in real-time RT-PCR. *Nucleic Acids Res* **29**:e45.
- Phelps PT, Anthes JC, Correll CC (2005) Cloning and functional characterization of dog transient receptor potential vanilloid receptor-1 (TRPV1). *Eur J Pharmacol* **513**:57-66.
- Piper AS, Yeats JC, Bevan S, Docherty RJ (1999) A study of the voltage dependence of capsaicin-activated membrane currents in rat sensory neurones before and after acute desensitization. *J Physiol* **518**:721-733.

- Plant TD, Zollner C, Mousa SA, Oksche A (2006) Endothelin-1 potentiates capsaicin-induced TRPV1 currents via the endothelin A receptor. *Exp Biol Med (Maywood)* **231**:1161-1164.
- Premkumar LS, Ahern GP (2000) Induction of vanilloid receptor channel activity by protein kinase C. *Nature* **408**:985-990.
- Przewlocki R, Hassan AH, Lason W, Epplen C, Herz A, Stein C (1992) Gene expression and localization of opioid peptides in immune cells of inflamed tissue: functional role in antinociception. *Neuroscience* **48**:491-500.
- Przewlocki R, Parsons KL, Sweeney DD, Trotter C, Netzeband JG, Siggins GR, Gruol DL (1999) Opioid Enhancement of Calcium Oscillations and Burst Events Involving NMDA Receptors and L-Type Calcium Channels in Cultured Hippocampal Neurons. *J Neurosci* **19**:9705-9715.
- Puehler W, Zollner C, Brack A, Shaqura MA, Krause H, Schafer M, Stein C (2004) Rapid upregulation of mu opioid receptor mRNA in dorsal root ganglia in response to peripheral inflammation depends on neuronal conduction. *Neuroscience* **129**:473-479.
- Punch LJ, Self DW, Nestler EJ, Taylor JR (1997) Opposite Modulation of Opiate Withdrawal Behaviors on Microinfusion of a Protein Kinase A Inhibitor Versus Activator into the Locus Coeruleus or Periaqueductal Gray. *J Neurosci* **17**:8520-8527.
- Puntambekar P, Van Buren J, Raisinghani M, Premkumar LS, Ramkumar V (2004) Direct interaction of adenosine with the TRPV1 channel protein. *J Neurosci* **24**:3663-3671.
- Rathee PK, Distler C, Obreja O, Neuhuber W, Wang GK, Wang SY, Nau C, Kress M (2002) PKA/AKAP/VR-1 module: A common link of Gs-mediated signaling to thermal hyperalgesia. *J Neurosci* **22**:4740-4745.
- Raynor K, Kong H, Mestek A, Bye LS, Tian M, Liu J, Yu L and Reisine T (1995) Characterization of the cloned human mu opioid receptor. *J Pharm Exp Ther* **272**:423 - 428.
- Rittner HL, Machelska H, Stein C (2005) Leukocytes in the regulation of pain and analgesia. *J Leukoc Biol* **78**:1215-1522.
- Rittner HL, Stein C (2005) Involvement of Cytokines, Chemokines and Adhesion Molecules in Opioid Analgesia. *Eur J Pain* **9**:109-112.
- Rosenbaum T, Gordon-Shaag A, Munari M, Gordon SE (2003) Ca²⁺/Calmodulin Modulates TRPV1 Activation by Capsaicin. *J Gen Physiol* **123**:53-62.

-
- Sagar DR, Kelly S, Millns PJ, O'Shaughnessey CT, Kendall DA, Chapman V (2005) Inhibitory effects of CB1 and CB2 receptor agonists on responses of DRG neurons and dorsal horn neurons in neuropathic rats. *Eur J Neurosci* **22**:371-379.
- Savidge J, Davis C, Shah K, Colley S, Phillips E, Ranasinghe S, Winter J, Kotsonis P, Rang H, McIntyre P (2002) Cloning and functional characterization of the guinea pig vanilloid receptor 1. *Neuropharmacology* **43**:450-456.
- Sawynok J, Liu XJ (2003) Adenosine in the spinal cord and periphery: release and regulation of pain. *Prog Neurobiol* **69**:313-340.
- Schafer M, Imai Y, Uhl GR, Stein C (1995) Inflammation enhances peripheral mu-opioid receptor-mediated analgesia, but not mu-opioid receptor transcription in dorsal root ganglia. *Eur J Pharmacol* **279**:165-169.
- Schafer M, Mousa SA, Zhang Q, Carter L, Stein C (1996) Expression of corticotropin-releasing factor in inflamed tissue is required for intrinsic peripheral opioid analgesia. *Proc Natl Acad Sci U S A* **93**:6096-6100.
- Scholz J, Woolf CJ (2002) Can we conquer pain? *Nat Neurosci* **5**:1062-1067.
- Schroeder JE, McCleskey EW (1993) Inhibition of Ca²⁺ currents by a mu-opioid in a defined subset of rat sensory neurons. *J Neurosci* **13**:867-873.
- Schulz S, Hollt V (1998) Opioid withdrawal activates MAP kinase in locus coeruleus neurons in morphine dependent rats in vivo. *Eur J Neurosci* **10**:1196-1201.
- Schumacher MA, Jong BE, Frey SL, Sudanagunta SP, Capra NF, Levine JD (2000a) The stretch-inactivated channel, a vanilloid receptor variant, is expressed in small-diameter sensory neurons in the rat. *Neurosci Lett* **287**:215-218.
- Schumacher MA, Moff I, Sudanagunta SP, Levine JD (2000b) Molecular cloning of an N-terminal splice variant of the capsaicin receptor. Loss of N-terminal domain suggests functional divergence among capsaicin receptor subtypes. *J Biol Chem* **275**:2756-2762.
- Sertürner FW (1806) Darstellung der reinen Mohnsäure (Opiumsäure) nebst einer chemischen Untersuchung des Opiums. *Journal de Pharmacie* **14**:47-93.
- Shaqura MA, Zollner C, Mousa SA, Stein C, Schafer M (2004) Characterization of mu opioid receptor binding and G protein coupling in rat hypothalamus, spinal cord, and primary afferent neurons during inflammatory pain. *J Pharmacol Exp Ther* **308**:712-718.
- Sharma SK, Nirenberg M, Klee WA (1975a) Dual regulation of adenylate cyclase accounts for narcotic dependence and tolerance. *Proc Natl Acad Sci U S A* **72**:3092-3096.

- Sharma SK, Nirenberg M, Klee WA (1975b) Morphine receptors as regulators of adenylate cyclase activity. *Proc Natl Acad Sci U S A* **72**:590-594.
- Siemens J, Zhou S, Piskorowski R, Nikai T, Lumpkin EA, Basbaum AI, King D, Julius D (2006) Spider toxins activate the capsaicin receptor to produce inflammatory pain. *Nature* **444**:208-212.
- Simonin F, Befort K, Gaveriaux-Ruff C, Matthes H, Nappey V, Lannes B, Micheletti G, Kieffer B (1994) The human delta-opioid receptor: genomic organization, cDNA cloning, functional expression, and distribution in human brain. *Mol Pharmacol* **46**:1015-1021.
- Simonin F, Gaveriaux-Ruff C, Befort K, Matthes H, Lannes B, Micheletti G, Mattei MG, Charron G, Bloch B, Kieffer B (1995) kappa-Opioid receptor in humans: cDNA and genomic cloning, chromosomal assignment, functional expression, pharmacology, and expression pattern in the central nervous system. *Proc Natl Acad Sci U S A* **92**:7006-7010.
- Smart D, Gunthorpe MJ, Jerman JC, Nasir S, Gray J, Muir AI, Chambers JK, Randall AD, Davis JB (2000) The endogenous lipid anandamide is a full agonist at the human vanilloid receptor (hVR1). *Br J Pharmacol* **129**:227-230.
- Smart D, Hirst RA, Hirota K, Grandy DK, Lambert DG (1997) The effects of recombinant rat [mu]-opioid receptor activation in CHO cells on phospholipase C, [Ca²⁺]_i and adenylyl cyclase. *Br J Pharmacol* **120**:1165-1171.
- Smart D, Smith G, Lambert DG (1995) Mu-opioids activate phospholipase C in SH-SY5Y human neuroblastoma cells via calcium-channel opening. *Biochem J* **305**:577-581.
- Smith GD, Gunthorpe MJ, Kelsell RE, Hayes PD, Reilly P, Facer P, Wright JE, Jerman JC, Walhin JP, Ooi L, Egerton J, Charles KJ, Smart D, Randall AD, Anand P, Davis JB (2002) TRPV3 is a temperature-sensitive vanilloid receptor-like protein. *Nature* **418**:186-190.
- Sora I, Takahashi N, Funada M, Ujike H, Revay RS, Donovan DM, Miner LL, Uhl GR (1997) Opiate receptor knockout mice define mu receptor roles in endogenous nociceptive responses and morphine-induced analgesia. *Proc Natl Acad Sci U S A* **94**:1544-1549.
- Stein A, Yassouridis A, Szopko C, Helmke K, Stein C (1999) Intraarticular morphine versus dexamethasone in chronic arthritis. *Pain* **83**:525-532.
- Stein C (1995) The Control of Pain in Peripheral Tissue by Opioids. *N Engl J Med* **332**:1685-1690.

-
- Stein C, Comisel K, Haimerl E, Yassouridis A, Lehrberger K, Herz A, Peter K (1991) Analgesic effect of intraarticular morphine after arthroscopic knee surgery. *N Engl J Med* **325**:1123-1126.
- Stein C, Hassan A, Lehrberger K, Giefing J, Yassouridis A (1993) Local analgesic effect of endogenous opioid peptides. *Lancet* **342**:321-324.
- Stein C, Hassan AH, Przewlocki R, Gramsch C, Peter K, Herz A (1990) Opioids from immunocytes interact with receptors on sensory nerves to inhibit nociception in inflammation. *Proc Natl Acad Sci U S A* **87**:5935-5939.
- Stein C, Machelska H, Schäfer M (2001) Peripheral analgesic and antiinflammatory effects of opioids. *Z Rheumatol* **60**:416-424.
- Stein C, Millan MJ, Herz A (1988) Unilateral inflammation of the hindpaw in rats as a model of prolonged noxious stimulation: alterations in behavior and nociceptive thresholds. *Pharmacol Biochem Behav* **31**:455-461.
- Stein C, Pfluger M, Yassouridis A, Hoelzl J, Lehrberger K, Welte C, Hassan AH (1996) No tolerance to peripheral morphine analgesia in presence of opioid expression in inflamed synovia. *J Clin Invest* **98**:793-799.
- Stein C, Schafer M, Machelska H (2003) Attacking pain at its source: new perspectives on opioids. *Nat Med* **9**:1003-1008.
- Sugiura T, Bielefeldt K, Gebhart GF (2004) TRPV1 function in mouse colon sensory neurons is enhanced by metabotropic 5-hydroxytryptamine receptor activation. *J Neurosci* **24**:9521-9530.
- Sunahara RK, Taussig R (2002) Isoforms of mammalian adenylyl cyclase: multiplicities of signaling. *Mol Interv* **2**:168-184.
- Szallasi A (2006) Small molecule vanilloid TRPV1 receptor antagonists approaching drug status: can they live up to the expectations? *Naunyn Schmiedebergs Arch Pharmacol* **14**:14.
- Szallasi A, Blumberg PM (1990) Specific binding of resiniferatoxin, an ultrapotent capsaicin analog, by dorsal root ganglion membranes. *Brain Res* **524**:106-111.
- Szallasi A, Blumberg PM, Annicelli LL, Krause JE, Cortright DN (1999) The cloned rat vanilloid receptor VR1 mediates both R-type binding and C-type calcium response in dorsal root ganglion neurons. *Mol Pharmacol* **56**:581-587.
- Takezawa R, Schmitz C, Demeuse P, Scharenberg AM, Penner R, Fleig A (2004) Receptor-mediated regulation of the TRPM7 channel through its endogenous protein kinase domain. *Proc Natl Acad Sci U S A* **101**:6009-6014.

- Tominaga M (2007) Nociception and TRP channels, in *Transient Receptor Potential (TRP) Channels* (Flockerzi V and Nilius B eds), Springer, Berlin Heidelberg New York.
- Tominaga M, Caterina MJ, Malmberg AB, Rosen TA, Gilbert H, Skinner K, Raumann BE, Basbaum AI, Julius D (1998) The cloned capsaicin receptor integrates multiple pain-producing stimuli. *Neuron* **21**:531-543.
- Tominaga M, Tominaga T (2005) Structure and function of TRPV1. *Eur J Physiol* **451**:143-150.
- Torrecilla M, Marker CL, Cintora SC, Stoffel M, Williams JT, Wickman K (2002) G-protein-gated potassium channels containing Kir3.2 and Kir3.3 subunits mediate the acute inhibitory effects of opioids on locus ceruleus neurons. *J Neurosci* **22**:4328-4334.
- Toth A, Boczan J, Kedei N, Lizanecz E, Bagi Z, Papp Z, Edes I, Csiba L, Blumberg PM (2005) Expression and distribution of vanilloid receptor 1 (TRPV1) in the adult rat brain. *Brain Res Mol Brain Res* **135**:162-168.
- Trevisani M, Smart D, Gunthorpe MJ, Tognetto M, Barbieri M, Campi B, Amadesi S, Gray J, Jerman JC, Brough SJ, Owen D, Smith GD, Randall AD, Harrison S, Bianchi A, Davis JB, Geppetti P (2002) Ethanol elicits and potentiates nociceptor responses via the vanilloid receptor-1. *Nat Neurosci* **5**:546-551.
- Van Buren J, Bhat S, Rotello R, Pauza M, Premkumar LS (2005) Sensitization and translocation of TRPV1 by insulin and IGF-I. *Mol Pain* **1**:17.
- Vellani V, Colucci M, Lattanzi R, Giannini E, Negri L, Melchiorri P, McNaughton PA (2006) Sensitization of Transient Receptor Potential Vanilloid 1 by the Prokineticin Receptor Agonist Bv8. *J Neurosci* **26**:5109-5116.
- Vennekens R, Voets T, Bindels RJ, Droogmans G, Nilius B (2002) Current understanding of mammalian TRP homologues. *Cell Calcium* **31**:253-264.
- Vetter I, Wyse BD, Monteith GR, Roberts-Thomson SJ, Cabot PJ (2006) The mu opioid agonist morphine modulates potentiation of capsaicin-evoked TRPV1 responses through a cyclic AMP-dependent protein kinase A pathway. *Mol Pain* **2**:22.
- Voilley N, de Weille J, Mamet J, Lazdunski M (2001) Nonsteroid Anti-Inflammatory Drugs Inhibit Both the Activity and the Inflammation-Induced Expression of Acid-Sensing Ion Channels in Nociceptors. *J Neurosci* **21**:8026-8033.
- Vyklicky L, Lyfenko A, Kuffler DP, Vlachova V (2003) Vanilloid receptor TRPV1 is not activated by vanilloids applied intracellularly. *Neuroreport* **14**:1061-1065.

-
- Wang JB, Johnson PS, Persico AM, Hawkins AL, Griffin CA, Uhl GR (1994) Human mu opiate receptor. cDNA and genomic clones, pharmacologic characterization and chromosomal assignment. *FEBS Lett* **338**:217-222.
- Wang Z, Sadee W (2000) Tolerance to morphine at the mu-opioid receptor differentially induced by cAMP-dependent protein kinase activation and morphine. *Eur J Pharmacol* **389**:165-171.
- Watts VJ (2002) Molecular mechanisms for heterologous sensitization of adenylate cyclase. *J Pharmacol Exp Ther* **302**:1-7.
- Welch JM, Simon SA, Reinhart PH (2000) The activation mechanism of rat vanilloid receptor 1 by capsaicin involves the pore domain and differs from the activation by either acid or heat. *Proc Natl Acad Sci U S A* **97**:13889-13894.
- Winter J, Dray A, Wood JN, Yeats JC, Bevan S (1990) Cellular mechanism of action of resiniferatoxin: a potent sensory neuron excitotoxin. *Brain Res* **520**:131-140.
- Woolf CJ, Salter MW (2000) Neuronal plasticity: increasing the gain in pain. *Science* **288**:1765-1769.
- Xu H, Blair NT, Clapham DE (2005) Camphor activates and strongly desensitizes the transient receptor potential vanilloid subtype 1 channel in a vanilloid-independent mechanism. *J Neurosci* **25**:8924-8937.
- Yaksh TL (1988) Substance P release from knee joint afferent terminals: modulation by opioids. *Brain Res* **458**:319-324.
- Yamamura HI, Hulme RL (eds) (1992) *Receptor-ligand interactions: a practical approach*. Oxford University Press, New York.
- Yiangou Y, Facer P, Dyer NHC, Chan CLH, Knowles C, Williams NS, Anand P (2001) Vanilloid receptor 1 immunoreactivity in inflamed human bowel. *Lancet* **357**:1338-1339.
- Yue X, Varga EV, Stropova D, Vanderah TW, Yamamura HI, Roeske WR (2006) Chronic morphine-mediated adenylyl cyclase superactivation is attenuated by the Raf-1 inhibitor, GW5074. *Eur J Pharmacol* **540**:57-59.
- Zadina JE, Chang SL, Ge LJ, Kastin AJ (1993) Mu opiate receptor down-regulation by morphine and up-regulation by naloxone in SH-SY5Y human neuroblastoma cells. *J Pharmacol Exp Ther* **265**:254-262.
- Zadina JE, Hackler L, Ge LJ, Kastin AJ (1997) A potent and selective endogenous agonist for the mu-opiate receptor. *Nature* **386**:499-502.

- Zhang N, Inan S, Cowan A, Sun R, Wang JM, Rogers TJ, Caterina M and Oppenheim JJ (2005a) A proinflammatory chemokine, CCL3, sensitizes the heat- and capsaicin-gated ion channel TRPV1. *Proc Natl Acad Sci U S A* **102**:4536-4541.
- Zhang X, Huang J, McNaughton PA (2005b) NGF rapidly increases membrane expression of TRPV1 heat-gated ion channels. *Embo J* **24**:4211-4223.
- Zimmermann M (1983) Ethical guidelines for investigations of experimental pain in conscious animals. *Pain* **16**:109-110.
- Zoellner C, Shaqura MA, Bopaiah CP, Mousa S, Stein C, Schafer M (2003) Painful inflammation-induced increase in mu-opioid receptor binding and G-protein coupling in primary afferent neurons. *Mol Pharmacol* **64**:202-210.
- Zoellner C, Stein C (2007) Opioids, in *Analgesia* (Stein C ed), Springer Verlag, Berlin Heidelberg New York.

