

12 LITERATURVERZEICHNIS

1. Ahlgren J. A ten-year evaluation of the quality of orthodontic treatment. *Swed Dent J* 1993;17:201-9.
2. Al Yami EA. *Orthodontics: Treatment need and treatment outcome*. Nijmegen, University of Nijmegen: 1997.
3. Al Yami EA, Kuijpers-Jagtman AM, van 't Hof MA. Assessment of biological changes in a nonorthodontic sample using the PAR index. *Am J Orthod Dentofacial Orthop* 1998;114:224-8.
4. Al Yami EA, Kuijpers-Jagtman AM, van 't Hof MA. Occlusal outcome of orthodontic treatment. *Angle Orthod* 1998;68:439-44.
5. Albino JE, Alley TR, Tedesco LA, Tobiasen JA, Kiyak HA, Lawrence SD. Esthetic issues in behavioral dentistry. *Annals of Behavioral Medicine* 1990;12:148-55.
6. Albino JEN, Lawrence SD, Tedesco LA. Psychological and social effects of orthodontic treatment. *J Behavioral Medicine* 1994;17:81-98.
7. Alexander CM, Alexander RG, Gorman JC, Hilgers JJ, Kurz C, Scholz RP et al. Lingual orthodontics. A status report. *J Clin Orthod* 1982;16:255-62.
8. Alexander CM, Alexander RG, Gorman JC, Hilgers JJ, Kurz C, Scholz RP et al. Lingual orthodontics: a status report. Part 5. Lingual mechanotherapy. *J Clin Orthod* 1983;17:99-115.
9. Alexander CM, Alexander RG, Sinclair PM. Lingual orthodontics: a status report. Part 6. Patient and practice management. *J Clin Orthod* 1983;17:240-6.
10. Alger DW. Appointment frequency versus treatment time. *Am J Orthod Dentofacial Orthop* 1988;94:436-9.
11. Altounian G. Treatment with lingual brackets: another approach in orthodontics. *Rev Orthop Dento Faciale* 1986;20:319-62.
12. Andrews LF. The six keys to normal occlusion. *Am J Orthod* 1972;62:296-309.
13. Angermann R, Berg R. Evaluation of orthodontic treatment success in patients with pronounced Angle Class III. *J Orofac Orthop* 1999;60:246-58.
14. Angle EH. Classification of malocclusion. *Dent Cosmos* 1899;41:248-350.

15. Baker NJ, David S, Barnard DW, Birnie DJ, Robinson SN. Occlusal outcome in patients undergoing orthognathic surgery with internal fixation. *Br J Oral Maxillofac Surg* 1999;37:90-3.
16. Baker RW. The Lingual Appliance: Molar Eruption Versus Incisor Depression: A Cephalometric Study. Research abstract: Eastman Dental Center, Rochester, N.Y.,1987. *Am J Orthod Dentofac Orthop* 1988:178.
17. Bauer W, Diedrich P. [The motivation and assessment of the success of adult patients undergoing orthodontic treatment--the interpretation of a questionnaire]. *Fortschr Kieferorthop* 1990;51:180-8.
18. Beckwith FR, Ackerman RJ, Jr., Cobb CM, Tira DE. An evaluation of factors affecting duration of orthodontic treatment. *Am J Orthod Dentofacial Orthop* 1999;115:439-47.
19. Bennet ME, Michaels C, Very D, O'Brien K, Weyant RJ, Vig KWL. Psychosomatic considerations in the assessment of orthodontic treatment expectations. In: Trotman CA, McNamara Jr JA, T., editors. *Orthodontic treatment outcome and effectiveness*. Ann Arbor: Center for Human Growth and Development, University of Michigan, 1995: p. 345-57.
20. Bennett RK. A Study of Deep Overbite Correction With Lingual Orthodontics. Abstract. *Am J Orthod Dentofac Orthop* 1990:281.
21. Berg R. [Motivation as the decisive factor in the treatment of adults]. *Fortschr Kieferorthop* 1986;47:287-94.
22. Berg R. Evaluation of orthodontic results--a discussion of some methodological aspects. *Angle Orthod* 1991;61:261-6.
23. Berg R, Fredlund A. Evaluation of orthodontic treatment results. *Eur J Orthod* 1981;3:181-5.
24. Bergstrom K, Halling A, Huggare J, Johansson L. Treatment difficulty and treatment outcome in orthodontic care. *Eur J Orthod* 1998;20:145-57.
25. Birkeland K, Boe OE, Wisth PJ. Subjective assessment of dental and psychosocial effects of orthodontic treatment. *J Orofac Orthop* 1997;58:44-61.

26. Birkeland K, Boe OE, Wisth PJ. Relationship between occlusion and satisfaction with dental appearance in orthodontically treated and untreated groups. A longitudinal study. *Eur J Orthod* 2000;22:509-18.
27. Birkeland K, Furevik J, Boe OE, Wisth PJ. Evaluation of treatment and post-treatment changes by the PAR Index. *Eur J Orthod* 1997;19:279-88.
28. Breece GL, Nieberg LG. Motivations for adult orthodontic treatment. *J Clin Orthod* 1986;20:166-71.
29. Brook PH, Shaw WC. The development of an index of orthodontic treatment priority. *Eur J Orthod* 1989;11:309-20.
30. Buchanan IB, Russell JI, Clark JD. Practical application of the PAR index: an illustrative comparison of the outcome of treatment using two fixed appliance techniques. *Br J Orthod* 1996;23:351-7.
31. Buchanan IB, Shaw WC, Richmond S, O'Brien KD, Andrews M. A comparison of the reliability and validity of the PAR Index and Summers' Occlusal Index. *Eur J Orthod* 1993;15:27-31.
32. Bühl A, Zöfel P. SPSS für Windows Version 6.1. Bonn: Addison-Wesley-Longmann Verlag GmbH, 1996.
33. Cacciafesta V, Miethke RR, Jost-Brinkmann PG. Bending Art System - State of the Art and first impressions. *Kieferorthop* 1995:247-54.
34. Cadman KC, Glover KE, Heo G, Warren S, Major PW. Orthodontic treatment outcome in a First Nations population in Alberta, Canada: a comparative study. *Am J Orthod Dentofacial Orthop* 2002;121:396-402.
35. Cassinelli AG, Firestone AR, Beck FM, Vig KW. Factors associated with orthodontists' assessment of difficulty. *Am J Orthod Dentofacial Orthop* 2003;123:497-502.
36. Crawford EC. The long-term effect of orthodontic treatment - a study of occlusal change using the PAR Index (EOS Abstract). *Eur J Orthod* 1994;16:332-3.
37. Creekmore T. Lingual orthodontics--its renaissance. *Am J Orthod Dentofacial Orthop* 1989;96:120-37.

38. Daniels C, Richmond S. The development of the index of complexity, outcome and need (ICON). *J Orthod* 2000;27:149-62.
39. Dausch-Neumann D. [Motivation of our orthodontic patients]. *Fortschr Kieferorthop* 1982;43:29-37.
40. DeGuzman L, Bahiraei D, Vig KW, Vig PS, Weyant RJ, O'Brien K. The validation of the Peer Assessment Rating index for malocclusion severity and treatment difficulty. *Am J Orthod Dentofacial Orthop* 1995;107:172-6.
41. Diedrich P. Die linguale Bracketfixation - Problematik und erste Erfahrungen. *Fortschr Kieferorthop* 1984;45:65-76.
42. Droschl H, Bantleon HP, Permann I. [Orthodontic treatment of adults]. *Z Stomatol* 1989;86:13-22.
43. Drost C, Jost-Brinkmann PG, Miethke RR. Zeitaufwandstudie zum Bending Art System. *Kieferorthop* 1998;57-60.
44. Dyken RA, Sadowsky PL, Hurst D. Orthodontic outcomes assessment using the peer assessment rating index. *Angle Orthod* 2001;71:164-9.
45. Ebert K. Probleme und Ziele kieferorthopädischer Behandlung aus Patienensicht (Interpretation einer Befragung). *Fortschr Kieferorthop* 1977;38:452-8.
46. Eismann D. [Proposal for establishment of standards in orthodontic treatment]. *Dtsch Stomatol* 1971;21:505-13.
47. Eismann D. A method of evaluating the efficiency of orthodontic treatment. *Trans Eur Orthod Soc* 1974:223-32.
48. Fadel B, Miethke RR. Die kieferorthopädische Behandlung des offenen Bisses bei Dysfunktionen und Habits. *Kieferorthop* 1994;8:11-22.
49. Favero L. Lingual Orthodontics in Pediatric Patients. In: Romano R, editor. *Lingual orthodontics*. Hamilton: B C Decker Inc, 1998: p. 127-34.
50. Fellner U, Schlömer R. Der PAR-Index - eine praktikable Methode der Qualitätssicherung. *Kieferorthop* 1996;10:193-200.
51. Fidler BC, Artun J, Joondeph DR, Little RM. Long-term stability of Angle Class II, division 1 malocclusions with successful occlusal results at end of active treatment. *Am J Orthod Dentofacial Orthop* 1995;107:276-85.

52. Fillion D. [Lingual orthodontics and miniplates. Esthetics and comfort in surgical orthodontic treatment]. *Inf Dent* 1990;72:1757-67.
53. Fillion D. [Lingual orthodontics: clinical reflections]. *Rev Orthop Dento Faciale* 1990;24:475-98.
54. Fillion D. Improving patient comfort with lingual brackets. *J Clin Orthod* 1997;31:689-94.
55. Fillion D. The Thickness Measurement System with the DALI program. In: Romano R, editor. *Lingual orthodontics*. Hamilton: B C Decker Inc, 1998: p. 175-84.
56. Fillion D, Leclerc JF. [Lingual orthodontics: why is it progressing?]. *Orthod Fr* 1991;62 Pt 3:793-801.
57. Fink DF, Smith RJ. The duration of orthodontic treatment. *Am J Orthod Dentofacial Orthop* 1992;102:45-51.
58. Firestone AR, Beck FM, Beglin FM, Vig KW. Evaluation of the peer assessment rating (PAR) index as an index of orthodontic treatment need. *Am J Orthod Dentofacial Orthop* 2002;122:463-9.
59. Firestone AR, Hasler RU, Ingervall B. Treatment results in dental school orthodontic patients in 1983 and 1993. *Angle Orthod* 1999;69:19-26.
60. Fischer-Brandies H, Orthuber W. [A whole new development from the Bending Art System]. *Orthod Fr* 2003;74:499-510.
61. Fischer-Brandies H, Orthuber W, Ermert M, Hussmans A. The Force Module for the Bending Art system. *J Orofac Orthop* 1998:301-11.
62. Fischer-Brandies H, Orthuber W, Laibe J, Menzel E. Continuous arch wire technique using the bending art system. *J Orofac Orthop* 1997;58:198-205.
63. Fischer-Brandies H, Orthuber W, Pohle L, Sellenriek D. Bending and Torquing Accuracy of the Bending Art System (BAS). *J Orofac Orthop* 1996;57:16-23.
64. Fox D, Kay EJ, O'Brien K. A new method of measuring how much anterior tooth alignment means to adolescents. *Eur J Orthod* 2000;22:299 - 305.
65. Fox NA. The first 100 cases: a personal audit of orthodontic treatment assessed by the PAR (peer assessment rating) index. *Br Dent J* 1993;174:290-7.

66. Fox NA, Daniels C, Gilgrass T. A comparison of the index of complexity outcome and need (ICON) with the peer assessment rating (PAR) and the index of orthodontic treatment need (IOTN). *Br Dent J* 2002;193:225-30.
67. Fritz U, Diedrich P, Wiechmann D. Lingual technique--patients' characteristics, motivation and acceptance. Interpretation of a retrospective survey. *J Orofac Orthop* 2002;63:227-33.
68. Fritz U, Diedrich P, Wiechmann D. Apical root resorption after lingual orthodontic therapy. *J Orofac Orthop* 2003;64:434-42.
69. Fujita K. Development of lingual brachet technique. (Esthetic and hygienic approach to orthodontic treatment) (Part 1) Background and design. *Shika Rikogaku Zasshi* 1978;19:81-6.
70. Fujita K. [Development of lingual-bracket technique. (Esthetic and hygienic approach to orthodontic treatment) (Part 2) Manufacture and treatment (author's transl)]. *Shika Rikogaku Zasshi* 1978;19:87-94.
71. Fujita K. [Development of lingual-bracket technique. (Part 3) Inclination of lingual surface of the teeth and improvement of lingual-bracket (author's transl)]. *Nippon Kyosei Shika Gakkai Zasshi* 1978;37:381-4.
72. Fujita K. New orthodontic treatment with lingual bracket mushroom arch wire appliance. *Am J Orthod* 1979;76:657-75.
73. Fujita K. Multilingual-bracket and mushroom arch wire technique. A clinical report. *Am J Orthod* 1982;82:120-40.
74. Fulmer DT, Kuftinec MM. Cephalometric appraisal of patients treated with fixed lingual orthodontic appliances: historic review and analysis of cases. *Am J Orthod Dentofacial Orthop* 1989;95:514-20.
75. Gerhardt K. Lingualtechnik. In: Diedrich P, editor. *Kieferorthopädie II, Praxis der Zahnheilkunde 11/II*. München: Urban und Fischer, 2000: p. 233-45.
76. Geron S. Managing the orthodontic treatment of patients with advanced periodontal disease: the lingual appliance. *World J Orthod* 2004;5:324-31.
77. Geron S, Chaushu S. Lingual Extraction Treatment of Anterior Open Bite in an Adult. *J Clin Orthod* 2002;36:441-6.

78. Geron S, Romano R, Brosh T. Vertical forces in labial and lingual orthodontics applied on maxillary incisors--a theoretical approach. *Angle Orthod* 2004;74:195-201.
79. Geron S, Shpack N, Kandos S, Davidovitch M, Vardimon AD. Anchorage loss--a multifactorial response. *Angle Orthod* 2003;73:730-7.
80. Gianelly AA. One-phase versus two-phase treatment. *Am J Orthod Dentofacial Orthop* 1995;108:556-9.
81. Gorelick L, Geiger AM, Gwinnett AJ. Incidence of white spot formation after bonding and banding. *Am J Orthod* 1982;81:93-8.
82. Goren S, Zoizner R, Geron S, Romano R. Lingual orthodontics versus buccal orthodontics: biomechanical and clinical aspects. *J Lingual Orthod* 2003:1-7.
83. Gorman JC. Treatment of adults with lingual orthodontic appliances. *Dent Clin North Am* 1988;32:589-620.
84. Gorman JC, Hilgers JJ, Smith JR. Lingual orthodontics: a status report. Part 4: Diagnosis and treatment planning. *J Clin Orthod* 1983;17:26-35.
85. Gorman JC, Smith RJ. Comparison of treatment effects with labial and lingual fixed appliances. *Am J Orthod Dentofacial Orthop* 1991;99:202-9.
86. Gottlieb EL. Grading your orthodontic treatment results. *J Clin Orthod* 1975;9:155-61.
87. Grainger RM. Orthodontic treatment priority index. *Vital Health Stat 1* 1967;2:1-49.
88. Grewe JM, Hagan DV. Malocclusion indices: a comparative evaluation. *Am J Orthod* 1972;61:286-94.
89. Gunawan A, Jost-Brinkmann PG, Halbich T, Böhme A. Bracketplatzierung in der Lingualtechnik nach der modifizierten Hiro-Technik: eine Tischdemonstration. 74. Wissenschaftliche Jahrestagung der DGKFO. Friedrichshafen; 2001.
90. Hamdan AM, Rock WP. An appraisal of the Peer Assessment Rating (PAR) Index and a suggested new weighting system. *Eur J Orthod* 1999;21:181-92.
91. Hassebrauck M. The visual process method: A new method to study physical Attractiveness. *Evolution and human behavior* 1998;19:111-23.

92. Hiro T, Takemoto K. Resin core indirect bonding system-improvement of lingual orthodontic treatment. *J Jpn Orthod Soc* 1998;83-91.
93. Hohoff A, Fillion D, Stamm T, Goder G, Sauerland C, Ehmer U. Oral comfort, function and hygiene in patients with lingual brackets. A prospective longitudinal study. *J Orofac Orthop* 2003;64:359-71.
94. Hohoff A, Seifert E, Fillion D, Stamm T, Heinecke A, Ehmer U. Speech performance in lingual orthodontic patients measured by sonagraphy and auditive analysis. *Am J Orthod Dentofacial Orthop* 2003;123:146-52.
95. Hohoff A, Stamm T, Ehmer U. Comparison of the effect on oral discomfort of two positioning techniques with lingual brackets. *Angle Orthod* 2004;74:226-33.
96. Hohoff A, Stamm T, Goder G, Sauerland C, Ehmer U, Seifert E. Comparison of 3 bonded lingual appliances by auditive analysis and subjective assessment. *Am J Orthod Dentofacial Orthop* 2003;124:737-45.
97. Hohoff A, Stamm T, Kuhne N, Wiechmann D, Haufe S, Lippold C et al. Effects of a mechanical interdental cleaning device on oral hygiene in patients with lingual brackets. *Angle Orthod* 2003;73:579-87.
98. Hohoff A, Wiechmann D, Fillion D, Stamm T, Lippold C, Ehmer U. Evaluation of the parameters underlying the decision by adult patients to opt for lingual therapy: an international comparison. *J Orofac Orthop* 2003;64:135-44.
99. Holman JK, Hans MG, Nelson S, Powers MP. An assessment of extraction versus nonextraction orthodontic treatment using the peer assessment rating (PAR) index. *Angle Orthod* 1998;68:527-34.
100. Hugu SA. The customized lingual appliance set-up service (CLASS) system. In: Romano R, editor. *Lingual orthodontics*. Hamilton: B C Decker Inc, 1998: p. 163-73.
101. Hugo A, Reyneke JP, Weber ZJ. Lingual orthodontics and orthognathic surgery. *Int J Adult Orthodon Orthognath Surg* 2000;15:153-62.
102. Inglehart M, A. BR. *Oral health-related quality of life*. Chicago: Quintessence, 2002.

103. Jarvinen S, Widstrom E, Raitio M. Factors affecting the duration of orthodontic treatment in children. A retrospective study. *Swed Dent J* 2004;28:93-100.
104. Jost-Brinkmann PG, Cacciafesta V, Riemeier F. Lingual treatment with the Bending Art System. In: Romano R, editor. *Lingual orthodontics*. Hamilton: B C Decker Inc, 1998: p. 185-93.
105. Jost-Brinkmann PG, Groth K, Bädke F. Linguale Multibracketapparaturen für Trompeter. *Das Orchester* 2003;6:26-30.
106. Jost-Brinkmann PG, Papra PC, Halbich T. Unsichtbare Spangen - leichtgemacht mit dem Orthomate. *ZMK* 1999:214-8.
107. Jost-Brinkmann PG, Papra PC, Halbich T. Ein Schritt zur erfolgreichen Lingualbehandlung. *Labortechnische Arbeitsschritte beim indirekten Kleben*. *Quintessenz Zahntechnik* 2000;26:151-60.
108. Jost-Brinkmann PG, Tanne K, Sakuda M, Miethke RR. [A FEM study for the biomechanical comparison of labial and palatal force application on the upper incisors. Finite element method]. *Fortschr Kieferorthop* 1993;54:76-82.
109. Karageorgiou N, Pancherz H. Auswertung kieferorthopädischer Behandlungsergebnisse. *Inf Orthod Kieferorthop* 1996;28:311-26.
110. Karrer M. Das schöne Gesicht mit schönen Zähnen: Reiz und Grenzen der Gestaltung. *Deutsche Zahnärztliche Zeitschrift* 59 (2004) 2004;59:248-56.
111. Kelly BM, Springate SD. Specialist orthodontics in the General Dental Service. *Br Dent J* 1996;180:209-15.
112. Kelly VM. JCO/interviews Dr. Vincent M. Kelly on lingual orthodontics. *J Clin Orthod* 1982;16:461-76.
113. Kerr WJ, Buchanan IB, McColl JH. Use of the PAR index in assessing the effectiveness of removable orthodontic appliances. *Br J Orthod* 1993;20:351-7.
114. Kerr WJ, McColl JH, Frostick L. The use of removable orthodontic appliances in the General Dental Service. *Br Dent J* 1996;181:18-22.
115. Kim JC, Mascarenhas AK, Joo BH, Vig KW, Beck FM, Vig PS. Cephalometric variables as predictors of Class II treatment outcome. *Am J Orthod Dentofacial Orthop* 2000;118:636-40.

116. Klages U, Bruckner A, Zentner A. Dental aesthetics, self-awareness, and oral health-related quality of life in young adults. *Eur J Orthod* 2004;26:507-14.
117. Kurz C. The use of lingual appliances for correction of bimaxillary protrusion (four premolars extraction). *Am J Orthod Dentofacial Orthop* 1997;112:357-63.
118. Kurz C, Romano R. Lingual orthodontics: Historical perspective. In: Romano R, editor. *Lingual orthodontics*. Hamilton: BC Decker Inc, 1998: p. 3-19.
119. Kurz C, Swartz ML, Andreiko C. Lingual orthodontics: a status report. Part 2: Research and development. *J Clin Orthod* 1982;16:735-40.
120. Kyung HM, S. PH, Sung JH, Kim IB. Lingual orthodontic treatment. *Int Orthod* 2003;1:21-47.
121. Ling PH. Lingual Orthodontics: History, Misconceptions and Clarification. *Can Dent Assoc* 2005:99–102.
122. Little RM. The irregularity index: a quantitative score of mandibular anterior alignment. *Am J Orthod* 1975;68:554-63.
123. Little RM, Wallen TR, Riedel RA. Stability and relapse of mandibular anterior alignment-first premolar extraction cases treated by traditional edgewise orthodontics. *Am J Orthod* 1981;80:349-65.
124. Lobb WK, Ismail AI, Andrews CL, Spracklin TE. Evaluation of orthodontic treatment using the Dental Aesthetic Index. *Am J Orthod Dentofacial Orthop* 1994;106:70-5.
125. Mascarenhas AK, Vig K. Comparison of orthodontic treatment outcomes in educational and private practice settings. *J Dent Educ* 2002;66:94-9.
126. Matsui M, Fujita K, Mochizuki K. [Brushing method for the lingual-bracket technique with Fujita (author's transl)]. *Nippon Kyosei Shika Gakkai Zasshi* 1978;37:399-403.
127. McGorray SP, Wheeler TT, Keeling SD, Yurkiewicz L, Taylor MG, King GJ. Evaluation of orthodontists' perception of treatment need and the peer assessment rating (PAR) index. *Angle Orthod* 1999;69:325-33.

128. McGuinness NJ, McDonald JP. The influence of operator changes on orthodontic treatment times and results in a postgraduate teaching environment. *Eur J Orthod* 1998;20:159-67.
129. McKiernan EX, McKiernan F, Jones ML. Psychological profiles and motives of adults seeking orthodontic treatment. *Int J Adult Orthodon Orthognath Surg* 1992;7:187-98.
130. Meier B, Wiemer K, Miethke RR. Invisalign - Ein Patientenprofil. *Fortschr Kieferorthop* 2003;64:352-8.
131. Miyawaki S, Yasuhara M, Koh Y. Discomfort caused by bonded lingual orthodontic appliances in adult patients as examined by retrospective questionnaire. *Am J Orthod Dentofacial Orthop* 1999;115:83-8.
132. Moran KI. Relative wire stiffness due to lingual versus labial interbracket distance. *Am J Orthod Dentofacial Orthop* 1987;92:24-32.
133. Muir JC. Lingual orthodontic appliances: invisible braces. *N Z Dent J* 1991;87:57-9.
134. Müller-Hartwich R, Jost-Brinkmann PG. Ästhetik mit Kraft, Draht und Öse: Die Lingualtechnik. *ZM* 2003:27-60.
135. Nezhat V, Gunawan A, Jost-Brinkmann PG. Probleme bei der Behandlung mittels Lingualtechnik - Ergebnisse einer Befragung. *Kieferorthop* 2003;17:143-6.
136. Nidoli G, Macchi A, Lazzati M. [Improve esthetics with bonded lingual brackets]. *Attual Dent* 1988;4:12-7, 9-22.
137. Nurminen L, Pietila T, Vinkka-Puhakka H. Motivation for and satisfaction with orthodontic-surgical treatment: a retrospective study of 28 patients. *Eur J Orthod* 1999;21:79-87.
138. O'Brien KD, Robbins R, Vig KW, Vig PS, Shnorhokian H, Weyant R. The effectiveness of Class II, division 1 treatment. *Am J Orthod Dentofacial Orthop* 1995;107:329-34.
139. O'Brien KD, Shaw WC, Roberts CT. The use of occlusal indices in assessing the provision of orthodontic treatment by the hospital orthodontic service of England and Wales. *Br J Orthod* 1993;20:25-35.

140. Otuyemi OD. Evaluation of orthodontic treatment outcome: a personal clinical audit using the PAR index (peer assessment rating). *Afr Dent J* 1995;9:1-8.
141. Otuyemi OD, Jones SP. Methods of assessing and grading malocclusion: a review. *Aust Orthod J* 1995;14:21-7.
142. Paige SF. A lingual light-wire technique. *J Clin Orthod* 1982;16:534-44.
143. Pangrazio-Kulbersh V, Kaczynski R, Shunock M. Early treatment outcome assessed by the Peer Assessment Rating index. *Am J Orthod Dentofacial Orthop* 1999;115:544-50.
144. Parker WS. The HLD (CalMod) index and the index question. *Am J Orthod Dentofacial Orthop* 1998;114:134-41.
145. Poon KC, Taverne AA. Lingual orthodontics: a review of its history. *Aust Orthod J* 1998;15:101-4.
146. Poulton DR, Aaronson SA. The relationship between occlusion and periodontal status. *Am J Orthod* 1961;47:690-9.
147. Proffit WB, Ackerman JL. Diagnosis and treatment planning in orthodontics. In: M. GT, F. SB, editors. *Orthodontics: current principles and techniques*. C. V.: Mosby, 1985.
148. Proffit WR. Forty-year review of extraction frequencies at a university orthodontic clinic. *Angle Orthod* 1994;64:407-14.
149. Proffit WR. Treatment for Adults. In: Proffit WR, editor. *Contemporary Orthodontics*. St Louis: Mosby, 2000: p. 644.
150. Redahan S, Lagerstrom L. Orthodontic treatment outcome: the relationship between anterior dental relations and anterior inter-arch tooth size discrepancy. *J Orthod* 2003;30:237-44.
151. Richmond S. A critical evaluation of orthodontic treatment in the General Dental Services of England and Wales. Manchester, University of Manchester: PhD Thesis 1990.
152. Richmond S. The need for cost-effectiveness. *J Orthod* 2000;27:267-9.
153. Richmond S, Andrews M. Orthodontic treatment standards in Norway. *Eur J Orthod* 1993;15:7-15.

154. Richmond S, Shaw WC, O'Brien KD, Buchanan IB, Jones R, Stephens CD et al. The development of the PAR Index (Peer Assessment Rating): reliability and validity. *Eur J Orthod* 1992;14:125-39.
155. Richmond S, Shaw WC, Roberts CT, Andrews M. The PAR Index (Peer Assessment Rating): methods to determine outcome of orthodontic treatment in terms of improvement and standards. *Eur J Orthod* 1992;14:180-7.
156. Richmond S, Shaw WC, Stephens CD, Webb WG, Roberts CT, Andrews M. Orthodontics in the general dental service of England and Wales: a critical assessment of standards. *Br Dent J* 1993;174:315-29.
157. Riedmann T, Berg R. Retrospective evaluation of the outcome of orthodontic treatment in adults. *J Orofac Orthop* 1999;60:108-23.
158. Robb SI, Sadowsky C, Schneider BJ, BeGole EA. Effectiveness and duration of orthodontic treatment in adults and adolescents. *Am J Orthod Dentofacial Orthop* 1998;114:383-6.
159. Saelens NA, De Smit AA. Therapeutic changes in extraction versus non-extraction orthodontic treatment. *Eur J Orthod* 1998;20:225-36.
160. Sandham JA. Orthodontic treatment with lingually bonded brackets. *Br J Orthod* 1984;11:189-94.
161. Schmidt-Rogge N. Quantitative und qualitative Auswertung kieferorthopädischer Behandlungen. Berlin, Medizinischen Fakultät Charité der Humboldt-Universität zu Berlin: Dissertation 2001.
162. Scuzzo G, Cannavo M. Distalisation of Molars in Nonextraction Cases. In: Scuzzo G, Takemoto K, editors. *Invisible Orthodontics: current concepts and solutions in lingual orthodontics*. Berlin: Quintessenz, 2003: p. 91-5.
163. Scuzzo G, Cirulli N, Macchi A. A simple lingual bracket (2D-control) for minor crowding and periodontal problems. *J Ling Orthod* 2000;1:1-4.
164. Scuzzo G, Takemoto K. Biomechanics and Comparative Biomechanics. In: Scuzzo G, Takemoto K, editors. *Invisible Orthodontics: current concepts and solutions in lingual orthodontics*. Berlin, Chicago, London: Quintessenz Verlag, 2003: p. 55-60.

165. Scuzzo G, Takemoto K. Diagnostic and Therapeutic Consideration in Lingual Orthodontic Treatment. In: Scuzzo G, Takemoto K, editors. Invisible Orthodontics: current concepts and solutions in lingual orthodontics. Berlin, Chicago, London: Quintessenz Verlag, 2003: p. 11-3.
166. Scuzzo G, Takemoto K. Hiro System Laboratory Procedure. In: Scuzzo G, Takemoto K, editors. Invisible Orthodontics: current concepts and solutions in lingual orthodontics. Berlin, Chicago, London: Quintessenz Verlag, 2003: p. 39-45.
167. Scuzzo G, Takemoto K. Keys to Success of Lingual Orthodontic Treatment. In: Scuzzo G, Takemoto K, editors. Invisible Orthodontics: current concepts and solutions in lingual orthodontics. Berlin, Chicago, London: Quintessenz Verlag, 2003: p. 15-21.
168. Scuzzo G, Takemoto K. Lingual Laboratory Procedures. In: Scuzzo G, Takemoto K, editors. Invisible Orthodontics: current concepts and solutions in lingual orthodontics. Berlin, Chicago, London: Quintessenz Verlag, 2003: p. 23-38.
169. Serogl HG, Klages U, Zentner A. Functional and social discomfort during orthodontic treatment--effects on compliance and prediction of patients' adaptation by personality variables. *Eur J Orthod* 2000;22:307-15.
170. Shaw WC. Factors influencing the desire for orthodontic treatment. *Eur J Orthod* 1981;3:151-62.
171. Shaw WC. The influence of childrens dentofacial appearance on their social attractiveness as judged by peers and lay adults. *Am J Orthod* 1981;79:399-415.
172. Shaw WC, Richmond S, O'Brien KD. The use of occlusal indices: a European perspective. *Am J Orthod Dentofacial Orthop* 1995;107:1-10.
173. Shaw WC, Richmond S, O'Brien KD, Brook P, Stephens CD. Quality control in orthodontics: indices of treatment need and treatment standards. *Br Dent J* 1991;170:107-12.
174. Shum LMY, Wong RWK, Hägg U. Lingual Orthodontics – A Review. *Hong Kong Dental Journal* 2004:13-20.

175. Silli SM, Silli E. Individuelle ideale Bracketplatzierung mithilfe von computergestütztem virtuellen Setup und Roboter. *Inf Orthod Kieferorthop* 2000;32:247-56.
176. Sinclair PM, Cannito MF, Goates LJ, Solomos LF, Alexander CM. Patient responses to lingual appliances. *J Clin Orthod* 1986;20:396-404.
177. Smith JR, Gorman JC, Kurz C, Dunn RM. [The key to success in lingual therapy]. *Inf Orthod Kieferorthop* 1986;18:377-400.
178. Smith JR, Gorman JC, Kurz C, Dunn RM. Keys to success in lingual therapy. Part 1. *J Clin Orthod* 1986;20:252-61.
179. Smith JR, Gorman JC, Kurz C, Dunn RM. Keys to success in lingual therapy. Part 2. *J Clin Orthod* 1986;20:330-40.
180. Stephens CD. PAR Index to assess the effectiveness of removable orthodontic appliance treatment. *Br J Orthod* 1994;21:313.
181. Summers CJ. The occlusal index: a system for identifying and scoring occlusal disorders. *Am J Orthod* 1971;59:552-67.
182. Takemoto K. Anchorage control in lingual orthodontics. In: Romano R, editor. *Lingual orthodontics*. Hamilton: B C Decker Inc, 1998: p. 75-82.
183. Takemoto K, Scuzzo G. Implementing the Hiro Technique for Lingual Indirect Bonding. *Clinical Impressions* 2003;12:7-13.
184. Taylor PJ, Kerr WJ, McColl JH. Factors associated with the standard and duration of orthodontic treatment. *Br J Orthod* 1996;23:335-41.
185. Teh LH, Kerr WJ, McColl JH. Orthodontic treatment with fixed appliances in the General Dental Service in Scotland. *J Orthod* 2000;27:175-80.
186. Thalheim A, Wiechmann D. Lingual orthodontics as the first choice. *J Ling Orthod* 2002;4:92-9.
187. Turbill EA, Richmond S, Wright JL. Assessment of General Dental Services orthodontic standards: the Dental Practice Board's gradings compared to PAR and IOTN. *Br J Orthod* 1996;23:211-20.

188. Turbill EA, Richmond S, Wright JL. A closer look at General Dental Service orthodontics in England and Wales. I: Factors influencing effectiveness. *Br Dent J* 1999;187:211-6.
189. Turner SA. Occlusal indices revisited. *Br J Orthod* 1990;17:197-203.
190. Uhde MD, Sadowsky C, BeGole EA. Long-term stability of dental relationships after orthodontic treatment. *Angle Orthod* 1983;53:240-52.
191. Vig KW, Weyant R, Vayda D, O'Brien K, Bennett E. Orthodontic process and outcome: efficacy studies--strategies for developing process and outcome measures: a new era in orthodontics. *Clin Orthod Res* 1998;1:147-55.
192. Vig PS, Weintraub JA, Brown C, Kowalski CJ. The duration of orthodontic treatment with and without extractions: a pilot study of five selected practices. *Am J Orthod Dentofacial Orthop* 1990;97:45-51.
193. von Bremen J, Pancherz H. Efficiency of early and late Class II Division 1 treatment. *Am J Orthod Dentofacial Orthop* 2002;121:31-7.
194. Wang WN, Tarng TH, Chen YY. Comparison of bond strength between lingual and buccal surfaces on young premolars. *Am J Orthod Dentofacial Orthop* 1993;104:251-3.
195. Wiechmann D. Lingual orthodontics (part 1): laboratory procedure. *J Orofac Orthop* 1999;60:371-9.
196. Wiechmann D. Lingual orthodontics (part 2): archwire fabrication. *J Orofac Orthop* 1999;60:416-26.
197. Wiechmann D. Lingual orthodontics (Part 3): Intraoral sandblasting and indirect bonding. *J Orofac Orthop* 2000;61:280-91.
198. Wiechmann D. Lingual orthodontics (Part 4): Economic lingual treatment (ECO-lingual therapy). *J Orofac Orthop* 2000;61:359-70.
199. Wiechmann D. A new bracket system for lingual orthodontic treatment. Part 1: Theoretical background and development. *J Orofac Orthop* 2002;63:234-45.
200. Wiechmann D, Rummel V, Thalheim A, Simon JS, Wiechmann L. Customized brackets and archwires for lingual orthodontic treatment. *Am J Orthod Dentofacial Orthop* 2003;124:593-9.

201. Willems G, Heidbuchel R, Verdonck A, Carels C. Treatment and standard evaluation using the Peer Assessment Rating Index. Clin Oral Investig 2001;5:57-62.