

# **ALTERNATIVE POLYMERS AND PROCESSES FOR COATING**

Dissertation

zur Erlangung des akademischen Grades des  
Doktors der Naturwissenschaften

im Fachbereich Biologie, Chemie, Pharmazie  
der Freien Universität Berlin

vorgelegt von

**Terebesi Ildikó**

Aus Kronstadt

Berlin, Mai 2006

1. Gutachter: Prof. Dr. R. Bodmeier

2. Gutachter: Prof. Dr. J. Siepmann

Tag der mündlichen Prüfung: 30.Juni 2006

Mut ist nicht die Abwesenheit von Angst,  
sondern die Erkenntnis, dass andere Dinge wichtiger sind.



## **ACKNOWLEDGEMENTS**

First and foremost, it is my special wish to thank Prof. Dr. Roland Bodmeier for the opportunity to be a member of his research group and to prepare the present work. I deeply appreciate his help and advice in all concerns and I am especially grateful for his professional and scientific guidance. Moreover, I am very thankful to him for the special opportunity of the scientific internship at the Universidad Nacional de Rosario, Argentina.

Furthermore, I thank Prof. Dr. Jürgen Siepmann for evaluating my thesis, but also for his ongoing encouragement. Thanks are extended to Prof. Dr. Ronald Gust, Prof. Dr. Hans-Herbert Borchert and Dr. Lothar Schwabe for serving as members of my thesis advisor committee.

Dr. Stark and his colleagues from the Federal Institute of Material Research and Testing (Bundesanstalt für Materialforschung und –Testung, BAM) I thank for the valuable help with the DMA-experiments and the interesting discussions, which enriched my knowledge about polymer sciences.

Mrs Christine Curbach, Mr Burkhard Dickenhorst, Mrs Katrin Möbus, Mrs Joana Mota, Mrs Araya Raiwa, Dr. Abid Ahmed Riaz, Mr Soravoot Rujivipat, Mr Martin Schulz and Mrs Katrin Steiner I thank for the correction of the drafts of the papers and thesis.

Moreover I thank Dr. Florence Siepmann, Mrs Araya Raiwa and Mr Soravoot Rujivipat for the pleasant lab-atmosphere as well as many thanks to Dr. Mesut Ciper, Mrs Christine Curbach, Mrs Victoria Dashevskaya, Dr. Andrei Dashevsky, Mr Burkhard Dickenhorst, Dr. Wenyu Dong, Mr Martin Körber, Mrs Katrin Möbus, Mrs Joana Mota, Dr. Abid Ahmed Riaz, Mr Martin Schulz, Mrs Dunagratana Shuwisitkul, Mrs Katrin Steiner, Mr Dirk Sticha and all other members of the Bodmeier-research group for the enjoyable working atmosphere and cooperation.

Mrs Angelika Schwarz I thank for the help to struggle with bureaucracy, Mrs Eva Ewest for her foresighted help in the preparation of the students' practical training and Mr Andreas Krause for his help to deal with technical problems.

In particular I thank Dr. Ruth Dillmann-Marschner, who succeeded as first to rise and develop my interest for pharmaceutical technology; without her I would have never arrived to this focus.

Many thanks are owing to Dr. Vivian Voigt, Mrs Norma Hernandez, Dr. Anne Saupe and Mrs Christine Curbach for their encouragement and friendship throughout the years.

Special thanks to Dr. Nantharat Pearnchob for her help and advice, which often changed my view.

Most importantly I thank my family: my sister Sophia for her critical attitude, which helped me to keep my feet on the ground, my mum and my father for giving me the freedom and support to follow and realise my dreams, and to all three of them for being there for me, when I needed someone to listen.

More than special thanks to Bhaskar for being always at my side, despite the distance in time and space.

# TABLE OF CONTENT

<b>LIST OF FIGURES .....</b>	<b>5</b>
<b>LIST OF TABLES .....</b>	<b>13</b>
<b>LIST OF ABBREVIATIONS.....</b>	<b>15</b>
<b>1. INTRODUCTION .....</b>	<b>17</b>
<b>1.1. Coating of solid dosage forms .....</b>	<b>18</b>
1.1.1. Protective coatings.....	19
1.1.2. Functional coatings .....	19
a. Enteric coatings.....	19
b. Extended release coatings.....	20
<b>1.2. Zein .....</b>	<b>22</b>
1.2.1. Protein composition and properties .....	22
1.2.2. Solvents and stability in solution .....	23
1.2.3. Preparation processing .....	24
1.2.4. Applications of zein .....	25
1.2.5. Zein for controlled release .....	25
<b>1.3. Shellac.....</b>	<b>27</b>
1.3.1. General overview .....	27
1.3.2. Applications of shellac .....	27
<b>1.4. Ethylcellulose .....</b>	<b>29</b>
1.4.1. General overview .....	29
1.4.2. Applications of ethylcellulose .....	30
<b>1.5. Coating processes and formulation parameters.....</b>	<b>31</b>
1.5.1. Organic coating.....	31
1.5.2. Aqueous coating .....	32
a. Solutions.....	32
b. Dispersions .....	32
c. Redispersible powders .....	34
1.5.3. Dry coating.....	35
a. Compression coating .....	35
b. Coating with micronized polymer powders .....	36
1.5.4. Theory of coalescence and film formation.....	39
1.5.5. Formulation and process parameters.....	47
a. Plasticisers .....	47
b. Mechanical properties .....	48
c. Curing .....	49

<b>1.6.</b>	<b>Research objectives .....</b>	<b>50</b>
1.6.1.	Natural polymers for extended release or protective coatings .....	50
a.	Pure zein coatings .....	50
b.	Zein-shellac combinations .....	50
1.6.2.	Dry powder coating: critical parameters for film formation.....	51
<b>2.</b>	<b>MATERIALS AND METHODS .....</b>	<b>53</b>
<b>2.1.</b>	<b>Materials .....</b>	<b>54</b>
<b>2.2.</b>	<b>Methods.....</b>	<b>56</b>
2.2.1.	Plasticiser evaluation .....	56
2.2.2.	Differential scanning calorimetry (DSC) .....	56
2.2.3.	Zein-shellac compatibility.....	57
2.2.4.	Preparation of aqueous dispersions of zein .....	57
2.2.5.	Particle size measurements.....	58
2.2.6.	Surface tension measurements .....	58
2.2.7.	Zeta-potential measurements .....	58
2.2.8.	Stabilisers for aqueous zein dispersions.....	59
2.2.9.	Centrifugation.....	59
2.2.10.	Lyophilisation.....	59
2.2.11.	Spray-drying.....	59
2.2.12.	Redispersion .....	60
2.2.13.	Micronised polymer powders.....	60
2.2.14.	Drug layering of pellets .....	61
2.2.15.	Coating of solid dosage forms.....	61
a.	Pure zein and zein-shellac mixed coatings.....	61
b.	Shellac topcoated pellets .....	62
c.	Dry powder coating .....	62
2.2.16.	Drug release from coated pellets.....	63
2.2.17.	Swelling of isolated zein films and coated pellets.....	63
2.2.18.	Viscosity measurements .....	64
2.2.19.	Mechanical properties of films.....	65
2.2.20.	Dynamic mechanical analysis (DMA).....	66
2.2.21.	Dynamic vapour sorption (DVS) measurements .....	66
2.2.22.	Optical and environmental scanning electron microscopy (ESEM).....	67
<b>3.</b>	<b>RESULTS AND DISCUSSION.....</b>	<b>69</b>
<b>3.1.</b>	<b>Zein coatings from ethanolic solutions.....</b>	<b>70</b>
3.1.1.	Plasticiser for zein .....	70
3.1.2.	Water as a plasticiser for zein .....	72
3.1.3.	Drug release from coated pellets.....	74



3.1.4.	Effect of zein batch-to-batch variability.....	76
3.1.5.	Effect of proteolytic enzymes.....	79
3.1.6.	Drug solubility and osmotic pressure.....	80
3.1.7.	Stability on storage.....	81
3.1.8.	Moisture protection.....	82
3.1.9.	Taste masking.....	86
<b>3.2.</b>	<b>Aqueous zein dispersions.....</b>	<b>88</b>
3.2.1.	Preparation methods for aqueous zein dispersions.....	89
3.2.2.	Approaches to increase the polymer concentration.....	91
a.	Parameters during preparation.....	91
b.	Stabilisation of the dispersion after preparation.....	98
3.2.3.	Theoretical considerations.....	99
3.2.4.	Redispersible powder formulations.....	101
3.2.5.	Plasticiser for aqueous zein dispersions.....	106
3.2.6.	Drug release from coated pellets and stability on storage.....	108
<b>3.3.</b>	<b>Zein – Shellac mixed coatings.....</b>	<b>111</b>
3.3.1.	Compatibility of zein and shellac in mixed films.....	111
3.3.2.	Drug release from zein-shellac mixed coatings.....	111
3.3.3.	Effect of swelling on the mechanical properties and drug release.....	114
3.3.4.	Influence of the drug solubility.....	118
3.3.5.	Stability on storage.....	119
<b>3.4.</b>	<b>Shellac topcoats.....</b>	<b>124</b>
3.4.1.	Pure shellac topcoats.....	124
3.4.2.	Shellac topcoats of higher permeability.....	128
a.	Shellac-HPMC topcoats.....	128
b.	Shellac-organic acid topcoats.....	136
<b>3.5.</b>	<b>Dry powder coating.....</b>	<b>142</b>
3.5.1.	The key role of plasticisers.....	142
3.5.2.	Mechanism of film formation.....	157
a.	Role of water for film formation.....	157
b.	Formulation and process parameters.....	160
<b>4.</b>	<b>SUMMARY.....</b>	<b>169</b>
<b>4.6.</b>	<b>Pure zein coatings.....</b>	<b>170</b>
4.6.1.	Zein from ethanolic solution.....	170
4.6.2.	Aqueous zein dispersions.....	170
<b>4.7.</b>	<b>Zein-shellac combinations.....</b>	<b>172</b>
4.7.1.	Zein-shellac mixed coatings.....	172
4.7.2.	Shellac topcoats over zein coatings.....	172

<b>4.8.</b>	<b>Dry Powder Coating .....</b>	<b>173</b>
<b>5.</b>	<b>ZUSAMMENFASSUNG .....</b>	<b>175</b>
<b>5.1.</b>	<b>Reine Zein Überzüge .....</b>	<b>176</b>
5.1.1.	Zein aus ethanolischen Lösungen.....	176
5.1.2.	Wäßrige Zein Dispersionen .....	176
<b>5.2.</b>	<b>Zein-Schellack Kombinationen .....</b>	<b>178</b>
5.2.1.	Zein-Schellack Mischüberzüge.....	178
5.2.2.	Schellack Deck-Überzüge auf Zein Grund-Überzügen.....	179
<b>5.3.</b>	<b>Trocken-Überzugs-Verfahren (Dry Powder Coating) .....</b>	<b>180</b>
<b>6.</b>	<b>REFERENCES .....</b>	<b>183</b>
<b>7.</b>	<b>PUBLICATIONS .....</b>	<b>197</b>
<b>8.</b>	<b>CURRICULUM VITAE .....</b>	<b>201</b>

## LIST OF FIGURES

Figure 1:	Setup for dry powder coating in a fluidized bed ball coater .....	37
Figure 2:	Process of film formation from aqueous colloidal dispersions .....	39
Figure 3:	Shear stress favouring the coalescence of two polymeric particles .....	40
Figure 4:	Capillary forces acting on polymeric particles during the evaporation of water .....	42
Figure 5:	Polymer powder deposition and film formation from dry polymer powders ...	45
Figure 6:	Evaluation of efficient plasticisers for zein: A: glass transition temperature (T <sub>g</sub> ) and B: mechanical properties of plasticised zein films in dependence of the plasticiser content .....	71
Figure 7:	Effect of %- water content on the mechanical properties of zein films .....	72
Figure 8:	Measured vs. predicted T <sub>g</sub> values by the Gordon-Taylor equation on dependence of the %-water content (w/w) of zein films .....	73
Figure 9:	Theophylline release from zein coated pellets (coating level: 20%) .....	74
Figure 10:	Effect of medium type on the weight increase of zein films A: 100 vs. 400 mosmol/kg pH 1.2, chloride buffer); B: pH 1.2 vs. pH 6.8 (chloride buffer, 100 mosmol/kg); C: effect of ion type and pH (400 mosmol/kg) .....	75
Figure 11:	Comparison of drug release of pellets coated with different zein batches (closed symbols: pH 1.2, open symbols: pH 6.8; coating level: 20 %) .....	77
Figure 12:	Effect of a purification step on the drug release of pellets coated with different zein (closed symbols: pH 1.2, open symbols: pH 6.8; coating level: 20 %) ..	78
Figure 13:	Comparison of drug release of pellets coated with white vs. yellow zein (closed symbols: pH 1.2, open symbols: pH 6.8; coating level: 20 %) .....	78
Figure 14:	Influence of proteolytic enzymes on theophylline release from zein coated pellets (closed symbols: pH1.2; open symbols: pH6.8; coating level: 20%) ..	79

Figure 15:	Influence of the drug solubility on the drug release from zein coated pellets: CPM vs. theophylline (closed symbols: pH 1.2; open symbols: pH 6.8; coating level: 20%) .....	80
Figure 16:	Influence of the core type on the drug release from zein coated pellets: osmotically active vs. non-active cores (closed symbols: pH 1.2; open symbols: pH 6.8; coating level: 20%) .....	81
Figure 17:	Stability on storage of the drug release from zein coated pellets (storage conditions: 40°C/75% r.h.; model drug: theophylline; coating level: 20%) ..	82
Figure 18:	Effect of coating level on the drug release from tablets coated for moisture protection: A: zein and B: HPMC (model drug: ASS) .....	83
Figure 19:	Effect of storage condition and the coating level on the salicylic acid content of zein coated ASS-tablets .....	84
Figure 20:	Effect of storage condition and the coating level on the moisture uptake of ASS-tablets coated for moisture protection .....	85
Figure 21:	Effect of the coating level on the drug release of tablets coated for taste masking with: A: zein and B: HPMC (model drug: paracetamol) .....	87
Figure 22:	Particle size distribution of aqueous zein dispersions depending on the preparation method as measured by laser light scattering .....	90
Figure 23:	Particle size distribution of the particle size of aqueous zein dispersions after preparation with acetone, ethanol and methanol as the organic solvent .....	94
Figure 24:	Effect of the polymer concentration of the organic solution on the particle size distribution of aqueous zein dispersions (preparation method 1; solvent: isopropanol 80 % v/v; phase ratio water: organic polymer solution: 2:1) .....	95
Figure 25:	UV-visible spectrum of yellow zein dissolved in ethanol 80 % (v/v) .....	97
Figure 26:	Zeta-potential of aqueous zein dispersions in dependence of the pH of the aqueous phase .....	98

Figure 27:	Volume fraction of the polymer in dependence of the polymer concentration and linear correlation .....	100
Figure 28:	Particle size of zein powders prepared by lyophilisation or spray-drying from aqueous dispersions (AD) or ethanolic solutions (ES) of zein before and after redispersion in water .....	101
Figure 29:	Effect of freezing on the particle size in dependence of the polymer concentration of aqueous zein dispersions: A: after preparation (no freezing); B: 2.4 %; C: 3.4 % and D: 9 % w/v polymer content .....	102
Figure 30:	Stabilisation of the particle size with propylene glycol during freezing of aqueous zein dispersions at different stabiliser content: A: 5 %; B: 10 %; C: 20 % and D: 30 % based on the polymer (polymer content: 3.4 % w/v) ...	103
Figure 31:	Stabilisation of the particle size during freezing with tartaric acid of aqueous zein dispersions at different stabiliser content: A: 5 %; B: 10 %; C: 20 % and D: 30 % based on the polymer (polymer content: 3.4 % w/v) .....	103
Figure 32:	Particle size distribution of spray-dried aqueous zein dispersions as dry powder and after redispersion in comparison to the original dispersion (polymer concentration after redispersion: 10 % w/v) .....	104
Figure 33:	Particle size of zein powders prepared by milling before and after redispersion in water .....	105
Figure 34:	Drug release from pellets coated with an aqueous zein dispersion A: effect of the coating level and release medium, B: comparison to the release of pellets coated with ethanolic zein solution and C: effect of curing at 60 °C/24 h (coating level: 20 %) .....	109
Figure 35:	Stability on storage of the drug release of coated pellets (coating level: 20%, storage time: 18 months at ambient conditions) .....	110
Figure 36:	Drug release from coated pellets with pure zein vs. mixed films at different zein-shellac ratios: A: in pH 1.2, B: in pH 1.2+pepsin (model drug: theophylline; coating level: 20 %) .....	112

Figure 37:	Drug release from coated pellets with pure zein vs. mixed films at different zein-shellac ratios: A: in pH 6.8, B: in pH 7.4 (model drug: theophylline; coating level: 20 %) .....	113
Figure 38:	Drug release from zein-shellac mixed coated pellets with or without medium change (model drug: theophylline; zein-shellac ratio: 2:1; coating level: 20 %) .....	114
Figure 39:	Macroscopic pictures of coated theophylline pellets after 6 h swelling in A: pH 1.2, pure zein; B: pH 1.2, zein-shellac 2:1; C: pH 6.8, pure zein and D: pH6.8, zein-shellac 2:1 (coating level: 20 %) .....	115
Figure 40:	Effect of zein-shellac ratio on the swelling and mechanical properties: A: diameter increase of coated theophylline pellets, B: swelling of films in pH 1.2 and C: elongation of films after 2 h incubation in pH 1.2 .....	116
Figure 41:	Correlation of the swelling of coated theophylline pellets to: A: elongation of isolated films after incubation and B: drug release after 1 h at different zein-shellac ratios (coating level: 20 %; medium: pH 1.2) .....	117
Figure 42:	CPM release from coated pellets with pure vs. mixed coatings at different zein-shellac ratios in: A: pH 1.2; B: pH 6.8 (coating level: 20 %) .....	118
Figure 43:	Drug release from zein-shellac mixed coated pellets after 12 months storage at the ratios: A: 9:1; B: 4:1; C: 1:1 (model drug: theophylline; coating level: 20 %; release medium: pH 1.2; storage at ambient conditions) .....	120
Figure 44:	Drug release from zein-shellac mixed coated pellets after 12 months storage at the ratios: A: 9:1; B: 4:1; C: 1:1 (model drug: theophylline; coating level: 20 %; release medium: pH 7.4; storage at ambient conditions) .....	121
Figure 45:	Drug release from zein-shellac mixed coated pellets after storage with or without medium change (model drug: theophylline; zein-shellac ratio: 2:1; coating level: 20 %; storage: 12 months at ambient conditions) .....	122
Figure 46:	Effect of curing at 60 °C or 80 °C vs. storage at room conditions (r.c.) on the drug release from zein-shellac mixed coated pellets (model drug: theophylline; coating level: 20 %; release medium: pH 1.2) .....	123

Figure 47:	Drug release from zein-coated pellets with a shellac topcoat in pH 1.2, pH 6.8 and pH 7.4 (model drug: theophylline; zein coating level: 10 %; topcoat level: 0-10 %) .....	125
Figure 48:	Microscopic pictures of zein coated pellets with 0 %, 1 % and 5 % shellac topcoat after incubation (zein coating level: 20 %; medium: pH 1.2; incubation time: 6 h) .....	126
Figure 49:	Effect of a shellac topcoat on the increase in diameter after swelling of zein coated pellets in pH 1.2 (zein coating level: 10 %; topcoat level: 0-5 %) ...	127
Figure 50:	Mechanical properties of thin isolated films of zein and shellac in the dry and wet state: A: puncture strength; B: elongation (wet state: 2 h incubation in pH 1.2) .....	127
Figure 51:	Medium uptake over time of thin films of zein and shellac (medium: pH 1.2) .....	128
Figure 52:	Drug release from zein-coated pellets with a shellac topcoat containing 25 % HPMC in pH 1.2, pH 6.8 and 7.4 (zein coating level: 10 %; topcoat level: 0-10 %) .....	129
Figure 53:	Drug release from zein-coated pellets with a shellac topcoat containing 50 % HPMC in pH 1.2, pH 6.8 and pH 7.4 (zein coating level: 10 %; topcoat level: 0-15 %) .....	130
Figure 54:	Comparison of the drug release in pH 1.2 vs. pH 6.8 from zein-coated pellets with a shellac topcoat containing 50 % HPMC (zein coating level: 10 %; topcoat level: 0-15 %) .....	131
Figure 55:	Macroscopic pictures of zein-coated pellets with a shellac topcoat containing 50 % HPMC in pH 6.8 and pH 7.4 after 30 min incubation at 37 °C (zein coating level:10 %; topcoat level: 10 %) .....	133
Figure 56:	Drug release from zein-coated pellets with pure shellac topcoats in pH 1.2 and pH 6.8 (zein coating level: 20%; topcoat level: 0-5%; model drug: CPM) ...	134

Figure 57:	Drug release from zein-coated pellets with shellac-HPMC topcoats of different ratio vs. pure shellac (1:0) in pH 1.2 (zein coating level: 20 %; topcoat level: 15 %; model drug: CPM) .....	135
Figure 58:	Drug release from zein-coated pellets with a shellac-HPMC 1:1 topcoat at different coating level in pH 1.2 (zein coating level: 20 %; topcoat level: 0-15 %; model drug: theophylline, osmotically active cores) .....	135
Figure 59:	Drug release from zein-coated pellets with shellac topcoats containing 10 % sorbic acid in pH 1.2, pH 6.8 and pH 7.4 (zein coating level: 10 %; topcoat level: 0-10 %; model drug: theophylline) .....	137
Figure 60:	Drug release from zein-coated pellets with a topcoat of shellac-aspartic acid 1:1 in pH 1.2, pH 6.8 and pH 7.4 (zein coating level: 20 %; topcoat level: 0-15%; model drug: theophylline) .....	139
Figure 61:	Drug release from zein-coated pellets with a topcoat of shellac:aspartic acid 1:4 in pH 1.2 (zein coating level: 20 %; topcoat level: 0-15%; model drug: theophylline) .....	140
Figure 62:	Influence of alginate topcoats on the drug release of zein coated pellets ( zein coating level: 20 %; alginate coating level: 10 %; model drug: theophylline) .....	141
Figure 63:	The effect of type and amount of plasticiser on the Tg of ethylcellulose films (plasticiser content: % w/w, based on the formulation; EC 10 cp, cast from 10 % w/w chloroform solution) .....	143
Figure 64:	Polymer-plasticiser interaction quantitated by the viscosity increase of ethylcellulose dissolved in different plasticisers (polymer concentration: 0-2.5 % (w/w)) .....	144
Figure 65:	The effect of plasticiser concentration on the puncture strength, elongation and modulus at puncture of EC-films (plasticiser content: w/w, based on the formulation; EC 10 cp, cast from 10 % w/w chloroform solution) .....	146
Figure 66:	Effect of plasticiser type on the modulus of elasticity (E') and tan δ of plasticised ethylcellulose films (plasticiser content: 20 % (w/w) based on the formulation; film thickness: 100-150 µm) .....	148



Figure 67:	Effect of plasticiser concentration on the modulus of elasticity ( $E'$ ) and $\tan \delta$ of plasticised ethylcellulose films (plasticiser: TBC; film thickness: 100-150 $\mu\text{m}$ ) .....	149
Figure 68:	Moisture uptake measured by DVS of EC-films with and without 50 % TBC w/w, based on the polymer amount .....	150
Figure 69:	Effect of plasticiser type and curing condition on the drug release from DPC-coated pellets with ethylcellulose (coating level: 15 %; plasticiser: 50 % w/w, based on the polymer) .....	151
Figure 70:	Effect of plasticiser concentration (w/w, based in the polymer) on the drug release from DPC-coated pellets with ethylcellulose (coating level: 15 %; plasticiser: DBS) .....	152
Figure 71:	Mechanism proposed for the film formation by dry powder coating of solid dosage forms .....	153
Figure 72:	Effect of the preparation method of pre-plasticisation of ethylcellulose and curing conditions on the drug release of DPC-coated pellets with ethylcellulose (coating level: 15 %; plasticiser: MCT; total plasticiser content: 50 % w/w, based on the polymer) .....	155
Figure 73:	Optical microscopy of micronised pure EC (A), spray-dried Surelease powder (B), spray-dried Aquacoat powder containing 20 % w/w MCT (C), HME-EC after milling (D) and the appearance of DPC-coated pellets by ESEM with micronised EC (E) or micronised HME-EC (F).....	156
Figure 74:	Effect of water on film formation and drug release from DPC-coated pellets (coating level: 15 %; curing: EC: 80 $^{\circ}\text{C}/24$ h; Eudragit <sup>®</sup> RS: 60 $^{\circ}\text{C}/2$ h; release medium: pH 6.8) .....	159
Figure 75:	Modulus of elasticity ( $E'$ ) of ethylcellulose with or without plasticiser vs. Eudragit <sup>®</sup> RS-films (plasticiser: 20 % TBC w/w, based on the formulation; film thickness: 100-150 $\mu\text{m}$ ) .....	160
Figure 76:	Effect of drug solubility on the drug release from DPC-pellets with ethylcellulose (coating level: 15 %; plasticiser: 50 % TBC w/w, based on the polymer) .....	161

Figure 77:	ESEM-pictures of DPC- pellets with ethylcellulose: A: cross-section; B: magnification of the coat (coating level: 15 %; plasticiser: 50 % TBC w/w, based on the polymer) .....	162
Figure 78:	Drug release from DPC- pellets with ethylcellulose in dependence of the coating level (plasticiser: 50 % TBC, based on the polymer; curing: 80 °C/24 h) .....	163
Figure 79:	Effect of the viscosity of the polymer on the drug release from uncured and cured DPC-pellets (plasticiser: 50 % w/w, based on the polymer; curing time: 24 h) .....	164
Figure 80:	Influence of HPMC as pore former on the drug release of DPC-pellets with ethylcellulose (coating level: 15 %; plasticiser: 50 % TBC w/w, based on the polymer) .....	166

## LIST OF TABLES

Table 1:	Amino acid composition of zein .....	22
Table 2:	Process parameters for dry powder coating with micronised polymer powders .....	63
Table 3:	Plasticiser evaluation for zein films from ethanolic solution .....	70
Table 4:	Weight fraction of absorbed water of zein films conditioned at different r.h.	73
Table 5:	Properties of different zein batches at organoleptic inspection .....	76
Table 6:	Time until the perception of bitter taste of the model drug paracetamol in dependence of the polymer and coating level .....	86
Table 7:	Methods investigated for the preparation of aqueous zein dispersion .....	89
Table 8:	Effect of additives in the aqueous phase during preparation on the particle size of the resulting zein dispersion .....	91
Table 9:	Critical peptisation temperature (CPT) of zein in different solvents / solvent mixtures and solubility parameters for the polar component ( $\delta_p$ ) of the solvents .....	92
Table 10:	Volume of water necessary for phase inversion of organic zein solutions (polymer concentration: 5 % w/v; volume of the organic polymer solution: 25 ml) .....	93
Table 11:	Effect of the solvent type on the appearance of the zein dispersion used for the organic phase (water: organic polymer solution ratio 1:1) .....	93
Table 12:	Batch-to-batch variation of zein at organoleptic inspection and particle size of the aqueous dispersion prepared by method no. 1 from the zein batches .....	96
Table 13:	Absorbance of zein solutions in 80 % (v/v) ethanol ( $\lambda=445\text{nm}$ ) and Tg of the zein powders .....	97
Table 14:	Influence of additives on the highest polymer concentration of aqueous zein dispersions with unchanged particle size distribution .....	99

Table 15:	Effect of the plasticiser concentration on the physical properties, film appearance, flexibility, liftage and stickiness of zein films cast from aqueous dispersions (plasticiser: tartaric acid, drying at 40 °C) .....	106
Table 16:	Physical properties, film appearance, flexibility, liftage and stickiness of zein films cast from aqueous dispersions and drying at different conditions (plasticiser content: 40 % w/w, based on the polymer) .....	107
Table 17:	Compatibility of zein-shellac mixed films cast from ethanolic solution .....	111
Table 18:	Physical properties and solubility of organic acids .....	136
Table 19:	Appearance and physical properties of shellac films containing organic acids .....	138
Table 20:	Effect of plasticiser type on the Tg of ethylcellulose (plasticiser concentration: 20 % w/w based on the formulation) .....	142
Table 21:	Mechanical properties of plasticised ethylcellulose films characterised by puncture strength, elongation an modulus at puncture (plasticiser content: 40 % (w/w) based on the formulation; EC 10 cp, cast from 10 % w/w chloroform solution) .....	145
Table 22:	Surface tension of water or water/plasticiser emulsions measure with a ring-tensiometer (plasticiser concentration: 50 % w/w, based on the formulation) .....	157
Table 23:	Contact angle of water or water/plasticiser emulsions on ethylcellulose films (plasticiser concentration: 50 % w/w, based on the formulation) .....	158

## LIST OF ABBREVIATIONS

CAP:	cellulose acetate phthalate
CPM:	chlorpheniramine maleate
DBS:	dibutylsebacate
DMA:	dynamic mechanical analysis
DSC:	differential scanning calorimetry
DS:	degree of substitution
DVS:	dynamic vapour sorption
EC:	ethylcellulose
GIT:	gastrointestinal tract
GRAS:	generally recognized as safe
HPMC:	hydroxypropyl methylcellulose
HPMCP:	hydroxypropyl methylcellulose phthalate
MCT:	medium chain triglycerides
MFT:	minimum film-formation temperature
MW:	molecular weight
PEG:	polyethylene glycol
PVA:	polyvinyl acetate
PVAP:	polyvinyl acetate phthalate
PVP:	polyvinyl pyrrolidone
r.h.:	relative humidity
(E)SEM:	(environmental) scanning electron microscopy
Tg:	glass transition temperature

