

## BIBLIOGRAPHY

- Aharonson, O., M. T. Zuber, and D. H. Rothman (2001), Statistics of Mars' topography from the Mars Orbiter Laser Altimeter: slopes, correlations, and physical models, *J. Geophys. Res.*, **106**(E10), 23,723–23,736, doi:10.1029/2000JE001403.
- Aharonson, O., M. T. Zuber, D. E. Smith, and G. A. Neumann (2003), Depth and distribution of CO<sub>2</sub> snow on Mars, in *Lun. Planet. Sci. Conf. Abs.*, XXXIV, #1958 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Ahnert, F. (2003), *Einführung in die Geomorphologie*, 3rd ed., 477 pp., Eugen Ulmer, Stuttgart, Germany.
- Albee, A. L., R. E. Arvidson, F. Palluconi, and T. Thorpe (2001), Overview of the Mars Global Surveyor mission, *J. Geophys. Res.*, **106**(E10), 23,291–23,316, doi:10.1029/2000JE001306.
- Andersland, O., R. Sayles, and B. Ladanyi (1978), Mechanical properties of frozen ground, in *Geotechnical engineering for cold regions*, edited by O. Andersland and D. Andersland, pp. 216–275, McGraw-Hill, New York, USA.
- Anderson, D., and M. Mann (1989), VICAR image processing using Unix, X Windows, and CDROMS, in *Lun. Planet. Sci. Conf. Abs.*, XX, 17, Lun. Planet. Inst., Houston, Tex., USA.
- Andersson, I. G. (1906), Solifluction, a component of subaerial denudation, *Journal of Geology*, **14**, 91–112.
- André, M. F. (1994), Rock glaciers in Svalbard: tentative dating and inferred long-term velocities, *Geografiska Annaler*, **76A**(4), 235–245.
- Arfstrom, J., and W. K. Hartmann (2005), Martian flow features, moraine-like ridges, and gullies: terrestrial analogs and interrelationships, *Icarus*, **174**(2), 321–335, doi:10.1016/j.icarus.2004.05.026.
- Arfstrom, J. D. (2003), Protalus ramparts and transverse ridge moraines on Mars: indicators of surface ice depositional processes, in *Lun. Planet. Sci. Conf. Abs.*, XXXIV, #1050 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Armstrong, J. C., and C. B. Leovy (2005), Long term wind erosion on Mars, *Icarus*, **176**(1), 57–74, doi:10.1016/j.icarus.2005.01.005.
- Associate Committee on Geotechnical Research (ACGR) (1988), Glossary of permafrost and related ground ice terms, *Tech. rep.*, National Research Council of Canada, Technical Memorandum 142.

- Baker, V. R., and R. C. Kochel (1979), Martian channel morphology - Maja and Kasei Valles, *J. Geophys. Res.*, **84**, 7961–7983.
- Baldwin, R. B. (1964), Lunar crater counts, *Astron. J.*, **69**, 377–391.
- Balme, M., N. Mangold, D. Baratoux, F. Costard, M. Gosselin, P. Masson, P. Pinet, and G. Neukum (2006), Orientation and distribution of recent gullies in the southern hemisphere of Mars: Observations from High Resolution Stereo Camera/Mars Express (HRSC/MEX) and Mars Orbiter Camera/Mars Global Surveyor (MOC/MGS) data, *J. Geophys. Res.*, **111**(E05001), doi:10.1029/2005JE002607.
- Baranov, I. Y. (1959), Geographical distribution of seasonally frozen ground and permafrost, *Tech. rep.*, National Research Council of Canada, Technical Translation.
- Baratoux, D., N. Mangold, C. Delacourt, and P. Allemand (2002), Evidence of liquid water in recent debris avalanche on Mars, *Geophys. Res. Lett.*, **29**(7), doi:10.1029/2001GL014155.
- Barker, E. S. (1976), Martian atmospheric water observations: 1972-74 apparition, *Icarus*, **28**(2), 247–268, doi:10.1016/0019-1035(76)90036-1.
- Barsch, D. (1969), Studien und Messungen an Blockgletschern in Macun, Unterengadin, *Glazialmorphologie (Z. Geomorph. Supp.)*, **8**, 11–30.
- Barsch, D. (1971), Rock glaciers and ice-cored moraines, *Geografiska Annaler*, **53A**, 203–206.
- Barsch, D. (1973), Refraktionsseismische Bestimmung der Obergrenze des gefrorenen Schuttkörpers in verschiedenen Blockgletschern Graubündens, Schweizer Alpen, *Z. Gletscherk. Glazialgeol.*, **9**, 143–167.
- Barsch, D. (1977a), Nature and importance of mass-wasting by rock glaciers in alpine permafrost environments, *Earth Surface Processes*, **2**, 231–245.
- Barsch, D. (1977b), Eine Abschätzung von Schuttproduktion und Schutttransport im Bereich aktiver Blockgletscher der Schweizer Alpen, *Z. Geomorph., Supp.*, **28**, 148–160.
- Barsch, D. (1978), Active rockglaciers as indicators of discontinuous permafrost: an example from the Swiss Alps, in *Int. Conf. Permafrost*, **3**, 349–352, Natl. Res. Cen. Natl. Res. Council, Ottawa, Canada.
- Barsch, D. (1983), Blockgletscher-Studien, Zusammenfassung und offene Probleme, in *Mesoformen des Reliefs im heutigen Periglazialraum*, **3**, edited by H. Poser and E. Schunke, 133–150.
- Barsch, D. (1988), Rockglaciers, in *Advances in periglacial geomorphology*, edited by M. Clark, pp. 69–90, Wiley, Chichester, England.
- Barsch, D. (1992), Permafrost creep and rockglaciers, *Permafrost Perigl. Proc.*, **3**(3), 175–188, doi:10.1002/ppp.3430030303.
- Barsch, D. (1993), Periglacial geomorphology in the 21st century, *Geomorphology*, **7**, 141–163.
- Barsch, D. (1996), *Rockglaciers: indicators for the present and former geocology on high mountain environments*, 331 pp., Springer, Berlin, Germany.

- Basilevsky, A. T., G. Neukum, B. A. Ivanov, S. K. Werner, S. van Gasselt, J. W. Head, T. Denk, R. Jaumann, H. Hoffmann, E. Hauber, and T. McCord (2005), Morphology and geological structure of the western part of the Olympus Mons volcano on Mars from the analysis of the Mars Express HRSC imagery, *Solar System Research*, **39**, 85–101, doi:10.1007/s11208-005-0025-2.
- Basilevsky, A. T., S. C. Werner, G. Neukum, J. W. Head, S. van Gasselt, K. Gwinner, and B. A. Ivanov (2006), Geologically recent tectonic, volcanic and fluvial activity on the eastern flank of the Olympus Mons volcano, Mars, *Geophys. Res. Lett.*, **33**(L13201), doi:10.1029/2006GL026396.
- Becker, R. H., and R. O. Pepin (1984), Nitrogen and light noble gases in Shergotty, *Geochim. Cosmochim. Acta*, **50**, 993–1000.
- Benn, D. I., and D. J. A. Evans (2003), *Glaciers and glaciation*, x+734 pp., Arnold, London, England.
- Berman, D. C., and W. K. Hartmann (2002), Recent fluvial, volcanic, and tectonic activity on the Cerberus Plains of Mars, *Icarus*, **159**(1), 1–17, doi:10.1006/icar.2002.6920.
- Berman, D. C., W. K. Hartmann, and D. A. Crown (2003), Debris aprons, channels, and volcanoes in the Reull Vallis region of Mars, in *Lun. Planet. Sci. Conf. Abs.*, XXXIV, #1879 (CD-ROM), 12-17 March, Lun. Planet. Inst., League City, Houston, Tex., USA.
- Berthling, I., B. Etzelmüller, T. Eiken, and J. L. Sollid (1998), Rock glaciers on Prins Karls Forland, Svalbard. I: internal structure, flow velocity and morphology, *Permafrost Perigl. Proc.*, **9**(2), 135–145, doi:10.1002/(SICI)1099-1530(199804/06)9:2<135::AID-PPP284>3.0.CO;2-R.
- Bibring, J., Y. Langevin, F. Poulet, A. Gendrin, B. Gondet, M. Berthé, A. Soufflot, P. Drossart, M. Combes, G. Bellucci, V. Moroz, N. Mangold, B. Schmitt, and the OMEGA Team (2004), Perennial water ice identified in the South Polar Cap of Mars, *Nature*, **428**, 627–630, doi:10.1038/nature02461.
- Bibring, J.-P., A. Soufflot, M. Berthé, Y. Langevin, B. Gondet, P. Drossart, M. Bouyé, M. Combes, P. Puget, A. Semery, G. Bellucci, V. Formisano, V. Moroz, V. Kottsov, and the OMEGA Co-I Team (2004), Observatoire pour la Minéralogie, l'Eau, les Glaces et l'Activité, in *Mars Express: the scientific payload*, SP-1240, edited by A. Wilson, pp. 37–49, ESA.
- Binder, A. B., and M. A. Lange (1980), On the thermal history, thermal state, and related tectonism of a Moon of fission origin, *J. Geophys. Res.*, **85**, 3194–3208.
- Black, R. F. (1952), Ice wedges and permafrost of the arctic coastal plain of Alaska, *U.S. Geological Survey Professional Paper*.
- Black, R. F. (1954), Permafrost – a review, *Bull. Geol. Soc. Amer.*, **65**, 839–855.
- Black, R. F. (1974), *Ice-wedge polygons of Northern Alaska*, pp. 247–275, State Univ. of New York, Binghamton.
- Black, R. F. (1976), Periglacial features indicative of permafrost: ice and soil wedges, *Quaternary Research*, **6**, 3–26.
- Bleamaster, L. F., III, and D. A. Crown (2004), Morphologic development of Harmakhis Vallis, Mars, in *Lun. Planet. Sci. Conf. Abs.*, XXXV, #1825 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.

- Bogard, D. D., and P. Johnson (1983), Martian gases in an Antarctic meteorite, *Science*, **221**(4611), 651–654, doi:10.1126/science.221.4611.651.
- Bostrom, R. C. (1967), Water expulsion and pingo formation in a region affected by subsidence, *J. Glaciol.*, **6**, 568–572.
- Boynton, W. V., W. C. Feldman, S. W. Squyres, T. H. Prettyman, J. Brückner, L. G. Evans, R. C. Reedy, R. Starr, J. R. Arnold, D. M. Drake, P. A. J. Englert, A. E. Metzger, I. Mitrofanov, J. I. Trombka, C. d’Uston, H. Wänke, O. Gasnault, D. K. Hamara, D. M. Janes, R. L. Marcialis, S. Maurice, I. Mikheeva, G. J. Taylor, R. Tokar, and C. Shinohara (2002), Distribution of hydrogen in the near surface of Mars: evidence for subsurface ice deposits, *Science*, **297**(5578), 81–85, doi:10.1126/science.1073722.
- Brantley, S. R., and H. Glicken (1986), Volcanic debris avalanches, *Earthquakes & Volcanoes*, **18**.
- Brown, J., O. Ferrians, J. A. Heginbottom, and E. Melnikov (1997), Circum-arctic map of permafrost and ground-ice conditions, *Circum-Pacific Map Series CP-45, scale 1:10,000,000, 1 sheet, Washington, DC*.
- Brown, R. J. E. (1973), Influence of climate and terrain factors on ground temperatures at three locations in the permafrost region of Canada, in *Int. Conf. Permafrost*, **2**, 27–34, National Academy of Science, Washington, Yakutsk.
- Brown, W. H. (1925), A probable fossil glacier, *J. Geology*, **33**, 464–466.
- Buczowski, D. L., and M. L. Cooke (2004), Formation of double-ring circular grabens due to volumetric compaction over buried impact craters: Implications for thickness and nature of cover material in Utopia Planitia, Mars, *J. Geophys. Res.*, **109**(E02006), doi:10.1029/2003JE002144.
- Buczowski, D. L., and G. E. McGill (2002), Topography within circular grabens: implications for polygon origin, Utopia Planitia, Mars, *Geophys. Res. Lett.*, **29**(7), doi:10.1029/2001GL014100.
- Burn, C. R. (2004), A field perspective on modelling ‘single-ridge’ ice-wedge polygons, *Permafrost Perigl. Proc.*, **15**(1), 59–65, doi:10.1002/ppp.475.
- Burr, D. M., and A. H. Parker (2006), Grjota Valles and implications for flood sediment deposits on Mars, *Geophys. Res. Lett.*, **33**(L22201), doi:10.1029/2006GL028011.
- Burr, D. M., A. S. McEwen, and S. E. H. Sakimoto (2002), Recent aqueous floods from the Cerberus Fossae, Mars, *Geophys. Res. Lett.*, **29**(1), 1013, doi:10.1029/2001GL013345.
- Burr, D. M., R. J. Soare, J.-M. Wan Bun Tseung, and J. P. Emery (2005), Young (late Amazonian), near-surface, ground ice features near the equator, Athabasca Valles, Mars, *Icarus*, **178**(1), 56–73, doi:10.1016/j.icarus.2005.04.012.
- Butkovich, T. R. (1959), Thermal expansion of ice, *Journal of Applied Physics*, **30**(3), 350–355, doi:10.1063/1.1735166.
- Byrne, S., and A. P. Ingersoll (2003), A sublimation model for Martian South Polar ice features, *Science*, **299**(5609), 1051–1053, doi:10.1126/science.1080148.

- Cabrol, N. A., and E. A. Grin (2002), The Recent Mars Global Warming (MGW) and/or South Pole Advance (SPA) hypothesis: global geological evidence and reasons why gullies could still be forming today, in *Lun. Planet. Sci. Conf. Abs.*, XXXIII, #1058 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Cabrol, N. A., E. A. Grin, and W. H. Pollard (1997), Perennial frost mounds in Gusev Crater (Mars), in *Lun. Planet. Sci. Conf. Abs.*, XXVII, #1027 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Cabrol, N. A., E. A. Grin, and W. H. Pollard (2000), Possible frost mounds in an ancient Martian lake bed, *Icarus*, **145**(1), 91–107, doi:10.1006/icar.1999.6326.
- Cabrol, N. A., J. D. Farmer, E. A. Grin, L. Richter, L. Soderblom, R. Li, K. Herkenhoff, G. A. Landis, and R. E. Arvidson (2006), Aqueous processes at Gusev crater inferred from physical properties of rocks and soils along the Spirit traverse, *J. Geophys. Res.*, **111**(E02S20), doi:10.1029/2005JE002490.
- Cailleux, A. (1971), Ground-ice wedge interpreted by A. von Bunge (1884) in Siberia, (correspondance), *J. Glaciol.*, **10**, 411.
- Calkin, P. E., L. A. Haworth, and J. M. Ellis (1987), Rock glaciers of central Brooks Range, Alaska, USA, in *Rock glaciers*, edited by J. R. Giardino, J. F. Shroder, and J. D. Vitek, 65–82, Alaska, USA.
- Campbell, C. S. (1989), Self lubrication for long run-out landslides, *J. Geology*, **97**, 652–665.
- Capps, S. R. (1910), Rock glaciers in Alaska, *J. Geology*, **18**, 359–375.
- Carr, M. H. (1979), Formation of Martian flood features by release of water from confined aquifers, *J. Geophys. Res.*, **84**, 2995–3007.
- Carr, M. H. (1981), *The Surface of Mars*, Yale University Press, New Haven, Conn., USA.
- Carr, M. H. (1987), Water on Mars, *Nature*, **326**, 30–35, doi:10.1038/326030a0.
- Carr, M. H. (1995), The Martain drainage system and the origin of valley networks and fretted channels, *J. Geophys. Res.*, **100**(E4), 7479–7507, doi:10.1029/95JE00260.
- Carr, M. H. (1996), *Water on Mars*, XI+229 pp., Oxford University Press, Oxford, England.
- Carr, M. H. (2001), Mars Global Surveyor observations of Martian fretted terrain, *J. Geophys. Res.*, **106**(E10), 23,571–23,593, doi:10.1029/2000JE001316.
- Carr, M. H., and G. G. Schaber (1977), Martian permafrost features, *J. Geophys. Res.*, **82**(11), 4039–4054.
- Carr, M. H., H. Masursky, W. A. Baum, K. K. Blasius, G. A. Briggs, J. A. Cutts, T. Duxbury, R. Greeley, J. E. Guest, B. A. Smith, L. A. Soderblom, J. Veverka, and J. B. Wellman (1976), Preliminary results from the Viking Orbiter Imaging experiment, *Science*, **193**(4255), doi:10.1126/science.193.4255.766.
- Cave, J. A. (1993), Ice in the northern lowlands and southern highlands of Mars and its enrichment beneath the Elysium lavas, *J. Geophys. Res.*, **98**(E6), 11,079–11,097, doi:10.1029/93JE00381.
- Chaix, A. (1919), Coulées de blocs (rock glaciers, rock streams) dans le Parc National Suisse de la Basse-Engadine, *Cr. Séances Soc. Phys. Hist.Nat. Genève*, **36**, 12–15.

- Chaix, A. (1923), Les coulées de blocs du Parc National Suisse d'Engadine (note préliminaire), *Le Globe*, **62**, 1–35.
- Chaix, A. (1943), Les coulées de blocs du Parc National Suisse: Nouvelles mesures et comparaison avec les "rock streams" de la Sierra Nevada de Californie, *Le Globe*, **82**, 121–128.
- Chapman, M. G. (1993), Evidence for an ice sheet/frozen lake in Utopia Planitia, Mars, in *Workshop Martian Northern Plains: Sedimentological, Periglacial, and Paleoclimatic Evolution*, 93-04, 4-5, Lun. Planet. Inst., Fairbanks, Alaska.
- Chapman, M. G., and D. H. Scott (1989), Geology and hydrology of the north Kasei Valles area, Mars, in *Lun. Planet. Sci. Conf. Abs.*, edited by G. Ryder and V. L. Sharpton, 367-375, Lun. Planet. Inst., Cambridge Univ. Press/Lun. Planet. Inst., Cambridge, England, Houston, Tex., USA.
- Chapman, M. G., H. Masursky, and D. H. Scott (1991), Geologic map of science study area 2, north Kasei Vallis, Mars (MTM 25072 Quadrangle), scale 1:500,000, U.S. Geol. Surv. Misc. Inv. Ser., Map I-2107.
- ChemicalLogic (1999), CO<sub>2</sub>Tab V1.0 - Thermodynamic and Transport Properties of Carbon Dioxide, *Tech. rep.*, ChemicalLogic Corporation, Woburn (MA).
- Christensen, P. R. (2006), Mars Global Surveyor Thermal Emission Spectrometer: data processing user guide, *Tech. rep.*, Arizona State University, <http://tes.asu.edu/mgst/document/process.pdf>.
- Christensen, P. R., D. L. Anderson, S. C. Chase, R. N. Clark, H. H. Kieffer, M. C. Malin, J. C. Pearl, J. Carpenter, N. Bandiera, and F. G. Brown (1992), Thermal emission spectrometer experiment: Mars Observer mission, *J. Geophys. Res.*, **97**(E5), 7719–7734, doi:10.1029/92JE00453.
- Christensen, P. R., D. L. Anderson, S. C. Chase, R. T. Clancy, R. N. Clark, B. J. Conrath, H. H. Kieffer, R. O. Kuzmin, M. C. Malin, J. C. Pearl, T. L. Roush, and M. D. Smith (1998), Results from the Mars Global Surveyor Thermal Emission Spectrometer, *Science*, **279**(5357), 1692–1698, doi:10.1126/science.279.5357.1692.
- Christensen, P. R., J. L. Bandfield, V. E. Hamilton, S. W. Ruff, H. H. Kieffer, T. N. Titus, M. C. Malin, R. V. Morris, M. D. Lane, R. L. Clark, B. M. Jakosky, M. T. Mellon, J. C. Pearl, B. J. Conrath, M. D. Smith, R. T. Clancy, R. O. Kuzmin, T. Roush, G. L. Mehall, N. Gorelick, K. Bender, K. Murray, S. Dason, E. Greene, S. Silverman, and M. Greenfield (2001), Mars Global Surveyor Thermal Emission Spectrometer experiment: investigation description and surface science results, *J. Geophys. Res.*, **106**(E10), 23,823–23,872, doi:10.1029/2000JE001370.
- Christensen, P. R., B. M. Jakosky, H. H. Kieffer, M. C. Malin, H. Y. McSween, Jr., K. Nealson, G. L. Mehall, S. H. Silverman, S. Ferry, M. Caplinger, and M. Ravine (2004), The Thermal Emission Imaging System (THEMIS) for the Mars 2001 Odyssey Mission, *Space Sci. Rev.*, **110**, 85–130, doi:10.1023/B:SPAC.0000021008.16305.94.
- Christiansen, E. H. (1989), Lahars in the Elysium region of Mars, *Geology*, **17**, 203–206.
- Christiansen, R. L. (1982), Volcanic hazard potential in the California Cascades, in *Status of volcanic prediction and emergency response capabilities in volcanic hazard zones of California*, 63, pp. 43–65, California Division of Mines and Geology Special Publication.
- Chuang, F. C., and D. A. Crown (2004a), Geomorphic analyses of debris aprons along the Martian dichotomy boundary, Tempe Terra/Mareotis Fossae region, Mars, in *Workshop Hemispheres Apart: Origin and Modific. Martian Crust. Dichotomy Abs.*, #4017 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.

- Chuang, F. C., and D. A. Crown (2004b), Debris aprons in the Tempe/Mareotis region of Mars, in *Lun. Planet. Sci. Conf. Abs.*, XXXV, #1199 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Chuang, F. C., and D. A. Crown (2005a), Martian debris aprons: morphometric comparisons of the eastern Hellas and Tempe/Mareotis populations, in *Lun. Planet. Sci. Conf. Abs.*, XXXVI, #1519 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Chuang, F. C., and D. A. Crown (2005b), Surface characteristics and degradational history of debris aprons in the Tempe Terra/Mareotis Fossae region of Mars, *Icarus*, **179**(1), 24–42, doi:10.1016/j.icarus.2005.05.014.
- Church, M., and O. Slaymaker (Eds.) (1985), *Lectures in geocryology, field and theory*, 213 pp., University of British Columbia Press, Vancouver, Canada.
- Clifford, S. M. (1981), A pore volume estimate of the Martian megaregolith based on a lunar analog, in *Int. Colloq. Mars Abs.*, 3, 46–48, Lun. Planet. Inst., Houston, Tex., USA.
- Clifford, S. M. (1984), *A model for the climatic behavior of water on Mars*, Ph.D. thesis, Massachusetts University., Amherst, Mass., USA.
- Clifford, S. M., and F. P. Fanale (1985), The thermal conductivity of the Martian crust, in *Lun. Planet. Sci. Conf. Abs.*, 16, 144–145, Lun. Planet. Inst., Houston, Tex., USA.
- Clifford, S. M., and D. Hillel (1983), The stability of ground ice in the equatorial region of Mars, *J. Geophys. Res.*, **88**, 2456–2474.
- Colaprete, A., and B. M. Jakosky (1998), Ice flow and rock glaciers on Mars, *J. Geophys. Res.*, **103**(E3), 5897–5909, doi:10.1029/97JE03371.
- Connerney, J. E. P., M. H. Acuna, P. J. Wasilewski, N. F. Ness, H. Reme, C. Mazelle, D. Vignes, R. P. Lin, D. L. Mitchell, and P. A. Cloutier (1999), Magnetic lineations in the ancient crust of Mars, *Science*, **284**(5415), 794–798, doi:10.1126/science.284.5415.794.
- Coradini, M., and E. Flamini (1979), A thermodynamical study of the Martian permafrost, *J. Geophys. Res.*, **84**, 8115–8130.
- Corte, A. E. (1976), Rock glaciers, *Biuletyn Periglacialny*, **26**, 175–197.
- Corte, A. E. (1987), Rock glacier taxonomy, in *Rock glaciers*, edited by J. R. Giardino, J. F. Shroder, and J. D. Vitek, 27–40, Allen & Unwin.
- Costard, F. M., and V. R. Baker (2001), Thermokarst landforms and processes in Ares Vallis, Mars, *Geomorphology*, **37**(3), 289–301, doi:10.1016/S0169-555X(00)00088-X.
- Costard, F. M., and J. S. Kargel (1995), Outwash plains and thermokarst on Mars, *Icarus*, **114**(1), 93–112, doi:10.1006/icar.1995.1046.
- Cox, G. F. N. (1983), Thermal expansion of saline ice, *Journal of Glaciology*, **29**, 425–432.
- Crandell, D., C. Miller, H. Glicken, R. Christiansen, and C. Newhall (1983), Huge debris avalanche of Pleistocene age from ancestral Mount Shasta volcano, California, *Geological Society of America*, **15**, 330.

- Crandell, D., C. Miller, H. Glicken, R. Christiansen, and C. Newhall (1984), Catastrophic debris avalanche from ancestral Mount Shasta volcano, California, *Geology*, **12**, 143–146.
- Crandell, D. R. (1989), *Gigantic debris avalanche of Pleistocene age from ancestral Mount Shasta Volcano, California, and debris-avalanche hazard zonation*, 1861, p. 32, U.S. Geological Survey Bulletin.
- Cross, C., and E. Howe (1905), Geography and general geology of the quadrangle, in *Description of the Silverton quadrangle, Geological atlas of the United States, Folio 120*, pp. 1–25, U.S. Geological Survey.
- Crown, D. A., and R. Greeley (1993), Volcanic geology of Hadriaca Patera and the eastern Hellas region of Mars, *J. Geophys. Res.*, **98**(E2), 3431–3451, doi:10.1029/92JE02804.
- Crown, D. A., and S. C. Mest (1997), Dao, Harmakhis, and Reull Valles - The role of outflow channels in the degradation of the circum-Hellas highlands of Mars, in *Lun. Planet. Sci. Conf. Abs.*, XXVIII, #269 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Crown, D. A., and K. H. Stewart (1995), Debris aprons in the eastern Hellas region of Mars, in *Lun. Planet. Sci. Conf. Abs.*, 26, 301–302, Lun. Planet. Inst., Houston, Tex., USA.
- Crown, D. A., K. H. Price, and R. Greeley (1990), Evolution of the east rim of the Hellas basin, Mars, in *Lun. Planet. Sci. Conf. Abs.*, 21, 252–253, Lun. Planet. Inst., Houston, Tex., USA.
- Crown, D. A., K. H. Price, and R. Greeley (1992), Geologic evolution of the east rim of the Hellas basin, Mars, *Icarus*, **100**(1), 1–25, doi:10.1016/0019-1035(92)90014-X.
- Crown, D. A., T. L. Pierce, S. B. Z. McElfresh, and S. C. Mest (2002), Debris aprons in the eastern hellas region of mars: Implications for styles and rates of highland degradation, in *Lun. Planet. Sci. Conf. Abs.*, XXXIII, #1642 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Crown, D. A., S. B. Z. McElfresh, T. L. Pierce, and S. C. Mest (2003), Geomorphology of debris aprons in the Eastern Hellas region of Mars, in *Lun. Planet. Sci. Conf. Abs.*, XXXIV, #1126 (CD-ROM), 15–19 March, Lun. Planet. Inst., League City, Houston, Tex., USA.
- Crown, D. A., F. C. Chuang, D. C. Berman, , and H. Miyamoto (2006), Ice-driven degradation styles in the Martian mid-latitudes: constraints from lobate debris aprons, lineated valley fill, and small flow lobes, in *Lun. Planet. Sci. Conf. Abs.*, XXXVII, #1861 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Davies, G. F., and R. E. Arvidson (1981), Martian thermal history, core segregation, and tectonics, *Icarus*, **45**(2), 339–346, doi:10.1016/0019-1035(81)90039-7.
- Degenhardt, J. J., and J. R. Giardino (2003), Subsurface investigation of a rock glacier using ground-penetrating radar: implications for locating stored water on Mars, *J. Geophys. Res.*, **108**(E4), 8036, doi:10.1029/2002JE001888.
- Dickson, J. L., J. W. Head, M. A. Kreslavsky, and D. R. Marchant (2006a), Linear lobate debris aprons, piedmont-like lobes, and crater fill in the Acheron Fossae graben region, Mars: evidence for debris-covered glacier formation and flow, in *Lun. Planet. Sci. Conf. Abs.*, XXXVII, #1321 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.



- Dickson, J. L., J. W. Head, and D. R. Marchant (2006b), Modification of graben along the dichotomy boundary in eastern Arabia Terra (Coloe Fossae; 53-59°E, 37-41°N): nature and evolution of lobate debris aprons and their relationships to lineated valley fill and glacial systems, in *Lun. Planet. Sci. Conf. Abs.*, XXXVII, #1317 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Dikau, R. (1989), The application of a digital relief model to landform analysis in geomorphology, in *Three dimensional applications in Geographical Information Systems*, edited by J. Raper, 51-77, Taylor & Francis, London, England.
- Domaradzki, J. (1951), Blockströme im Kanton Graubünden, in *Ergebnisse der Wissenschaften der Untersuchungen des Schweizerischen Nationalparks*, 3-23, 173-234, Geographisches Institut Universität Zürich, Zürich, Switzerland.
- Dostovalov, B. N., and A. I. Popov (1966), Polygonal systems of ice wedges and conditions for their development, in *Proc. 1st. Int. Conf. Permafrost*, 102-105, Nat. Acad. Science, Nat. Res. Counc. Canada, Ottawa, Canada.
- Dylik, J. (1964), Eléments essentiels de la notion de 'périglaciaire', *Biuletyn Peryglacjalny*, **14**, 111-132.
- Dylik, J. (1966), Problems of ice wedge structures and frost fissure polygons, *Biuletyn Peryglacjalny*, **15**, 241-291.
- Ehlers, J. (1994), *Allgemeine und historische Quartärgeologie*, viii+358 pp., Enke, Stuttgart, Germany.
- Eisenberg, D., and W. Kauzmann (1969), Ice, in *The structure and properties of water*, chap. 3, Clarendon Press, Oxford, England.
- Eliason, E. M., J. A. Anderson, J. M. Barrett, K. J. Becker, T. L. Becker, D. A. Cook, L. A. Soderblom, T. L. Sucharski, and K. T. Thompson (2001), ISIS image processing capabilities for MGS/MOC imaging data, in *Lun. Planet. Sci. Conf. Abs.*, XXXII, #2081 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Ellis, J. M., and P. E. Calkin (1983), Environments and soils of Holocene moraines and rock glaciers, central-Brooks Range, Alaska, in *Tills and related deposits: Genesis, Petrology, Application, Stratigraphy*, edited by E. E. B., C. Schlüchter, and J. Rabassa, 315-328, Balkema, Rotterdam, the Netherlands.
- Ellis, J. M., and P. E. Calkin (1984), Chronology of Holocene glaciation, central Brooks Range, Alaska, *Bull. Geol. Soc. Am.*, **95**, 897-912.
- Ellis, J. M., P. E. Calkin, and M. P. Bruen (1983), Rock glaciers of the east central Brooks Range, Alaska, in *Int. Conf. Permafrost*, 4, 322, National Academic Press, Washington, Fairbanks, Alaska.
- Embleton, C., and C. A. M. King (1975), *Periglacial geomorphology*, 2, 2nd ed., 203 pp., Edward Arnold, London, England.
- Ewing, R. C., and P. M. Schenk (1998), Formation of Debris Aprons on Mars: Viking Stereotopographic Mapping, in *Lun. Planet. Sci. Conf. Abs.*, XXIX, #1543 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Fagents, S. A., P. Lanagan, and R. Greeley (2002), Rootless cones on Mars: A consequence of lava-ground ice interaction, in *Volcano-Ice Interaction on Earth and Mars*, *Geol. Soc. Spec. Publ.*, 202, edited by J. L. Smellie and M. G. Chapman, pp. 295-317, Geological Society of London.

- Fanale, F. P. (1976), Martian volatiles - their degassing history and geochemical fate, *Icarus*, **28**(2), 179–202, doi:10.1016/0019-1035(76)90032-4.
- Fanale, F. P., J. R. Salvail, A. P. Zent, and S. E. Postawko (1986), Global distribution and migration of subsurface ice on Mars, *Icarus*, **67**(1), 1–18, doi:10.1016/0019-1035(86)90170-3.
- Farmer, C. B., and P. E. Doms (1979), Global seasonal variation of water vapor on Mars and the implications of permafrost, *J. Geophys. Res.*, **84**, 2881–2888.
- Farmer, C. B., D. W. Davies, A. L. Holland, D. D. Laporte, and P. E. Doms (1977), Mars: water vapor observations from the Viking Orbiters, *J. Geophys. Res.*, **82**, 4225–4248.
- Feldman, W. C., W. V. Boynton, R. L. Tokar, T. H. Prettyman, O. Gasnault, S. W. Squyres, R. C. Elphic, D. J. Lawrence, S. L. Lawson, S. Maurice, G. W. McKinney, K. R. Moore, and R. C. Reedy (2002), Global distribution of neutrons from Mars: results from Mars Odyssey, *Science*, **297**(5578), 75–78, doi:10.1126/science.1073541.
- Feldman, W. C., T. H. Prettyman, S. Maurice, J. J. Plaut, D. L. Bish, D. T. Vaniman, M. T. Mellon, A. E. Metzger, S. W. Squyres, S. Karunatillake, W. V. Boynton, R. C. Elphic, H. O. Funsten, D. J. Lawrence, and R. L. Tokar (2004), Global distribution of near-surface hydrogen on Mars, *J. Geophys. Res.*, **109**(E18), 9006, doi:10.1029/2003JE002160.
- Figurin, A. E. (1823), Izvlecheniye iz zapisok medikokhirurga Figurina, verdennykh vo vremya opisi beregov Severo-Vostochnoy Sibiri, *Gosudarstv. Admiralt. Depart.*, **5**, 259–328.
- Flinn, E. A. (1977), Scientific results of the Viking Project, *J. Geophys. Res.*, **82**, 735.
- Forget, F., F. Hourdin, R. Fournier, C. Hourdin, O. Talagrand, M. Collins, S. R. Lewis, P. L. Read, and J.-P. Huot (1999), Improved general circulation models of the Martian atmosphere from the surface to above 80 km, *J. Geophys. Res.*, **110**(E10), 24,155–24,176.
- Forget, F., R. M. Haberle, F. Montmessin, B. Levrard, and J. W. Head (2006), Formation of glaciers on Mars by atmospheric precipitation at high obliquity, *Science*, **311**(5759), 368–371, doi:10.1126/science.1120335.
- Fortier, D., and M. Allard (2005), Frost-cracking conditions, Bylot Island, Eastern Canadian Arctic archipelago, *Permafrost Perigl. Proc.*, **16**(2), 145–161, doi:10.1002/ppp.504.
- Francis, P., and C. Oppenheimer (2004), *Volcanoes*, 536 pp., Oxford Univ. Press, Oxford, England.
- French, H. M. (1976), *The periglacial environment*, 309 pp., Longman Group, Harlow, England.
- French, H. M. (1996), *The periglacial environment*, xxxiv+341 pp., Addison Wesley Longman, Harlow, England.
- French, H. M. (2003), The development of periglacial geomorphology: 1 – up to 1965, *Permafrost Perigl. Proc.*, **14**(1), 29–60, doi:10.1002/ppp.438.
- French, H. M. (2005), North American periglacial geomorphology as a branch of geocryology: a brief history, *Phys. Geography*, **26**, 264–278.
- Frey, H., and R. A. Schultz (1988), Large impact basins and the mega-impact origin for the crustal dichotomy on Mars, *Geophys. Res. Lett.*, **15**(3), 229–232, doi:10.1029/88GL02042.

- Frey, H., S. E. Sakimoto, and J. Roark (1998), The MOLA topographic signature at the crustal dichotomy boundary, *Geophys. Res. Lett.*, **25**(24), 4409–4412, doi:10.1029/1998GL900095.
- Fueten, F., R. M. Stesky, and P. MacKinnon (2005), Structural attitudes of large scale layering in Valles Marineris, Mars, calculated from Mars Orbiter Laser Altimeter data and Mars Orbiter Camera imagery, *Icarus*, **175**(1), 68–77, doi:10.1016/j.icarus.2004.11.010.
- Fueten, F., R. Stesky, P. MacKinnon, E. Hauber, K. Gwinner, F. Scholten, T. Zegers, and G. Neukum (2006), A structural study of an interior layered deposit in southwestern Candor Chasma, Valles Marineris, Mars, using high resolution stereo camera data from Mars Express, *Geophys. Res. Lett.*, **33**(L07202), doi:10.1029/2005GL025035.
- Gaddis, L., J. Anderson, K. Becker, T. Becker, D. Cook, K. Edwards, E. Eliason, T. Hare, H. Kieffer, E. M. Lee, J. Mathews, L. Soderblom, T. Sucharski, J. Torson, A. McEwen, and M. Robinson (1997), An overview of the Integrated Software for Imaging Spectrometers (ISIS), in *Lun. Planet. Sci. Conf. Abs.*, XXVIII, #387, Lun. Planet. Inst., Houston, Tex., USA.
- Garvin, J. B., and J. J. Frawley (1998), Geometric properties of Martian impact craters: preliminary results from the Mars Orbiter Laser Altimeter, *J. Geophys. Res.*, **25**(24), 4405–4408, doi:10.1029/1998GL900177.
- Garvin, J. B., S. E. H. Sakimoto, C. Schnetzler, and J. J. Frawley (1999), Global geometric properties of Martian impact craters: a preliminary assessment using Mars Orbiter Laser Altimeter (MOLA) topography, in *Int. Conf. Mars Abs.*, 5, #6163 (CD-ROM), Lun. Planet. Inst., Pasadena, Calif., USA.
- Garvin, J. B., J. J. Frawley, and S. E. H. Sakimoto (2000a), Global geometric properties of martian impact craters: An assessment from Mars Orbiter Laser Altimeter (MOLA) digital elevation models, in *Lun. Planet. Sci. Conf. Abs.*, XXXI, #1619 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Garvin, J. B., S. E. H. Sakimoto, J. J. Frawley, and C. Schnetzler (2000b), North Polar region craterforms on Mars: geometric characteristics from the Mars Orbiter Laser Altimeter, *Icarus*, **144**(2), 329–352, doi:10.1006/icar.1999.6298.
- Garvin, J. B., S. E. H. Sakimoto, and J. J. Frawley (2003), Craters on Mars: global geometric properties from gridded MOLA topography, in *Int. Conf. Mars Abs.*, 6, #3277 (CD-ROM), Lun. Planet. Inst., Pasadena, Calif., USA.
- Garvin, J. B., J. W. Head, D. R. Marchant, and M. A. Kreslavsky (2006), High-altitude cold-based deposits on Mars: multiple superposed drop moraines in a crater interior at 70°N latitude, *Meteoritics Planet. Science*, **41**(10), 1659–1974.
- Gatto, L. W., and D. M. Anderson (1975), Alaskan thermokarst terrain and possible Martian analog, *Science*, **188**(4185), 255–257, doi:10.1126/science.188.4185.255.
- Giardino, J. (1979), *Rock glacier mechanics and chronologies, Mount Mestas, Colorado*, 244 pp., Ph.D. thesis, Univ. Nebraska, Nebraska, Lincoln.
- Giardino, J. R., and S. G. Vick (1987), Geologic engineering aspects of rock glaciers, in *Rock glaciers*, edited by J. R. Giardino, J. F. Shroder, and J. D. Vitek, 265–288, Allen & Unwin.

- Giardino, J. R., and J. D. Vitek (1985), A statistical study of the fabric of a rock glacier, *Arctic Antarct. Alpine Res.*, **17**.
- Giardino, J. R., J. J. F. Shroder, and J. D. Vitek (Eds.) (1987), *Rock Glaciers*, Allen & Unwin.
- Glen, J. W. (1952), Experiments on the deformation of ice, *J. Glaciology*, **2**, 111–114.
- Glen, J. W. (1953), The creep of polycrystalline ice, *Proc. Roy. Soc. London*, **A228**(1175).
- Glicken, H. (1996), *Rockslide-debris avalanche of May 18, 1980, Mount St. Helens volcano, Washington*, 96-677, U.S. Geological Survey Bulletin Open File Report.
- Gold, L. W., and A. Lachenbruch (1973), Thermal conditions in permafrost – a review of North-American literature, in *Permafrost, North American contribution, Second Int. Conf.*, 3-26, National Academy of Sciences, Publication 2115, Washington, DC, Yakutsk.
- Goldspiel, J. M., and S. W. Squyres (1991), Ancient aqueous sedimentation on Mars, *Icarus*, **89**(2), 392–410, doi:10.1016/0019-1035(91)90186-W.
- Gorbunov, A. (1983), Rock glaciers of the mountains of middle Asia, in *Proc. Int. Conf. on Permafrost*, 4, 359-362, Fairbanks, Alaska.
- Gorelick, N. S., M. Weiss-Malik, B. Steinberg, and S. Anwar (2003), JMARS: a multimission data fusion application, in *Lun. Planet. Sci. Conf. Abs.*, XXXIV, #2057 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Goughnour, R. R., and O. B. Andersland (1968), Mechanical properties of sand-ice system, *J. Soil Mechanics*, **94**, 923–950.
- Grant, J. A., and P. H. Schultz (1990), Gradational epochs on Mars – evidence from west-northwest of Isidis Basin and Electris, *Icarus*, **84**(1), 166–195, doi:10.1016/0019-1035(90)90164-5.
- Grechishchev, S. W. (1970), Basis of method for predicting thermal stresses and deformation in frozen soils (in Russian), 1976 english translation, Nat. Res. Counc. Canada, Tech. Translation, 1986, *Tech. rep.*, Ministerstvo Geologii SSSR.
- Greeley, R., and D. A. Crown (1990), Volcanic geology of Tyrrhena Patera, Mars, *J. Geophys. Res.*, **95**(B5), 7133–7149, doi:10.1029/89JB03154.
- Greeley, R., and J. E. Guest (1987), Geologic map of the eastern equatorial region of Mars, scale 1:15,000,000, U.S. Geol. Surv. Misc. Inv. Ser., Map I-1802-B.
- Greeley, R., R. E. Arvidson, P. W. Barlett, D. Blaney, N. A. Cabrol, P. R. Christensen, R. L. Fergason, M. P. Golombek, G. A. Landis, M. T. Lemmon, S. M. McLennan, J. N. Maki, T. Michaels, J. E. Moersch, L. D. V. Neakrase, S. C. R. Rafkin, L. Richter, S. W. Squyres, P. A. de Souza, R. J. Sullivan, S. D. Thompson, and P. L. Whelley (2006), Gusev crater: Wind-related features and processes observed by the Mars Exploration Rover Spirit, *J. Geophys. Res.*, **111**(E2), E02S09, doi:10.1029/2005JE002491.
- Grin, E. A., and N. A. Cabrol (1997), Limnologic analysis of Gusev Crater paleolake, Mars, *Icarus*, **130**(2), 461–474, doi:10.1006/icar.1997.5817.

- Grizzaffi, P., and P. H. Schultz (1989), Isidis basin – site of ancient volatile-rich debris layer, *Icarus*, **77**(2), 358–381, doi:10.1016/0019-1035(89)90094-8.
- Grosse, G., L. Schirrmeister, V. V. Kunitsky, and H.-W. Hubberten (2005), The use of CORONA images in remote sensing of periglacial geomorphology: an illustration from the NE Siberian Coast, *Permafrost Perigl. Proc.*, **16**(2), 163–172, doi:10.1002/ppp.509.
- Grosse, G., L. Schirrmeister, and T. J. Malthus (2006), Application of Landsat-7 satellite data and a DEM for the quantification of thermokarst-affected terrain types in the periglacial Lena–Anabar coastal lowland, *Polar Research*, **25**, 51–67.
- Grosse, G., L. Schirrmeister, C. Siegert, V. V. Kunitsky, E. A. Slagoda, A. A. Andreev, and A. Y. Dereviagyn (2007), Geological and geomorphological evolution of a sedimentary periglacial landscape in Northeast Siberia during the Late Quaternary, *Geomorphology*, **86**(1), 25–51, doi:10.1016/j.geomorph.2006.08.005.
- Gwinner, K., F. Scholten, B. Giese, J. Oberst, R. Jaumann, M. Spiegel, R. Schmidt, G. Neukum, and the HRSC Co-Investigator Team (2005), Hochauflösende Digitale Geländemodelle auf der Grundlage von Mars Express HRSC-Daten, *Photogrammetrie-Fernerkundung-Geoinformation (PFG)*, **5**, 387–394.
- Haeberli (1985), Creep of mountain permafrost: internal structure and flow of alpine rock glaciers, *Mitt. der Versuch. f. Wasserbau, Hydrol. und Glaziol. Zürich*, **77**, 142.
- Haeberli, W., L. King, and A. Flotron (1979), Surface movement and lichen-cover studies at the active rock glacier near the Grubengletscher, Wallis, Swiss Alps, *Arctic Antarct. Alpine Res.*, **11**, 421–441.
- Hambrey, M., and J. Alean (2004), *Glaciers*, 2nd ed., xvi+376 pp., Cambridge University Press, Cambridge, England.
- Hamilton, S. J., and W. B. Whalley (1995), Rock glacier nomenclature: a re-assessment, *Geomorphology*, **14**(1), 73–80.
- Hamlin, S. E., J. S. Kargel, K. L. Tanaka, K. J. Lewis, and D. R. Macayeal (2000), Preliminary studies of icy debris flows in the Martian fretted terrain, in *Lun. Planet. Sci. Conf. Abs.*, XXXI, #1785 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Harder, M., and J. K. Russell (2007), Basanite glaciovolcanism at Llangorse mountain, northern British Columbia, Canada, *Bulletin of Volcanology*, **69**(3), 329–340, doi:10.1007/s00445-006-0078-1.
- Hare, T. M., and K. L. Tanaka (1999), PIGWAD - Planetary Interactive GIS on the Web Analyzable Database, in *Int. Conf. Mars Abs.*, 5, #6139 (CD-ROM), Lun. Planet. Inst., Pasadena, Calif., USA.
- Hare, T. M., and K. L. Tanaka (2002), PIGWAD - OpenGIS and image technologies for planetary data analysis, in *Lun. Planet. Sci. Conf. Abs.*, XXXIII, #1365 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Hare, T. M., and K. L. Tanaka (2003), PIGWAD: continuing to offer GIS services to the planetary community, in *Lun. Planet. Sci. Conf. Abs.*, XXXIV, #1974 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Harris, C., and J. B. Murton (Eds.) (2005a), *Cryospheric systems - glaciers and permafrost*, SP 242, vii+161 pp., Geological Society of London (GSA), London, England.

- Harris, C., and J. B. Murton (2005b), Interactions between glaciers and permafrost, in *Cryospheric systems - glaciers and permafrost*, SP 242, edited by C. Harris and J. B. Murton, 1-9, Geological Society of London (GSA), London, England.
- Hartmann, W. K. (1966a), Martian cratering, *Icarus*, **5**(1-6), 565–576, doi:10.1016/0019-1035(66)90071-6.
- Hartmann, W. K. (1966b), Early lunar cratering, *Icarus*, **5**(1-6), 406–418, doi:10.1016/0019-1035(66)90054-6.
- Hartmann, W. K. (1971), Martian cratering III: theory of crater obliteration, *Icarus*, **15**(3), 410–428, doi:10.1016/0019-1035(71)90119-9.
- Hartmann, W. K. (1973), Ancient lunar mega-regolith and subsurface structure, *Icarus*, **18**(4), 634–636, doi:10.1016/0019-1035(73)90066-3.
- Hartmann, W. K. (1977), Relative crater production rates on planets, *Icarus*, **31**(2), 260–276, doi:10.1016/0019-1035(77)90037-9.
- Hartmann, W. K. (1980), Dropping stones in magma oceans – effects of early lunar cratering, in *Conf. Lunar Highlands Crust Proceed.*, edited by R. B. Merrill and J. J. Papike, 155-171, Pergamon Press, New York, Houston, Tex., USA.
- Hartmann, W. K., and G. Neukum (2001), Cratering chronology and the evolution of Mars, *Space Sci. Rev.*, **96**(1-4), 165–194(30).
- Hartmann, W. K., J. A. Grier, D. C. Berman, W. Bottke, B. Gladman, A. Morbidelli, J.-M. Petit, and L. Dones (2000), Martian chronology: new Mars Global Surveyor results on absolute calibration, geologically young volcanism, and fluvial episodes, in *Lun. Planet. Sci. Conf. Abs.*, XXXI, #1179 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Hauber, E., S. van Gasselt, and R. Jaumann (2002), Morphology and topography of fretted terrain at the dichotomy boundary in Tempe Terra, Mars: general characteristics, in *Lun. Planet. Sci. Conf. Abs.*, XXXIII, #1658 (CD-ROM), 11-15 March, Lun. Planet. Inst., League City, Houston, Tex., USA.
- Hauber, E., S. van Gasselt, M. G. Chapman, and G. Neukum (2007), Geomorphic evidence for former lobate debris aprons at low latitudes on Mars: indicators of the Martian paleoclimate, *J. Geophys. Res.*, *in press*, doi:10.1029/2007JE002897.
- Head, J. W., and D. R. Marchant (2003), Cold-based mountain glaciers on Mars: Western Arsia Mons fan-shaped deposits, in *Lun. Planet. Sci. Conf. Abs.*, XXXIV, #1247 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Head, J. W., and D. R. Marchant (2003), Cold-based mountain glaciers on Mars: Western Arsia Mons, *Geology*, **31**(7), 641–644, doi:10.1130/0091-7613(2003)031.
- Head, J. W., and D. R. Marchant (2006), Evidence for global-scale northern mid-latitude glaciation in the Amazonian period of Mars: debris-covered glacier and valley glacier deposits in the 30°–50°N latitude band, in *Lun. Planet. Sci. Conf. Abs.*, XXXVII, #1127 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.

- Head, J. W., G. Neukum, R. Jaumann, H. Hiesinger, E. Hauber, M. Carr, P. Masson, B. Foing, H. Hoffmann, M. Kreslavsky, S. Werner, S. Milkovich, S. van Gasselt, and the HRSC Co-Investigator Team (2005), Tropical to mid-latitude snow and ice accumulation, flow and glaciation on Mars, *Nature*, **434**, 346–351, doi:10.1038/nature03359.
- Head, J. W., D. R. Marchant, M. C. Agnew, C. I. Fassett, and M. A. Kreslavsky (2006a), Extensive valley glacier deposits in the northern mid-latitudes of Mars: Evidence for Late Amazonian obliquity-driven climate change, *Earth Planet. Sci. Lett.*, **241**(3–4), 663–671, doi:10.1016/j.epsl.2005.11.016.
- Head, J. W., A. L. Nahm, D. R. Marchant, and G. Neukum (2006b), Modification of the dichotomy boundary on Mars by Amazonian mid-latitude regional glaciation, *Geophys. Res. Lett.*, **33**, L08S03, doi:10.1029/2005GL024360.
- Head, J. W., A. L. Nahm, D. R. Marchant, and G. Neukum (2006), Modification of the dichotomy boundary on Mars by Amazonian mid-latitude regional glaciation, *Geophys. Res. Lett.*, **33**(L08S03), doi:10.1029/2005GL024360.
- Helfenstein, P., and P. J. Mouginis-Mark (1980), Morphology and Distribution of Fractured Terrain on Mars, in *Lun. Planet. Sci. Conf. Abs.*, XI, 429–431, Lun. Planet. Inst., Houston, Tex., USA.
- Herbert, P. D. N. (2002), Canada's Polar Environment, Hypertext Markup, <www.polarenvironments.ca>.
- Hess, P. C., and E. M. Parmentier (2001), Implications of magma ocean cumulate overturn for Mars, in *Lun. Planet. Sci. Conf. Abs.*, XXXII, #1319 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Hiesinger, H., and J. W. Head (2000), Characteristics and origin of polygonal terrain in southern Utopia Planitia, Mars: Results from Mars Orbiter Laser Altimeter and Mars Orbiter Camera data, *J. Geophys. Res.*, **105**(E5), 11,999–12,022, doi:10.1029/1999JE001193.
- Hiesinger, H., and J. W. Head (2004), The Syrtis Major volcanic province, Mars: Synthesis from Mars Global Surveyor data, *J. Geophys. Res.*, **109**(E01004), doi:10.1029/2003JE002143.
- Hinkel, K. M., W. R. Eisner, J. G. Bockheim, F. E. Nelson, K. M. Peterson, and X. Dai (2003), Spatial extent, age, and carbon stocks in drained thaw lake basins on the Barrow Peninsula, Alaska, *Arctic Antarct. Alpine Res.*, **35**(3), 291–300.
- Hobbs, P. V. (1974), *Ice physics*, Oxford Univ. Press, London, England.
- Hobbs, P. V. (1975), *Ice physics*, 856 pp., Oxford Univ. Press, Oxford, England.
- Hockey, T., and C. Barnet (1994), A DOS-based version of the VICAR image processing system for planetary image reduction, navigation, and measuring, in *Bull. Americ. Astr. Soc.*, 900, May.
- Höllermann, P. (1983), Blockgletscherstudien in europäischen und nordamerikanischen Gebirgen, in *Mesofor-men des Reliefs im heutigen Periglazialraum*, 35, pp. 116–119, Abh. Akad. Wis., Göttingen, Germany.
- Holmes, G. W., D. M. Hopkins, and H. L. Foster (1968), Pingos in central Alaska, *United States Geol. Survey Bull.*, **1241**, 40.

- Hooke, R. L. (2005), *Principles of glacier mechanics*, 2nd ed., viii+429 pp., Cambridge University Press, Cambridge, England.
- Hooke, R. L., M. LeBaron, B. B. Dahlin, and M. T. Kauper (1972), Creep of ice containing dispersed fine sand, *J. Glaciol.*, **63**.
- Howe, E. (1909), Landslides in the San Juan Mountains, Colorado, including a consideration of their causes and their classification, *U.S. Geological Survey Professional Paper*, **67**, 58.
- Humlum, O. (1982), Rock glacier types on Disko, Central West Greenland, *Geogr. Tidsskr.*, **82**, 59–66.
- Humlum, O. (1988), Rock glacier appearance level and rock glacier initiation line altitude: methodological approach to the study of rock glaciers, *Arctic Antarct. Alpine Res.*, **20**, 160–178.
- Ikeda, A., and N. Matsuoka (2002), Degradation of talus-derived rock glaciers in the Upper Engadin, Swiss Alps, *Permafrost Perigl. Proc.*, **13**(2), 145–161, doi:10.1002/ppp.413.
- Incropera, F. P., and D. P. DeWitt (2001), *Fundamentals of heat and mass transfer*, 5 ed., 1008 pp., Wiley & Sons, Chichester, England.
- Isarin, R. F. B. (1997), Permafrost distribution and temperatures in Europe during the Younger Dryas, *Permafrost Perigl. Proc.*, **8**(3), 313–333, doi:10.1002/(SICI)1099-1530(199709)8:3<313::AID-PPP255>3.0.CO;2-E.
- Ivanov, B. A. (2001), Mars/Moon cratering rate ratio estimates, *Space Sci. Rev.*, **96**(1-4), 87–104(18).
- Iverson, R. M. (1997), The Physics of debris flows, *Rev. Geophysics.*, **35**, 245–296.
- Iverson, R. M., M. E. Reid, and R. G. LaHusen (1997), Debris-Flow mobilization from landslides, *Annu. Rev. Earth Planet. Sci.*, **25**, 85–138.
- Ives, R. (1940), Rock glaciers in the Colorado Front Range, *Bull. Geol. Soc. Am.*, **51**(9).
- Jahn, A. (1954), Services of Walery Lozinski in the field of periglacial studies, *Biuletyn Periglacialny*, **1**, 7–18.
- Jahn, A. (1975), *Problems of the periglacial zone (zagadnienia strefy peryglacialnej)*, Polish Scientific Publishers (PWN), Warsaw, Poland.
- Jahn, A. (1983), Soil wedges in Spitsbergen, in *Proc. 4th Int. Conf. Permafrost*, 525–530, Nat. Acad. Press, Washington, USA.
- Jakosky, B. M., and E. S. Barker (1984), Comparison of ground-based and Viking Orbiter measurements of Martian water vapor – variability of the seasonal cycle, *Icarus*, **57**(3), 322–334, doi:10.1016/0019-1035(84)90121-0.
- Jakosky, B. M., B. G. Henderson, and M. T. Mellon (1995), Chaotic obliquity and the nature of the Martian climate, *J. Geophys. Res.*, **100**(E1), 1579–1584.
- Jakosky, B. M., M. T. Mellon, H. H. Kieffer, P. R. Christensen, E. S. Varnes, and S. W. Lee (2000), The thermal inertia of Mars from the Mars Global Surveyor Thermal Emission Spectrometer, *J. Geophys. Res.*, **105**(E4), 9643–9652, doi:10.1029/1999JE001088.



- Jaumann, R., G. Neukum, T. Behnke, T. C. Duxbury, J. Flohrer, S. van Gasselt, B. Giese, K. Gwinner, E. Hauber, H. Hoffmann, U. Köhler, K.-D. Matz, T. B. McCord, V. Mertens, J. Oberst, R. Pischel, D. Reiss, T. Roatsch, P. Saiger, F. Scholten, G. Schwarz, K. Stephan, and M. Wählisch (2006), The High Resolution Stereo Camera (HRSC) experiment on Mars Express: instrument aspects and experiment conduct from interplanetary cruise through the nominal mission, *Planet. Space Sci.*, **55**, 928–952, doi:10.1016/j.pss.2006.12.003.
- Jessberger, A. L. (1965), Das Kriechverhalten von gefrorenem Lockergestein in Zusammenhang mit der bautechnischen Anwendung des Gefrierverfahrens, *Geol. Bavar.*, **55**, 422–439.
- Johnson, P. (1974), Mass movement of ablation complexes and their relationship to rock glaciers, *Geografiska Annaler*, **56A**(1/2), 93–101.
- Johnson, P. (1978), Rock glacier types and their drainage systems, Grizzly Creek, Yukon Territory, *Can. Earth Sci.*, **15**, 1496–1507.
- Johnson, P. (1987), Rock glacier: glacier debris systems or high-magnitude low-frequency flows, in *Rock glaciers*, edited by J. Giardino, J. J. Shroder, and J. Vitek, pp 175–192, Allen & Unwin, Boston.
- Johnson, P. G. (1984), Paraglacial conditions of instability and mass movement: a discussion, *Z. Geomorphol.*, **28**, 235–250.
- Johnson, W. H. (1990), Ice-wedge casts and relic patterned ground in central Illinois and their environmental significance, *Quat. Res.*, **33**, 51–72.
- Jones, K. L., R. E. Arvidson, E. A. Guinness, S. L. Bragg, S. D. Wall, C. E. Karlston, and E. G. Pidek (1979), One Mars year: Viking Lander imaging observations, *Science*, **204**(4395), 799–806, doi:10.1126/science.204.4395.799.
- Jöns, H. P. (1985), Permafrost features on Earth and Mars: similarities, differences, in *Lun. Planet. Sci. Conf. Abs.*, XVI, 11, Lun. Planet Inst., Houston, Tex., USA.
- Kääb, A., and M. Weber (2004), Development of transverse ridges on rock glaciers: field measurements and laboratory experiments, *Permafrost Perigl. Proc.*, **15**(4), 379–391, doi:10.1002/ppp.506.
- Kääb, A., K. Isaksen, T. Eiken, and H. Farbrot (2002), Geometry and dynamics of two lobe-shaped rock glaciers in the permafrost of Svalbard, *Norsk Geografisk Tidsskrift*, **56**(2), 152–160, doi:10.1080/002919502760056486.
- Kanner, L. C., C. C. Allen, and M. S. Bell (2004), Geomorphic Evidence for Martian Ground Ice and Climate Change, in *Lun. Planet. Sci. Conf. Abs.*, edited by S. Mackwell and E. Stansbery, #1982, League City, Houston, Tex., USA.
- Kargel, J. S. (2004), *Mars, a warmer wetter planet*, XLVIII+557 pp., Springer Praxis Publ., Chichester, England.
- Kargel, J. S., and R. G. Strom (1992), Ancient glaciation on Mars, *Geology*, **20**, 3–7.
- Karte (1979), Räumliche Abgrenzung und regionale Differenzierung des Periglaziärs, *Bochumer Geogr. Arb.*, **35**, 211.
- Kesseli, J. E. (1941), Rock streams in the Sierra Nevada, *Geogr. Rev.*, **31**, 203–227.

- Kieffer, H. H. (1979), Mars south polar spring and summer temperatures - a residual CO<sub>2</sub> frost, *J. Geophys. Res.*, **84**(13), 8263–8288.
- Kieffer, H. H., T. Z. Martin, S. C. Chase, E. D. Miner, and F. D. Palluconi (1976), Martian North Pole summer temperatures - dirty water ice, *Science*, **194**(4271), 1341–1344, doi:10.1126/science.194.4271.1341.
- Kirk, R. L., E. M. Lee, R. M. Sucharski, J. Richie, A. Grecu, and S. K. Castro (2000), MDIM 2.0: a revised global digital image mosaic of Mars, in *Lun. Planet. Sci. Conf. Abs.*, #2011 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Knight, P. G. (1999), *Glaciers*, vii+261 pp., Stanley Thornes Ltd., Cheltenham, England.
- Köppen, W. (1936), Das geographische System der Klimate, in *Handbuch der Klimatologie*, 1, edited by W. Köppen and R. Geiger, pp. 1–44, Borntraeger, Berlin, Germany.
- Köppen-Geiger (1954), *Climate of the Earth (map: 1:16 mio)*, Justus Perthes, Darmstadt, Germany.
- Kossacki, K. J., and W. J. Markiewicz (2002), Martian seasonal CO<sub>2</sub> ice in polygonal troughs in the southern polar region: role of the distribution of subsurface H<sub>2</sub>O ice, *Icarus*, **160**(1), 73–85, doi:10.1006/icar.2002.6936.
- Kossacki, K. J., W. J. Markiewicz, and M. D. Smith (2003), Surface temperature of Martian regolith with polygonal features: influence of the subsurface water ice, *Planet. Space Sci.*, **51**, 569–580.
- Kostama, V.-P., M. Ivanov, T. Törmänen, J. Raitala, and G. Neukum (2006), Reull Vallis - evolution of a fluvial system in Eastern Hellas Region, Mars, in *Lun. Planet. Sci. Conf. Abs.*, XXXVIII, #1649 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Kottek, M., J. Grieser, C. Beck, B. Rudolf, and F. Rubel (2006), World Map of the Köppen-Geiger climate classification updated, *Meteorol. Z.*, **15**, 259–263.
- Kreslavsky, M. A., and J. W. Head (2000), Kilometer-scale roughness of Mars: results from MOLA data analysis, *J. Geophys. Res.*, **105**, 26,695–26,712, doi:10.1029/2000JE001259.
- Kreslavsky, M. A., and J. W. Head (2002), Fate of outflow channel effluents in the northern lowlands of Mars: the Vastitas Borealis Formation as a sublimation residue from frozen ponded bodies of water, *J. Geophys. Res.*, **107**(E12), 5121, doi:10.1029/2001JE001831.
- Kress, A., J. W. Head, and D. R. Marchant (2006), The Nature of the transition from lobate debris aprons to lineated valley fill: Mamers Valles, Northern Arabia Terra-Deuteronilus Mensae region on Mars, in *Lun. Planet. Sci. Conf. Abs.*, XXXVII, #1323 (CD-ROM), 13-17 March, Lun. Planet. Inst., League City, Houston, Tex., USA.
- Kuzmin, R. O. (1977), Questions of the structure of the Martian cryolithosphere, in *Problems of cryolithology*, 6, pp. 7–25, Moscow Univ. Press.
- Kuzmin, R. O. (1983), *Cryolithosphere of Mars*, 144 pp., Nauka Press, Moscow, Russia.
- Kuzmin, R. O. (2005), Ground ice in the Martian regolith, in *Water on Mars and life*, edited by T. Tokano, pp. 155–189, Adv. Astrobiol. Biogeophys.

- Kuzmin, R. O., and E. V. Zabalueva (2003), Polygonal terrains on Mars: preliminary results of global mapping of their spatial distribution, in *Lun. Planet. Sci. Conf. Abs.*, XXXIV, #1912 (CD-ROM), 17-21 March, Lun. Planet. Inst., League City, Houston, Tex., USA.
- Kuzmin, R. O., E. D. Ershow, I. A. Komarow, A. H. Kozlov, and V. S. Isaev (2002), The comparative morphometric analysis of polygonal terrains on Mars and the Earth high latitude areas, in *Lun. Planet. Sci. Conf. Abs.*, XXXIII, #2030 (CD-ROM), 11-15 March, Lun. Planet. Inst., League City, Houston, Tex., USA.
- Kuzmin, R. O., I. G. Mitrofanov, M. L. Litvak, W. V. Boynton, and R. S. Saunders (2003), Mars: Detaching of the Free Water Signature (FWS) Presence Regions on the Base of HEND/ODYSSEY Data and Their Correlation with Some Permafrost Features from MOC Data, in *Lun. Planet. Sci. Conf. Abs.*, XXXIV, #1369 (CD-ROM), 17-21 March, Lun. Planet. Inst., League City, Houston, Tex., USA.
- Lachenbruch, A. H. (1962), Mechanics of thermal contraction cracks and ice-wedge polygons in permafrost, *Spec. Geol. Soc. America Papers*, **70**, 68.
- Lachenbruch, A. H. (1966), Contraction theory of ice-wedge polygons: a qualitative discussion, *Massive Ground Ice Panel*, **2b**, 63-71.
- Lanagan, P. D., A. S. McEwen, L. P. Keszthelyi, and T. Thordarson (2001), Rootless cones on Mars indicating the presence of shallow equatorial ground ice in recent times, *Geophys. Res. Lett.*, **28**(12), 2365-2368, doi:10.1029/2001GL012932.
- Langsdorf, E. L., and D. T. Britt (2005), Classification and Distribution of Patterned Ground in the Southern Hemisphere of Mars, in *Lun. Planet. Sci. Conf. Abs.*, XXXVI, #2140 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Lanz, J. (2003), *Geometrische, morphologische und stratigraphische Untersuchungen ausgewählter Outflow Channel der Circum-Chryse-Region, Mars, mit Methoden der Fernerkundung*, iv+157 pp., Dissertation thesis, Fachbereich Geowissenschaften, Freie Universität Berlin, Berlin, Germany.
- LaPlaca, S., and B. Post (1960), Thermal expansion of ice, short communication, *Acta Cryst.*, **13**, 503-505.
- Laskar, J., and P. Robutel (1993), The chaotic obliquity of the planets, *Nature*, **361**, 608-612, doi:10.1038/361608a0.
- Laskar, J., A. C. M. Correia, M. Gastineau, F. Joutel, B. Levrard, and P. Robutel (2004), Long term evolution and chaotic diffusion of the insolation quantities of Mars, *Icarus*, **170**(2), 343-364, doi:10.1016/j.icarus.2004.04.005.
- Leffingwell, E. (1915), Ground-ice wedges: The dominant form of ground-ice on the north coast of Alaska, *J. Geology*, **23**, 635-654.
- Leffingwell, E. (1919), The Canning River Region, Northern Alaska, *U.S. Geological Survey Professional Paper*, **109**, 251.
- Lehmann, H., S. Gehrke, S. van Gasselt, J. Albertz, G. Neukum, and the HRSC Co-Investigator Team (2006a), Eine kombinierte topographische-thematische Karte der Centauri und Hellas Montes (Mars), in *26. Wissenschaftlich-Technische Jahrestagung der DGPF*, 109-118, Berlin, Germany.

- Lehmann, H., S. van Gasselt, S. Gehrke, J. Albertz, G. Neukum, and the HRSC Co-Investigator Team (2006b), A Combined Topographic-Thematic Map of the Centauri and Hellas Montes Area, Mars, in *ISPRS Commission IV Symposium*, Goa, India.
- Lescinsky, D. T., and T. W. Sisson (1998), Ridge-forming, ice-bounded lava flows at Mount Rainier, Washington, *Geology*, **26**(4), 351–354.
- Leth, P. T., and A. H. Treiman (1997), Geology of the Reull Vallis region of Mars - evidence for Mid-Noachian sheet floods, in *Lun. Planet. Sci. Conf. Abs.*, XXVIII, 807, Lun. Planet. Inst., League City, Houston, Tex., USA.
- Leverington, D. W. (2003), Preliminary Results from a Survey of Candidate Permafrost and Periglacial Features on Mars, in *Third International Conference on Mars Polar Science and Exploration*, edited by S. Clifford, P. Doran, D. Fisher, and C. Herd, #8013, Lake Louise, Canada.
- Levrard, B., F. Forget, F. Montmessin, and J. Laskar (2004), Recent ice-rich deposits formed at high latitudes on Mars by sublimation of unstable equatorial ice during low obliquity, *Nature*, **431**, 1072–1075, doi:10.1038/nature03055.
- Levy, J. S., and J. W. Head (2006a), Evidence of low Northern midlatitude (~33°N) valley glacier deposits along the Dichotomy Boundary: Nilosyrtris Mensae, Mars, in *Lun. Planet. Sci. Conf. Abs.*, XXXVII, #1244 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Levy, J. S., and J. W. Head (2006b), Lineated valley fill surface textures, Nilosyrtris Mensae, Mars: comparison with analagous glacier surface textures in the Antarctic Dry Valleys, in *Lun. Planet. Sci. Conf. Abs.*, XXXVII, #1245 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Levy, J. S., J. W. Head, III, and D. R. Marchant (2005), The Origin and Evolution of Oriented-Network Polygonally Patterned Ground: The Antarctic Dry Valleys as Mars Analogue, in *Annual Lunar and Planetary Science Conference Abstracts*, XXXVI, edited by S. Mackwell and E. Stansbery, #1334, Mar.
- Li, H., M. S. Robinson, and D. M. Jurdy (2004), Origin of Martian northern hemisphere mid-latitude lobate debris aprons, in *Lun. Planet. Sci. Conf. Abs.*, XXXV, #2120 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Li, H., M. S. Robinson, and D. M. Jurdy (2005), Origin of Martian northern hemisphere mid-latitude lobate debris aprons, *Icarus*, **176**(2), 382–394, doi:10.1016/j.icarus.2005.02.011.
- Lide, D. R. (Ed.) (2003), *Handbook of chemistry and physics*, 84 ed., 3000 pp., CRC Press, Taylor & Francis, London, England.
- Lindner, L., and L. Marks (1985), Types of debris slope accumulations and rock glaciers in south Spitsbergen, *Boreas*, **14**, 139–153.
- Linton, D. L. (1969), The abandonment of the term "periglacial", in *Paleoecology of Africa and of the surrounding islands and Antarctica*, 5, edited by E. M. van Zinderen Bakker, p. 240, Balkema, Cape Town, South Africa.
- Lliboutry, L. (1955), Origine et évolution des glaciers rocheux, *Séanc. Acad. Sci. Paris*, **240**, 1913–1915.
- Loewenherz, D., C. Lawrence, and R. Weaver (1989), On the development of transverse ridges on rock glaciers, *J. Glaciol.*, **35**, 383–391.

- Lucchitta, B. K. (1981), Mars and Earth – comparison of cold-climate features, *Icarus*, **45**(2), 264–303, doi:10.1016/0019-1035(81)90035-X.
- Lucchitta, B. K. (1983), Permafrost on Mars: polygonally fractured ground, in *Int. Conf. Permafrost*, 4, Nat. Acad. Press, Fairbanks, Alaska.
- Lucchitta, B. K. (1984), Ice and debris in the fretted terrain, Mars, *J. Geophys. Res. Supp.*, **89**(B1), B409–B419.
- Lucchitta, B. K. (1985), Geomorphologic evidence for ground ice on Mars, in *Proceedings of the Advanced Research Workshop, Ices in the Solar System*, 156, edited by J. Klinger, D. Benest, A. Dollfus, and R. Smoluchowski, 583–604, D. Reidel Publishing Co., Nice, France.
- Lucchitta, B. K. (1993), Ice in the northern plains: relic of a frozen ocean?, in *Workshop on the Martian Northern Plains*, 93, 9–10, Lun. Planet. Inst., Fairbanks, Alaska.
- Lucchitta, B. K., and M. G. Chapman (1988), Ground ice along the northern highland scarp, in *MEVTV Workshop on early Tectonic and Volcanic Evolution of Mars, LPI Technical Report*, #89-04, 51–53, 5–7 October, Lun. Planet. Inst., Easton, Md.
- Luckman, B., and K. Crocket (1978), Distribution and characteristics of rock glaciers in the southern part of Jasper National Park, Alberta, *Canad. J. Earth Sci.*, **15**, 540–550.
- Luckman, B. H., and G. D. Osborn (1979), Holocene glacier fluctuations in the Middle Canadian Rocky Mountains, *Quat. Res.*, **11**, 52–77.
- Maarleveld, G. C. (1965), Frost mounds, a summary of the literature of the past decade, *Mededelingen van de Geologische Stichting*, **17**, 16.
- Maarleveld, G. C., and I. C. van den Toorn (1955), Pseudo-Sölle in Noord-Nederland, *Tijdschr. Kon. Ned. Aardr. Gen.*, **72**.
- Mackay, J. R. (1962), Pingos of the pleistocene Mackenzie Delta area, *Geographical Bulletin*, **18**, 21–63.
- Mackay, J. R. (1973), The growth of Pingos, western Arctic Coast, Canada, *Canad. J. Earth Sci.*, **10**, 979–1004.
- Mackay, J. R. (1974), Ice-wedge cracks, Garry Island, Northwest Territories, *Canad. J. Earth Sci.*, **11**, 1366–1383.
- MacKay, J. R. (1975), The closing of ice-wedge cracks in permafrost, Garry Island, Northwest Territories, *Canad. J. Earth Sci.*, **12**, 1668–1674.
- Mackay, J. R. (1978), Contemporary pingos: a discussion, *Biuletyn Periglacjalny*, **27**, 133–154.
- Mackay, J. R. (1979), Pingos of the Tuktoyaktuk Peninsula area, Northwest Territories, *Geographie physique et quaternaire*, **33**, 3–61.
- Mackay, J. R. (1980), Deformation of ice-wedge polygons, Garry Island, Northwest Territories, *Geological Survey of Canada Paper*, **80-1 A**, 287–291.
- MacKay, J. R. (1986), The first 7 Years (1978–1985) of Ice Wedge Growth, Illisarvik experimental drained lake site, Western Arctic Coast, *Canad. J. Earth Sci.*, **23**, 1,782–1,795.

- Mackay, J. R. (1986), The first 7 years (1978-1985) of ice-wedge growth, Illisarvik experimental drained lake site, western Arctic coast, *Canad. J. Earth Sci.*, **23**, 1782–1795.
- Mackay, J. R. (1987), Some mechanical aspects of pingo growth and failure, western Arctic Coast, Canada, *Canad. J. Earth Sci.*, **24**, 1108–1119.
- Mackay, J. R. (1990), Some observations on the growth and deformation of epigenetic, syngenetic and anti-syngenetic ice wedges, *Permafrost Perigl. Proc.*, **1**(1), 15–29, doi:10.1002/ppp.3430010104.
- Mackay, J. R. (1992), The frequency of ice-wedge cracking (1967-1987) at Garry Island, western Arctic coast, Canada, *Canad. J. Earth Sci.*, **29**, 236–248.
- Mackay, J. R. (1994), Pingos and pingo ice of the western Arctic coast, Canada, *Terra*, **106**, 1–11.
- Malin, M. (1975), Ancient massive blankets and the surface of Mars, *Bull. Am. Astron. Soc.*, **7**, 369.
- Malin, M. C., and K. S. Edgett (2000), Observations of aprons in Martian fretted terrain, in *Lun. Planet. Sci. Conf. Abs.*, XXXI, #1053 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Malin, M. C., and K. S. Edgett (2001), Mars Global Surveyor Mars Orbiter Camera: Interplanetary cruise through primary mission, *J. Geophys. Res.*, **106**(E10), 23,429–23,570, doi:10.1029/2000JE001455.
- Malin, M. C., G. E. Danielson, A. P. Ingersoll, H. Masursky, J. Veverka, M. A. Ravine, and T. A. Soulanille (1992), Mars Observer Camera, *J. Geophys. Res.*, **97**(E5), 7699–7718, doi:10.1029/92JE00340.
- Mangold, N. (2000), Crater density of lobate debris aprons and fretted channels: paleoclimatic implications, in *Int. Conf. Mars Polar Sci. Expl. Abs.*, **2**, #4029, Lun. Planet. Inst., Reykjavic, Iceland.
- Mangold, N. (2001), Lobate debris aprons as potential targets for ground ice detection analogs to terrestrial rock glaciers, in *Conf. Geophys. Detect. Subsurf. Water Mars*, #7009, Lun. Planet. Inst., Houston, Tex., USA.
- Mangold, N. (2003), Geomorphic analysis of lobate debris aprons on Mars at Mars Orbiter Camera scale: evidence for ice sublimation initiated by fractures, *J. Geophys. Res.*, **108**(E4), 8021, doi:10.1029/2002JE001885.
- Mangold, N. (2003), Distribution and climatic control of small scale polygons on Mars, in *Int. Conf. Mars Polar Sci. Expl. Abs.*, **3**, #8044 (CD-ROM), 13-17 October, Lun. Planet. Inst., Alberta, Canada.
- Mangold, N. (2005), High latitude patterned grounds on Mars: classification, distribution and climatic control, *Icarus*, **174**(2), 336–359, doi:10.1016/j.icarus.2004.07.030.
- Mangold, N., and P. Allemand (2001), Topographic analysis of features related to ice on Mars, *Geophys. Res. Lett.*, **28**(3), 407–410, doi:10.1029/2000GL008491.
- Mangold, N., P. Allemand, P. Duval, Y. Geraud, and P. Thomas (1999), Ice content of Martian permafrost deduced from rheology of ice-rock mixtures, in *Lun. Planet. Sci. Conf. Abs.*, XXX, #1016 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Mangold, N., P. Allemand, and J.-P. Peulvast (2000a), Topography of ice related features on Mars, in *Lun. Planet. Sci. Conf. Abs.*, XXXI, #1131 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.

- Mangold, N., D. Baratoux, and V. Frey (2000b), Slope analysis of scarps in Deuteronilus Mensae from MOLA and Viking D.E.M.: evidence for landslides controlled by ground ice, in *Int. Conf. Mars Polar Sci. Expl. Abs.*, 2, #4028 (CD-ROM), Lun. Planet. Inst., Reykjavic, Iceland.
- Mangold, N., F. Costard, and J.-P. Peulvast (2000c), Thermokarstic degradation of lobate debris aprons and fretted channels, in *Int. Conf. Mars Polar Sci. Expl. Abs.*, 2, #4032 (CD-ROM), Lun. Planet. Inst., Reykjavic, Iceland.
- Mangold, N., F. Costard, and J.-P. Peulvast (2000d), Thermokarstic degradation of the Martian surface, in *Int. Conf. Mars Polar Sci. Expl. Abs.*, 2, #4052 (CD-ROM), Lun. Planet. Inst., Reykjavic, Iceland.
- Mangold, N., P. Allemand, P. Duval, Y. Geraud, and P. Thomas (2002), Experimental and theoretical deformation of ice-rock mixtures: implications on rheology and ice content of Martian permafrost, *Planet. Space Sci.*, 50, 385–401.
- Mangold, N., S. Maurice, W. Feldman, F. Costard, and F. Forget (2003), Geographical Relationships Between Small Scale Polygons and Ground Ice Distribution from Neutron Spectrometer on Mars, in *Third International Conference on Mars Polar Science and Exploration*, edited by S. Clifford, P. Doran, D. Fisher, and C. Herd, #8043.
- Mangold, N., S. Maurice, W. C. Feldman, F. Costard, and F. Forget (2004), Spatial relationships between patterned ground and ground ice detected by the Neutron Spectrometer on Mars, *J. Geophys. Res.*, 109(E08001), doi:10.1029/2004JE002235.
- Marchant, D. R., J. W. Head, and M. A. Kreslavsky (2003), Tongue-shaped lobes on Mars: relation to rock glacier deposits and long-term history of emplacement, in *Int. Conf. Mars Polar Sci. Expl. Abs.*, 3, #8106 (CD-ROM), Lun. Planet. Inst., Alberta, Canada.
- Marti, K., J. S. Kim, A. N. Thakur, T. J. McCoy, and K. Keil (1995), Signatures of the Martian atmosphere in glass of the Zagami meteorite, *Science*, 267(5206), 1981–1984, doi:10.1126/science.7701319.
- Martin, H., and W. Whalley (1987), Rock glaciers, part 1, rock glacier morphology: classification and distribution, *Progr. Phys. Geogr.*, 11(2), 260–282.
- Masursky, H., and N. L. Crabill (1976), Search for the Viking 2 landing site, *Science*, 194(4260), 62–68, doi:10.1126/science.194.4260.62.
- Matthews, W. H. (1952), Ice-dammed lavas from Clinker Mountain, southwestern British Columbia, *American J. Sci.*, 250, 553–565.
- Maxwell, M. (1979), The role of catastrophic processes in the evolution of talus derived rock glaciers, Master's thesis, Univ. Ottawa, Dept. Geog., Canada.
- McEwen, A., E. Turtle, D. Burr, M. Milazzo, P. Lanagan, P. Christensen, J. Boyce, and The THEMIS Science Team (2003), Discovery of a large rayed crater on Mars: implications for recent volcanic and fluvial activity and the origin of Martian meteorites, in *Lun. Planet. Sci. Conf. Abs.*, XXXIV, #2040 (CD-ROM), 17–21 March, League City, Houston, Tex., USA, League City, Houston, Tex., USA.
- McGill, G. E., and L. S. Hills (1992), Origin of giant Martian polygons, *J. Geophys. Res.*, 97(E2), 2633–2647, doi:10.1029/91JE02863.

- McRoberts, E. (1975), Some aspects of a simple secondary creep model for deformations in permafrost slopes, *Can. Geotech. J.*, **12**, 98–105.
- Mellon, M. T. (1997), Small-scale polygonal features on Mars: seasonal thermal contraction cracks in permafrost, *J. Geophys. Res.*, **102**(E11), 25,617–25,628, doi:10.1029/97JE02582.
- Mellon, M. T., and B. M. Jakosky (1995), The distribution and behavior of Martian ground ice during past and present epochs, *J. Geophys. Res.*, **100**(E6), 11,781–11,799, doi:10.1029/95JE01027.
- Menzies, J. (Ed.) (2002), *Modern and past glacial environments*, xxii+543 pp., Butterworth-Heinemann, Oxford, England.
- Mest, S. C., and D. A. Crown (1997), Geologic mapping of the Reull Vallis Region, Mars, in *Lun. Planet. Sci. Conf. Abs.*, XXVIII, #945 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Mest, S. C., and D. A. Crown (2001), Geology of the Reull Vallis Region, Mars, *Icarus*, **153**(1), 89–110, doi:10.1006/icar.2001.6655.
- Michael, G., S. van Gasselt, S. Walter, G. Neukum, and R. Jaumann (2006), HRSCview-web: a web-based exploration system for Mars Express HRSC images, in *Europ. Planet. Sci. Conf.*, 1, A-00583 (CD-ROM), Europ. Planet. Netw., Berlin, Germany.
- Milkovich, S. M., and J. W. Head, III (2003), Olympus Mons fan shaped deposit morphology: evidence for debris glaciers, in *Int. Conf. Mars Abs.*, 6, #3149 (CD-ROM), Lun. Planet. Inst., Pasadena, Calif., USA.
- Milkovich, S. M., J. W. Head, and D. R. Marchant (2006), Debris-covered piedmont glaciers along the northwest flank of the Olympus Mons scarp: evidence for low-latitude ice accumulation during the Late Amazonian of Mars, *Icarus*, **181**(2), 388–407, doi:10.1016/j.icarus.2005.12.006.
- Milliken, R. E., J. F. Mustard, and D. L. Goldsby (2003), Viscous flow features on the surface of Mars: observations from high-resolution Mars Orbiter Camera (MOC) images, *J. Geophys. Res.*, **108**(E6), 5057, doi:10.1029/2002JE002005.
- Mitchell, T. D., and P. D. Jones (2005), An improved method of constructing a database of monthly climate observations and associated high-resolution grids, *International Journal of Climatology*, **25**, 693–712, doi:10.1002/joc.1181.
- Mitrofanov, I., D. Anfimov, A. Kozyrev, M. Litvak, A. Sanin, V. Tretyakov, A. Krylov, V. Shvetsov, W. Boynton, C. Shinohara, D. Hamara, and R. S. Saunders (2002), Maps of Subsurface Hydrogen from the High Energy Neutron Detector, Mars Odyssey, *Science*, **297**(5578), 78–81, doi:10.1126/science.1073616.
- Morgenstern, A., E. Hauber, D. Reiss, S. van Gasselt, G. Grosse, and L. Schirrmeyer (2007), Deposition and degradation of a volatile-rich layer in Utopia Planitia, and implications for climate history on Mars, *J. Geophys. Res.*, **112**(E06010), doi:10.1029/2006JE002869.
- Morris, E. C., and J. R. Underwood (1978), Polygonal fractures of Martian plains, *Tech. Rep. 79729*, NASA Tech. Memo.
- MSSS (2006), Malin Space Science Systems (NSSDC), Hypertext Markup: <http://www.msss.com>.



- Müller, F. (1959), Beobachtungen über Pingos – Detailuntersuchungen in Ostgrönland und in der Kanadischen Arktik, *Meddelelser om Gronland*, **153**, 127.
- Muller, S. W. (1947), *Permafrost or permanently frozen ground and related engineering problems*, 62, 231 pp., Ann. Arbor, Edward Bros., Mich. US.
- Murray, B. C., W. R. Ward, and S. C. Yeung (1973), Periodic insolation variations on Mars, *Science*, **180**(4086), 638–640, doi:10.1126/science.180.4086.638.
- Murton, J. B., and H. M. French (1993), Sand wedges and permafrost history, Crumbling Point, Pleistocene Mackenzie Delta, Canada, in *Proc. 6th In. Conf. Permafrost*, 482–487, Beijing, China.
- Mustard, J. F., and C. D. Cooper (2000), Global distribution of dissected duricrust on Mars, in *Lun. Planet. Sci. Conf. Abs.*, XXXI, #1168 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Mustard, J. F., C. D. Cooper, and M. K. Rifkin (2001), Evidence for recent climate change on Mars from the identification of youthful near-surface ground ice, *Nature*, **412**, 411–414, doi:10.1038/35086515.
- Mutch, T. A., R. E. Arvidson, J. W. Head, K. L. Jones, and R. S. Saunders (1976), *The Geology of Mars*, 400 pp., Princeton Univ. Press, Princeton, N.J., USA.
- Mutch, T. A., R. E. Arvidson, E. A. Guinness, A. B. Binder, and E. C. Morris (1977), The geology of the Viking Lander 2 site, *J. Geophys. Res.*, **82**(11), 4452–4467.
- Nahm, A. L., J. W. Head, III, and D. R. Marchant (2006), Lobate debris aprons surrounding mesa clusters north of Ismeniae Fossae, Mars: characteristics and transition to lineated valley fill, in *Lun. Planet. Sci. Conf. Abs.*, XXXVII, #1186 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Neukum, G. (1983), *Meteoritenbombardement und Datierung planetarer Oberflächen*, 186 pp., habilitation thesis, Fakultät für Geowissenschaften, Ludwig-Maximilians-Universität München, München, Germany.
- Neukum, G., and H. Dietzel (1971), On the development of the crater population on the moon with time under meteoroid and solar wind bombardment, *Earth and Planetary Science Letters*, **12**, 59–66.
- Neukum, G., and K. Hiller (1981), Martian ages, *J. Geophys. Res.*, **86**, 3097–3121.
- Neukum, G., and D. U. Wise (1976), Mars – A standard crater curve and possible new time scale, *Science*, **194**(4272), 1381–1387, doi:10.1126/science.194.4272.1381.
- Neukum, G., B. König, and J. Arkani-Hamed (1975), A study of lunar impact crater size-distributions, *Moon*, **12**, 201–229.
- Neukum, G., B. A. Ivanov, and W. K. Hartmann (2001), Cratering records in the inner solar system in relation to the lunar reference system, *Space Sci. Rev.*, **96**(1-4), 55–86(32).
- Neukum, G., R. Jaumann, H. Hoffmann, E. Hauber, J. W. Head, A. T. Basilevsky, B. A. Ivanov, S. C. Werner, S. van Gasselt, J. B. Murray, T. McCord, and the HRSC Co-Investigator Team (2004), Recent and episodic volcanic and glacial activity on Mars revealed by the High Resolution Stereo Camera, *Nature*, **432**, 971–979, doi:10.1038/nature03231.

- Neukum, G., R. Jaumann, and the HRSC Co-Investigator and Experiment Team (2004), HRSC: the High Resolution Stereo Camera of Mars Express, in *Mars Express: the scientific payload*, SP-1240, edited by Andrew Wilson, pp. 17–35, ESA, Noordwijk, the Netherlands.
- Nichols, R. L. (1966), Geomorphology of Antarctica, in *Antarctic soils and soil forming processes*, edited by J. C. F. Redrow, no. 8 in Antarctic Res. Series, pp. 1–59, Am. Geophys. Union.
- Niedermaier, G. (2001), *Herstellung einer Orthobildkarte aus Bilddaten der Mars Orbiter Camera (MOC) des Mars Global Surveyor (MGS)*, ii+83 pp., diploma thesis, Fachbereich Geoinformationswesen, Fachhochschule München, München, Germany.
- Niedermaier, G., M. Wählisch, S. van Gasselt, F. Scholten, F. Wewel, T. Roatsch, K.-D. Matz, and R. Jaumann (2002), A topographic image map of the MC-18 Quadrangle 'Coprates' at 1:2,000,000 using data obtained from the Mars Orbiter Camera and the Mars Orbiter Laser Altimeter of Mars Global Surveyor, in *Lun. Planet. Sci. Conf. Abs.*, XXXIII, #1529 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Niu, F., G. Cheng, W. Ni, and D. Jin (2005), Engineering-related slope failure in permafrost regions of the Qinghai–Tibet Plateau, *Cold Regions Sci. Tech.*, **42**, 215–225.
- NSSDC (2006), NASA Goddard Space Flight Center, National Space Science Data Center (NSSDC), Hypertext Markup, <http://nssdc.nasa.gov>.
- Nussbaumer, J., R. Jaumann, and E. Hauber (2000), Evidence for a surging ice-sheet in Elysium Planitia, Mars, in *Int. Conf. Mars Polar Sci. Expl. Abs.*, 2, #4085 (CD-ROM), Lun. Planet. Inst., Reykjavic, Iceland.
- Öpik, E. J. (1966), The Martian surface, *Science*, **153**(3733), 255–265, doi:10.1126/science.153.3733.255.
- Orowan, E. (1949), Remarks from joint meeting of the British Glaciological Society, the British Rheologist's Club, and the Institute of Metals, *Journal of Glaciology*, **1**, 231.
- Östrem, G. (1966), Ice-cored moraines in the Kebnekajse area, *Biuletyn Periglacialny*, **11**, 271–278.
- Outcalt, S. I., and J. B. Benedict (1965), Photo-interpretation of two types of rock glacier in the Colorado Front Range, U.S.A, *Journal of Glaciology*, **5**, 849–856.
- Paepe, R., E. van Overloop, and R. B. Hoover (2001), Permafrost patterns and sediment cycles on Mars, in *Proc. First Europ. Workshop on Exo-/Astro-Biology*, ESA-SP, 496, 239–242.
- Page, D. P., and J. B. Murray (2006), Stratigraphical and morphological evidence for pingo genesis in the Cerberus plains, *Icarus*, **183**(1), 46–54, doi:10.1016/j.icarus.2006.01.017.
- Paige, D. A. (1992), The thermal stability of near-surface ground ice on Mars, *Nature*, **356**, 43–45, doi:10.1038/356043a0.
- Parsons, R. L., and J. W. Head, III (2004), Ascraeus Mons, Mars: characterisation and interpretation of the fan shaped deposit on its western flank, in *Lun. Planet. Sci. Conf. Abs.*, XXXV, #1776 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Parsons, R. L., and J. W. Head, III (2005), Ascraeus Mons fan-shaped deposit, Mars: geological history and volcano-ice interactions of a cold-based glacier, in *Lun. Planet. Sci. Conf. Abs.*, XXXVI, #1139 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.

- Paterson, W. B. (2001), *The physics of glaciers*, 3rd ed., ix+496 pp., Butterworth-Heinemann, London, England.
- Paterson, W. S. B. (1981), *The physics of glaciers*, 380 pp., Oxford Pergamon Press, London, England.
- Paterson, W. S. B. (1994), *The physics of glaciers*, 3rd ed., ix+480 pp., Oxford Pergamon Press, London, England.
- Paterson, W. S. B. (2000), *The physics of glaciers*, 496 pp., Butterworth-Heinemann, London, England.
- Peltier, L. C. (1950), The geographic cycle in periglacial regions as it is related to climatic geomorphology, *Annals Association of American Geographers*, **40**, 214–236.
- Pepin, R. O., and M. H. Carr (1992), Major issues and outstanding questions, in *Mars*, edited by H. H. Kieffer, B. M. Jakosky, C. W. Snyder, and M. S. Matthews, pp. 120–143, Univ. Arizona Press.
- Perron, J. T., W. E. Dietrich, A. D. Howard, J. A. McKean, and J. R. Pettinga (2003), Ice-driven creep on Martian debris slopes, *Geophys. Res. Lett.*, **30**(14), 1747, doi:10.1029/2003GL017603.
- Piatek, J. L., D. A. Crown, J. E. Moersch, and P. R. Christensen (2004), Analysis of Martian debris aprons in eastern Hellas using THEMIS, in *Lun. Planet. Sci. Conf. Abs.*, XXXV, #2024 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Pierce, T. L., and D. A. Crown (2001), Morphologic and topographic analyses of Martian debris aprons using Mars Global Surveyor datasets, in *Lun. Planet. Sci. Conf. Abs.*, XXXII, #1419 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Pierce, T. L., and D. A. Crown (2003), Morphologic and topographic analyses of debris aprons in the eastern Hellas region, Mars, *Icarus*, **163**(1), 46–65, doi:10.1016/S0019-1035(03)00046-0.
- Piqueux, S., S. Byrne, and M. I. Richardson (2003), Polygonal landforms at the South Pole and implications for exposed water ice, in *Int. Conf. Mars Abs.*, 6, #3275 (CD-ROM), 20–25 July, Lun. Planet. Inst., Pasadena, Calif., USA.
- Pissart, A. (1968), Les polygones de fente de gel de l'île Prince Patrick (Arctique Canadien, 76° Lat. N.), *Biuletyn Periglacialny*, **17**, 171–180.
- Pissart, A., and H. M. French (1976), Pingo investigations, North-Central Banks Island, Canadian Arctic, *Can J. Earth. Sci.*, **13**, 937–946.
- Plaut, J. J., G. Picardi, A. Safaeinili, B. A. Ivanov, S. M. Milkovich, A. Cicchetti, W. Kofman, J. Mouginot, W. M. Farrell, R. J. Phillips, S. M. Clifford, A. Frigeri, R. Orosei, C. Federico, I. P. Williams, D. A. Gurnett, E. Nielsen, T. Hagfors, E. Heggy, E. R. Stofan, D. Plettemeier, T. R. Watters, C. J. Leuschen, and P. Edenhofer (2007), Subsurface radar sounding of the South Polar Layered Deposits of Mars, *Science*, **316**(5821), 92–95, doi:10.1126/science.1139672.
- Plescia, J. B. (2003), Amphitrites-Peneus Paterae/Malea Planum Geology, in *Lun. Planet. Sci. Conf. Abs.*, XXXIV, #1478 (CD-ROM), 17–21 March, Lun. Planet. Inst., League City, Houston, Tex., USA.
- Plug, L. J., and B. T. Werner (2001), Fracture networks in frozen ground, *J. Geophys. Res.*, **106**(B5), 8599–8613, doi:10.1029/2000JB900320.

- Plug, L. J., and B. T. Werner (2002), Nonlinear dynamics of ice-wedge networks and resulting sensitivity to severe cooling events, *Nature*, **417**, 929–933, doi:10.1038/nature00796.
- Pollack, J. B. (1979), Climatic change on the terrestrial planets, *Icarus*, **37**(3), 479–553, doi:10.1016/0019-1035(79)90012-5.
- Porsild, A. E. (1938), Earth mounds in unglaciated Arctic northwestern America, *Geogr. Rev.*, **28**, 46–58.
- Post, A., and E. R. LaChapelle (2000), *Glacier Ice*, 145 pp., Univ. Washington Press, Seattle, Wash., USA.
- Potter, N. (1972), Ice-cored rock glacier, Galena Creek, northern Absaroka Mountains, Wyoming, *Bull. Geol. Soc. Am.*, **83**.
- Powell, R. W. (1958), Preliminary measurements of the thermal conductivity and expansion of ice, *Proceedings of the Royal Society of London, Mathematical and Physical Sciences*, **247**(1251), 464–466.
- Price, K. H. (1992), Geologic mapping of part of Harmakhis Vallis region, Mars: evidence of multiple drainage events, in *Lun. Planet. Sci. Conf. Abs.*, XXIII, 1107, Lun. Planet. Inst., Houston, Tex., USA.
- Péwé, T. L. (1959), Sand wedge polygons (tessellations) in the McMurdo Sound region, Antarctica, *Am. J. Sci.*, **257**, 545–552.
- Péwé, T. L. (1966), Ice wedges in Alaska – classification, distribution and climatic significance, in *Proceedings In. Conf. Permafrost*, 76–81, Nat. Res. Council Canada, National Acad. Sci.
- Péwé, T. L. (1969), The periglacial environment, in *The periglacial environment*, edited by T. L. Péwé, 1–9, McGill-Queen's University Press, Montreal, Canada.
- Reiss, D. (2005), *Erosionsrinnen auf dem Mars – Morphologie, Verbreitung, Genese und zeitliche Einordnung der Bildungsprozesse*, vi+156 pp., Dissertation thesis, Fachbereich Geowissenschaften, Freie Universität Berlin, Berlin, Germany.
- Renssen, H., and R. F. B. Isarin (2001), The two major warming phases of the last deglaciation at ~14.7 and ~11.5 ka cal BP in Europe: climate reconstructions and AGCM experiments, *Glob. Planet. Change*, **30**, 117–153.
- Rhodes, J. J., R. L. Armstrong, and S. G. Warren (1987), Mode of formation of "ablation hollows" controlled by dirt content of snow, *J. Glaciology*, **33**(114), 135–139.
- Richmond, G. (1952), Comparison of rock glaciers and block streams in the La Sal Mountains, Utah, *Bull. Geol. Soc. Am.*, **63**, 1292–1293.
- Roggensack, W. D., and N. Morgenstern (1978), Direct shear tests on natural fine grained permafrost soils, in *Int. Conf. Permafrost*, 3, 729–735, Edmonton, Alberta, Canada.
- Romanovskii, N. N. (1985), *The frozen earth (in Russian)*, 188 pp., Moscow Univ. Press, Moscow, Russia.
- Rossbacher, L. A., and S. Judson (1981), Ground ice on Mars – inventory, distribution, and resulting landforms, *Icarus*, **45**(1), 39–59, doi:10.1016/0019-1035(81)90005-1.
- Rotto, S., and K. L. Tanaka (1995), Geologic/geomorphologic map of the Chryse Planitia region of Mars, scale 1:5,000,000, U.S. Geol. Surv. Misc. Inv. Ser., Map I-2441.

- Russell, P. S., and J. W. Head (2003), Elysium-Utopia flows as mega-lahars: A model of dike intrusion, cryosphere cracking, and water-sediment release, *J. Geophys. Res.*, **108**(E6), 5064, doi:10.1029/2002JE001995.
- Sakimoto, S. E. H. (2005), Central mounds in Martian impact craters: assessment as possible perennial permafrost mounds (pingos), in *Lun. Planet. Sci. Conf. Abs.*, XXXVI, #2099 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Sakimoto, S. E. H. (2005), Martian polar craters: possible polar materials apparent effects and post-impact modification by apparent perennial permafrost mound (pingo) formation, in *Workshop Role of Volatiles and Atmospheres on Martian Impact Craters*, #3036 (CD-ROM), Lun. Planet. Inst., Laurel, Md.
- Scheidegger, A. E. (1973), On the prediction of the reach and velocity of catastrophic landslides, *Rocks Mechanics*, **5**, 231–236.
- Schirmer, L., C. Siegert, T. Kuznetsova, S. Kuzmina, A. A. Andreev, F. Kienast, H. Meyer, and A. A. Bobrov (2002), Paleoenvironmental and paleoclimatic records from permafrost deposits in the Arctic region of Northern Siberia, *Quaternary Journal*, **89**, 97–18.
- Scholten, F., K. Gwinner, T. Roatsch, K.-D. Matz, M. Wählisch, B. Giese, J. Oberst, R. Jaumann, G. Neukum, and the HRSC Co-Investigator Team (2005a), Mars Express HRSC data processing – methods and operational aspects, *Photogrammetric Engineering & Remote Sensing (PERS)*, **71**, 1143–1152.
- Scholten, F., T. Roatsch, K. Gwinner, K.-D. Matz, V. Mertens, J. Flohrer, M. Wählisch, B. Giese, R. Pischel, J. Oberst, R. Jaumann, G. Neukum, and the HRSC Co-Investigator Team (2005b), Von Rohdaten aus dem Mars Express Orbit zu Digitalen Geländemodellen und Orthobildern – Operationelle Verarbeitung von HRSC-Daten, *Photogrammetrie-Fernerkundung-Geoinformation (PFG)*, **5**, 365–372.
- Schubert, G., S. C. Solomon, D. L. Turcotte, M. J. Drake, and N. H. Sleep (1992), Origin and thermal evolution of Mars, in *Mars*, edited by H. H. Kieffer, B. M. Jakosky, C. W. Snyder, and M. S. Matthews, pp. 147–183, Univ. Arizona Press.
- Schultz, P., and A. B. Lutz (1988), Polar wandering of Mars, *Icarus*, **73**(1), 91–141, doi:10.1016/0019-1035(88)90087-5.
- Schunke, E. (1973), Palsen und Kryokarst in Zentral-Island, *Nachr. Akad. Wiss. Göttingen*, **4**, 65–102.
- Scott, D. H. (1983), Meander relics: direct evidence of extensive flooding on Mars, in *Conf. Planet. Volatiles*, 83-1, 157-159, Lun. Planet. Inst., Am. Geophys. Union, Alexandria, Minn., USA.
- Scott, D. H., and M. G. Chapman (1995), Geologic and topographic maps of the Elysium paleolake basin, scale 1:5,000,000, U.S. Geol. Surv. Misc. Inv. Ser., Map I-2397.
- Scott, D. H., and K. L. Tanaka (1986), Geologic map of the western equatorial region of Mars, scale 1:15,000,000, U.S. Geol. Surv. Misc. Inv. Ser., Map I-1802-A.
- Scott, D. H., J. M. Dohm, and J. W. Rice (1995), Map of Mars showing channels and possible paleolake basins, scale 1:30,000,000, U.S. Geol. Surv. Misc. Inv. Ser., Map I-2461.
- Scott, D. H., J. M. Dohm, and J. R. Zimbelman (1998), Geologic Series, Map of Pavonis Mons Volcano, M1M 2.5/115G, I-2561.

- Seibert, N. M., and J. S. Kargel (2001), Small-scale Martian polygonal terrain: implications for liquid surface water, *Geophys. Res. Lett.*, **28**(5), 899–902, doi:10.1029/2000GL012093.
- Seidelmann, P. K., V. K. Abalakin, M. Bursa, M. E. Davies, C. de Bergh, J. H. Lieske, J. Oberst, J. L. Simon, E. M. Standish, P. Stooke, and P. C. Thomas (2002), Report of the IAU/IAG working group on cartographic coordinates and rotational elements of the planets and satellites: 2000, *Celestial Mechanics and Dynamical Astronomy*, **82**, 83–111.
- Selby, M. J. (1982), *Hillslope materials and processes*, ix+264 pp., Oxford Univ. Press.
- Seu, R., D. Biccari, R. Orosei, L. V. Lorenzoni, R. J. Phillips, L. Marinangeli, G. Picardi, A. Masdea, and E. Zampolini (2004), SHARAD: The MRO 2005 shallow radar, *Planet. Space Sci.*, **52**, 157–166, doi:10.1016/j.pss.2003.08.024.
- Sharp, R. P. (1973), Mars: fretted and chaotic terrains, *J. Geophys. Res.*, **78**, 4073–4083.
- Shean, D. E., and J. W. Head (2003a), Pavonis Mons fan-shaped deposits – a cold-based glacial model, in *Lun. Planet. Sci. Conf. Abs.*, XXXIV, #1153 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Shean, D. E., and J. W. Head (2003b), Pavonis Mons fan-shaped deposits – smooth terrain surface ice deposits, in *Lun. Planet. Sci. Conf. Abs.*, XXXIV, #1154 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Shean, D. E., and J. W. Head (2003c), Pavonis Mons fan-shaped deposit: a cold-based glacial origin, in *Int. Conf. Mars Abs.*, 6, #3036 (CD-ROM), Lun. Planet. Inst., Pasadena, Calif., USA.
- Shean, D. E., J. W. Head, III, J. L. Fastook, and D. R. Marchant (2004), Tharsis Montes cold-based glaciers: observations and constraints for modeling and preliminary results, in *Lun. Planet. Sci. Conf. Abs.*, XXXV, #1428 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Shean, D. E., J. W. Head, and D. R. Marchant (2005a), Origin and evolution of a cold-based tropical mountain glacier on Mars: the Pavonis Mons fan-shaped deposit, *J. Geophys. Res.*, **110**(E05001), doi:10.1029/2004JE002360.
- Shean, D. E., J. W. Head, III, and D. R. Marchant (2005b), Debris-covered glaciers within the Arsia Mons fan-shaped deposit: implications for glaciation, deglaciation and the origin of lineated valley fill, in *Lun. Planet. Sci. Conf. Abs.*, XXXVI, #1339 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Shean, D. E., J. W. Head, III, D. R. Marchant, G. Neukum, and the HRSC Co-Investigator Team (2005c), Arsia Mons fan-shaped deposit: spatial and temporal relationships among cold-based glacial facies from HRSC data, in *Lun. Planet. Sci. Conf. Abs.*, XXXVI, #2190 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Shean, D. E., J. W. Head, M. Kreslavsky, G. Neukum, and the HRSC Co-Investigator Team (2006), When were glaciers present in Tharsis? Constraining age estimates for the Tharsis Montes fan-shaped deposits, in *Lun. Planet. Sci. Conf. Abs.*, XXXVII, #2092 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- Shean, D. E., J. W. Head, J. L. Fastook, and D. R. Marchant (2007), Recent glaciation at high elevations on Arsia Mons, Mars: implications for the formation and evolution of large tropical mountain glaciers, *J. Geophys. Res.*, **112**(E03004), doi:10.1029/2006JE002761.

- Shi, Y., and D. Mi (1988), *Map of snow, ice and frozen ground in China (in Chinese)*, scale 1:4,000,000, 2 sheets, Academia Sinica, Lanzhou Institute of Glaciology and Geocryology.
- Shoemaker, E. M., and R. J. Hackman (1962), Stratigraphic basis for a Lunar time scale, in *The Moon*, edited by Z. Kopal and Z. K. Mikhailov, pp. 289–300, Academic Press.
- Shoji, H., and A. Higashi (1978), A deformation mechanism map of ice, *Journal of Glaciology*, **21**, 419–427.
- Skinner, J. A., and K. L. Tanaka (2003), How should planetary map units be defined?, in *Lun. Planet. Sci. Conf. Abs.*, XXXIV, #2100 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Sleep, N. H. (1994), Martian plate tectonics, *J. Geophys. Res.*, **99**(E3), 5639–5656, doi:10.1029/94JE00216.
- Sletten, R. S., B. Hallet, and R. C. Fletcher (2003), Resurfacing time of terrestrial surfaces by the formation and maturation of polygonal patterned ground, *J. Geophys. Res.*, **108**(E4), 8044, doi:10.1029/2002JE001914.
- Smith, D., G. Neumann, R. E. Arvidson, E. A. Guinness, and S. Slavney (2003), Mars Global Surveyor Laser Altimeter Mission Experiment Gridded Data Record, *NASA Planetary Data System, MGS-M-MOLA-5-MEGDR-L3-V1.0*.
- Smith, D. E., M. T. Zuber, S. C. Solomon, R. J. Phillips, J. W. Head, J. B. Garvin, W. B. Banerdt, D. O. Muhleman, G. H. Pettengill, G. A. Neumann, F. G. Lemoine, J. B. Abshire, D. C. Aharonson, O. and Brown, S. A. Hauck, A. B. Ivanov, P. J. McGovern, H. J. Zwally, and T. C. Duxbury (1999), The global topography of Mars and implications for surface evolution, *Science*, **284**(5419), 1495–1503, doi:10.1126/science.284.5419.1495.
- Smith, D. E., M. T. Zuber, and G. A. Neumann (2001), Seasonal variations of snow depth on Mars, *Science*, **294**(5549), 2141–2146, doi:10.1126/science.1066556.
- Soare, R. J., D. M. Burr, J. M. W. Bun Tseung, and C. Peloquin (2005), Possible pingos and periglacial landscapes in Northwest Utopia Planitia, Mars (II), in *Lun. Planet. Sci. Conf. Abs.*, XXXVI, #1102 (CD-ROM), 14–18 March, Lun. Planet. Inst., League City, Houston, Tex., USA.
- Soare, R. J., D. M. Burr, and J. M. Wan Bun Tseung (2005), Possible pingos and a periglacial landscape in northwest Utopia Planitia, *Icarus*, **174**(2), 373–382, doi:10.1016/j.icarus.2004.11.013.
- Soderblom, L. A., M. C. Malin, J. A. Cutts, and B. C. Murry (1973), Mariner 9 observations of the surface of Mars in the north polar region, *J. Geophys. Res.*, **78**, 4197–4210.
- Soderblom, L. A., R. A. West, B. M. Herman, T. J. Kreidler, and C. D. Condit (1974), Martian planetwide crater distributions: implications for geologic history and surface processes, *Icarus*, **22**(3), 239–263, doi:10.1016/0019-1035(74)90175-4.
- Sollid, J. L., and L. Sörbel (1992), Rock glaciers in Svalbard and Norway, *Permafrost Perigl. Proc.*, **3**(3), 215–220, doi:10.1002/ppp.3430030307.
- Soloviev, P. A. (1973), Thermokarst phenomena and landforms due to frost heaving in central Yakutia, *Biuletyn Peryglacjalny*, **23**, 135–155.
- Spencer, A. C. (1900), A peculiar form of talus (abstract), *Science*, **11**, 188.

- Squyres, S. W. (1978), Martian fretted terrain: flow of erosional debris, *Icarus*, **34**(3), 600–613, doi:10.1016/0019-1035(78)90048-9.
- Squyres, S. W. (1979), The distribution of lobate debris aprons and similar flows on Mars, *J. Geophys. Res.*, **84**(B14), 8087–8096.
- Squyres, S. W. (1989), Urey prize lecture: Water on Mars, *Icarus*, **79**(2), 229–288, doi:10.1016/0019-1035(89)90078-X.
- Squyres, S. W., and M. H. Carr (1985), The distribution of ground ice features on Mars, in *Water on Mars*, 85–03, edited by S. Clifford, 88, Lun. Planet. Inst., Moffett Field, Calif.
- Squyres, S. W., and M. H. Carr (1986), Geomorphic evidence for the distribution of ground ice on Mars, *Science*, **231**(4735), 249–252, doi:10.1126/science.231.4735.249.
- Squyres, S. W., S. M. Clifford, R. O. Kuz'min, J. R. Zimbelman, and F. M. Costard (1993), Ice in the Martian regolith, in *Mars*, edited by H. H. Kieffer, B. M. Jakosky, C. Snyder, and M. S. Matthews, pp. 523–554, University of Arizona Press.
- Stanzel, C., M. Pätzold, R. Greeley, E. Hauber, and G. Neukum (2006), Dust devils on Mars observed by the High Resolution Stereo Camera, *Geophys. Res. Lett.*, **33**, L11,202, doi:10.1029/2006GL025816.
- Stearns, S. R. (1966), Permafrost (perennially frozen ground), *U.S. Army Cold Regions Research and Engineering Laboratory, Cold Regions Science and Engineering*, **1**(A2), 77.
- Steenstrup, K. J. V. (1883), Bidrag til Kjendskab til Braeerne of Bae-Isen i Nord Grönland, *Medd. Grön.*, **4**.
- Stewart, K. H., and D. A. Crown (1997), Geomorphology of debris aprons in the eastern Hellas region of Mars, in *Lun. Planet. Sci. Conf. Abs.*, XXVII, #1309 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Stöffler, D., and G. Ryder (2001), Stratigraphy and isotope ages of lunar geologic units: chronological standard for the inner solar system, *Space Sci. Rev.*, **96**, 9–54.
- Strahler, A. H., and A. N. Strahler (2005), *Physische Geographie*, UTB 8159, 3rd ed., 686 pp., Eugen Ulmer, Stuttgart, Germany.
- Strahler, A. N. (1969), *Physical Geography*, 3rd ed., 733 pp., John Wiley, New York, USA.
- Tanaka, K. L. (1989), Tectonic history of the Alba Patera-Ceraunius Fossae region of Mars, in *Lun. Planet. Sci. Conf. Abs.*, XX, 515-523, 13-17 March, Lun. Planet. Inst., Houston, Tex., USA.
- Tanaka, K. L. (1999), Debris-flow origin for the Simus/Tiu deposits on Mars, *J. Geophys. Res.*, **104**(E4), 8637–8652, doi:10.1029/98JE02552.
- Tanaka, K. L., and J. A. Skinner (2003), Mars: updating geologic mapping approaches and the formal stratigraphic scheme, in *Int. Conf. Mars Abs.*, 6, #3129 (CD-ROM), Lun. Planet. Inst., Pasadena, Calif., USA.
- Tanaka, K. L., D. H. Scott, and R. Greeley (1992), Global stratigraphy, in *Mars*, edited by H. H. Kieffer, B. M. Jakosky, C. W. Snyder, and M. S. Matthews, pp. 345–382, Univ. Arizona Press.



- Tanaka, K. L., J. A. Skinner, and T. M. Hare (2005), Geologic map of the northern plains of Mars, scale 1:15,000,000, U.S. Geol. Surv. Misc. Inv. Ser., Map 2888.
- Terzaghi, K. (1952), Permafrost, *Boston Soc. Civil Engineers J.*, **39**, 1–50.
- Theilig, E., and R. Greeley (1979), Plains and channels in the Lunae Planum-Chryse Planitia region of Mars, *J. Geophys. Res.*, **84**, 7994–8010.
- THEMIS Team (2006a), JMARS, a Java-based Geographic Information System, Hypertext Markup, <http://jmars.asu.edu>.
- THEMIS Team (2006b), Arizona State University (ASU) THEMIS Data Releases, Hypertext Markup, <http://themis-data.asu.edu>.
- THEMIS Team (2006c), Mars Odyssey Mission THEMIS: THMPROC, Hypertext Markup, <http://themis.asu.edu/thmproc>.
- Thomas, P. C., M. C. Malin, K. S. Edgett, M. H. Carr, W. K. Hartmann, A. P. Ingersoll, P. B. James, L. A. Soderblom, J. Veverka, and R. Sullivan (2000), North-south geological differences between the residual polar caps on Mars, *Nature*, **404**, 161–164, doi:10.1038/35004528.
- Titus, T. N., H. H. Kieffer, and P. R. Christensen (2003), Exposed Water Ice Discovered near the South Pole of Mars, *Science*, **299**(5609), 1048–1051, doi:10.1126/science.1080497.
- Tokar, R. L., W. C. Feldman, T. H. Prettyman, K. R. Moore, D. J. Lawrence, R. C. Elphic, M. A. Kreslavsky, J. W. Head, J. F. Mustard, and W. V. Boynton (2002), Ice concentration and distribution near the South Pole of Mars: synthesis of Odyssey and Global Surveyor analyses, *Geophys. Res. Lett.*, **29**(19), 1904, doi:10.1029/2002GL015691.
- Toon, O. B., J. B. Pollack, W. Ward, J. A. Burns, and K. Bilski (1980), The astronomical theory of climatic change on Mars, *Icarus*, **44**(3), 552–607, doi:10.1016/0019-1035(80)90130-X.
- Torson, J. M., and K. J. Becker (1997), ISIS – A software architecture for processing planetary images, in *Lun. Planet. Sci. Conf. Abs.*, XXVIII, #1443 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Touma, J., and J. Wisdom (1993), The chaotic obliquity of Mars, *Science*, **259**(5099), 1294–1297, doi:10.1126/science.259.5099.1294.
- Tricart, J. (1967), Le modelé des régions périglaciaires, in *Traité de Géomorphologie*, 2, edited by J. Tricart and A. Cailleux, p. 512, SEDES, Paris, France.
- Tricart, J. (1969), *Geomorphology of cold environments*, 320 pp., Macmillan, London, England.
- Troll, C. (1944), Strukturböden, Solifluktion und Frostklimate der Erde, *Geologische Rundschau*, **34**, 545–694.
- Tumel, N. V. (1979), Temperature regime of frozen ground and frost-induced cracking, in *Problems of cryolithology*, edited by A. I. Popov, chap. 8, pp. 26–49, Moscow.
- Turtle, E., A. Pathare, D. Crown, F. Chuang, W.K.Hartmann, J. Greenham, and N. Bueno (2003), Modeling the deformation of lobate debris aprons on Mars by creep of ice rich permafrost, in *Int. Conf. Mars Polar Sci. Expl. Abs.*, 3, #8091 (CD-ROM), Lun. Planet. Inst., Alberta, Canada.

- Tyrell, J. B. (1910), Rock Glaciers or chrystocrenes, *Journal of Geology*, **18**, 549–553.
- Tyurin, A. I. (1983), Classification of rock streams, in *Int. Conf. Permafrost*, **4**, 1283–1285, Fairbanks, Alaska.
- USGS (2006a), Astrogeology Research Program, ISIS, Hypertext Markup, <http://isis.astrogeology.usgs.gov>.
- USGS (2006b), Planetary Data System Mars Global Surveyor Mars Orbiter Camera (MOC) Image Collection, Hypertext Markup, <http://ida.wr.usgs.gov>.
- van Everdingen, R. O. (1985), Unfrozen permafrost and other taliks, *Workshop on Permafrost Geophysics, Golden Colorado. US Army, Cold Regions Research and Engineering Research Laboratories, Special Report*, **85-5**, 95–99.
- van Everdingen, R. O. (Ed.) (2005), *Multi-language glossary of permafrost and related ground-ice terms*, International Permafrost Association (IPA), Calgary, Canada.
- van Gasselt, S. (2001), *Generation of Viking-based image mosaics and structural mapping of selected areas of the Tharsis region (Mars)*, in *German*, x+37+48 pp., diploma thesis, Fachbereich Geowissenschaften, Technische Universität Clausthal, Clausthal-Zellerfeld, Germany.
- van Gasselt, S., E. Hauber, and R. Jaumann (2002), Morphology and topography of fretted terrain at the dichotomy boundary in Tempe Terra, Mars: quantitative morphology of slope aprons and mesas, in *Lun. Planet. Sci. Conf. Abs.*, XXXIII, #1856 (CD-ROM), 11–15 March, Lun. Planet. Inst., League City, Houston, Tex., USA.
- van Gasselt, S., E. Hauber, and R. Jaumann (2003a), Permafrost-related morphologies in Tempe Terra, observations and morphometry, in *Int. Conf. Mars Abs.*, **6**, #3189 (CD-ROM), Lun. Planet. Inst., Pasadena, Calif., USA.
- van Gasselt, S., D. Reiß, and R. Jaumann (2003b), Distribution and morphology of polygons, South Polar Region, Mars, in *Int. Conf. Mars Polar Sci. Expl. Abs.*, **3**, #8088 (CD-ROM), Lun. Planet. Inst., Lun. Planet. Inst., Alberta, Canada.
- van Gasselt, S., D. Reiss, and G. Neukum (2004), Recent changes in South-Polar polygonal terrain during one Martian year: implications for subsurface ice-wedges, in *Lun. Planet. Sci. Conf. Abs.*, XXXV, #1891 (CD-ROM), Lun. Planet. Inst., League City, Houston, Tex., USA.
- van Gasselt, S., D. Reiss, A. K. Thorpe, and G. Neukum (2005), Seasonal variations of polygonal thermal contraction crack patterns in a south polar trough, Mars, *J. Geophys. Res.*, **110**(E08002), doi:10.1029/2004JE002385.
- van Gasselt, S., D. Reiss, and G. Neukum (2006), South Polar polygonal terrain: the Cavi Angusti population of polygonal thermal contraction patterns, in *Int. Conf. Mars Polar Sci. Expl. Abs.*, **4**, #8074 (CD-ROM), Lun. Planet. Inst., Davos, Switzerland.
- van Gasselt, S., E. Hauber, and G. Neukum (2007), Cold-climate modification of Martian landscapes: A case study of a spatulate debris landform in the Hellas Montes region, Mars, *J. Geophys. Res.*, **112**(E09006), doi: 10.1029/2006JE002842.

- Vandenberghe, J., C. Zhijiu, Z. Liang, and Z. Wei (2004), Thermal-contraction-crack networks as evidence for Late-Pleistocene permafrost in Inner Mongolia, China, *Permafrost Perigl. Proc.*, **15**(1), 21–29, doi:10.1002/ppp.476.
- Vialov, S. S. (1958), Regularities of glacial shields movement and the theory of plastic viscous flow, in *Physics of Ice*, 47, pp. 266–275, Int. Assoc. Hydrol. Sciences.
- Vialov, S. S. (1965), The strength and creep of frozen soils and calculations for ice–soil retaining structures, *Cold Reg. Res. Eng. Lab. Translation* 76.
- Vick, S. G. (1981), Morphology and the role of landsliding in formation of some rock glaciers in the Mosquito Range, Colorado, *Bull. Geol. Soc. Am.*, **92**(2), 75–84, doi:10.1130/0016-7606(1981)92.
- Vick, S. G. (1987), Significance of landsliding in rock glacier formation and movement, in *Rock glaciers*, edited by J. R. Giardino, J. F. Shroder, and J. D. Vitek, 239–264, Allen & Unwin.
- Viking Lander Imaging Team (1978), The Martian landscape, *Tech. Rep. NASA SP-425*, NASA History Office, Washington, USA.
- Vitek, J. D., and J. R. Giardino (1987), Rock glaciers: a review of the knowledge base, in *Rock glaciers*, edited by J. R. Giardino, J. F. Shroder, and J. D. Vitek, 1–26, Allen & Unwin.
- von Lozinski, W. (1909), Über die mechanische Verwitterung der Sandsteine im gemäßigten Klima, *Bulletin International de l'Academie des Sciences de Cracovie*, **1**, 1–25.
- von Lozinski, W. (1912), Die periglaziale Fazies der mechanischen Verwitterung, in *Comptes Rendus XI Congrès International de Géologie*, 1039–1053, Stockholm, Sweden.
- Wagner, S. (1992), Creep of Alpine permafrost, investigated on the Murtel Rock Glacier, *Permafrost Perigl. Proc.*, **3**(2), 157–162, doi:10.1002/ppp.3430030214.
- Wagner, W., A. Saul, and A. Pruss (1994), International equations for the pressure along the melting and along the sublimation curve of ordinary water substance, *J. Phys. Chem. Reference Data*, **23**(3), 515–527.
- Wagner, W., J. R. Cooper, A. Dittmann, J. Kijima, H.-J. Kretschmar, A. Kruse, R. Mares, K. Oguchi, H. Sato, I. Stöcker, O. Šifner, Y. Takaishi, I. Tanishita, J. Trübenbach, and T. Willkommen (2000), The IAPWS industrial formulation 1997 for the thermodynamic properties of water and steam – IAPWS-IF97, *ASME J. Eng. Gas Turbines and Power*, **122**(1), 150–182.
- Wählisch, M., G. Niedermaier, S. van Gasselt, F. Scholten, F. Wewel, T. Roatsch, K.-D. Matz, and R. Jaumann (2002), A new digital orthoimage map of the Martian Western Hemisphere using data obtained from the Mars Orbiter Camera at a resolution of 256 pixel/deg, in *Lun. Planet. Sci. Conf. Abs.*, #1640 (CD-ROM), Lun. Planet. Inst., Houston, Tex., USA.
- Wahrhaftig, A. L., and A. Cox (1959), Rock glaciers in the Alaska Range, *Bull. Geol. Soc. Am.*, **70**, 383–436.
- Wahrhaftig, C. (1954), Observations on rock glaciers in the Alaska Range, *Bul. Geol. Soc. Am.*, **65**, 1353.
- Ward, W. P. (1974), Climate Variations on Mars, 1, astronomical theory of insulation, *J. Geophys. Res.*, **79**, 3375–3386.

- Washburn, A. L. (1956), Classification of patterned ground and review of suggested origins, *Bull. Geol. Soc. Am.*, **67**, 823–866.
- Washburn, A. L. (1970), An approach to genetic classification of patterned ground, *Acta Geogr. Lodziensia*, **24**, 437–446.
- Washburn, A. L. (1979a), *Geocryology, a survey of periglacial processes and environments*, 406 pp., Edward Arnold, London, England.
- Washburn, A. L. (1979b), Permafrost features as evidence of climatic change, *Earth Science Reviews*, **15**, 327–402.
- Washburn, A. L. (1981), Periglaziale Forschung in Revue, *Int. J. Earth Sciences*, **70**, 664–690, doi:10.1007/BF01822143.
- Washburn, A. L. (1985), Periglacial problems, in *Lectures in Geocryology, Field and Theory*, edited by M. Church and O. Slaymaker, chap. 10, pp. 166–202, University of British Columbia Press, Vancouver, Canada.
- Washburn, A. L., D. D. Smith, and R. H. Goddard (1963), Frost cracking in a middle–latitude climate, *Biuletyn Periglacjalny*, **12**, 175–189.
- Watters, T. R., P. J. McGovern, and R. P. Irwin III (2007), Hemispheres apart: the crustal dichotomy on Mars, *Annual Review of Earth and Planetary Sciences*, **35**, 621–652, doi:10.1146/annurev.earth.35.031306.140220.
- Weise, O. (1983), *Das Periglazial. Geomorphologie und Klima in gletscherfreien, kalten Regionen*, Borntraeger, Berlin, Germany.
- Weiss-Malik, M., N. S. Gorelick, and P. R. Christensen (2005), JMARS: A GIS System for Mars and Other Planets, *AGU Fall Meeting Abstracts*, p. C169.
- Wenrich, M. L., and P. R. Christensen (1993), A formational model for the polygonal terrains of Mars: taking a crack at the genesis of the Martian polygons, in *Workshop Martian Northern Plains: Sedimentological, Periglacial, and Paleoclimatic Evolution*, edited by J. S. Kargel, J. Moore, and T. Parker, 19–21, Lun. Planet. Inst., Houston, Tex., USA.
- Werner, S. C. (2005), *Major aspects of the chronostratigraphy and geologic evolutionary history of Mars*, XV+160+LXXVI pp., dissertation thesis, Fachbereich Geowissenschaften, Freie Universität Berlin, Berlin, Germany.
- Werner, S. C., S. van Gasselt, and G. Neukum (2003), Continual geological activity in Athabasca Valles, Mars, *J. Geophys. Res.*, **108**(E12), 8081, doi:10.1029/2002JE002020.
- Wessel, P., and W. H. F. Smith (1991), Free software helps map and display data, *AGU EOS Transactions*, **72**, 441–441, doi:10.1029/90EO00319.
- Wessel, P., and W. H. F. Smith (1995), New version of the Generic Mapping Tools released, *AGU EOS Transactions*, **76**, 329–329, doi:10.1029/95EO00198.
- Wessel, P., and W. H. F. Smith (1998), New, improved version of Generic Mapping Tools released, *AGU EOS Transactions*, **79**, 579–579, doi:10.1029/98EO00426.

- Whalley, W. (1992), A rock glacier in South Ellendalen, Lyngen Alps, *Norsk Geografisk Tidsskrift*, **46**, 29–31.
- Whalley, W. B. (1974), Origin of rock glaciers, *J. Glaciol.*, **13**(68), 323–324.
- Whalley, W. B. (1976), A rock glacier in Western Ross, *J. Geology*, **12**, 175–179.
- Whalley, W. B., and F. Azizi (2003), Rock glaciers and protalus landforms: analogous forms and ice sources on Earth and Mars, *J. Geophys. Res.*, **108**(E4), 8032, doi:10.1029/2002JE001864.
- White, P. (1979), Rock glacier morphometry, San Juan Mountains, Colorado, *Bull. Geol. Soc. Am.*, **90**, 515–518.
- White, S. E. (1971), Rock glacier studies in the Colorado Front Range, 1961 to 1968, *Arctic Antarct. Alpine Res.*, **3**, 43–64.
- White, S. E. (1976), Rock glaciers and block fields, review and new data, *Quat. Res.*, **6**, 77–97.
- Wilhelms, D. E. (1987), *The geologic history of the Moon*, USGS Professional Paper, 1348, 302 pp., USGS, Washington, USA.
- Wilhelms, D. E. (1990), Geologic mapping, in *Planetary mapping*, edited by R. Greeley and R. M. Batson, pp. 208–260, Cambridge Univ. Press, Cambridge, England.
- Wilhelms, D. E., and S. W. Squyres (1984), The martian hemispheric dichotomy may be due to a giant impact, *Nature*, **309**, 138–140, doi:10.1038/309138a0.
- Williams, G. E. (1994), The enigmatic Late Proterozoic glacial climate: an Australian perspective, in *Earth's Glacial Record*, edited by M. Deynoux, J. M. G. Miller, E. W. Domack, N. Eyles, I. J. Fairchild, and G. M. Young, pp. 146–164, Cambridge Univ. Press, Cambridge, England.
- Williams, P. J. (1961), Climatic factors controlling the distribution of certain frozen ground phenomena, *Geografiska Annaler*, **43**, 339–360.
- Wilson, L. (1968), Morphogenetic classification, in *The Encyclopedia of Geomorphology*, edited by R. W. Fairbridge, pp. 717–729, Reinhold Book Corp., New York, USA.
- Wilson, L. (1969), Les relations entre les processus géomorphologique et le climat moderne comme methode de paleoclimatologie, *Revue de Géographie physique et de Géologie dynamique*, **11**(3), 303–314.
- Wise, D. U., M. P. Golombek, and G. E. McGill (1979a), Tectonic evolution of Mars, *J. Geophys. Res.*, **84**, 7934–7939.
- Wise, D. U., M. P. Golombek, and G. E. McGill (1979b), Tharsis Province of Mars - Geologic sequence, geometry, and a deformation mechanism, *Icarus*, **38**(3), 456–472, doi:10.1016/0019-1035(79)90200-8.
- Wood, C. A. (1982), Pingos, gervigigars and Martian mysteries, in *Lun. Planet. Sci. Conf. Abs.*, XIII, 875–876, Lun. Planet. Inst., Houston, Tex., USA.
- Yershov, E. D. (2004), *General Geocryology (Obshchaya Geokriologiya)*, Studies in Polar Research, XXIV+580 pp., Cambridge Univ. Press, Cambridge, England.
- Yoshikawa, K. (2000), Contraction cracking and ice wedge polygons in(!) Mars, in *Int. Conf. Mars Polar Sci. Expl. Abs.*, 2, #4045 (CD-ROM), 21–25 August, Lun. Planet. Inst., Reykjavik, Iceland.

- Yoshikawa, K. (2002), Origin of the polygons and underground structures in Western Utopia Planitia on Mars, in *Lun. Planet. Sci. Conf. Abs.*, XXXIII, #1159 (CD-ROM), 11-15 March, Lun. Planet. Inst., League City, Houston, Tex., USA.
- Yoshikawa, K. (2003), Origin of the polygons and the thickness of Vastitas Borealis Formation in Western Utopia Planitia on Mars, *Geophys. Res. Lett.*, **30**(12), 1603, doi:10.1029/2003GL017165.
- Zeitler, W., G. Niedermaier, J. Oberst, E. Hauber, and R. Jaumann (1999), A new Viking-based precise global map of Mars, in *Int. Conf. Mars Abs.*, 5, #6107 (CD-ROM), Lun. Planet. Inst., Pasadena, Calif., USA.
- Zent, A. P., F. P. Fanale, J. R. Salvail, and S. E. Postawko (1986), Distribution and state of H<sub>2</sub>O in the high-latitude shallow subsurface of Mars, *Icarus*, **67**(1), 19–36, doi:10.1016/0019-1035(86)90171-5.
- Zhang, T., R. G. Barry, K. Knowles, J. A. Heginbottom, and J. Brown (1999), Statistics and characteristics of permafrost and ground ice distribution in the Northern Hemisphere, *Pol. Geogr.*, **23**, 132–154.
- Zimbelman, J. R., and K. S. Edgett (1991), The Tharsis Montes, Mars: comparison of volcanic and modified landforms, in *Lun. Planet. Sci. Conf. Abs.*, 31-44, Lun. Planet. Inst., Houston, Tex., USA.
- Zimbelman, J. R., and K. S. Edgett (1992), Volcanic and modified landforms on the Tharsis Montes, Mars, in *Lun. Planet. Sci. Conf. Abs.*, 23, 1581, Lun. Planet. Inst., Houston, Tex., USA.
- Zimbelman, J. R., S. M. Clifford, and S. H. Williams (1989), Concentric crater fill on Mars - an aeolian alternative to ice-rich mass wasting, in *Lun. Planet. Sci. Conf. Abs.*, edited by G. Ryder and V. L. Sharpton, 397-407, Lun. Planet. Inst., Houston, Tex., USA.
- Zuber, M. T., D. E. Smith, S. C. Solomon, D. O. Muhleman, J. W. Head, J. B. Garvin, J. B. Abshire, and J. L. Bufton (1992), The Mars Observer Laser Altimeter Investigation, *J. Geophys. Res.*, **97**(E5), 7781–7797, doi:10.1029/92JE00341.