

8 Literaturverzeichnis

Almirall, M. und Esteve-Garcia, E. (1994)

Rate of passage of barley diets with chromium oxide: influence of age and poultry strain and effect of β -glucanase supplementation.

Poultry Sci. 73: 1433-1440

Almirall, M., Francesch, M., Perez-Vendrell, A.M., Brufau, J. und Esteve-Garcia, E. (1995)

The differences in intestinal viscosity produced by barley and β -glucanase alter digesta enzyme activities and ileal nutrient digestibilities more in broiler chicks than in cocks.

J. Nutr. 125: 947-955

Anugwa, F.O.I., Varel, V.H., Dickson, J.S., Pond, W.G. and Krook, L.P. (1989)

Effects of dietary fiber and protein concentration on growth, feed efficiency, visceral organ weights and large intestine microbial populations of swine.

J. Nutr. 119: 879-886

Aschoff, A.P., Ott, U., Fünfstück, R., Stein, G. und Jirikowski, G.F. (1999)

Colocalization of bax und bcl-2 in small intestine and kidney biopsies with different degrees of DNA-fragmentation.

Cell Tissue Res. 296: 351-357

AWT-Tagung (1998)

AWT-Bericht: Today's use of NSP-degrading enzymes and phytases in Germany.

Bach-Knudsen, K.E. (1991)

Breakdown of plant polysaccharides in the gastrointestinal tract of pigs.

Proc. Vth Int. Congr. Digest. Physiol. Pigs: 428-433

Bach-Knudsen, K.E. (1997)

Carbohydrate and lignin contents of plant materials used in animal feeding.

Anim. Feed Sci. Technol. 67: 319-338

Bach-Knudsen, K.E. und Canibe, N. (1997)

Digestion of carbohydrates in the small and large intestine of pigs fed on wheat or oat based rolls.

In: Laplace, J.P., Fevriere, C. und Barbeau, A. (eds.)

Proc. VIIth Int.Symp. Dig. Physiol. pig, Saint Malo, EAAP publ. 88: 562-566

Baidoo, S.K., Liu, Y.G. und Yungblut, D. (1998)

Effect of microbial enzyme supplementation on energy, amino acid digestibility and performance of pigs fed hulless barley based diets.

Can. J. Anim. Sci. 78: 625-631

Bakker, G.C.M., Dekker, R.A., Jongbloed, R. und Jongbloed, A.W. (1998)

Non-starch polysaccharides in pig feeding.

Vet. Quart. 20-3: S59-S64

Banks, W. (1981)

Applied veterinary histology. Verlag Williams & Wilkens, Baltimore.

Bartelt, J., Jadamus, A., Wiese, F., Swiech, E., Buraczewska, L. und Simon, O. (2002)

Apparent precaecal digestibility of nutrients and level of endogenous nitrogen in digesta of small intestine of piglets as affected by various digesta viscosities.

Arch. Anim. Nutr., im Druck

Bedford, M.R. und Morgan, A.J. (1996)

The use of enzymes in poultry diets.

World's Poultry Sci. J. 52: 61-68

Bedford, M.R. und Schulze, H. (1998)

Exogenous enzymes for pigs and poultry.

Nutr. Res. Rev. 11: 91-114

Bergh, M.O., Razdan, A. und Aman, P. (1999)

Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation.

Anim. Feed Sci. Technol. 78: 215-226

Bertschinger, H.U. und Pohlenz, J. (1983)

Bacterial colonization and morphology of the intestine in porcine Escherichia coli enterotoxemia (edema disease).

Vet. Pathol. 20: 99-110

Booth, C. und Potten, C.S. (2000)

Gut instincts: thoughts on intestinal epithelial stem cells.

J. Clin. Invest. 105: 1493-1499

Brunsgaard, G. (1998)

Effects of cereal type and particle size on morphological characteristics, epithelial cell proliferation, and lectin binding patterns in the large intestine of pigs.

J. Anim. Sci. 76: 2787-2798

Brunsgaard, G. und Eggum, B.O. (1995)

Small intestinal tissue structure and proliferation as influenced by adaptation period and indigestible polysaccharides.

Comp. Biochem. Physiol. 112A: 365-377

Cera, K.R., Mahan, D.C., Cross, R.F., Reinhart, G.A. und Whitmoyer, R.E. (1988)

Effect of age, weaning and postweaning diet on small intestinal growth and jejunal morphology in young swine.

J. Anim. Sci. 66: 574-584

Chesson, A. (1993)

Feed enzymes.

Anim. Feed Sci. Technol. 45: 65-79

Choct, M. (1997)

Feed non-starch polysaccharides: chemical structures and nutritional significance.

Proc. Feed Ingredients, Singapore: 1-12

Chu, R., Glock, R.D. und Ross, R.F. (1979)

Lymphoid tissues of the small intestine of swine from birth to one month age.

Am. J. Vet. Res. 40: 1713-1719

Chu, R. und Liu, C.H. (1984)

Morphological and functional comparisons of peyer's patches in different parts of the swine small intestine

Vet. Immunol. Immunopathol. 6: 391-403

Chu, R. und Wang, S.W. (1984)

Influence of age of pigs on the subpopulation of peripheral blood lymphocytes and intraepithelial lymphocytes of small intestine.

J. Chin. Soc. Vet. Sci. 10: 107-117

Chu, R., Wang, S.H., und Du, Y.H. (1988)

Granular mucosal lymphocytes in porcine small intestine.

Am. J. Vet. Res. 49: 1456-1459

Cohen, G.M. (1997)

Caspases: the executioners of apoptosis.

Biochem. J. 326: 1

Cole, C.B. und Fuller, R. (1984)

Bile acid deconjugation and attachment of chicken gut bacteria: their possible role in growth depression.

Brit. Poultry Sci. 25: 227-231

CVB (Centraal Veevoederbureau) (1996)

Veevoedertable.

Lelystad, The Netherlands

Dänicke, S., Dusel, G., Jeroch, H. und Kluge, H. (1999a)

Factors affecting efficiency of NSP-degrading enzymes in rations for pigs and poultry.

Agribiol. Res. 52: 1-24

Dänicke, S., Jeroch, H., Böttcher, W., Bedford, M.R. und Simon, O. (1999b)

Effects of dietary fat type, pentosan level, and xylanases on digestibility of fatty acids, liver lipids, and vitamin E in broilers.

Fett/Lipid 101: 90-100

Dänicke, S., Jeroch, H., Böttcher, W. und Simon, O. (2000a)

Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine.

Anim. Feed Sci. Technol. 84: 279-294

Dänicke, S., Böttcher, W., Jeroch, H., Thielebein, J. und Simon, O. (2000b)

Replacement of soybean oil with tallow in rye-based diets without xylanase increases protein synthesis in small intestine of broilers.

J. Nutr. 130: 827-834

DLG (1991)

DLG-Futterwerttabellen - Schweine. 6. Auflage

DLG-Verlag, Frankfurt/Main

Dudley, M.A. (1998)

Parenteral nutrition selectively decreases protein synthesis in the small intestine.

Am. J. Physiol. 274: G131-G137

Dunsford, B.R., Knabe, D.A. und Haensly, W.E. (1989)

Effect of dietary soybean meal on the microscopic anatomy of the small intestine in the early weaned pig.

J. Anim. Sci. 67: 1855-1863

Dusel, G., Kluge, H., Gläser, k., Simon, o., Hartmann, G., v. Lengerken, J. und Jeroch, H. (1997)

An investigation into the variability of extract viscosity of wheat - relationship between the content of non-starch-polysaccharide fractions and metabolisable energy for broiler chickens.

Arch. Anim. Nutri. 50: 121-135

Eisenhans, B., Sufke, U., Blume, R. und Caspary, W.F. (1980)

The influence of carbohydrate gelling agents on rat intestinal transport of monosaccharides and neutral amino acids in vitro.

Cli. Sci. (Lond.) 59: 373-380

Ellis, P.R., Roberts, F.G., Low, A.G. und Morgan, L.M. (1995)

The effect of high-molecular-weight guar gum on net apparent glucose absorption and net apparent insulin and gastric inhibitory polypeptide production in the growing pig: relationship to rheological changes in jejunal digesta.

Brit. J. Nutr. 74: 539-556

Ellis, P.R., Rayment, P. und Wang, Q. (1996)

A physico-chemical perspective of plant polysaccharides in relation to glucose absorption, insulin secretion and the entero-insular axis.

Proc. Nutr. Soc. 55: 881-898

Ewe, K. und Karbach, U. (1993)

Funktionen des Magen- und Darm-Kanals. In: Physiologie des Menschen. Hrsg.: R.F. Schmidt und G. Thews. 25. Auflage; Springer-Verlag, Berlin, Heidelberg

Fengler, A.I. und Marquardt, R.R. (1988)

Water-soluble pentosans from rye. II. Effects of rate of dialysis and on the retention of nutrients by the chick.

Cereal Chem. 65: 298-302

Fleming, S.E., Fitch, M.D. und de Vries, S. (1992)

The influence of dietary fiber on proliferation of intestinal mucosal cells in miniature swine may not be mediated primarily by fermentation.

J. Nutr. 122: 906-916

Frappier, B.L. (1998)

Digestive system. In: Textbook of veterinary histology. Hrsg.: H.D. Dellmann und J. Eurell. 5. Auflage, Williams & Wilkins, Baltimore.

Gatel, F., Jondreville, C., van Cauwenberghe, S., Williatte, I. und Beaux, M.F. (1997)

Characterisation of wheat, barley and pea digestion by weaned piglet. In: Laplace, J.P., Fevrier, C. und Barbeau, A. (eds.)

Proc. VIIIth int. Symp. Digestive physiology in pigs, Saint Malo, EAAP publ. 88: 377-381

Gavrieli, Y., Sherman, Y., Ben-Sasson, S.A. (1992)

Identification of programmed cell death in situ via specific labeling of nuclear DNA fragmentation.

J. Cell Biol. 119: 493-501

Gee, J.M., Lee-Finglas, W., Wortley, G.W. und Johnson, I.T. (1996)

Fermentable carbohydrates elevate plasma enteroglucagon but high viscosity is also necessary to stimulate small bowel mucosal cell proliferation in rats.

J. Nutr. 126: 373-379

Gericke, T.G., Paulus, U., Potten, C.S., und Loeffler, M. (1998)

A dynamic model of proliferation and differentiation in the intestinal crypt based on a hypothetical intraepithelial growth factor.

Cell Prof. 31: 93-110

Görke, B. (2000)

Untersuchung der Schleimhautmorphologie im Dün- und Dickdarm nach oraler Applikation von *Saccharomyces boulardii* und *Bacillus cereus* var. *toyoi* beim Schwein.
Vet. Med. Diss., Hannover

Gollnisch, K., Rattay, D. und Schulz, E. (1999)

Einfluß eines antimikrobiellen Futterzusatzstoffes (Avilamycin), eines NSP-hydrolysierenden Enzyms (Xylanase) sowie deren Kombination auf die Darmflora und mikrobielle Stoffwechselprodukte im Gastrointestinaltrakt des Schweines.

VII. Symposium, Jena, Vitamine und Zusatzstoffe in der Ernährung von Mensch und Tier: 274-279

Grala, W., Verstegen, M.W.A., Jansman, A.J.M., Huisman, J. und Van Leeuwen, P. (1998)

Ileal apparent protein and amino acid digestibilities and endogenous nitrogen losses in pigs fed soybean and rapeseed products.

J. Anim. Sci. 76: 557-568

Graham, H., Hesselman, K., Jonsson, E. und Aman, P. (1986)

Influence of β -glucanase supplementation on digestion of a barley-based diet in the pig gastrointestinal tract.

Nutr. Rep. Internat. 34: 1089-1096

Graham, H., Löwgren, W., Pettersson, D. und Aman, P. (1988)

Effect of enzyme supplementation on digestion of a barley/pollard-based pig diet.

Nutr. Rep. Internat. 38: 1073-1079

Haberer, B. und Schulz, E. (1998)

Zum Einfluß NSP-hydrolysierender Enzyme in der Schweinefütterung.

Übers. Tierernährg. 26: 25-64

Häcker, G. (2000)

The morphology of apoptosis.

Cell Tissue Res. 301: 5-17

Hakansson, J., Lundeheim, N. und Cidh, M.A. (2000)

Ad libitum feeding of growing pigs with diets diluted with wheat straw meal.

Acta Agricult. Scand. A Anim. Sci. 50: 83-92

Hall, G.A. und Byrne, T.F. (1989)

Effect of age and diet on small intestinal structure and function in gnotobiotic piglets.

Res. Vet. Sci. 47: 387-392

Hampson, D.J. (1986)

Alterations in piglet small intestinal structure at weaning.

Res. Vet. Sci. 40: 32-40

Han, H., Iwanaga, T. und Fujita, T. (1993a)

Species differences in the process of apoptosis in epithelial cells of the small intestine: an ultrastructural and cytochemical study of luminal cell elements.

Histol. Cytol. 56: 83-90

Han, H., Iwanaga, T., Uchiyama, Y. und Fujita, T. (1993b)

Aggregation of macrophages in the tips of intestinal villi in guinea pigs: their possible role in the phagocytosis of effete epithelial cells.

Cell Tissue Res. 271: 407-416

Hebel, R. (1960)

Untersuchungen über das Vorkommen von lymphatischen Darmkrypten in der Tunica submucosa des Darmes von Schwein, Rind, Schaf, Hund und Katze.

Anat. Anz. 109: 7-27

Hees, H. (2000)

Verdauungsapparat. In: Histologie. Kurzlehrbuch der Zytologie und mikroskopischen Anatomie. Hrsg.: H. Hees und F. Sinowatz, 3. Auflage, Deutscher Ärzte-Verlag, Köln.

Heidenhain, M. (1912)

Über Zwillings-, Drillings- und Vierlingsbildungen der Dünndarmzotten, ein Beitrag zur Teilkörpertheorie.

Anat. Anz. 40: 102-147

Henry, R.J. (1987)

Pentosan and (1-3), (1-4)-b-glucan concentrations in endosperm and whole grain of wheat, barley, oats and rye.

J. Cereal Sci. 6: 253-258

Holman, J. (1975)

Fine structural changes of senescent enterocytes in the extrusion zone of chicken intestinal villi.

Acta Vet. Brno. 44: 3-8

Holt, P.R. (1998)

Diet restriction increases apoptosis in the gut of aging rats.

J. Gerontol. Biol. Sci. 53A: B168-B172

Hübener, K., Vahjen, W. und Simon, O. (1999)

Wirkungsweise von Xylanasen bei Broilern: Rolle der Darmflora.

VII. Symposium, Jena, Vitamine und Zusatzstoffe in der Ernährung von Mensch und Tier: 280-285

Ijiri, K. und Potten, C.S. (1983)

Response of intestinal cells of differing topographical and hierarchical status to ten cytotoxic drugs and five sources of radiation.

Br. J. Cancer 47 : 175-185

Ijiri, K. und Potten, C.S. (1987)

Further studies on the response of intestinal crypt cells of different hierarchical status to eighteen different cytotoxic agents.

Br. J. Cancer 55: 113-123

Inbarr, J., Schmitz, M. und Ahrens, F. (1993)

Effect of adding fibre and starch degrading enzymes to a barley/wheat based diet on performance and nutrient digestibility in different segments of the small intestine of early weaned pigs.

Anim. Feed Sci. Technol. 44: 113-127

Ito, S. und Karnovsky, J.M. (1968)

Formaldehyde-glutaraldehyde-trinitrofixation (Yellow fix).

J. Cell Biol. 39: 168a-169a

Ito, H., Yamada, J., Yamashita, T., Hashimoto, Y. und Kudo, N. (1987)

An immunohistochemical study on the distribution of endocrine cells in the gastrointestinal tract of the pig.

Jpn. J. Vet. Sci. 49: 105-114

Iwanaga, T. (1995)

The involvement of macrophages and lymphocytes in the apoptosis of enterocytes.

Arch. Histol. Cytol. 58: 151-159

Iwanaga, T., Han, A. und Fujita, T. (1992)

Macrophages possibly involved in the disposal of apoptotic epithelial cells in the monkey small and large intestine.

Acta Med. Biol. 40: 105-113

Iwanaga, T., Han, A., Adachi, K. und Fujita, T. (1993)

A novel mechanism for disposing of effete epithelial cells in the small intestine of guinea pigs.

Gastroenterology 105: 1089-1097

Iwanaga, T., Han, H., Hoshi, O., Takahashi-Iwanaga, H., Uchiyama, Y. und Fujita, T. (1994a)

Perforin-containing lymphocytes and their ultrastructure in the intestinal mucosa with special reference to species difference between guinea pig and rat.

Biomed. Res. 15: 67-76

Iwanaga, T., Hoshi, O., Han, H., Takahashi-Iwanaga, H., Uchiyama, Y. und Fujita, T. (1994b)

Lamina propria macrophagen involved in cell death (apoptosis) of enterocytes in the small intestine of rats.

Arch. Histol. Cytol. 57: 267-276

Jadamus, A. (2001)

Untersuchungen zur Wirksamkeit und Wirkungsweise des sporenbildenden *Bacillus cereus* var. *toyoi* im Verdauungstrakt von Broilern und Ferkeln.
Vet. Med. Diss.; Mensch und Buch Verlag, Berlin

Jacobs, L.R. (1983)

Effects of dietary fiber on mucosal growth and cell proliferation in the small intestine of the rat: a comparison of oat bran, pectin and guar with total fiber deprivation.
Am. J. Clin. Nutr. 37: 954-960

Jeroch, H., Dänicke, S. und Brufau, J. (1995)

The influence of enzyme preparations on the nutritional value of cereal for poultry. A review.
J. Anim. Feed Sci. 4: 263-285

Jeroch, H., Drochner, W. und Simon, O. (1999)

Ernährung landwirtschaftlicher Nutztiere. Ulmer Verlag, Stuttgart

Jin, L., Reynolds, L.P., Redmer, D.A., Caton, J.S. und Crenshaw, J.D. (1993)

Effects of dietary fiber on the intestinal growth and cellular proliferation in growing pigs.
J. Anim. Sci. 71 (Suppl. 1): 54 (Abstr.)

Jin, L., Reynolds, L.P., Redmer, D.A., Caton, J.S. und Crenshaw, J.D. (1994)

Effects of dietary fiber on intestinal growth, cell proliferation and morphology in growing pigs.
J. Anim. Sci. 72: 2270-2278

Jørgensen, H., Zhao, X.Q. und Eggum, B.O. (1996)

The influence of dietary fibre and environmental temperature on the development of the gastrointestinal tract, digestibility, degree of fermentation in the hind-gut and energy metabolism in pigs.
Br. J. Nutr. 75: 365-378

Johnson, I.T. und Gee, J.M. (1986)

Gastrointestinal adaptation in response to soluble non-available polysaccharides in the rat.
Brit. J. Nutr. 55: 497-505

Johnson, I.T., Gee, J.M. und Mahoney, R.R. (1984)

Effects of dietary supplements of guar gum and cellulose on intestinal cell proliferation, enzyme levels and sugar transport in rats.
Brit. J. Nutr. 52: 477-487

Jones, B.A. und Gores, G.J. (1997)

Physiology and pathophysiology of apoptosis in epithelial cells of liver, pancreas, and intestine.
Am. J. Physiol. 273 (Gastrointest. Liver Physiol.): G1174-G1188

Kamphues, J., Schneider, D. und Leibetseder, J. (1999)

Supplemente zu Vorlesungen und Übungen in der Tierernährung. 9. Auflage; Schaper-Verlag, Hannover

Kanauchi, O., Deuchi, K., Imasato, Y., Shizukuishi, M. und Kobayashi, E. (1995)

Mechanism for the inhibition of fat digestion by chitosan and the synergistic effect of ascorbate. Biosci. Biotechnol. Biochem. 59: 786-790

Kenworthy, R. (1976)

Observations on the effects of weaning in the young pig. Clinical and histopathological studies of intestinal function and morphology.

Res. Vet. Sci. 21: 69-75

Kerr, J.F.R. (1971)

Shrinkage necrosis: a distinct mode of cellular death.

J. Path. 105: 13-20

Kerr, J.F.R., Wyllie, A.H. und Currie, A.R. (1972)

Apoptosis: a basic biological phenomenon with wide-ranging implications in tissues kinetics.

Br. J. Cancer 26: 239-257

Kiechle, F.L. und Zhang, X. (1998)

Apoptosis: a brief review.

J. Clin. Lig. Ass. 21: 58-61

Kitanaka, C. und Kuchino, Y. (1999)

Caspase-independent programmed cell death with necrotic morphology.

Cell Death Diff. 6: 508-515

Landsverk, T. und McL. Press, C. (1998)

Immune system. In: Textbook of veterinary histology. Hrsg.: H.D. Dellmann und J. Eurell. 5. Auflage, Williams & Wilkins, Baltimore.

Leonhardt, H. (1990)

Histologie, Zytologie und Mikroanatomie des Menschen. 8. Auflage, Georg Thieme Verlag, Stuttgart, New York.

Li, D.F., Nelssen, J.L., Reddy, P.G., Blecha, F., Hancock, J.D., Allee, G.L., Goodband, R.D. und Klemm, R.D. (1990)

Transient hypersensitivity to soybean meal in the early-weaned pig.

J. Anim. Sci. 68: 1790-1799

Li, D.F., Nelssen, J.L., Reddy, P.G., Blecha, F., Klemm, R.D. und Goodband, R.D. (1991)

Interrelationship between hypersensitivity to soybean proteins and growth performance in early-weaned pigs.

J. Anim. Sci. 69: 4062-4069

Liebich, H.G. (1999)

Funtionelle Histologie. Farbatlas und Kurzlehrbuch der mikroskopischen Anatomie der Haussäugetiere. 3. Auflage, Schattauer Verlag, Stuttgart, New York

Longland, A.C. (1991)

Digestive enzyme activities in pigs and poultry. In: In vitro digestion for pigs and poultry. Hrsg.: M.F. Fuller. C.A.B. International, Wallingford, Oxon

Low, A.G. (1989)

Secretory response of the pig gut to non-starch polysaccharides.
Anim. Feed Sci. Technol. 23: 55-65

Low, A.G. und Rainbird, A.L. (1984)

Effect of guar gum on nitrogen secretion into isolated loops of jejunum in growing pigs.
Br. J. Nutr. 52: 499-505

Majno, G. und Joris, I. (1995)

Apoptosis, oncosis and necrosis; an overview of cell death.
Am. J. Path. 146: 3-15

Makinde, M.O., Umopathy, E., Akingbemi, B.T., Mandisodza, K.T. und Skadhauge, E. (1996)

Effects of dietary soybean and cowpea on gut morphology and faecal composition in creep and noncreep-fed pigs.
J. Vet. Med. A. 43: 75-85

Martin, K., Kirkwood, T.B.L. und Potten, C.S. (1998)

Age changes in stem cells of murine small intestinal crypts.
Exp. Cell Res. 241: 316-323

Mayhew, T.M., Myklebust, R. und Whybrow, A. (1998)

Ultrastructural reappraisal of epithelial integrity and cell extrusion in mammalian small intestine (rat, reindeer, seal).
J. Anat. 192: 450

Mayhew, T.M., Myklebust, R., Whybrow, A., und Jenkins, R. (1999)

Epithelial integrity, cell death and cell loss in mammalian small intestine.
Histol. Histopathol. 14: 257-267

McCance, R.A. (1974)

The effect of age on the weights and lengths of pigs' intestine
J. Anat. 117: 475-479

McDonald, D.E., Pethick, D.W., Pluske, J.R. und Hampson, D.J. (1999)

Adverse effects of soluble non-starch polysaccharides (guar gum) on piglet growth and experimental colibacillosis immediately after weaning.

Res. Vet. Sci. 67: 245-250

McOrist, S., Roberts, L., Jasni, S., Rowland, A.C., Lawson, G.H.K., Gebhart, C.J. und Bosworth, B. (1996)

Developed and resolving lesions in porcine proliferative enteropathy: possible pathogenetic mechanisms.

J. Comp. Path. 115: 35-45

Meader, R.D. und Landers, D.F. (1967)

Electron and light microscopic observations on relationships between lymphocytes and intestinal epithelium.

Am. J. Anat. 121: 763-774

Merritt, A.J., Potten, C.S., Kemp, C.J., Hickman, J.A., Balmain, A., Lane, D.P. und Hall, P.A. (1994)

The role of p53 in spontaneous and radiation-induced apoptosis in the gastrointestinal tract of normal and p53-deficient mice.

Cancer Res. 54: 614-617

Michel, G. (1989)

Ein Beitrag zum Vorkommen und Verhalten der Becherzellen im Darmkanal des Schweines.

Anat. Anz. 169: 169-174

Moon, H.J. (1972)

Vacuolated villous epithelium of the small intestine of young pigs.

Vet. Path. 9: 3-21

Moore, R.J., Kornegay, E.T., Grayson, R.L. und Lindemann, M.D. (1988)

Growth, nutrient utilization and intestinal morphology of pigs fed high fiber diets.

J. Anim. Sci. 66: 1570-1579

Mosenthin, R., Sauer, W.C. und Ahrens, F. (1994)

Dietary pectin's effect on ileal and fecal amino acid digestibility and exocrine pancreatic secretions in growing pigs.

J. Nutr. 124: 1222-1229

Muir, H.E., Murray, S.M., Fahey, G.C.jr., Merchen, N.R. und Reinhart, G.A. (1996)

Nutrient digestion by ileal cannulated dogs as affected by dietary fibers with various fermentation characteristics.

J. Anim. Sci. 74: 1641-1648

Myklebust, R. und Mayhew, T.M. (1998)

Further evidence of species variation in mechanisms of epithelial cell loss in mammalian small intestine: ultrastructurale studies on the reindeer (*Rangifer tarandus*) and seal (*Phoca groenlandica*).

Cell Tissue Res. 291: 513-523

Nabuurs, M.J.A., Hoogendoorn, A., van der Molen, E.J. und van Osta, A.L.M. (1993)

Villus height and crypt depth in weaned and unweaned pigs, reared under various circumstances in the Netherlands.

Res. Vet. Sci. 55: 78-84

Negoescu, A., Guillermet, C., Lorimier, P., Brambilla, E. und Labat-Moleur, F. (1998)

Importance of DNA fragmentation in apoptosis with regard to TUNEL specificity.

Biomed. Pharmacother. 52: 252-258

Okumiya, K. und Fujimiya, M. (1999)

Immunoelectron microscopic study of the luminal release of chromogranin A from rat enterochromaffin cells.

Histochem. Cell Biol. 111: 253-257

Pabst, R. und Rothkotter, H.J. (1999)

Postnatal development of lymphocyte subsets in different compartments of the small intestine of piglets.

Vet. Immunol. Immunopathol. 72: 167-173

Palanch, A.C., und Alvares, E.P. (1998)

Feeding manipulation elicits different proliferative responses in the gastrointestinal tract of suckling and weanling rats.

Braz. J. Med. Biol. Res. 31: 565-572

Pasquier, B., Armand, M., Guillon, F., Castelain, C., Borel, P., Barry, J.-L., Pieroni, G. und Lairon, D. (1996)

Viscous soluble dietary fibres alter emulsification and lipolysis of triacylglycerols in duodenum medium in vitro.

J. Nutri. Biochem. 7: 293-302

Paulus, U., Potten, C.S. und Loeffler, M. (1992)

A model of the control of cellular regeneration in the intestinal crypt after perturbation based solely on local stem cell regulation.

Cell Prolif. 25: 559-578

Pettersson, D. und Aman, P. (1989)

Enzyme supplementation of a poultry diet containing rye and wheat.

Br. J. Nutr. 62: 139-149

Pettersson, D., Graham, H. und Aman, P. (1990)

Enzyme supplementation of broiler chicken diets based on cereals with endosperm cell walls rich in arabinoxylans or mixed-linked β -glucans.

Anim. Prod. 51: 201-207

Pluske, J.R., Williams, I.H. and Aherne, F.X. (1996a)

Maintenance of villus height and crypt depth in piglets by providing continuous nutrition after weaning.

Anim. Sci. 62: 131-144

Pluske, J.R. Williams, I.H. and Aherne, F.X. (1996b)

Villus height and crypt depth in piglets in response to increases in the intake of cows' milk after weaning.

Anim. Sci. 62: 145-158

Pluske, J.R., Hampson, D.J. und Williams, I.H. (1997)

Factors influencing the structure and function of the small intestine in the weaned pig: a review.

Livest. Prod. Sci. 51: 215-236

Pluske, J.R., Pethick, D.W. und Mullan, B.P. (1998)

Differential effects of feeding fermentable carbohydrate to growing pigs on performance, gut size and slaughter characteristics.

Anim. Sci. 67: 147-156

Pluske, J.R., Pethik, D.W., Durmic, Z., Hampson, D.J. und Mullan, B.P. (1999)

Non-starch polysaccharides in pig diets and their influence on intestinal microflora, digestive physiology and enteric disease.

Recent advance in animal nutrition, : 189-226

Potten, C.S. (1992)

A significance of spontaneous and induced apoptosis in the gastrointestinal tract of mice.

Cancer Metastasis Rev. 11: 179-195

Potten, C.S. (1997)

Epithelial cell growth and differentiation: intestinal apoptosis.

Am. J. Physiol. Gastrointest. L 36: G 253-257

Potten, C.S. (1998)

Stem cells in gastrointestinal epithelium: numbers, characteristics and death.

Phil. Trans. R. Soc. Lond. B 353: 821-830

Potten, C.S. und Allen, T.D. (1977)

Ultrastructure of cell loss in intestinal mucosa.

J. Ultrastruc. Res. 60: 272-277

Potten, C.S., Booth, C. und Pritchard, D.M. (1997)

The intestinal epithelial stem cell: the mucosal governor.
Int. J. Exp. Path. 78: 219-243

Potten, C.S. und Grant, H.K. (1998)

The relationship between ionizing radiation-induced apoptosis and stem cells in the small and large intestine.
Br. J. Cancer 78: 993-1003

Pusztai, A., Ewen, S.W.B., Grant, G., Peuman, W.J., van Damme, E.J.M., Rubio, L. und Bardocz, S. (1990)

Relationship between survival and binding of plant lectins during intestinal passages and their effectiveness as growth factors.
Digestion. 46 (suppl. 2): 308-316

Raab, S., Leiser, R., Kemmer, H. und Claus, R. (1998)

Effects of energie and purines in the diet on proliferation, differentiation, and apoptosis in the small intestine of the pig.
Metabolism 47: 1105-1111

Ramachandran, A., Madesh, M. und Balasubramanian, K.A. (2000)

Apoptosis in the intestinal epithelium: its relevance in normal and pathophysiological conditions.
J Gastroenterol. Hepatol. 15: 109-120

Redlich, J., Souffrant, W.B., Laplace, J.P., Hennig, U., Berg, R. und Moulen, J.M.V.M. (1997)

Morphometry of the small intestine in pigs with ileo-rectal anastomosis.
Can. J. Vet. Res. 61: 21-27

Robertson, J.D., Orrenius, S. und Zhivotovsky, B. (2000)

Review: Nuclear events in apoptosis.
J. Struct. Biol. 129: 346-358

Rolls, B.A., Turvey, A. und Coates, M.E. (1978)

The influence of the gut microflora and of dietary fibre on epithelial migration in the chick intestine.
Br. J. Nutr. 39: 91-98

Romeis, B. (1989)

Mikroskopische Technik. 17. Auflage, Verlag Urban und Schwarzenberg, München - Wien - Baltimore

Rooke, J.A., Slessor, M., Fraser, H. und Thomson, J.R. (1998)

Growth performance and gut function of piglets weaned at four weeks of age and fed protease-treated soy-bean meal.
Anim. Feed Sci. Technol. 70: 175-190

Roskosz, T., Kobrynczuk, F. und Brudnicki, W. (1990)

The type of feed and the length of intestine in wild pig, *Sus scrofa* (L.).
Ann. Warsaw Agricult. Univers. SGGW-AR, Vet. Med. 16:13-17

Saunders, J.W. und Fallon, J.F. (1967)

Cell death in morphogenesis. Major problems in developmental biology.
Academic press, New York, 289-314

Schummer, A. und Wilkens, H. (1987)

Rumpfdarm. In: Lehrbuch der Anatomie der Haustiere, Band II. Hrsg.: R. Nickel, A. Schummer und E. Seiferle. 6. Auflage. Paul Parey Verlag, Berlin, Hamburg

Schurz, M. (1999)

Einsatz reiner Xylanasen in der Fütterung von Schweinen und Geflügel. In: Aktuelle Themen der Tierernährung und Veredlungswirtschaft
Ges. Vorträge der wiss. Tagung, Cuxhaven; Norddt. Verlagsgesellschaft

Schwartz, L.M., Smith, S.W., Jones, M.E.E. und Osborne, B.A. (1993)

Do all programmed cell deaths occur via apoptosis?
Proc. Natl.Acad. Sci. 90: 980-984

Shibahara, T., Sato, N., Waguri, S., Iwanaga, T., Nakahara, A., Fukutomi, H. und Uchiyama, Y. (1995)

The fate of effete epithelial cells at the villus tips of the human small intestine.
Arch. Histol. Cytol. 58: 205-219

Silva, S.S.P. und Smithard, R.R. (1997)

Digestion of protein, fat and energy in rye-based broiler diets is improved by the addition of exogenous xylanase and protease.
Br. Poult. Sci. 38: S38-S39

Simon, O. (1989)

Metabolism of proteins and amino acids. In: Protein metabolism in farm animals. Evaluation, digestion, absorption, and metabolism. Hrsg.: H.D. Bock, B.O. Eggum, A.G. Low, O. Simon und T. Zebrowska. VEB Deutscher Landwirtschaftsverlag, Berlin und Oxford University Press, Oxford

Simon, O. (1998a)

Auf dem Weg zu neuen Erkenntnissen über die Wirkungsweise NSP-hydrolysierender Enzyme.
Lohmann Information 1/98: 9-14

Simon, O. (1998b)

The mode of action of NSP hydrolysing enzymes in the gastrointestinal tract.
J. Anim. Feed Sci. 7: 115-123

Sinowatz, F. (2000)

Blut, Knochenmark und lymphatisches System. In: Histologie. Kurzlehrbuch der Zytologie und mikroskopischen Anatomie. Hrsg.: H. Hees und F. Sinowatz, 3. Auflage, Deutscher Ärzte-Verlag, Köln.

Smits, C.H.M., Moughan, P.J. und Beynen, A.C. (2000)

The inhibitory effect of a highly viscous carboxymethylcellulose on dietary fat digestibility in the growing chicken is dependent on the fat type.
J. Anim. Physiol. Anim. Nutr. 83: 231-238

Southon, S., Livesey, G., Gee, J.M. und Johnson, I.T. (1985)

Differences in intestinal protein synthesis and cellular proliferation in well-nourished rats consuming conventional laboratory diets.
Brit. J. Nutr. 53: 87-95

Sudendey, C. und Kamphues, J. (1995)

Effect of enzyme addition (amylase, xylanase, b-glucanase) on digestive processes in the intestinal tract of force fed weaner piglets.
Proc. Soc. Nutr. Physiol. 3: 145-171

Takahashi-Iwanaga, H., Iwanaga, T., Sakamoto, Y. und Fujita, T. (1995)

Ultrastructural and time-lapse observations of intraepithelial lymphocytes in the small intestine of guinea pigs: their possible role in the removal of effete enterocytes.
Cell Tissue Res. 280: 491-497

Tamura, M. und Suzuki, H. (1997)

Effects of pectin on jejunal and ileal morphology and ultrastructure in adult mice.
Ann. Nutr. Meta. 41: 255-259

Thacker, P.A. und Baas, T.C. (1996)

Effects of gastric pH on the activity of exogenous pentosanase and effect of pentosanase supplementation of the diet on the performance of growing-finishing pigs.
Anim. Feed Sci. Technol. 63: 187-200

Torres-Medina, A. und Underdahl, N.R. (1980)

Scanning electron microscopy of intestine of gnotobiotic piglets infected with porcine rotavirus.
Can. J. Comp. Med. 44: 403-411

Tuch, K. und Amtsberg, G. (1973)

Zottenstrukturen im Dünndarm des Schweines. Stereolupenmikroskopische Befunde.
Zbl. Vet. Med. A 20: 503-518

Uni, Z., Platin, R. und Sklan, D. (1998)

Cell proliferation in chicken intestinal epithelium occurs both in the crypt and along the villus.
J. Comp. Physiol. B 168: 241-247

Vahjen, W., Gläser, K., Schäfer, K. und Simon, O. (1998)

Influence of xylanase-supplemented feed on the development of selected bacterial groups in the intestinal tract of broiler chicks.

J. Agricult. Sci. 130: 489-500

Van Beers-Schreurs, H., Nabuurs, M.J.A., Vellenga, L., Kalsbeek-van der Valk, H.J., Wensing, T. and Breukink, H.J. (1998)

Weaning and the weaning diet influence the villus high and crypt depth in the small intestine of pigs and alter the concentrations of short chain fatty acids in the large intestine and blood.

J. Nutr. 128: 947-953

Van der Klis, J.D., van Voorst, A. und van Cruyningen, C. (1993)

Effect of soluble polysaccharide (carboxy methyl cellulose) on the physico-chemical conditions in the gastrointestinal tract of broilers.

Brit. Poultry Sci. 34: 971-983

Vervaeke, I.J., Graham, H., Dierick, N., Demeyer, D.I. und Decuypere, J.A. (1991)

Chemical analysis of cell wall and energy digestibility in growing pigs.

Anim. Feed Sci. Technol. 32: 55-61

Viveros, A., Brenes, A., Pizarro, M. und Castano, M. (1994)

Effect of enzyme supplementation of a diet based on barley, and autoclave treatment, on apparent digestibility, growth performance and gut morphology of broilers.

Anim. Feed Sci. Technol. 48: 237-251

Von Nagy, L. (1912)

Über die Histogenese des Darmkanals bei menschlichen Embryonen.

Anat. Anz. 40: 147-156

Weiss, L. (1977)

Histology. 4. Auflage, McGraw-Hill-Verlag, New York.

Weyrauch, K.D. (1979)

Über die Feinstruktur der Büschelzellen in verschiedenen Epithelien der Hauswiederkäuer.

Anat. Anz. 146: 141-151

Weyrauch, K.D. und Smollich A. (1998)

Histologie-Kurs für Veterinärmediziner. Hrsg.: K.D. Weyrauch und A. Smollich; Ferdinand-Enke-Verlag, Stuttgart

Wilson, A.D. Stokes, C.R. und Bourne, F.J. (1986)

Morphology and functional characteristics of isolated porcine intraepithelial lymphocytes.

Immunology 59: 109-113

Wong, W.M. und Wright, M. (1999)

Cell proliferation in gastrointestinal mucosa.
J. Clin. Path. 52: 321-333

Yasar, S. und Forbes, J.M. (1999)

Performance and gastro-intestinal response of broiler chickens fed on cereal grain-based foods soaked in water.
Br. Poultry Sci. 40: 65-76

Zebrowska, T. und Low, A.G. (1987)

The influence of diets based on whole wheat, wheat flour and wheat bran on exocrine pancreatic secretion in pigs.
J. Nutr. 117: 1212-1216

Zijlstra, R.T., Wang, K.Y., Easter, R.A. und Odle, J. (1996)

Effect of feeding a milk replacer to early-weaned pigs on growth, body composition, and small intestinal morphology, compared with suckled littermates.
J. Anim. Sci. 74: 2948-2959

Zhang, H., Malo, C. und Buddington, R. (1997)

Suckling induces rapid intestinal growth and changes in brush border digestive functions of newborn pigs.
J. Nutr. 127: 418-426