

Literatur

- [1] ARNOLD, S.M.AND PATCHELL, R.A.: *Diagnosis and Management of Brain Metastases*. Hematology/Oncology Clinics Of North America, 15(6):1085– 1107, 2001.
- [2] BERNARDS, R.: *Cues for migration*. Nature, 425:247–248, 2003.
- [3] BRAHIMI-HORN, C., E. BERRA und J. POUYSSEUR: *Hypoxia: the tumor's gateway to progression along the angiogenic pathway*. Trends in Cell Biology, 11(11):S32–S35, 2001.
- [4] CAIRNCROSS, J.G., J.-H. KIM und J.B. POSNER: *Radiation Therapy for Brain Metastases*. Annals of Neurology, 7:529– 541, 1980.
- [5] CONSTANTINI, S., R. KORNOWSKI, S. POMERANZ und T.H. RAPPAPORT: *Thromboembolic Phenomena in Neurosurgical Patients Operated upon for Primary and Metastatic Brain Tumours*. Acta Neurochirurgica, 109:93– 97, 1991.
- [6] CONSTANZI-STRAUSS, E., B.E. STRAUSS, R.K. NAVIAUX und M. HAAS: *Restoration of Growth Arrest by p16, p21, pRB, and p53 Is Dependent on the Integrity of the Endogenous Cell- Cycle Control Pathways in Human Glioblastoma Cell Lines*. Experimental Cell Research, 238:51– 62, 1998.
- [7] DEANGELIS, L.M., P.C. BURGER, S.B. GREEN und J.G. CAIRNCROSS: *Malignant Glioma: Who Benefits from Adjuvant Chemotherapy?* Annals of Neurology, 44(4):691– 695, 1998.
- [8] DEIMLING, A. VON, D.N. LOUIS und O.D. WIESTLER: *Molecular Pathways in the Formation of Gliomas*. Glia, 15:328– 338, 1995.
- [9] DELATTRE, J.Y., G. KROL, H.T. THALER und J.B. POSNER: *Distribution of Brain Metastases*. Archives of Neurology, 45:741– 744, 1988.
- [10] FIDLER, I.J.: *Origin of cancer metastases and its implications for therapy*. Israel Journal of Medical Sciences, 24:456– 463, 1988.
- [11] FIDLER, I.J., S. YANO, R.-D. ZHANG, T. FUJUMAKI und C.D. BUCANA: *The seed and soil hypothesis: vascularisation and brain metastases*. The Lancet Oncology, 3:53– 57, 2002.
- [12] FINE, H.A., K.B.G. DEAR, J.S. LOEFFLER, P.McL. BLACK und G.P. CANELLOS: *Meta- Analysis of Radiation Therapy with and without Adjuvant Chemotherapy for Malignant Gliomas in Adults*. Cancer, 71(8):2585– 2597, 1993.
- [13] GRECO, O., B. MARPLES, M C. JOINER und S.D. SCOTT: *How to Overcome (and Exploit) Tumor Hypoxia for Targeted Gene Therapy*. Journal of Cellular Physiology, 197:312–325, 2003.
- [14] HANSEN, R. und M. OREN: *p53; from inductive signal to cellular effect*. Current Opinion in Genetics and Development, 7:46– 51, 1997.

- [15] HARA, S., J. HAMADA, C. KOBAYASHI, Y. KONDO und N. IMURA: *Expression and Characterization of Hypoxia-Inducible Factor (HIF)-3 α in Human Kidney: Suppression of HIF-Mediated Gene Expression by HIF-3 α* . Biochemical and Biophysical Research Communications, 287:808–813, 2001.
- [16] HEIDBREDER, M., F. FRÖHLICH, O. JÖHREN, A. DENDORFER, F. QADRI und P. DOMINIAK: *Hypoxia rapidly activates HIF-3 α mRNA expression*. FASEB Journal, 17:1541–1543, 2003.
- [17] HESS, K.R.: *Extent of resection as a prognostic variable in the treatment of gliomas*. Journal of Neuro-oncology, 42:227–231, 1999.
- [18] HILL, J.R., N. KURIYAMA und M.A. KURIYAMA, H. AND ISRAEL: *Molecular Genetics of Brain Tumors*. Archives of Neurology, 56:439–441, 1999.
- [19] HOCHBERG, F. und A. PRUITT: Neoplastische Erkrankungen des Zentralnervensystems, S. 2634–2649. in ISSELBACHER, K.J. und K.J.G. SCHMAILZL (Hrsg.): *Harrisons Innere Medizin*, Blackwell Wiss.-Verl., Berlin, 1995.
- [20] KIETZMANN, T., Y. CORNESSE, K. BRECHTEL, S. MODARESSI und K. JUNGERMANN: *Perivenous expression of the mRNA of the three hypoxia-inducible factor α -subunits, HIF1 α , HIF2 α and HIF3 α , in rat liver*. The Biochemical Journal, 354:531–537, 2001.
- [21] KIRSCH, M., G. SCHACKERT und P. MCL. BLACK: *Angiogenesis, metastasis, and endogenous inhibition*. Journal of Neuro-oncology, 50:173–180, 2000.
- [22] KIWIT, J.C.W., F.W. FLOETH und W.J. BOCK: *Survival in malignant glioma: Analysis of prognostic factors with special regard to cytoreductive surgery*. Zentralblatt für Neurochirurgie, 56:76–88, 1996.
- [23] KLEIHUES, P., D.N. LOUIS, B.W. SCHEITHAUER, L.B. RORKE, G. REIFENBERGER, P.C. BURGER und W.K. CAVENE: *The WHO Classification of Tumors of the Nervous System*. Journal of Neuropathology and Experimental Neurology, 61(3):215–225, 2002.
- [24] KRETH, F.W., A. BERLIS, V. SPIROPOULOU, M. FAIST, R. SCHEREMET, R. ROSNER, B. VOLK und C.B. OSTERTAG: *The Role of Tumor Resection in the Treatment of Glioblastoma Multiforme in Adults*. Cancer, 86:2117–2123, 1999.
- [25] LAGERWAARD, F.J., P.C. LEVENDAG, P.J.C.M. NOWAK, W.M.H. EIJKENBOOM, P.E.J. HANSSENS und P.I.M. SCHMITZ: *Identification of Prognostic factors in patients with brain metastases: a review of 1292 patients*. International journal of radiation oncology, biology, physics, 43(4):795–803, 1999.
- [26] LAL, A., H. PETERS, B. ST. CROIX, Z.A. HAROON, M.W. DEWHIRST, R.L. STRAUSBERG, J.H. KAANDERS, A.J. VAN DER KOGEL und G.J. RIGGINS: *Transcriptional Response to Hypoxia in Human Tumors*. Journal of the National Cancer Institute, 93:1337–1343, 2001.

- [27] LJUBIMOVA, J.Y., N.M. KHAZENON, Z. CHEN, Y.I. NEYMAN, L. TURNER, M.S. RIEDINGER und K.L. BLACK: *Gene expression abnormalities in human glial tumors identified by gene array*. International journal of oncology, 18:287– 295, 2001.
- [28] LOUIS, D. N. und GUSELLA J. F.: *A tiger behind many doors: multiple genetic pathways to malignant glioma*. Trends in Genetics, 11(10):412– 415, 1995.
- [29] LOUIS, D.N. und B.R. SEIZINGER: *Genetic basis of neurological tumours*. Balliere's Clinical Neurology, 3(2):335– 352, 1994.
- [30] LUTTERBACH, J., S. BARTELT und C. OSTERTAG: *Long- term survival in patients with brain metastases*. Journal of cancer research and clinical oncology, 128(8):417– 425, 2002.
- [31] MAKINO, Y., A. KANOPKA, W.J. WILSON, H. TANAKA und L. POELLINGER: *Inhibitory PAS Domain Protein (IPAS) Is a Hypoxia- inducible Splicing Variant of the Hypoxia- inducible Factor- 3 α Locus*. The Journal of Biological Chemistry, 277(36):32405– 32408, 2002.
- [32] MARCHETTI, D., J. LI und R. SHEN: *Astrocytes Contribute to the Brain- metastatic Specificity of Melanoma Cells by Producing Heparanase*. Cancer Research, 60:4767– 4770, 2000.
- [33] MARCOU, Y., C. LINDQUIST, C. ADAMS, S. RETSAS und PLOWMAN P.N.: *What is the Optimal Therapy of Brain Metastases?* Clinical Oncology, 13(2):105– 111, 2001.
- [34] MARKESBERY, W.R., W.H. BROOKS, G.D. GUPTA und A.B. YOUNG: *Treatment for Patients With Cerebral Metastases*. Archives of Neurology, 35:754– 756, 1978.
- [35] MAYNARD, M.A., H. QI, J. CHUNG, E.H.L. LEE, Y. KONDO, S. HARA, J.W. CONAWAY und M. OHH: *Multiple Splice Variants of the Human HIF- 3 α Locus Are Targets of the von Hippel- Lindau E3 Ubiquitin Ligase Complex*. The Journal of Biological Chemistry, 278:11032– 11040, 2003.
- [36] MÜLLER, B., M. BAMBERG und P. KRAUSNECK: *Maligne Gehirntumoren*, S. 405– 435. in SEEGER, S. und J. SCHÜTTE (Hrsg.): *Therapiekonzepte Onkologie*, Springer-Verlag, Berlin, Heidelberg, New York, 1998.
- [37] MUSCHEL, R.J.: *Metastasis*, S. 557– 559. in SCHWAB, M. (Hrsg.): *Encyclopedic reference of cancer*, Springer-Verlag, Berlin, Heidelberg, New York, 2001.
- [38] NGUYEN, L.N., M.H. MAOR und M.J. OSWALD: *Brain Metastases as the Only Manifestation of an Undetected Primary Tumor*. Cancer, 83(10):2181– 2184, 1998.
- [39] NICOLSON, G.L., D.G. MENTER, J.L. HERRMANN, Z. YUN, P. CAVANAUGH und D. MARCHETTI: *Brain Metastasis: Role of Trophic, Autocrine, and Paracrine Factors in Tumor Invasion and Colonization of the Central Nervous System*. Current topics in microbiology and immunology, 213:89– 115, 1996.

- [40] PAGET, S.: *The distribution of secondary growths in cancer of the breast*. The Lancet, 1:571– 573, 1889.
- [41] PATCHELL, R.A., P.A. TIBBS, J.W. WALSH, R.J. DEMPSEY, Y. MARUYAMA, R.J. KRYSZCIO, W.R. MARKESBERY, J.S. MACDONALD und B. YOUNG: *A randomized trial of surgery in the treatment of single metastases to the brain*. The New England Journal Of Medicine, 322(8):494– 500, 1990.
- [42] PILI, R. und R.C. DONEHOWER: *Is HIF-1 α a Valid Therapeutic Target?* Journal of the National Cancer Institute, 95(7):498–499, 2003.
- [43] RASHEED, A., J.E. HERNDON, T.T STENZEL, J.G.M. RAETZ, J. KENDELHARDT, H.S. FRIEDMAN, A.H. FRIEDMAN, D.D. BIGNER, S.H. BIGNER und R.E. MCLENDON: *Molecular Markers of Prognosis in Astrocytic Tumors*. Cancer, 94(10):2688–2697, 2002.
- [44] RIEDE, U.N., O.D. WIESTLER und H.J. MÜLLER: Autonomes Zellwachstum (Tumorpathologie), S. 373– 378. in RIEDE, U.N. und SCHAEFER H.E. (Hrsg.): *Allgemeine und spezielle Pathologie*, Georg Thieme Verlag, Stuttgart, New York, 1993.
- [45] SAFRAN, M. und W.G. KAELEN: *HIF hydroxylation and the mammalian oxygen-sensing pathway*. The Journal of clinical investigation, 111:779– 783, 2003.
- [46] SAXENA, A., L.M. SHRIML, M. DEAN und I.U. ALI: *Comparative molecular genetic profiles of anaplastic astrocytomas / glioblastomas multiforme and their subsequent recurrences*. Oncogene, 18:1385– 1390, 1999.
- [47] SCHEID, W.: *Lehrbuch der Neurologie*. Georg Thieme Verlag, Stuttgart, New York, 1983.
- [48] SCHOUTEN, L.J., J. RUTTEN, H.A.M. HUVENEERS und A. TWIJNSTRA: *Incidence of Brain Metastases in a Cohort of Patients with Carcinoma of the Breast, Colon, Kidney, and Lung and Melanoma*. Cancer, 94(10):2698– 2705, 2002.
- [49] SEMENZA, G.L.: *Signal transduction to hypoxia-inducible factor 1*. Biochemical Pharmacology, 64(5-6):993–998, 2002.
- [50] SOFFIETTI, R., R. RUDĀ und R. MUTANI: *Management of brain metastases*. Journal of Neurology, 249(10):1357– 1369, 2002.
- [51] SØNDERGAARD, K.L., D.A. HILTON, M. PENNEY und A.G. DEMAINE: *Expresion of hypoxia- inducible factor 1 α in tumours of patients with glioblastoma*. Neuropathology and Applied Neurobiology, 28:210– 217, 2002.
- [52] VECHT, CH.J.: *Clinical management of brain metastasis*. Journal of Neurology, 245:127– 131, 1998.

- [53] VECHT, CH.J., H. HAAXMA-REICHE, E.M. NOORDIJK, G.W. PADBERG, J.H.C. VOORMOLEN, F.H. HOEHSTRA, J.TH.J. TANS, N LAMBOOIJ, J.A.L. METSAARS, A.R. WATTENDORFF, R. BRAND und J. HERMANS: *Treatment of Single Brain Metastasis: Radiotherapy Alone or Combined with Neurosurgery?* Annals of Neurology, 33(6):583– 590, 1993.
- [54] WEBER, G.F. und S. ASHKAR: *Molecular mechanisms of tumor dissemination in primary and metastatic brain cancers.* Brain Research Bulletin, 53(4):421– 424, 2000.
- [55] WIESTLER, O.D. und M.C. SCHMIDT: *Neuropathologie maligner Gliome.* Der Onkologe, 4:580–588, 1998.
- [56] YANO, S., H. SHINOHARA, R.S. HERBST, H. KUNYASU, C.D. BUCANA, L.M. ELLIS, D.W. DAVIS, D.J. MCCONKEY und I.J. FIDLER: *Expression of Vascular Endothelial Growth Factor Is Necessary but not Sufficient for Production and Growth of Brain Metastasis.* Cancer Research, 60:4959– 4967, 2000.
- [57] ZAGZAG, D., H. ZHONG, J.M. SCALZITTI, E. LAUGHNER, J.W. SIMONS und G.L. SEMENZA: *Expression of Hypoxia- Inducible Factor 1 α in Brain Tumors.* Cancer, 88(11):2606– 2618, 2000.