

8. Literaturverzeichnis

1. Allbus Standardkategorien 2000. *Allbus Zentrum für Umfragen und Methoden und Analysen (ZUMA)* Mannheim, (2003).
2. ICD-10-GM Version 2004 - Internationale statistische Klassifikation der Krankheiten und verwandter Gesundheitsprobleme, 10. Revision - German Modification. (Deutsches Institut für Medizinische Dokumentation und Information, DIMDI,2003).
3. Abrahamsson,A. & Ejlertsson,G. A salutogenic perspective could be of practical relevance for the prevention of smoking amongst pregnant women. *Midwifery* **18**, 323-331 (2002).
4. Allison,K.R., Adlaf,E.M., Ialomiteanu,A. & Rehm,J. Predictors of health risk behaviours among young adults: analysis of the National Population Health Survey. *Can J Public Health* **90**, 85-89 (1999).
5. Antonovsky,A. Unraveling the Mystery of Health. Jossey-Bass, San Francisco (1987).
6. Antonovsky,A. The structure and properties of the sense of coherence scale. *Soc Sci Med* **36**, 725-733 (1993).
7. Arndt,S., Schultz,S.K., Turvey,C. & Petersen,A. Screening for alcoholism in the primary care setting: are we talking to the right people? *J Fam Pract* **51**, 41-46 (2002).
8. Babor,T. Brief Intervention for Hazardous and Harmful Drinking: A Manual for Use in Primary Care. WHO . 2001.
Ref Type: Internet Communication
9. Badura,K., Gorczyca,P., Tomalczyk,E. & Matysiakiewicz,J. Estimation of a sense of coherence in patients with alcoholic dependence syndrome--introductory report. *Wiad Lek* **53**, 488-492 (2000).

10. Batra,A. & Buchkremer,G. Serie - Alkoholismus: Beziehung von Alkoholismus, Drogen- und Tabakkonsum. *Deutsches Ärzteblatt* **98**, A2590-A2593 (2001).
11. Bengel,J., Strittmacher,R. & Willmann,H. Was erhält einen Menschen gesund? Antonovskys Modell der Salutogenese - Disskussionsstand und Stellenwert. (2001).
12. Bohn,M.J., Babor,T.F. & Kranzler,H.R. The Alcohol Use Disorders Identification Test (AUDIT): validation of a screening instrument for use in medical settings. *J Stud Alcohol* **56**, 423-432 (1995).
13. Borges,G., Cherpitel,C. & Mittleman,M. Risk of injury after alcohol consumption: a case-crossover study in the emergency department. *Soc Sci Med* **58**, 1191-1200 (2004).
14. Borges,G. *et al.* Episodic Alcohol Use and Risk of Nonfatal Injury. *Am. J. Epidemiol.* **159**, 565-571 (2004).
15. Buddeberg-Fischer,B., Klaghofer,R. & Schnyder,U. Sense of coherence in adolescents. *Soz Praventivmed* **46**, 404-410 (2001).
16. Carstens,J.A. & Spangenberg,J.J. Major depression: a breakdown in sense of coherence? *Psychol Rep* **80**, 1211-1220 (1997).
17. Chan-Pensley,E. Alcohol-Use Disorders Identification Test: A comparison between paper and pencil and computerized versions. *Alcohol Alcohol.* **34**, 882 (1999).
18. Cherpitel,C.J. Analysis of cut points for screening instruments for alcohol problems in the emergency room. *J Stud Alcohol* **56**, 695-700 (1995).
19. Cherpitel,C.J. Screening for alcohol problems in the emergency department. *Ann Emerg Med* **26**, 158-166 (1995).
20. Cherpitel,C.J. Screening for alcohol problems in the emergency room: a rapid alcohol problems screen. *Drug Alcohol Depend* **40**, 133-137 (1995).

21. Cherpitel,C.J. *et al.* A cross-national meta-analysis of alcohol and injury: data from the Emergency Room Collaborative Alcohol Analysis Project (ERCAAP). *Addiction* **98**, 1277-1286 (2003).
22. Conigrave,K.M., Hall,W.D. & Saunders,J.B. The AUDIT questionnaire: choosing a cut-off score. *Addiction* **90**, 1349-1356 (1995).
23. Field,C.A., Claassen,C.A. & O'Keefe,G. Association of alcohol use and other high-risk behaviors among trauma patients. *J Trauma* **50**, 13-19 (2001).
24. Frenz,A.W., Carey,M.P. & Jorgensen,R.S. Psychometric evaluation of Antonovsky's Sense of Coherence Scale. *Psychological Assessment* **5**, 145-153 (1993).
25. Gentilello,L.M. *et al.* Alcohol interventions in a trauma center as a means of reducing the risk of injury recurrence. *Ann Surg* **230**, 473-480 (1999).
26. Geyer,S. Some conceptual considerations on the sense of coherence. *Soc Sci Med* **44**, 1771-1779 (1997).
27. Heim,E. Salutogenesis versus pathogenesis--a new approach to an old wisdom. *Schweiz Med Wochenschr* **124**, 1267-1275 (1994).
28. John,U., Hill,A., Rumpf,H.J., Hapke,U. & Meyer,C. Alcohol high risk drinking, abuse and dependence among tobacco smoking medical care patients and the general population. *Drug Alcohol Depend* **69**, 189-195 (2003).
29. Kaufmann,C.R., Branas,C.C. & Brawley,M.L. A population-based study of trauma recidivism. *J Trauma* **45**, 325-331 (1998).
30. Kelly,T.M. & Donovan,J.E. Confirmatory factor analyses of the alcohol use disorders identification test (AUDIT) among adolescents treated in emergency departments. *J Stud Alcohol* **62**, 838-842 (2001).

31. Kivimäki,M., Feldt,T., Vahtera,J. & Nurmi,J.E. Sense of coherence and health: evidence from two cross-lagged longitudinal samples. *Soc Sci Med* **50**, 583-597 (2000).
32. Kleinbaum,D. Logistic Regression: A self-learning text (Ima Volumes in Mathematics and it's applications). Statistic in the Health Sciences, (1994).
33. Kosinska-Dec,K. SOC and alcohol drinking in Secondary school Graduants. *Polish Psychological Bulletin* **30**, 303-309 (1999).
34. Kraus,L., Augustin,R., Bloomfield,K. & Reese,A. The influence of regional differences in drinking style on hazardous use, excessive drinking, abuse and dependence. *Gesundheitswesen* **63**, 775-782 (2001).
35. Küfner,H. & Kraus,L. Serie: Alkoholismus - Epidemiologische und ökonomische Aspekte des Alkoholismus. *Deutsches Ärzteblatt* **99** , A936-A945 (2002).
36. Kuuppelomaki,M. & Utriainen,P. A 3 year follow-up study of health care students' sense of coherence and related smoking, drinking and physical exercise factors. *Int J Nurs Stud* **40**, 383-388 (2003).
37. Langius,A. & Bjorvell,H. The applicability of the Antonovsky Sense of Coherence Scale to a group of Pentecostalists. *Scand J Caring Sci* **15**, 190-192 (2001).
38. Leistikow,B.N., Martin,D.C. & Samuels,S.J. Injury death excesses in smokers: a 1990-95 United States national cohort study. *Inj. Prev.* **6**, 277-280 (2000).
39. Lundberg,O. Childhood conditions, sense of coherence, social class and adult ill health: exploring their theoretical and empirical relations. *Soc Sci Med* **44**, 821-831 (1997).
40. Lundberg,O. & Nyström Peck,M. Sense of coherence, social structure and health - Evidence from a population survey in Sweden. *European Journal of Public Health* **4**, 252-257 (1994).

41. Lundqvist,T. Chronic cannabis use and the sense of coherence. *Life Sci* **56**, 2145-2150 (1995).
42. Maio,R.F. *et al.* Adolescent injury in the emergency department: opportunity for alcohol interventions? *Ann Emerg Med* **35**, 252-257 (2000).
43. Marquet,P. *et al.* Prevalence of drugs of abuse in urine of drivers involved in road accidents in France: a collaborative study. *J Forensic Sci* **43**, 806-811 (1998).
44. Midanik,L.T., Soghikian,K., Ransom,L.J. & Polen,M.R. Alcohol problems and sense of coherence among older adults. *Soc Sci Med* **34**, 43-48 (1992).
45. Miller,W.R., Westerberg,V.S., Harris,R.J. & Tonigan,J.S. What predicts relapse? Prospective testing of antecedent models. *Addiction* **91 Suppl**, S155-S172 (1996).
46. Mura,P. *et al.* Comparison of the prevalence of alcohol, cannabis and other drugs between 900 injured drivers and 900 control subjects: results of a French collaborative study. *Forensic Sci Int* **133**, 79-85 (2003).
47. Neumann,T. *et al.* Gender differences in the performance of a computerized version of the alcohol use disorders identification test (AUDIT) in subcritically injured patients admitted to the emergency department. *Alcohol Clin Exp Res.* (*submitted 2003*) (2003).
48. Perkonigg,A., Lieb,R. & Wittchen,H.U. Substance use, abuse and dependence in Germany. A review of selected epidemiological data. *Eur Addict Res* **4**, 8-17 (1998).
49. Poole,G.V., Griswold,J.A., Thaggard,V.K. & Rhodes,R.S. Trauma is a recurrent disease. *Surgery* **113**, 608-611 (1993).
50. Porter,R.S. Alcohol and injury in adolescents. *Pediatr Emerg Care* **16**, 316-320 (2000).
51. Reiner,D.S., Pastena,J.A., Swan,K.G., Lindenthal,J.J. & Tischler,C.D. Trauma recidivism. *Am Surg* **56**, 556-560 (1990).

52. Remschmidt,H. Serie - Alkoholismus: Alkoholabhängigkeit bei jungen Menschen. *Deutsches Ärzteblatt* **99**, A787-A792 (2002).
53. Reynaud,M., Gaudin-Colombel,A.F. & Le Pen,C. Two methods of estimating health costs linked to alcoholism in France (with a note on social costs). *Alcohol Alcohol.* **36**, 89 (2001).
54. Ring,T. & Sattler,R.W. Akuter und chronischer Alkoholabusus - Einfluss auf die stationäre Behandlung unfallchirurgischer Patienten. *Zentralbl Chir* **119**, 533-537 (1994).
55. Ristner,G., Andersson,R., Johansson,L.M., Johansson,S.E. & Ponzer,S. Sense of coherence and lack of control in relation to outcome after orthopaedic injuries. *Injury* **31**, 751-756 (2000).
56. Rivara,F.P., Koepsell,T.D., Jurkovich,G.J., Gurney,J.G. & Soderberg,R. The effects of alcohol abuse on readmission for trauma. *JAMA* **270**, 1962-1964 (1993).
57. Sack,M., Kunsebeck,H.W. & Lamprecht,F. Sense of coherence and psychosomatic treatment outcome. An empirical study of salutogenesis. *Psychother Psychosom Med Psychol* **47**, 149-155 (1997).
58. Sacks,J.J. & Nelson,D.E. Smoking and injuries: an overview. *Prev Med* **23**, 515-520 (1994).
59. Sagy,S. & Antonovsky,H. The development of the sense of coherence: a retrospective study of early life experiences in the family. *Int J Aging Hum Dev* **51**, 155-166 (2000).
60. Saunders,J.B., Aasland,O.G., Babor,T.F., de la Fuente,J.R. & Grant,M. Development of the Alcohol Use Disorders Identification Test (AUDIT): WHO Collaborative Project on Early Detection of Persons with Harmful Alcohol Consumption-II. *Addiction* **88**, 791-804 (1993).
61. Schnyder,U., Büchi,S., Mörgeli,H., Sensky,T. & Klaghofer,R. Sense of coherence - a mediator between disability and handicap? *Psychother Psychosom* **68**, 102-110 (1999).

62. Schnyder,U., Büchi,S., Sensky,T. & Klaghofer,R. Antonovsky's sense of coherence: trait or state? *Psychother Psychosom* **69**, 296-302 (2000).
63. Schumacher,J. & Brähler,E. Sense of Coherence Scale von Antonovsky (SOC-Skala).
<http://www.uni-leipzig.de/~gespsych/tests.html> . 2000.
Ref Type: Internet Communication
64. Schumacher,J., Gunzelmann,T. & Brähler,E. Deutsche Normierung der Sense of Coherence Scale von Antonovsky. *Diagnostica* **48**, 208-213 (2000).
65. Schumacher,J., Wilz,G., Gunzelmann,T. & Brahler,E. The Antonovsky Sense of Coherence Scale. Test statistical evaluation of a representative population sample and construction of a brief scale. *Psychother Psychosom Med Psychol* **50**, 472-482 (2000).
66. Sims,D.W. *et al.* Urban trauma: a chronic recurrent disease. *J Trauma* **29**, 940-946 (1989).
67. Singer,M.V. & Teyssen,S. Serie - Alkoholismus: Alkoholassoziierte Organschäden. *Deutsches Ärzteblatt* **98** *33*, A2109-A2120 (2001).
68. Singer,M.V. & Teyssen,S. Serie - Alkoholismus: Moderater Alkoholkonsum - Gesundheitsförderlich oder schädlich? *Deutsches Ärzteblatt* **99**, A1103-A1106 (2002).
69. Smith,R.S., Fry,W.R., Morabito,D.J. & Organ,C.H. Recidivism in an urban trauma center. *Arch Surg* **127**, 668-670 (1992).
70. Snekkevik,H., Anke,A.G., Stanghelle,J.K. & Fugl-Meyer,A.R. Is sense of coherence stable after multiple trauma? *Clin Rehabil* **17**, 443-453 (2003).
71. Soderstrom,C.A. *et al.* Psychoactive substance use disorders among seriously injured trauma center patients. *JAMA: The Journal of the American Medical Association* **277**, 1769-1774 (1997).

72. Soderstrom,C.A. *et al.* The accuracy of the CAGE, the Brief Michigan Alcoholism Screening Test, and the Alcohol Use Disorders Identification Test in screening trauma center patients for alcoholism. *J Trauma* **43**, 962-969 (1997).
73. Soyka,M. Serie - Alkoholismus: Psychische und soziale Folgen chronischen Alkoholismus. *Deutsches Ärzteblatt* **98** *42*, (2001).
74. Spaite,D.W. *et al.* A prospective investigation of the impact of alcohol consumption on helmet use, injury severity, medical resource utilization, and health care costs in bicycle-related trauma. *J Trauma* **38**, 287-290 (1995).
75. Spies,C.D. *et al.* Intercurrent complications in chronic alcoholic men admitted to the intensive care unit following trauma. *Intensive Care Med* **22**, 286-293 (1996).
76. Tellez,M.G., Mackersie,R.C., Morabito,D., Shagoury,C. & Heye,C. Risks, costs, and the expected complication of re-injury. *Am J Surg* **170**, 660-663 (1995).
77. Thom,B., Herring,R. & Judd,A. Identifying alcohol-related harm in young drinkers: The role of accident and emergency departments. *Alcohol Alcohol.* **34**, 910 (1999).
78. Tölle,R. Serie - Alkoholismus: Alkoholmissbrauch und Alkoholabhängigkeit. *Deutsches Ärzteblatt* **98**, A1957 (2001).