

Anhang

Literaturverzeichnis

- Annunziato, F., G. Galli, et al. (1999). "Chemokine receptors and other surface molecules preferentially associated with human Th1 or Th2 cells." *Microbes Infect* **1**(1): 103-6.
- Aoki, K., S. Kajiura, et al. (1995). "Preconceptional natural-killer-cell activity as a predictor of miscarriage." *Lancet* **345**(8961): 1340-2.
- Arck, P. C. (2001). "Stress and pregnancy loss: role of immune mediators, hormones and neurotransmitters." *Am J Reprod Immunol* **46**(2): 117-23.
- Arck, P. C. and B. F. Klapp (2001). "Psychoneuroimmunologie in der Reproduktion." *Der Gynäkologe* **34**: 539-46.
- Arck, P. C. and B. F. Klapp (2001). "PsychoNeuroImmunologie: Yin oder Yang?" *Humboldt-Spektrum* **3-4**: 24-30.
- Arck, P. C., F. Merali, et al. (1996). "Inhibition of immunoprotective CD8+ T cells as a basis for stress-triggered substance P-mediated abortion in mice." *Cell Immunol* **171**(2): 226-30.
- Arck, P. C., M. Rose, et al. (2001). "Stress and immune mediators in miscarriage." *Hum Reprod* **16**(7): 1505-11.
- Black, P. H. (2002). "Stress and the inflammatory response: a review of neurogenic inflammation." *Brain Behav Immun* **16**(6): 622-53.
- Blois, S. M., R. Joachim, et al. (2004). "Depletion of CD8+ cells abolishes the pregnancy protective effect of progesterone substitution with dydrogesterone in mice by altering the Th1/Th2 cytokine profile." *J Immunol* **172**(10): 5893-9.
- Burton, G. J. and E. Jauniaux (2004). "Placental oxidative stress: from miscarriage to preeclampsia." *J Soc Gynecol Investig* **11**(6): 342-52.
- Carp, H. (2004). "Cytokines in recurrent miscarriage." *Lupus* **13**(9): 630-4.
- Chaouat, G., S. Zourbas, et al. (2002). "A brief review of recent data on some cytokine expressions at the materno-foetal interface which might challenge the classical Th1/Th2 dichotomy." *J Reprod Immunol* **53**(1-2): 241-56.
- Clark, D. A., P. C. Arck, et al. (1999). "Why did your mother reject you? Immunogenetic determinants of the response to environmental selective pressure expressed at the uterine level." *Am J Reprod Immunol* **41**(1): 5-22.
- Cone, J. E., L. M. Vaughan, et al. (1998). "Reproductive health outcomes among female flight attendants: an exploratory study." *J Occup Environ Med* **40**(3): 210-6.
- Deanesly, R. (1973). "Termination of early pregnancy in rats after ovariectomy is due to immediate collapse of the progesterone-dependent decidua." *J Reprod Fertil* **35**(1): 183-6.
- Erlebacher, A., D. Zhang, et al. (2004). "Ovarian insufficiency and early pregnancy loss induced by activation of the innate immune system." *J Clin Invest* **114**(1): 39-48.
- Federenko, I. S. and P. D. Wadhwa (2004). "Women's mental health during pregnancy influences fetal and infant developmental and health outcomes." *CNS Spectr* **9**(3): 198-206.
- Fenster, L., C. Schaefer, et al. (1995). "Psychologic stress in the workplace and spontaneous abortion." *Am J Epidemiol* **142**(11): 1176-83.
- Fliege, H., M. Rose, et al. (2005). "The Perceived Stress Questionnaire (PSQ) reconsidered: validation and reference values from different clinical and healthy adult samples." *Psychosom Med* **67**(1): 78-88.

- Hildebrandt, H. (1998). Allgemeines Anpassungssyndrom. Klinisches Wörterbuch. Pschyrembel. Berlin New York, Walter de Gruyter: 81.
- Hobel, C. J., C. Dunkel-Schetter, et al. (1999). "Maternal plasma corticotropin-releasing hormone associated with stress at 20 weeks' gestation in pregnancies ending in preterm delivery." Am J Obstet Gynecol **180**(1 Pt 3): S257-63.
- Joachim, R., A. C. Zenclussen, et al. (2003). "The progesterone derivative hydrogesterone abrogates murine stress-triggered abortion by inducing a Th2 biased local immune response." Steroids **68**(10-13): 931-40.
- Joachim, R. A., M. Hildebrandt, et al. (2001). "Murine stress-triggered abortion is mediated by increase of CD8+ TNF-alpha+ decidual cells via substance P." Am J Reprod Immunol **45**(5): 303-9.
- Kalantaridou, S. N., A. Makrigiannakis, et al. (2004). "Stress and the female reproductive system." J Reprod Immunol **62**(1-2): 61-8.
- Kalinka, J. and J. Szekeres-Bartho (2005). "The impact of hydrogesterone supplementation on hormonal profile and progesterone-induced blocking factor concentrations in women with threatened abortion." Am J Reprod Immunol **53**(4): 166-71.
- Karteris, E., D. K. Grammatopoulos, et al. (2001). "The role of corticotropin-releasing hormone receptors in placenta and fetal membranes during human pregnancy." Mol Genet Metab **72**(4): 287-96.
- King, A. (2000). "Uterine leukocytes and decidualization." Hum Reprod Update **6**(1): 28-36.
- Knackstedt, M. K., E. Hamelmann, et al. (2005). "Mothers in stress: consequences for the offspring." Am J Reprod Immunol **54**(2): 63-9.
- Knackstedt, M. K., A. C. Zenclussen, et al. (2003). "Th1 cytokines and the prothrombinase fgl2 in stress-triggered and inflammatory abortion." Am J Reprod Immunol **49**(4): 210-20.
- Lapple, M. (1988). "[Stress as an explanatory model for spontaneous abortions and recurrent spontaneous abortions]." Zentralbl Gynakol **110**(6): 325-35.
- Laskarin, G., V. S. Tokmadzic, et al. (2002). "Progesterone induced blocking factor (PIBF) mediates progesterone induced suppression of decidual lymphocyte cytotoxicity." Am J Reprod Immunol **48**(4): 201-9.
- Levenstein, S., C. Prantera, et al. (1993). "Development of the Perceived Stress Questionnaire: a new tool for psychosomatic research." J Psychosom Res **37**(1): 19-32.
- Loke, Y. W. and A. King (1996). "Immunology of human implantation: an evolutionary perspective." Hum Reprod **11**(2): 283-6.
- Madhappan, B., D. Kempuraj, et al. (2003). "High levels of intrauterine corticotropin-releasing hormone, urocortin, tryptase, and interleukin-8 in spontaneous abortions." Endocrinology **144**(6): 2285-90.
- Makrigiannakis, A., A. N. Margioris, et al. (1999). "The decidualizing effect of progesterone may involve direct transcriptional activation of corticotrophin-releasing hormone from human endometrial stromal cells." Mol Hum Reprod **5**(9): 789-96.
- Makrigiannakis, A., A. N. Margioris, et al. (1999). "The transcription of corticotropin-releasing hormone in human endometrial cells is regulated by cytokines." Neuroendocrinology **70**(6): 451-9.
- Makrigiannakis, A., E. Zoumakis, et al. (2001). "Corticotropin-releasing hormone promotes blastocyst implantation and early maternal tolerance." Nat Immunol **2**(11): 1018-24.
- Matalka, K. Z. (2003). "Neuroendocrine and cytokines-induced responses to minutes, hours, and days of mental stress." Neuro Endocrinol Lett **24**(5): 283-92.
- McLean, M., A. Bisits, et al. (1995). "A placental clock controlling the length of human pregnancy." Nat Med **1**(5): 460-3.
- McLean, M. and R. Smith (1999). "Corticotropin-releasing Hormone in Human Pregnancy and Parturition." Trends Endocrinol Metab **10**(5): 174-178.

Anhang

- Medawar, P. B. (1953). "Some immunological and endocrine problems raised by evolution of viviparity in vertebrates." *Symp Soc Exp Biol* **7**(1): 320-38.
- Milad, M. P., S. C. Klock, et al. (1998). "Stress and anxiety do not result in pregnancy wastage." *Hum Reprod* **13**(8): 2296-300.
- Mulder, E. J., P. G. Robles de Medina, et al. (2002). "Prenatal maternal stress: effects on pregnancy and the (unborn) child." *Early Hum Dev* **70**(1-2): 3-14.
- Nelson, D. B., J. A. Grisso, et al. (2003). "Does stress influence early pregnancy loss?" *Ann Epidemiol* **13**(4): 223-9.
- Neugebauer, R., J. Kline, et al. (1996). "Association of stressful life events with chromosomally normal spontaneous abortion." *Am J Epidemiol* **143**(6): 588-96.
- Norwitz, E. R., D. J. Schust, et al. (2001). "Implantation and the survival of early pregnancy." *N Engl J Med* **345**(19): 1400-8.
- O'Hare, T. and F. Creed (1995). "Life events and miscarriage." *Br J Psychiatry* **167**(6): 799-805.
- Par, G., J. Geli, et al. (2003). "Progesterone regulates IL12 expression in pregnancy lymphocytes by inhibiting phospholipase A2." *Am J Reprod Immunol* **49**(1): 1-5.
- Roberts, C. P. and A. A. Murphy (2000). "Endocrinopathies associated with recurrent pregnancy loss." *Semin Reprod Med* **18**(4): 357-62.
- Sacks, G. P., C. W. Redman, et al. (2003). "Monocytes are primed to produce the Th1 type cytokine IL-12 in normal human pregnancy: an intracellular flow cytometric analysis of peripheral blood mononuclear cells." *Clin Exp Immunol* **131**(3): 490-7.
- Salmon, J. E. (2004). "A noninflammatory pathway for pregnancy loss: innate immune activation?" *J Clin Invest* **114**(1): 15-7.
- Schenker, M. B., M. Eaton, et al. (1997). "Self-reported stress and reproductive health of female lawyers." *J Occup Environ Med* **39**(6): 556-68.
- Seckl, J. R. (1998). "Physiologic programming of the fetus." *Clin Perinatol* **25**(4): 939-62, vii.
- Sorem, K. A., C. B. Smikle, et al. (1996). "Circulating maternal corticotropin-releasing hormone and gonadotropin-releasing hormone in normal and abnormal pregnancies." *Am J Obstet Gynecol* **175**(4 Pt 1): 912-6.
- Stray-Pedersen, B. and S. Stray-Pedersen (1984). "Etiologic factors and subsequent reproductive performance in 195 couples with a prior history of habitual abortion." *Am J Obstet Gynecol* **148**(2): 140-6.
- Sugiura-Ogasawara, M., T. A. Furukawa, et al. (2002). "Depression as a potential causal factor in subsequent miscarriage in recurrent spontaneous aborters." *Hum Reprod* **17**(10): 2580-4.
- Szekeres-Bartho, J., A. Barakonyi, et al. (2001). "Progesterone as an immunomodulatory molecule." *Int Immunopharmacol* **1**(6): 1037-48.
- Szekeres-Bartho, J., G. Par, et al. (1997). "The antiabortive effect of progesterone-induced blocking factor in mice is manifested by modulating NK activity." *Cell Immunol* **177**(2): 194-9.
- Szekeres-Bartho, J. and T. G. Wegmann (1996). "A progesterone-dependent immunomodulatory protein alters the Th1/Th2 balance." *J Reprod Immunol* **31**(1-2): 81-95.
- Thellin, O. and E. Heinen (2003). "Pregnancy and the immune system: between tolerance and rejection." *Toxicology* **185**(3): 179-84.
- Vassiliadou, N. and J. N. Bulmer (1996). "Immunohistochemical evidence for increased numbers of 'classic' CD57+ natural killer cells in the endometrium of women suffering spontaneous early pregnancy loss." *Hum Reprod* **11**(7): 1569-74.
- Wadhwa, P. D., C. A. Sandman, et al. (2001). "The neurobiology of stress in human pregnancy: implications for prematurity and development of the fetal central nervous system." *Prog Brain Res* **133**: 131-42.

Anhang

- Wegmann, T. G., H. Lin, et al. (1993). "Bidirectional cytokine interactions in the maternal-fetal relationship: is successful pregnancy a TH2 phenomenon?" Immunol Today **14**(7): 353-6.
- Wergeland, E. and K. Strand (1998). "Work pace control and pregnancy health in a population-based sample of employed women in Norway." Scand J Work Environ Health **24**(3): 206-12.
- Wiebold, J. L., P. H. Stanfield, et al. (1986). "The effect of restraint stress in early pregnancy in mice." J Reprod Fertil **78**(1): 185-92.
- Wilcox, A. J., C. R. Weinberg, et al. (1988). "Incidence of early loss of pregnancy." N Engl J Med **319**(4): 189-94.
- Zenclussen, A. C., S. Fest, et al. (2002). "Questioning the Th1/Th2 paradigm in reproduction: peripheral levels of IL-12 are down-regulated in miscarriage patients." Am J Reprod Immunol **48**(4): 245-51.
- Zenclussen, A. C., S. Fest, et al. (2001). "Upregulation of decidual P-selectin expression is associated with an increased number of Th1 cell populations in patients suffering from spontaneous abortions." Cell Immunol **213**(2): 94-103.
- Zoumakis, E., A. N. Margioris, et al. (2000). "Corticotrophin-releasing hormone (CRH) interacts with inflammatory prostaglandins and interleukins and affects the decidualization of human endometrial stroma." Mol Hum Reprod **6**(4): 344-51.