

## 5 References

1. Sack, R.B., et al., *Antimicrobial resistance in organisms causing diarrheal disease*. Clin Infect Dis, 1997. **24 Suppl 1**: p. S102-5.
2. Shiga, K., *Ueber den Erreger der Dysenterie in Japan*. Vorlaufige Mitteilung Zentralbl Bakteriol Microbiol Hyg., 1898. **23**: p. 599-600.
3. Shiga, K., *Ueber den Dysenterie bacillus (Bacillus dysenteriae)*. Zentralbl Bakteriol Parasitenkd Abt I Org., 1898. **24**: p. 817-824.
4. Levinson, W., J. E. , *Medical Microbiology and Immunology*. 2002, New York: Lange Medical Books/McGraw-Hill.
5. Sansonetti, P.J., D.J. Kopecko, and S.B. Formal, *Involvement of a plasmid in the invasive ability of Shigella flexneri*. Infect Immun, 1982. **35**(3): p. 852-60.
6. Sansonetti, P.J., et al., *Alterations in the pathogenicity of Escherichia coli K-12 after transfer of plasmid and chromosomal genes from Shigella flexneri*. Infect Immun, 1983. **39**(3): p. 1392-402.
7. DuPont, H.L., et al., *Inoculum size in shigellosis and implications for expected mode of transmission*. J Infect Dis, 1989. **159**(6): p. 1126-8.
8. Kotloff, K.L., et al., *Global burden of Shigella infections: implications for vaccine development and implementation of control strategies*. Bull World Health Organ, 1999. **77**(8): p. 651-66.
9. Schaechter, M., Engleberg, N. C., Eisentein, B. I., Medoff, G., *Mechanisms of Microbial Disease*. Third ed. 1998: Williams & Wilkins.
10. in *Principles of Bacterial Pathogenesis*, E.A. Groisman, Editor. 2001, Academic Press.
11. Labrec, E.H., et al., *Epithelial Cell Penetration as an Essential Step in the Pathogenesis of Bacillary Dysentery*. J Bacteriol, 1964. **88**(5): p. 1503-18.
12. Wassef, J.S., D.F. Keren, and J.L. Mailloux, *Role of M cells in initial antigen uptake and in ulcer formation in the rabbit intestinal loop model of shigellosis*. Infect Immun, 1989. **57**(3): p. 858-63.
13. Kraehenbuhl, J.P. and M.R. Neutra, *Molecular and cellular basis of immune protection of mucosal surfaces*. Physiol Rev, 1992. **72**(4): p. 853-79.
14. Fujimura, Y., *Functional morphology of microfold cells (M cells) in Peyer's patches--phagocytosis and transport of BCG by M cells into rabbit Peyer's patches*. Gastroenterol Jpn, 1986. **21**(4): p. 325-35.
15. Inman, L.R. and J.R. Cantey, *Specific adherence of Escherichia coli (strain RDEC-1) to membranous (M) cells of the Peyer's patch in Escherichia coli diarrhea in the rabbit*. J Clin Invest, 1983. **71**(1): p. 1-8.
16. Owen, R.L., *And now pathophysiology of M cells--good news and bad news from Peyer's patches*. Gastroenterology, 1983. **85**(2): p. 468-70.
17. Mounier, J., et al., *Shigella flexneri enters human colonic Caco-2 epithelial cells through the basolateral pole*. Infect Immun, 1992. **60**(1): p. 237-48.
18. Zychlinsky, A., M.C. Prevost, and P.J. Sansonetti, *Shigella flexneri induces apoptosis in infected macrophages*. Nature, 1992. **358**(6382): p. 167-9.
19. Guichon, A. and A. Zychlinsky, *Apoptosis as a trigger of inflammation in Shigella-induced cell death*. Biochem Soc Trans, 1996. **24**(4): p. 1051-4.

20. Zychlinsky, A., et al., *In vivo apoptosis in Shigella flexneri infections*. Infect Immun, 1996. **64**(12): p. 5357-65.
21. Finlay, B.B. and S. Falkow, *Comparison of the invasion strategies used by Salmonella choleraesuis, Shigella flexneri and Yersinia enterocolitica to enter cultured animal cells: endosome acidification is not required for bacterial invasion or intracellular replication*. Biochimie, 1988. **70**(8): p. 1089-99.
22. Maurelli, A.T. and P.J. Sansonetti, *Identification of a chromosomal gene controlling temperature-regulated expression of Shigella virulence*. Proc Natl Acad Sci U S A, 1988. **85**(8): p. 2820-4.
23. Sansonetti, P.J., et al., *Caspase-1 activation of IL-1beta and IL-18 are essential for Shigella flexneri-induced inflammation*. Immunity, 2000. **12**(5): p. 581-90.
24. Zychlinsky, A., et al., *Interleukin 1 is released by murine macrophages during apoptosis induced by Shigella flexneri*. J Clin Invest, 1994. **94**(3): p. 1328-32.
25. Sansonetti, P.J., et al., *Role of interleukin-1 in the pathogenesis of experimental shigellosis*. J Clin Invest, 1995. **96**(2): p. 884-92.
26. Le-Barillec, K., et al., *Roles for T and NK cells in the innate immune response to Shigella flexneri*. J Immunol, 2005. **175**(3): p. 1735-40.
27. Way, S.S., et al., *An essential role for gamma interferon in innate resistance to Shigella flexneri infection*. Infect Immun, 1998. **66**(4): p. 1342-8.
28. Makino, S., et al., *A genetic determinant required for continuous reinfection of adjacent cells on large plasmid in S. flexneri 2a*. Cell, 1986. **46**(4): p. 551-5.
29. Monack, D.M. and J.A. Theriot, *Actin-based motility is sufficient for bacterial membrane protrusion formation and host cell uptake*. Cell Microbiol, 2001. **3**(9): p. 633-47.
30. Stevens, J.M., E.E. Galyov, and M.P. Stevens, *Actin-dependent movement of bacterial pathogens*. Nat Rev Microbiol, 2006. **4**(2): p. 91-101.
31. Girardin, S.E., et al., *Nod1 detects a unique muropeptide from gram-negative bacterial peptidoglycan*. Science, 2003. **300**(5625): p. 1584-7.
32. Philpott, D.J., et al., *Invasive Shigella flexneri activates NF-kappa B through a lipopolysaccharide-dependent innate intracellular response and leads to IL-8 expression in epithelial cells*. J Immunol, 2000. **165**(2): p. 903-14.
33. Sansonetti, P.J., et al., *Interleukin-8 controls bacterial transepithelial translocation at the cost of epithelial destruction in experimental shigellosis*. Infect Immun, 1999. **67**(3): p. 1471-80.
34. Singer, M. and P.J. Sansonetti, *IL-8 is a key chemokine regulating neutrophil recruitment in a new mouse model of Shigella-induced colitis*. J Immunol, 2004. **173**(6): p. 4197-206.
35. Brinkmann, V., et al., *Neutrophil extracellular traps kill bacteria*. Science, 2004. **303**(5663): p. 1532-5.
36. Mandic-Mulec, I., J. Weiss, and A. Zychlinsky, *Shigella flexneri is trapped in polymorphonuclear leukocyte vacuoles and efficiently killed*. Infect Immun, 1997. **65**(1): p. 110-5.
37. Fuchs, T.A., et al., *Novel cell death program leads to neutrophil extracellular traps*. J Cell Biol, 2007. **176**(2): p. 231-41.

38. Schroeder, G.N. and H. Hilbi, *Molecular pathogenesis of Shigella spp.: controlling host cell signaling, invasion, and death by type III secretion*. Clin Microbiol Rev, 2008. **21**(1): p. 134-56.
39. Maurelli, A.T., et al., *Cloning of plasmid DNA sequences involved in invasion of HeLa cells by Shigella flexneri*. Infect Immun, 1985. **49**(1): p. 164-71.
40. Kato, J., et al., *Cloning of regions required for contact hemolysis and entry into LLC-MK2 cells from Shigella sonnei form I plasmid: virF is a positive regulator gene for these phenotypes*. Infect Immun, 1989. **57**(5): p. 1391-8.
41. Sasakawa, C., et al., *Virulence-associated genetic regions comprising 31 kilobases of the 230-kilobase plasmid in Shigella flexneri 2a*. J Bacteriol, 1988. **170**(6): p. 2480-4.
42. Sasakawa, C., et al., *Eight genes in region 5 that form an operon are essential for invasion of epithelial cells by Shigella flexneri 2a*. J Bacteriol, 1993. **175**(8): p. 2334-46.
43. Nhieu, G.T., et al., *Tyrosine kinase signaling and type III effectors orchestrating Shigella invasion*. Curr Opin Microbiol, 2005. **8**(1): p. 16-20.
44. Blocker, A., et al., *The tripartite type III secretin of Shigella flexneri inserts IpaB and IpaC into host membranes*. J Cell Biol, 1999. **147**(3): p. 683-93.
45. Menard, R., P. Sansonetti, and C. Parsot, *The secretion of the Shigella flexneri Ipa invasins is activated by epithelial cells and controlled by IpaB and IpaD*. Embo J, 1994. **13**(22): p. 5293-302.
46. Menard, R., P.J. Sansonetti, and C. Parsot, *Nonpolar mutagenesis of the ipa genes defines IpaB, IpaC, and IpaD as effectors of Shigella flexneri entry into epithelial cells*. J Bacteriol, 1993. **175**(18): p. 5899-906.
47. Cornelis, G.R. and F. Van Gijsegem, *Assembly and function of type III secretory systems*. Annu Rev Microbiol, 2000. **54**: p. 735-74.
48. Adler, B., et al., *A dual transcriptional activation system for the 230 kb plasmid genes coding for virulence-associated antigens of Shigella flexneri*. Mol Microbiol, 1989. **3**(5): p. 627-35.
49. Dorman, C.J. and M.E. Porter, *The Shigella virulence gene regulatory cascade: a paradigm of bacterial gene control mechanisms*. Mol Microbiol, 1998. **29**(3): p. 677-84.
50. Kane, C.D., et al., *MxiE regulates intracellular expression of factors secreted by the Shigella flexneri 2a type III secretion system*. J Bacteriol, 2002. **184**(16): p. 4409-19.
51. Parsot, C., et al., *A secreted anti-activator, OspD1, and its chaperone, Spa15, are involved in the control of transcription by the type III secretion apparatus activity in Shigella flexneri*. Mol Microbiol, 2005. **56**(6): p. 1627-35.
52. Mavris, M., et al., *Regulation of transcription by the activity of the Shigella flexneri type III secretion apparatus*. Mol Microbiol, 2002. **43**(6): p. 1543-53.
53. Mavris, M., P.J. Sansonetti, and C. Parsot, *Identification of the cis-acting site involved in activation of promoters regulated by activity of the type III secretion apparatus in Shigella flexneri*. J Bacteriol, 2002. **184**(24): p. 6751-9.
54. Galan, J.E. and A. Collmer, *Type III secretion machines: bacterial devices for protein delivery into host cells*. Science, 1999. **284**(5418): p. 1322-8.
55. Hueck, C.J., *Type III protein secretion systems in bacterial pathogens of animals and plants*. Microbiol Mol Biol Rev, 1998. **62**(2): p. 379-433.

56. Macnab, R.M., *The bacterial flagellum: reversible rotary propellor and type III export apparatus*. J Bacteriol, 1999. **181**(23): p. 7149-53.
57. Blocker, A., K. Komoriya, and S. Aizawa, *Type III secretion systems and bacterial flagella: insights into their function from structural similarities*. Proc Natl Acad Sci U S A, 2003. **100**(6): p. 3027-30.
58. Young, B.M. and G.M. Young, *YplA is exported by the Ysc, Ysa, and flagellar type III secretion systems of Yersinia enterocolitica*. J Bacteriol, 2002. **184**(5): p. 1324-34.
59. Macnab, R.M., *Type III flagellar protein export and flagellar assembly*. Biochim Biophys Acta, 2004. **1694**(1-3): p. 207-17.
60. Marlovits, T.C., et al., *Structural insights into the assembly of the type III secretion needle complex*. Science, 2004. **306**(5698): p. 1040-2.
61. Lin, D., C.V. Rao, and J.M. Slauch, *The Salmonella SPI1 type three secretion system responds to periplasmic disulfide bond status via the flagellar apparatus and the RcsCDB system*. J Bacteriol, 2008. **190**(1): p. 87-97.
62. Wai, S.N., et al., *Vesicle-mediated export and assembly of pore-forming oligomers of the enterobacterial ClyA cytotoxin*. Cell, 2003. **115**(1): p. 25-35.
63. Wattiau, P. and G.R. Cornelis, *SycE, a chaperone-like protein of Yersinia enterocolitica involved in Ohe secretion of YopE*. Mol Microbiol, 1993. **8**(1): p. 123-31.
64. Frithz-Lindsten, E., et al., *The chaperone-like protein YerA of Yersinia pseudotuberculosis stabilizes YopE in the cytoplasm but is dispensible for targeting to the secretion loci*. Mol Microbiol, 1995. **16**(4): p. 635-47.
65. Menard, R., et al., *Extracellular association and cytoplasmic partitioning of the IpaB and IpaC invasins of S. flexneri*. Cell, 1994. **79**(3): p. 515-25.
66. Wattiau, P., S. Woestyn, and G.R. Cornelis, *Customized secretion chaperones in pathogenic bacteria*. Mol Microbiol, 1996. **20**(2): p. 255-62.
67. Woestyn, S., et al., *The cytosolic SycE and SycH chaperones of Yersinia protect the region of YopE and YopH involved in translocation across eukaryotic cell membranes*. Mol Microbiol, 1996. **20**(6): p. 1261-71.
68. Neyt, C. and G.R. Cornelis, *Role of SycD, the chaperone of the Yersinia Yop translocators YopB and YopD*. Mol Microbiol, 1999. **31**(1): p. 143-56.
69. Day, J.B., I. Guller, and G.V. Plano, *Yersinia pestis YscG protein is a Syc-like chaperone that directly binds yscE*. Infect Immun, 2000. **68**(11): p. 6466-71.
70. Page, A.L., P. Sansonetti, and C. Parsot, *Spa15 of Shigella flexneri, a third type of chaperone in the type III secretion pathway*. Mol Microbiol, 2002. **43**(6): p. 1533-42.
71. Niebuhr, K., et al., *IpgD, a protein secreted by the type III secretion machinery of Shigella flexneri, is chaperoned by IpgE and implicated in entry focus formation*. Mol Microbiol, 2000. **38**(1): p. 8-19.
72. Tucker, S.C. and J.E. Galan, *Complex function for SicA, a Salmonella enterica serovar typhimurium type III secretion-associated chaperone*. J Bacteriol, 2000. **182**(8): p. 2262-8.
73. Feldman, M.F., et al., *SycE allows secretion of YopE-DHFR hybrids by the Yersinia enterocolitica type III Ysc system*. Mol Microbiol, 2002. **46**(4): p. 1183-97.

74. Stebbins, C.E. and J.E. Galan, *Maintenance of an unfolded polypeptide by a cognate chaperone in bacterial type III secretion*. Nature, 2001. **414**(6859): p. 77-81.
75. Birtalan, S.C., R.M. Phillips, and P. Ghosh, *Three-dimensional secretion signals in chaperone-effector complexes of bacterial pathogens*. Mol Cell, 2002. **9**(5): p. 971-80.
76. Cheng, L.W., D.M. Anderson, and O. Schneewind, *Two independent type III secretion mechanisms for YopE in Yersinia enterocolitica*. Mol Microbiol, 1997. **24**(4): p. 757-65.
77. Boyd, A.P., I. Lambermont, and G.R. Cornelis, *Competition between the Yops of Yersinia enterocolitica for delivery into eukaryotic cells: role of the SycE chaperone binding domain of YopE*. J Bacteriol, 2000. **182**(17): p. 4811-21.
78. Wulff-Strobel, C.R., A.W. Williams, and S.C. Straley, *LcrQ and SycH function together at the Ysc type III secretion system in Yersinia pestis to impose a hierarchy of secretion*. Mol Microbiol, 2002. **43**(2): p. 411-23.
79. Darwin, K.H. and V.L. Miller, *Type III secretion chaperone-dependent regulation: activation of virulence genes by SicA and InvF in Salmonella typhimurium*. Embo J, 2001. **20**(8): p. 1850-62.
80. Francis, M.S., S.A. Lloyd, and H. Wolf-Watz, *The type III secretion chaperone LcrH co-operates with YopD to establish a negative, regulatory loop for control of Yop synthesis in Yersinia pseudotuberculosis*. Mol Microbiol, 2001. **42**(4): p. 1075-93.
81. Cambronne, E.D., L.W. Cheng, and O. Schneewind, *LcrQ/YscM1, regulators of the Yersinia yop virulon, are injected into host cells by a chaperone-dependent mechanism*. Mol Microbiol, 2000. **37**(2): p. 263-73.
82. Feldman, M.F. and G.R. Cornelis, *The multitalented type III chaperones: all you can do with 15 kDa*. FEMS Microbiol Lett, 2003. **219**(2): p. 151-8.
83. Luo, Y., et al., *Structural and biochemical characterization of the type III secretion chaperones CesT and SigE*. Nat Struct Biol, 2001. **8**(12): p. 1031-6.
84. Birtalan, S. and P. Ghosh, *Structure of the Yersinia type III secretory system chaperone SycE*. Nat Struct Biol, 2001. **8**(11): p. 974-8.
85. Phan, J., J.E. Tropea, and D.S. Waugh, *Structure of the Yersinia pestis type III secretion chaperone SycH in complex with a stable fragment of YscM2*. Acta Crystallogr D Biol Crystallogr, 2004. **60**(Pt 9): p. 1591-9.
86. Schubot, F.D., et al., *Three-dimensional structure of a macromolecular assembly that regulates type III secretion in Yersinia pestis*. J Mol Biol, 2005. **346**(4): p. 1147-61.
87. Singer, A.U., et al., *Crystal structures of the type III effector protein AvrPphF and its chaperone reveal residues required for plant pathogenesis*. Structure, 2004. **12**(9): p. 1669-81.
88. Buttner, C.R., et al., *Crystal structure of Yersinia enterocolitica type III secretion chaperone SycT*. Protein Sci, 2005. **14**(8): p. 1993-2002.
89. Locher, M., et al., *Crystal structure of the Yersinia enterocolitica type III secretion chaperone SycT*. J Biol Chem, 2005. **280**(35): p. 31149-55.
90. van Eerde, A., et al., *Structure of Spa15, a type III secretion chaperone from Shigella flexneri with broad specificity*. EMBO Rep, 2004. **5**(5): p. 477-83.
91. Lilic, M., M. Vujanac, and C.E. Stebbins, *A common structural motif in the binding of virulence factors to bacterial secretion chaperones*. Mol Cell, 2006. **21**(5): p. 653-64.

92. Fraser, G.M., J.C. Bennett, and C. Hughes, *Substrate-specific binding of hook-associated proteins by FlgN and FliT, putative chaperones for flagellum assembly*. Mol Microbiol, 1999. **32**(3): p. 569-80.
93. Auvray, F., et al., *Flagellin polymerisation control by a cytosolic export chaperone*. J Mol Biol, 2001. **308**(2): p. 221-9.
94. Evdokimov, A.G., et al., *Similar modes of polypeptide recognition by export chaperones in flagellar biosynthesis and type III secretion*. Nat Struct Biol, 2003. **10**(10): p. 789-93.
95. Bennett, J.C. and C. Hughes, *From flagellum assembly to virulence: the extended family of type III export chaperones*. Trends Microbiol, 2000. **8**(5): p. 202-4.
96. Samatey, F.A., et al., *Structure of the bacterial flagellar protofilament and implications for a switch for supercoiling*. Nature, 2001. **410**(6826): p. 331-7.
97. Tardy, F., et al., *Yersinia enterocolitica type III secretion-translocation system: channel formation by secreted Yops*. Embo J, 1999. **18**(23): p. 6793-9.
98. Groves, M.R. and D. Barford, *Topological characteristics of helical repeat proteins*. Curr Opin Struct Biol, 1999. **9**(3): p. 383-9.
99. Buttner, C.R., et al., *Structure of the Yersinia enterocolitica type III secretion translocator chaperone SycD*. J Mol Biol, 2008. **375**(4): p. 997-1012.
100. High, N., et al., *IpaB of Shigella flexneri causes entry into epithelial cells and escape from the phagocytic vacuole*. Embo J, 1992. **11**(5): p. 1991-9.
101. Zychlinsky, A., et al., *IpaB mediates macrophage apoptosis induced by Shigella flexneri*. Mol Microbiol, 1994. **11**(4): p. 619-27.
102. Veenendaal, A.K., et al., *The type III secretion system needle tip complex mediates host cell sensing and translocon insertion*. Mol Microbiol, 2007. **63**(6): p. 1719-30.
103. Chen, Y., et al., *A bacterial invasin induces macrophage apoptosis by binding directly to ICE*. Embo J, 1996. **15**(15): p. 3853-60.
104. Thirumalai, K., K.S. Kim, and A. Zychlinsky, *IpaB, a Shigella flexneri invasin, colocalizes with interleukin-1 beta-converting enzyme in the cytoplasm of macrophages*. Infect Immun, 1997. **65**(2): p. 787-93.
105. Hilbi, H., et al., *Shigella-induced apoptosis is dependent on caspase-1 which binds to IpaB*. J Biol Chem, 1998. **273**(49): p. 32895-900.
106. Dinarello, C.A., *Interleukin-1 beta, interleukin-18, and the interleukin-1 beta converting enzyme*. Ann N Y Acad Sci, 1998. **856**: p. 1-11.
107. Thornberry, N.A., *Interleukin-1 beta converting enzyme*. Methods Enzymol, 1994. **244**: p. 615-31.
108. Page, A.L., et al., *Characterization of the interaction partners of secreted proteins and chaperones of Shigella flexneri*. Mol Microbiol, 2001. **42**(4): p. 1133-45.
109. Hume, P.J., et al., *The purified Shigella IpaB and Salmonella SipB translocators share biochemical properties and membrane topology*. Mol Microbiol, 2003. **49**(2): p. 425-39.
110. Baudry, B., M. Kaczorek, and P.J. Sansonetti, *Nucleotide sequence of the invasion plasmid antigen B and C genes (ipaB and ipaC) of Shigella flexneri*. Microb Pathog, 1988. **4**(5): p. 345-57.

111. Guichon, A., et al., *Structure-function analysis of the Shigella virulence factor IpaB*. J Bacteriol, 2001. **183**(4): p. 1269-76.
112. Tran Van Nhieu, G., et al., *IpaC induces actin polymerization and filopodia formation during Shigella entry into epithelial cells*. Embo J, 1999. **18**(12): p. 3249-62.
113. Kuelzso, L.A., et al., *Structure-function analysis of invasion plasmid antigen C (IpaC) from Shigella flexneri*. J Biol Chem, 2003. **278**(5): p. 2792-8.
114. Marquart, M.E., W.L. Picking, and W.D. Picking, *Soluble invasion plasmid antigen C (IpaC) from Shigella flexneri elicits epithelial cell responses related to pathogen invasion*. Infect Immun, 1996. **64**(10): p. 4182-7.
115. Tran Van Nhieu, G., et al., *Bacterial signals and cell responses during Shigella entry into epithelial cells*. Cell Microbiol, 2000. **2**(3): p. 187-93.
116. Harrington, A.T., et al., *Structural characterization of the N terminus of IpaC from Shigella flexneri*. Infect Immun, 2003. **71**(3): p. 1255-64.
117. Picking, W.L., et al., *Identification of functional regions within invasion plasmid antigen C (IpaC) of Shigella flexneri*. Mol Microbiol, 2001. **39**(1): p. 100-11.
118. Terry, C.M., et al., *The C-terminus of IpaC is required for effector activities related to Shigella invasion of host cells*. Microb Pathog, 2008.
119. Blundell, T.L.J., L.N., Protein Crystallography, Academic Press (1976).
120. Helliwell, J.R., Macromolecular crystallography with synchrotron radiation, Cambridge University Press (1992).
121. Drenth, J., Principles of Protein X-Ray Crystallography, Springer Verlag (1999).
122. Ewald, P., *Das reziproke Gitter in der Strukturtheorie*. Z. Kristallogr., 1921. **56**(129).
123. Darwin, C., The theory of X-ray reflection, Phil. Mag., 27, 315 (1914).
124. Hendrickson, W.A., et al., *Crystallographic structure analysis of lamprey hemoglobin from anomalous dispersion of synchrotron radiation*. Proteins, 1988. **4**(2): p. 77-88.
125. Ban, N., et al., *Placement of protein and RNA structures into a 5 Å-resolution map of the 50S ribosomal subunit*. Nature, 1999. **400**(6747): p. 841-7.
126. Ban, N., et al., *The complete atomic structure of the large ribosomal subunit at 2.4 Å resolution*. Science, 2000. **289**(5481): p. 905-20.
127. Cramer, P., et al., *Architecture of RNA polymerase II and implications for the transcription mechanism*. Science, 2000. **288**(5466): p. 640-9.
128. Rossmann, M.G. and D.M. Blow, *The detection of sub-units within the crystallographic asymmetric unit*. Acta Crystallographica, 1962. **15**(1): p. 24-31.
129. Hendrickson, W.A., J.R. Horton, and D.M. LeMaster, *Selenomethionyl proteins produced for analysis by multiwavelength anomalous diffraction (MAD): a vehicle for direct determination of three-dimensional structure*. Embo J, 1990. **9**(5): p. 1665-72.
130. Terwilliger, T.C. and J. Berendzen, *Automated MAD and MIR structure solution*. Acta Crystallogr D Biol Crystallogr, 1999. **55**(Pt 4): p. 849-61.
131. Miller, R., et al., *SnB: crystal structure determination via Shake-and-Bake*. J. Appl. Crystallogr., 1994. **27**: p. 613-621.

132. Sheldrick, G.M., *Phase annealing in SHELX-90: Direct methods for larger structures*. Acta Crystallogr., A, 1990. **46**(467-473).
133. *Isothermal Titration to Characterize Binding*, in *Genetic Engineering & biotechnology News*. October 1, 2006, Mary Ann Liebert, Inc.
134. Ryu, Y. and P.G. Schultz, *Efficient incorporation of unnatural amino acids into proteins in Escherichia coli*. Nat Methods, 2006. **3**(4): p. 263-5.
135. Sambrook, J., Russell, D.W., *Molecular Cloning: A Laboratory Manual*. Vol. Third Edition. 2001.
136. Kabsch, W., *Automatic processing of rotation diffraction data from crystals of initially unknown symmetry and cell constants*. Journal of Applied Crystallography, 1993. **26**(6): p. 795-800.
137. Vonrhein, C., Blanc E., Roversi P., and Bricogne G., *Automated structure solution with autoSHARP*. Crystallographic Methods. 2005, Totowa, NJ: Humana Press.
138. Schneider, T.R. and G.M. Sheldrick, *Substructure solution with SHELXD*. Acta Crystallogr D Biol Crystallogr, 2002. **58**(Pt 10 Pt 2): p. 1772-9.
139. de La Fortelle, E., and Bricogne, G., *Maximum-Likelihood Heavy-Atom Parameter Refinement for Multiple Isomorphous Replacement and Multiwavelength Anomalous Diffraction Methods*. Macromolecular Crystallography Part A., ed. C.W.a.S. Carter, R. M. Vol. Methods Enzymol 276. 1997, San Diego: Academic Press. 472-494.
140. McCoy, A.J., et al., *Phaser crystallographic software*. Journal of Applied Crystallography, 2007. **40**(4): p. 658-674.
141. Abrahams, J.P. and A.G. Leslie, *Methods used in the structure determination of bovine mitochondrial F1 ATPase*. Acta Crystallogr D Biol Crystallogr, 1996. **52**(Pt 1): p. 30-42.
142. Lamzin, V.S., Perrakis, A. and Wilson, K. S., *The ARP/wARP suite for automated construction and refinement of protein models*. Int. Tables of Crystallography., ed. M.G.a.A. Rossmann, E. Vol. F. 2001, Dordrecht, The Netherlands: Kluwer Academic Publishers. 720-722.
143. Brunger, A.T., et al., *Crystallography & NMR System: A New Software Suite for Macromolecular Structure Determination*. Acta Crystallographica Section D, 1998. **54**(5): p. 905-921.
144. Emsley, P. and K. Cowtan, *Coot: model-building tools for molecular graphics*. Acta Crystallographica Section D, 2004. **60**(12 Part 1): p. 2126-2132.
145. Laskowski, R.A., et al., *PROCHECK: a program to check the stereochemical quality of protein structures*. Journal of Applied Crystallography, 1993. **26**(2): p. 283-291.
146. DeLano, W.L., *The PyMOL Molecular Graphics System*. 2002.
147. Wang, W. and B.A. Malcolm, *Two-stage PCR protocol allowing introduction of multiple mutations, deletions and insertions using QuikChange Site-Directed Mutagenesis*. Biotechniques, 1999. **26**(4): p. 680-2.
148. Heckman, K.L. and L.R. Pease, *Gene splicing and mutagenesis by PCR-driven overlap extension*. Nat Protoc, 2007. **2**(4): p. 924-32.
149. Hersh, D., et al., *The Salmonella invasin SipB induces macrophage apoptosis by binding to caspase-1*. Proc Natl Acad Sci U S A, 1999. **96**(5): p. 2396-401.
150. Schmidt, T.G. and A. Skerra, *The Strep-tag system for one-step purification and high-affinity detection or capturing of proteins*. Nat Protoc, 2007. **2**(6): p. 1528-35.



151. Schägger, H. and G. von Jagow, *Tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa*. Analytical Biochemistry, 1987. **166**(2): p. 368-379.
152. Laemmli, U.K., *Cleavage of structural proteins during the assembly of the head of bacteriophage T4*. Nature, 1970. **227**(5259): p. 680-5.
153. Nesterenko, M.V., M. Tilley, and S.J. Upton, *A simple modification of Blum's silver stain method allows for 30 minute detection of proteins in polyacrylamide gels*. J Biochem Biophys Methods, 1994. **28**(3): p. 239-42.
154. Thiede, B., et al., *Peptide mass fingerprinting*. Methods, 2005. **35**(3): p. 237-47.
155. Jancarik, J. and S.H. Kim, *Sparse matrix sampling: a screening method for crystallization of proteins*. Journal of Applied Crystallography, 1991. **24**(4): p. 409-411.
156. Brunger, A.T., et al., *Crystallography & NMR system: A new software suite for macromolecular structure determination*. Acta Crystallogr D Biol Crystallogr, 1998. **54**(Pt 5): p. 905-21.
157. Emsley, P. and K. Cowtan, *Coot: model-building tools for molecular graphics*. Acta Crystallogr D Biol Crystallogr, 2004. **60**(Pt 12 Pt 1): p. 2126-32.
158. McCoy, A.J., Grosse-Kunstleve, R. W., Adams, P. D., Winn, M. D., Storoni, L. C. and Read R. J., *Phaser crystallographic software*. Journal of Applied Crystallography, 2007. **40**(4): p. 658-674.
159. DeLano, W.L., *The PyMOL Molecular Graphics System*, DeLano Scientific LLC, San Carlos, CA, USA.
160. Hall, T.A. (1999) *BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT*. Nucl. Acids. Symp. Ser. **Volume**, 95-98
161. Wen, J., T. Arakawa, and J.S. Philo, *Size-exclusion chromatography with on-line light-scattering, absorbance, and refractive index detectors for studying proteins and their interactions*. Anal Biochem, 1996. **240**(2): p. 155-66.
162. Strop, P. and A.T. Brunger, *Refractive index-based determination of detergent concentration and its application to the study of membrane proteins*. Protein Sci, 2005. **14**(8): p. 2207-11.
163. Goldschmidt, L., et al., *Toward rational protein crystallization: A Web server for the design of crystallizable protein variants*. Protein Sci, 2007. **16**(8): p. 1569-76.
164. Derewenda, Z.S., *Rational protein crystallization by mutational surface engineering*. Structure, 2004. **12**(4): p. 529-35.
165. Radivojac, P., et al., *Prediction of boundaries between intrinsically ordered and disordered protein regions*. Pac Symp Biocomput, 2003: p. 216-27.
166. Evans, G. and R.F. Pettifer, *CHOOCH: a program for deriving anomalous scattering factors from X-ray fluorescence spectra*. J Appl Cryst, 2001. **34**: p. 82-86.
167. Lamb, J.R., S. Tugendreich, and P. Hieter, *Tetratricopeptide repeat interactions: to TPR or not to TPR?* Trends Biochem Sci, 1995. **20**(7): p. 257-9.
168. Das, A.K., P.W. Cohen, and D. Barford, *The structure of the tetratricopeptide repeats of protein phosphatase 5: implications for TPR-mediated protein-protein interactions*. Embo J, 1998. **17**(5): p. 1192-9.

169. Pallen, M.J., M.S. Francis, and K. Futterer, *Tetratricopeptide-like repeats in type-III-secretion chaperones and regulators*. FEMS Microbiol Lett, 2003. **223**(1): p. 53-60.
170. Picking, W.L., et al., *Cloning, expression, and affinity purification of recombinant Shigella flexneri invasion plasmid antigens IpaB and IpaC*. Protein Expr Purif, 1996. **8**(4): p. 401-8.
171. Chin, J.W., et al., *Addition of a photocrosslinking amino acid to the genetic code of Escherichiacoli*. Proc Natl Acad Sci U S A, 2002. **99**(17): p. 11020-4.
172. Maloy, S., V. Stewart, and R. Taylor, *Genetic analysis of pathogenic bacteria*. 1996, Cold Spring Harbor Laboratory Press, NY.
173. Cordingley, M.G., et al., *Substrate requirements of human rhinovirus 3C protease for peptide cleavage in vitro*. J Biol Chem, 1990. **265**(16): p. 9062-5.
174. Scheufler, C., et al., *Structure of TPR domain-peptide complexes: critical elements in the assembly of the Hsp70-Hsp90 multichaperone machine*. Cell, 2000. **101**(2): p. 199-210.
175. Ghosh, P., *Process of protein transport by the type III secretion system*. Microbiol Mol Biol Rev, 2004. **68**(4): p. 771-95.
176. Schmid, A., et al., *Yersinia enterocolitica type III secretion chaperone SycD: recombinant expression, purification and characterization of a homodimer*. Protein Expr Purif, 2006. **49**(2): p. 176-82.
177. Blatch, G.L. and M. Lassel, *The tetratricopeptide repeat: a structural motif mediating protein-protein interactions*. Bioessays, 1999. **21**(11): p. 932-9.
178. Sikorski, R.S., et al., *TPR proteins as essential components of the yeast cell cycle*. Cold Spring Harb Symp Quant Biol, 1991. **56**: p. 663-73.
179. Schultz, J., L. Marshall-Carlson, and M. Carlson, *The N-terminal TPR region is the functional domain of SSN6, a nuclear phosphoprotein of Saccharomyces cerevisiae*. Mol Cell Biol, 1990. **10**(9): p. 4744-56.
180. Van der Leij, I., et al., *PAS10 is a tetratricopeptide-repeat protein that is essential for the import of most matrix proteins into peroxisomes of Saccharomyces cerevisiae*. Proc Natl Acad Sci U S A, 1993. **90**(24): p. 11782-6.
181. Chen, M.X., et al., *A novel human protein serine/threonine phosphatase, which possesses four tetratricopeptide repeat motifs and localizes to the nucleus*. Embo J, 1994. **13**(18): p. 4278-90.
182. Irmer, H. and J. Hohfeld, *Characterization of functional domains of the eukaryotic co-chaperone Hip*. J Biol Chem, 1997. **272**(4): p. 2230-5.
183. Gatto, G.J., Jr., et al., *Peroxisomal targeting signal-1 recognition by the TPR domains of human PEX5*. Nat Struct Biol, 2000. **7**(12): p. 1091-5.
184. Zhang, M., et al., *Chaperoned ubiquitylation--crystal structures of the CHIP U box E3 ubiquitin ligase and a CHIP-Ubc13-Uev1a complex*. Mol Cell, 2005. **20**(4): p. 525-38.
185. Yang, J., et al., *Molecular basis for TPR domain-mediated regulation of protein phosphatase 5*. Embo J, 2005. **24**(1): p. 1-10.
186. Kim, K., et al., *Crystal structure of PilF: functional implication in the type 4 pilus biogenesis in Pseudomonas aeruginosa*. Biochem Biophys Res Commun, 2006. **340**(4): p. 1028-38.
187. Wu, Y. and B. Sha, *Crystal structure of yeast mitochondrial outer membrane translocon member Tom70p*. Nat Struct Mol Biol, 2006. **13**(7): p. 589-93.

188. Han, D., et al., *Crystal structure of YrrB: a TPR protein with an unusual peptide-binding site*. *Biochem Biophys Res Commun*, 2007. **360**(4): p. 784-90.
189. Edqvist, P.J., et al., *Tetratricopeptide repeats in the type III secretion chaperone, LcrH: their role in substrate binding and secretion*. *Mol Microbiol*, 2006. **59**(1): p. 31-44.
190. Krissinel, E. and K. Henrick, *Secondary-structure matching (SSM), a new tool for fast protein structure alignment in three dimensions*. *Acta Crystallogr D Biol Crystallogr*, 2004. **60**(Pt 12 Pt 1): p. 2256-68.
191. Fontana, A., et al., *Probing protein structure by limited proteolysis*. *Acta Biochim Pol*, 2004. **51**(2): p. 299-321.
192. Cornelis, G.R., *The type III secretion injectisome*. *Nat Rev Microbiol*, 2006. **4**(11): p. 811-25.