

## **6. Literaturverzeichnis**

### **6.1. Verzeichnis der verwendeten Internetressourcen**

1. NIH: The National Institutes of Health, [\[http://www.ncbi.nlm.nih.gov/genome/guide/rat/\]](http://www.ncbi.nlm.nih.gov/genome/guide/rat/)
2. Ensembl: Ensembl Genome Browser [<http://www.ensembl.org>]
3. MIT: Massachusetts Institute of Technology, Whitehead Institute Center for Genome Research [<http://www.broad.mit.edu/rat/public/>]
4. RGD: The Medical College of Wisconsin, Rat Genome Database [<http://rgd.mcw.edu/>]
5. The Wellcome Trust Centre for Human Genetics [[http://www.well.ox.ac.uk/rat\\_mapping\\_resources/](http://www.well.ox.ac.uk/rat_mapping_resources/)]
6. RatMap: The Rat Map Group [<http://ratmap.gen.gu.se/>]
7. ResGen: Research Genetics Inc. [<http://www.resgen.com/>]
8. UniProt : Universal Protein Resource [<http://www.pir.uniprot.org>]

### **6.2. Referenzen**

1. Adeyemo AA, Omotade OO, Rotimi CN, Luke AH, Tayo BO, Cooper RS. Heritability of blood pressure in Nigerian families. *J Hypertens.* 2002;20:859-63.
2. Alexander N, Hinshaw LB, Drury DR. Development of a strain of spontaneously hypertensive rabbits. *Proc.Soc.Exp.Biol.Med.* 1954;86(4):855-8.
3. Beekman RH, Robinow M. Coarctation of the aorta inherited as an autosomal dominant trait. *Am.J.Cardiol.* 1985;56(12):818-9.

4. Berge KE, Berg K. No effect of TaqI polymorphism at the human renal kallikrein (KLK1) locus on normal blood pressure level or variability. *Clin.Genet.* 1993;44(4):196-202.
5. Blaustein MP, Lederer WJ. Sodium/calcium exchange: its physiological implications. *Physiol Rev.* 1999;79:763-854.
6. Biron P, Mongeau JG, Bertrand D. Familial aggregation of blood pressure in 558 adopted children. *Can.Med.Assoc.J.* 1976;115(8):773-4.
7. Brown WM, Beck SR, Lange EM, Davis CC, Kay CM, Langefeld CD, Rich SS. Age-stratified heritability estimation in the Framingham Heart Study families. *BMC Genet.* 2003;4 Suppl 1:S32.
8. Chai KX, Ma JX, Murray SR, Chao J, Chao L. Molecular cloning and analysis of the rat kallikrein-binding protein gene. *J.Biol.Chem.* 1991;266(24):16029-36.
9. Chai KX, Chen VC, Ni A, Lindpaintner K, Rubattu S, Chao L, Chao J. Molecular cloning and expression of rat kallistatin gene. *Biochim Biophys Acta.* 1997;1353:277-86.
10. Chao J, Chao L. Rat urinary kallikrein. *Methods Enzymol.* 1988;163:128-43.
11. Chao J, Chai KX, Chen LM, Xiong W, Chao S, Woodley-Miller C et al. Tissue kallikrein-binding protein is a serpin. I. Purification, characterization, and distribution in normotensive and spontaneously hypertensive rats. *J.Biol.Chem.* 1990;265(27):16394-401.
12. Chao J, Miao RQ, Chen V, Chen LM, Chao L. Novel roles of kallistatin, a specific tissue kallikrein inhibitor, in vascular remodeling. *Biol.Chem.* 2001;382(1):15-21.
13. Chen A, Grigor MR, Thompson CM, Harris EL. Kallikrein binding protein (KBP) maps to rat chromosome 6 but does not cosegregate with blood pressure in a GH x BN cross. *Mamm.Genome* 1997;8(9):701-3.

14. Chobanian AV, Bakris GL, Black HR, Cushman WC, Green LA, Izzo JL Jr, Jones DW, Materson BJ, Oparil S, Wright JT Jr, Roccella EJ; Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. National Heart, Lung, and Blood Institute; National High Blood Pressure Education Program Coordinating Committee. Seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. *Hypertension*. 2003 Dec;42(6):1206-52.
15. Colletto GM, Cardon LR, Fulker DW. A genetic and environmental time series analysis of blood pressure in male twins. *Genet Epidemiol*. 1993;10:533-8.
16. Collins R, Peto R, MacMahon S, Hebert P, Fiebach NH, Eberlein KA et al. Blood pressure, stroke, and coronary heart disease. Part 2, Short-term reductions in blood pressure: overview of randomised drug trials in their epidemiological context. *Lancet* 1990;335(8693):827-38.
17. Dahl LK, Heine M, Tassinari L. Role of genetic factors in susceptibility to experimental hypertension due to chronic excess salt ingestion. *Nature* 1962;194:480-2.
18. Darvasi A, Weinreb A, Minke V, Weller JI, Soller M. Detecting marker-QTL linkage and estimating QTL gene effect and map location using a saturated genetic map. *Genetics* 1993;134(3):943-51.
19. Davidson DC, Peart I, Turner S, and Sangster M. Prevention with icatibant of anaphylactoid reactions to ACE inhibitor during LDL apheresis. *Lancet* 1994 ; 343, 1575
20. Deng Y, Rapp JP. Cosegregation of blood pressure with angiotensin converting enzyme and atrial natriuretic peptide receptor genes using Dahl salt-sensitive rats. *Nat.Genet.* 1992;1(4):267-72.
21. Dietz R, Schomig A, Rascher W, Strasser R, Luth JB, Ganten U, Kubler W. Contribution of the sympathetic nervous system to the hypertensive effect of a high sodium diet in stroke-prone spontaneously hypertensive rats. *Hypertension* 1982;4(6):773-81.

22. DiSalvo J, Bayne ML, Conn G, Kwok PW, Trivedi PG, Soderman DD, Palisi TM, Sullivan KA, Thomas KA. Purification and characterization of a naturally occurring vascular endothelial growth factor/placenta growth factor heterodimer. *J Biol Chem.* 1995;270:7717-23
23. Ditto B. Familial influences on heart rate, blood pressure, and self-report anxiety responses to stress: results from 100 twin pairs. *Psychophysiology.* 1993;30:635-45.
24. el Halawani ME, Waibel PE, Appel JR, Good AL. Catecholamines and monoamine oxidase activity in turkeys with high or low blood pressure. *Trans.N.Y.Acad.Sci.* 1973;35(6):463-70.
25. Elliot AH and Nuzum FR. The urinary excretion of a depressor substance (kallikrein of Frey and Kraut) in arterial hypertension. *Endocrinology.* (18), 462--474. 1934.
26. Evans JG, Rose G. Hypertension. *Br.Med.Bull.* 1971;27(1):37-42.
27. Fagard R, Brguljan J, Staessen J, Thijs L, Derom C, Thomis M, Vlietinck R. Heritability of conventional and ambulatory blood pressures. A study in twins. *Hypertension.* 1995;26:919-24.
28. Favaro S, Barrio B, Antonello A, Zen A, Cannella G, Todesco S, and Borsatti A. Renal kallikrein content of spontaneously hypertensive rats. *Clin Sci.* 1975;49, 69-71.
29. Franklin SS, Larson MG, Khan SA, Wong ND, Leip EP, Kannel WB et al. Does the relation of blood pressure to coronary heart disease risk change with aging? The Framingham Heart Study. *Circulation* 2001;103(9):1245-9.
30. Guidelines Committee European Society of Hypertension. European Society of Cardiology 2003 guidelines for the management of arterial hypertension. *J.Hypertens.* 2003;21(6):1011-53.
31. Hansson JH, Schild L, Lu Y, Wilson TA, Gautschi I, Shimkets R et al. A de novo missense mutation of the beta subunit of the epithelial sodium channel causes hypertension and Liddle syndrome, identifying a proline-rich segment critical for regulation of channel activity. *Proc Natl Acad Sci U S A* 1995;92(25):11495-9.

32. Harrap SB. Genetics of coronary disease: beginning the long journey. *Lancet* 1994;344(8927):901-2.
33. Havlik RJ, Garrison RJ, Feinleib M, Kannel WB, Castelli WP, McNamara PM. Blood pressure aggregation in families. *Am.J.Epidemiol.* 1979;110(3):304-12.
34. Hess JF, Borkowski JA, Young GS, Strader CD, Ransom RW. Cloning and pharmacological characterization of a human bradykinin (BK-2) receptor. *Biochem Biophys Res Commun.* 184, 260-268. 1992.
35. Hilbert P, Lindpaintner K, Beckmann JS, Serikawa T, Soubrier F, Dubay C et al. Chromosomal mapping of two genetic loci associated with blood-pressure regulation in hereditary hypertensive rats. *Nature* 1991;353(6344):521-9.
36. Hong Y, de Faire U, Heller DA, McClearn GE, Pedersen N. Genetic and environmental influences on blood pressure in elderly twins. *Hypertension*. 1994;24:663-70.
37. Hunt SC, Hasstedt SJ, Kuida H, Stults BM, Hopkins PN, Williams RR. Genetic heritability and common environmental components of resting and stressed blood pressures, lipids, and body mass index in Utah pedigrees and twins. *Am J Epidemiol.* 1989;129:625-38.
38. Jacob HJ, Lindpaintner K, Lincoln SE, Kusumi K, Bunker RK, Mao YP, Ganter D, Dzau VJ, Lander ES. Genetic mapping of a gene causing hypertension in the stroke-prone spontaneously hypertensive rat. *Cell* 1991;67(1):213-24.
39. Jacob Lab, Cowley Lab, Dzau Lab, Grigor Lab, Fanestil Lab, Harrap Lab, Harris Lab, Krieger EM Lab, Krieger JE Lab, Lander Lab, Printz Lab, Provoost Lab, Roman Lab, Sassard Lab, Schork Lab, Vincent Lab. Results from an International Collaboration to Map the Genes Responsible for High Blood Pressure in the Rat. *J Hypertension* 1996;14 (Suppl 1):S7
40. Kaplan NM. Treatment of hypertension: insights from the JNC-VI report. *Am.Fam.Physician* 1998;58(6):1323-30.

41. Katori M, Majima M. The renal kallikrein-kinin system: its role as a safety valve for excess sodium intake, and its attenuation as a possible etiologic factor in salt-sensitive hypertension. *Crit Rev.Clin.Lab Sci.* 2003;40(1):43-115.
42. Katz JI, Skom JH, Wakerlin GE. Pathogenesis of spontaneous and pyelonephritic hypertension in the dog. *Circ.Res.* 1957;5(2):137-43.
43. Kawasaki T, Delea CS, Bartter FC, Smith H. The effect of high-sodium and low-sodium intakes on blood pressure and other related variables in human subjects with idiopathic hypertension. *Am.J.Med.* 1978;64(2):193-8.
44. Kjeldsen SE, Julius S, Hedner T, Hansson L. Stroke is more common than myocardial infarction in hypertension: analysis based on 11 major randomized intervention trials. *Blood Press* 2001;10(4):190-2.
45. Komuro I, Ohtsuka M. Forefront of Na<sup>+</sup>/Ca<sup>2+</sup> exchanger studies: role of Na<sup>+</sup>/Ca<sup>2+</sup> exchanger--lessons from knockout mice. *J Pharmacol Sci.* 2004;96:23-6.
46. Kurtz TW, Simonet L, Kabra PM, Wolfe S, Chan L, Hjelle BL. Cosegregation of the renin allele of the spontaneously hypertensive rat with an increase in blood pressure. *J Clin Invest* 1990;85(4):1328-32.
47. Lander E, Kruglyak L. Genetic dissection of complex traits: guidelines for interpreting and reporting linkage results. *Nat.Genet.* 1995;11(3):241-7.
48. Lander ES, Green P, Abrahamson J, Barlow A, Daly MJ, Lincoln SE et al. MAPMAKER: an interactive computer package for constructing primary genetic linkage maps of experimental and natural populations. *Genomics* 1987;1(2):174-81.
49. Lander ES, Botstein D. Mapping mendelian factors underlying quantitative traits using RFLP linkage maps. *Genetics* 1989;121(1):185-99.
50. Lever AF, Harrap SB. Essential hypertension: a disorder of growth with origins in childhood? *J Hypertens.* 1992;10:101-20.

51. Levine RS, Hennekens CH, Perry A, Cassady J, Gelband H, Jesse MJ. Genetic variance of blood pressure levels in infant twins. *Am.J.Epidemiol.* 1982;116(5):759-64.
52. Levy S, Lilley J, Frigon R, and Stone R. Urinary kallikrein and plasma renin activity as determinants of renal blood flow: the influence of race and dietary sodium intake. *J Clin Invest.* 1977;60, 129-138.
53. Lewington S, Clarke R, Qizilbash N, Peto R, Collins R. Age-specific relevance of usual blood pressure to vascular mortality: a meta-analysis of individual data for one million adults in 61 prospective studies. *Lancet* 2002;360(9349):1903-13.
54. Lifton RP, Dluhy RG, Powers M, Rich GM, Cook S, Ulick S et al. A chimaeric 11 beta-hydroxylase/aldosterone synthase gene causes glucocorticoid-remediable aldosteronism and human hypertension. *Nature* 1992;355(6357):262-5.
55. Lindpaintner K, Takahashi S, Ganen D. Structural alterations of the renin gene in stroke-prone spontaneously hypertensive rats: examination of genotype-phenotype correlations. *J.Hypertens.* 1990;8(8):763-73.
56. Lindpaintner K. Blood pressure and heredity. Is it all in the genes, or not? *Hypertension* 1993;22(2):147-9.
57. Lindpaintner K, Chai KX, Kreutz R, Hubner N, Ganen D, Chao L, Chao J. Differential levels of kallikrein-binding protein (KBP) and cosegregation of the KBP-locus with blood pressure (bp) response to sodium in genetically hypertensive rats. *Hypertension* 1994; 12, Suppl. 3:S66
58. Linz W and Schölkens BA. Role of bradykinin in the cardiac effects of angiotensin-converting enzyme inhibitors. *J Cardiovasc Pharmacol.* 1992;20(suppl 9):583-590.
59. Louzier V, Raffestin B, Leroux A, Branellec D, Caillaud JM, Levame M, Eddahibi S, Adnot S. Role of VEGF-B in the lung during development of chronic hypoxic pulmonary hypertension. *Am J Physiol Lung Cell Mol Physiol.* 2003;284:L926-37.
60. Lovenberg W. Animal models for hypertension research. *Prog.Clin.Biol.Res.* 1987;229:225-40.

61. Madeddu P, Varoni MV, Demontis MP, Chao J, Simson JA, Glorioso N et al. Kallikrein-kinin system and blood pressure sensitivity to salt. *Hypertension* 1997;29(1 Pt 2):471-7.
62. Margolius HS. Tissue kallikreins and kinins: regulation and roles in hypertensive and diabetic diseases. *Annu Rev Pharmacol.* 1989; 29, 343-364.
63. Margolius HS. Theodore Cooper Memorial Lecture. Kallikreins and kinins. Some unanswered questions about system characteristics and roles in human disease. *Hypertension* 1995;26(2):221-9.
64. McBride MW, Charchar FJ, Graham D, Miller WH, Strahorn P, Carr FJ, Dominiczak AF. Functional genomics in rodent models of hypertension. *J Physiol.* 2004;554:56-63.
65. McEachern AE, Shelton ER, Bhakta S, Obernolte R, Bach C, Zuppan P, Fujisaki J, Aldrich RW, and Jarnagin K. Expression cloning of a rat B2 bradykinin receptor. *Proc Natl Acad Sci U S A.* 2003;88:7724-7728.
66. Miao RQ, Agata J, Chao L, Chao J. Kallistatin is a new inhibitor of angiogenesis and tumor growth. *Blood* 2002;100(9):3245-52.
67. Mitchell BD, Kammerer CM, Blangero J, Mahaney MC, Rainwater DL, Dyke B, Hixson JE, Henkel RD, Sharp RM, Comuzzie AG, VandeBerg JL, Stern MP, MacCluer JW. Genetic and environmental contributions to cardiovascular risk factors in Mexican Americans. The San Antonio Family Heart Study. *Circulation.* 1996;94:2159-70.
68. Mune T, Rogerson FM, Nikkila H, Agarwal AK, White PC. Human hypertension caused by mutations in the kidney isozyme of 11 beta-hydroxysteroid dehydrogenase. *Nat.Genet.* 1995;10(4):394-9.
69. Nara Y, Nabika T, Ikeda K, Sawamura M, Endo J, Yamori Y. Blood pressure cosegregates with a microsatellite of angiotensin I converting enzyme (ACE) in F2 generation from a cross between original normotensive Wistar-Kyoto rat (WKY) and stroke-prone spontaneously hypertensive rat (SHRSP). *Biochem.Biophys.Res.Commun.* 1991;181(3):941-6.

70. Nicoll A, Kim HG, Connors BW. Laminar origins of inhibitory synaptic inputs to pyramidal neurons of the rat neocortex. *J Physiol.* 1996;497 ( Pt 1):109-17.
71. Okamoto, K, Yamori, Y, and Nagoaka, A. Establishment of the stroke-prone spontaneously hypertensive rat (SHR). *Jpn.Circ.J.* 1963;27:202-293.
72. Okamoto K, Aoki K. Development of a strain of spontaneously hypertensive rats. *Jpn.Circ.J.* 1963;27:282-93.
73. Oshima T, Matsuura H, Kido K, Matsumoto K, Otsuki T, Fujii H et al. Intralymphocytic sodium and free calcium concentration in relation to salt sensitivity in patients with essential hypertension. *Jpn.Circ.J.* 1987;51(10):1184-90.
74. Pesquero JB, Lindsay CJ, Zeh K, Paiva ACM, Ganten D, and Bader M. Molecular structure and expression of rat bradykinin B<sub>2</sub> receptor gene. *J Biol Chem.* 1994;269: 26920-26925.
75. Pickering G. Hypertension. Definitions, natural histories and consequences. *Am.J.Med.* 1972;52(5):570-83.
76. Pickering G. Normotension and hypertension: the mysterious viability of the false. *Am.J.Med.* 1978;65(4):561-3.
77. Pradadaud F, Tran-Van T, and Ader J-L. Renal kallikrein activity in rats developing spontaneous hypertension. *Clin Sci.* 1989;76:311-315.
78. Pravenec M, Kren V, Kunes J, Scicli AG, Carretero OA, Simonet L et al. Cosegregation of blood pressure with a kallikrein gene family polymorphism. *Hypertension* 1991;17(2):242-6.
79. Primatesta P, Brookes M, Poulter NR. Improved hypertension management and control: results from the health survey for England 1998. *Hypertension* 2001;38(4):827-32.
80. Rapp JP, Dahl LK. Possible role of 18-hydroxy-deoxycorticosterone in hypertension. *Nature* 1972;237(5354):338-9.

81. Rapp JP. A genetic locus (Hyp-2) controlling vascular smooth muscle response in spontaneously hypertensive rats. *Hypertension*. 1982;4:459-67.
82. Rapp JP, Wang SM, Dene H. A genetic polymorphism in the renin gene of Dahl rats cosegregates with blood pressure. *Science* 1989;243(4890):542-4.
83. Rapp JP. Genetic analysis of inherited hypertension in the rat. *Physiol Rev*. 2000;80(1):135-72.
84. Rice T, Rao R, Perusse L, Bouchard C, Rao DC. Tracking of familial resemblance for resting blood pressure over time in the Quebec Family Study. *Hum Biol*. 2000;72:415-31.
85. Rubattu S, Struk B, Kreutz R, Volpe M, Lindpaintner K. Animal models of genetic hypertension: what can we learn for human hypertension? *Clin.Exp.Pharmacol.Physiol* 1995;22(12):S386-S393.
86. Rubattu S, Volpe M, Kreutz R, Ganter U, Ganter D, Lindpaintner K. Chromosomal mapping of quantitative trait loci contributing to stroke in a rat model of complex human disease. *Nat Genet*. 1996;13:429-34.
87. Schork NJ, Nath SP, Lindpaintner K, Jacob HJ. Extensions to quantitative trait locus mapping in experimental organisms. *Hypertension*. 1996;28:1104-11.
88. Schuster H, Wienker TE, Bahring S, Bilginturan N, Toka HR, Neitzel H et al. Severe autosomal dominant hypertension and brachydactyly in a unique Turkish kindred maps to human chromosome 12. *Nat.Genet*. 1996;13(1):98-100.
89. Scicli AG. Increases in cardiac kinins as a new mechanism to protect the heart. *Hypertension*. 1994;23, 419-421.
90. Shimkets RA, Warnock DG, Bositis CM, Nelson-Williams C, Hansson JH, Schambelan M et al. Liddle's syndrome: heritable human hypertension caused by mutations in the beta subunit of the epithelial sodium channel. *Cell* 1994;79(3):407-14.
91. Siragy HM, Jaffa AA, and Margolius HS. Stimulation of renal interstitial kinins by sodium depletion. *Am J Hypertens*. 1984;6:863-866.

92. Siragy HM, Ibrahim MM, Jaffa AA, Mayfield RK, and Margolius HS. Rat renal interstitial bradykinin, prostaglandin E2 and cyclic guanosine 3',5'-monophosphate: effects of altered sodium intake. *Hypertension*. 1994;23(part 2):1068-1070.
93. Slattery ML, Bishop DT, French TK, Hunt SC, Meikle AW, Williams RR. Lifestyle and blood pressure levels in male twins in Utah. *Genet Epidemiol*. 1988;5:277-87.
94. Smirk FH, Hall WH. Inherited hypertension in rats. *Nature* 1958;182(4637):727-8.
95. Staessen JA, Fagard R, Thijss L, Celis H, Arabidze GG, Birkenhager WH et al. Randomised double-blind comparison of placebo and active treatment for older patients with isolated systolic hypertension. The Systolic Hypertension in Europe (Syst-Eur) Trial Investigators. *Lancet* 1997;350(9080):757-64.
96. Stoll M, Kwitek-Black AE, Cowley AW, Jr., Harris EL, Harrap SB, Krieger JE et al. New target regions for human hypertension via comparative genomics. *Genome Res*. 2000;10(4):473-82.
97. Tschöpe C, Heringer-Walther S, and Walther T. Regulation of the kinin receptors after induction of myocardial infarction: a mini-review. *Braz J Med Biol Res* 2000;33:701-708.
98. Vinck WJ, Fagard RH, Loos R, Vlietinck R. The impact of genetic and environmental influences on blood pressure variance across age-groups. *J Hypertens*. 2001;19:1007-13.
99. Wakimoto K, Fujimura H, Iwamoto T, Oka T, Kobayashi K, Kita S, Kudoh S, Kuro-o M, Nabeshima Y, Shigekawa M, Imai Y, Komuro I. Na<sup>+</sup>/Ca<sup>2+</sup> exchanger-deficient mice have disorganized myofibrils and swollen mitochondria in cardiomyocytes. *Comp Biochem Physiol B Biochem Mol Biol*. 2003;135:9-15.
100. Wang J, Xiong W, Yang Z, Davis T, Dewey MJ, Chao J et al. Human tissue kallikrein induces hypotension in transgenic mice. *Hypertension* 1994;23(2):236-43.
101. Wang ZQ, Ouyang Z, Wang DM, Tang XL. Heritability of blood pressure in 7- to 12-year-old Chinese twins, with special reference to body size effects. *Genet Epidemiol*. 1990;7:447-52.

102. Weibust RS, Schlager G. A genetic study of blood pressure, hematocrit and plasma cholesterol in aged mice. *Life Sci.* 1968;7(20):1111-9.
103. Weinberger MH, Miller JZ, Luft FC, Grim CE, Fineberg NS. Definitions and characteristics of sodium sensitivity and blood pressure resistance. *Hypertension* 1986;8(6 Pt 2):II127-II134.
104. Weitz, W. Zur Ätiologie der genuinen oder vaskulären Hypertension. *Z.Klin.Med.* 1923; 96:151-183.
105. Witte JS, Elston RC, Schork NJ. Genetic dissection of complex traits. *Nat.Genet.* 1996;12(4):355-6.
106. Yamori, Y, Ooshima A, and Okamoto, K. Genetic factors involved in spontaneous hypertension in rats. An analysis of F2 segregate generation. *Jpn.Circ.J.* 1972;561-567.
107. Zeegers MP, Rijssdijk F, Sham P, Fagard R, Gielen M, De Leeuw PW, Vlietinck R. The contribution of risk factors to blood pressure heritability estimates in young adults: the East flanders prospective twin study. *Twin Res.* 2004;7:245-53.
108. Zhou GX, Chao L, Chao J. Kallistatin: a novel human tissue kallikrein inhibitor. Purification, characterization, and reactive center sequence. *J.Biol.Chem.* 1992;267(36):25873-80.
109. Zinner SH, Margolius HS, Rosner BR, and Kass EH. Stability of blood pressure rank and urinary kallikrein concentration in childhood. *Circulation*. 1978;58:908-915.
110. Zinner SH, Margolius HS, Rosner B, Keiser HR, and Kass EH. Familial aggregation urinary kallikrein concentration in childhood. *Am J Epidemiol.* 1976;104:124-132.

### **6.3 Bücher und Monographien**

1. Ganter D, Ritz E. Lehrbuch der Hypertonie: Pathophysiologie, Klinik, Therapie, Epidemiologie. Schattauer 1985
2. Ganter D. Leben, Natur, Wissenschaft: Alles, was man wissen muß. Eichborn 2003

3. Swales JD. *Platt versus Pickering: An episode in recent medical history.* The Keynes Press 1985
4. Ward S in: Laragh JH, Brenner MB. *Hypertension: Pathophysiology, Diagnosis, and Management.* Lippincott Williams and Wilkins 1995
5. World Health Organization. *The World Health Report 2002: Shaping the Future.* WHO 2003