

# **Chemically Mediated Mate and Host Finding in Parasitic Wasps**

## **Dissertation**

zur Erlangung des akademischen Grades des Doktors  
der Naturwissenschaften (Dr. rer. nat.)

eingereicht im Fachbereich Biologie, Chemie, Pharmazie der  
**Freien Universität Berlin**

angefertigt am Institut für Biologie  
Angewandte Zoologie / Ökologie der Tiere

vorgelegt von

**Sven Steiner**

aus Uelzen

Berlin, im November 2006

Diese Dissertation wurde am Institut für Biologie der Freien Universität Berlin  
in der Arbeitsgruppe Angewandte Zoologie / Ökologie der Tiere unter der  
Anleitung von Herrn PD Dr. Joachim Ruther angefertigt.

1. Gutachter: PD Dr. Joachim Ruther
2. Gutachter: Prof. Dr. Monika Hilker

Disputation am: 20. Dezember 2006

*It is the little things that run the world*

Edward O. Wilson

**This thesis is based on the following manuscripts:**

- (1) Steiner, S., Steidle, J.L.M. and Ruther, J. (2005) Female sex pheromone in immature insect males – A case of pre-emergence chemical mimicry? *Behav. Ecol. Sociobiol.* 58:111-120.
- (2) Steiner, S., Mumm, R. and Ruther, J. (subject of minor revision, *J. Chem. Ecol.*) Courtship pheromones in parasitic wasps: Comparison of bioactive and inactive hydrocarbon profiles by multivariate statistical methods.
- (3) Steiner, S., Henrich, N., Erdmann, D. and Ruther, J. (submitted) Mating with sperm-depleted males does not increase female mating frequency in the parasitoid *Lariophagus distinguendus*.
- (4) Steiner, S., Hermann, N. and Ruther, J. (2006) Characterization of a female-produced courtship pheromone in the parasitoid *Nasonia vitripennis*. *J. Chem. Ecol.* 32:1687–1702.
- (5) Ruther, J., Stahl, L.M. and Steiner, S. (submitted) A male sex pheromone in a parasitic wasp and control of the olfactory response by the female mating status.
- (6) Steiner, S., Steidle, J.L.M. and Ruther, J. (submitted) Host-associated kairomones used for host and mate finding in the parasitoid *Lariophagus distinguendus* (Hymenoptera: Pteromalidae).
- (7) Steiner, S., Erdmann, D., Steidle, J.L.M. and Ruther, J. (submitted) Host habitat assessment by a parasitoid using fungal volatiles.

## Table of Contents

<b>Chapter 1</b>	General Introduction and Thesis Outline	1
<b>Chapter 2</b>	Female Sex Pheromone in Immature Insect Males – A Case of Pre-Emergence Chemical Mimicry?	19
<b>Chapter 3</b>	Courtship Pheromones in Parasitic Wasps: Comparison of Bioactive and Inactive Hydrocarbon Profiles by Multivariate Statistical Methods	41
<b>Chapter 4</b>	Mating with Sperm-Depleted Males Does Not Increase Female Mating Frequency in the Parasitoid <i>Lariophagus distinguendus</i>	61
<b>Chapter 5</b>	Characterisation of a Female-Produced Courtship Pheromone in the Parasitoid <i>Nasonia vitripennis</i>	75
<b>Chapter 6</b>	A Male Sex Pheromone in a Parasitic Wasp and Control of the Olfactory Response by the Female Mating Status	97
<b>Chapter 7</b>	Host-Associated Kairomones Used for Host and Mate Finding in the Parasitoid <i>Lariophagus distinguendus</i> (Hymenoptera: Pteromalidae)	111
<b>Chapter 8</b>	Host Habitat Assessment by a Parasitoid Using Fungal Volatiles	125
<b>Chapter 9</b>	General Discussion	143
<b>Chapter 10</b>	Summary	165
<b>Chapter 11</b>	Zusammenfassung	171
	Acknowledgements	179