

6. References

A

- Ahern, T. J. and Klibanov, A. M. (1985). "The mechanism of irreversible enzyme inactivation at 100°C." *Science* 228: 1280-1284.
- Akke, M. and Forsen, S. (1990). "Protein stability and electrostatic interactions between solvent exposed charged side chains." *PROTEINS: Structure, Function, and Genetics* 8: 23-29.
- Al-Azzam, W., Pastrana, E. A. and Griebenow, K. (2002). "Co-lyophilization of bovine serum albumin (bsa) with poly(ethylene glycol) improves efficiency of bsa encapsulation and stability in polyester microspheres by a solid-in-oil-in-oil technique." *Biotechnology Letters* 24: 1367-1374.
- Al-Tahami, K., Meyer, A. and Singh, J. (2006). "Poly lactic acid based injectable delivery systems for controlled release of a model protein, lysozyme." *Pharm. Dev. Tech.* 11: 79-86.
- Allison, S. D., Dong, A. and Carpenter, J. F. (1996). "Counteracting effects of thiocyanate and sucrose on chymotrypsinogen secondary structure and aggregation during freezing, drying, and rehydration." *Biophys. J.* 71: 2022-2032.
- Anschel, J. (1960). Relaxin composition and process for preparing same. US 2,964,448.
- Apenten, O. (1998). "Protein stability function relations: B-lactoglobulin-a sulphhydryl group reactivity and its relationship to protein unfolding stability." *Int. J. Biol. Macromol.* 23: 19-25.
- Arakawa, T. and Timasheff, S. N. (1982). "Stabilization of protein structure by sugars." *Biochemistry* 21: 6536-6544.
- Arnaudov, L. N. and de Vries, R. (2005). "Thermally induced fibrillar aggregation of hen egg white lysozyme." *Biophys. J.* 88: 515-526.
- Asano, M., Yoshida, M. and Kaetsu, I. (1985). "Biodegradability of a hot-pressed poly(lactic acid) formulation with controlled release of lh-rh agonist and its pharmacological influence on rat prostate." *Makromol. Chem. Rapid Commun.* 6: 509-513.

B

- Bailey, J. W., Haymond, M. W. and Miles, J. M. (1991). "Triacetin: A potential parenteral nutrient." *J. Parenter. Enteral Nutr.* 15: 32-36.

- Baker, D. P., Lin, E. D., Lin, K., Petter, R. C., Chen, L. L., Arduini, R. M., Brickelmaier, M., Wen, D., Hess, D. M., Chen, L., Grant, D., Whitty, A., Gill, A., Lindner, D. J. and Pepinsky, R. B. (2006). "N-terminally pegylated human interferon-beta-1a with improved pharmacokinetic properties and in vivo efficacy in a melanoma angiogenesis model." *Bioconjugate Chem.* 17:179-188.
- Banting, F. G., Best, C. H., Collip, J. B., Campbell, W. R. and Fletcher, A. A. (1922). "Pancreatic extracts in the treatment of diabetes mellitus." *Can. Med. Assoc. J.* 12: 141.
- Batycky, R. P., Hanes, J., Langer, R. and Edwards, D. A. (1997). "A theoretical model of erosion and macromolecular drug release from biodegrading microspheres." *J. Pharm. Sci.* 86: 1464-1477.
- Bellary, S. and Barnett, A. H. (2006). "Inhaled insulin (exubera®): Combining efficacy and convenience." *Diabetes Vasc. Dis. Res.* 3: 179-185.
- Bennion, B. J. and Daggett, V. (2003). "The molecular basis for the chemical denaturation of proteins by urea." *PNAS* 100: 5142-5147.
- Bilati, U., Allèmann, E. and Doelker, E. (2005a). "Strategic approaches for overcoming peptide and protein instability within biodegradable nano- and microparticles." *Eur. J. Pharm. Biopharm.* 59: 375-388.
- Bilati, U., Pasquarello, C., Corthals, G. L., Hochstrasser, D. F., Allèmann, E. and Doelker, E. (2005b). "Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry for quantitation and molecular stability assessment of insulin entrapped within plga nanoparticles." *J. Pharm. Sci.* 94: 688-694.
- Birnbaum, D. T. and Brannon-Peppas, L. (2003). "Molecular weight distribution changes during degradation and release of plga nanoparticles containing epirubicin hcl." *J. Biomater. Sci.* 14: 87-102.
- Blanco-Prieto, M. J., Campanero, M. A., Besseghir, K., Heimgatner, F. and Gander, B. (2004). "Importance of single or blended polymer types for controlled in vitro release and plasma levels of a somatostatin analogue entrapped in pla/plga microspheres." *J. Control. Release* 2004: 437-448.
- Blanco, D. and Alonso, M. J. (1998). "Protein encapsulation and release from poly(lactide-co-glycolide) microspheres: Effect of the protein and polymer properties and of the co-encapsulation of surfactants." *Eur. J. Pharm. Biopharm.* 45: 285-294.

- Blanco, M. D. and Alonso, M. J. (1997). "Development and characterization of protein-loaded poly(lactide-co-glycolide) nanospheres." *Eur. J. Pharm. Biopharm.* 43: 287-294.
- Bodmeier, R. (1997). Verfahren zur in-situ herstellung von partikeln. DE Pat. Appl. 197,24,784.
- Bodmeier, R. (2000). Multiphasensystem. EP 0,996,426 A1.
- Bostroem, M., Williams, D. R. M. and Ninham, B. W. (2003). "Specific ion effects: Why the properties of lysozyme in salt solutions follow a hofmeister series." *Biophys. J.* 85: 686-694.
- Branchu, S., Forbes, R. T., York, P. and Nyqvist, H. (1999). "A central composite design to investigate the thermal stabilization of lysozyme." *Pharm. Res.* 16: 702-708.
- Brannon-Peppas, L. (1997). "Polymers in controlled drug delivery." *Medical Plastics and Biomaterials* 4: 34-44.
- Brodbeck, K. J., DesNoyer, J. R. and McHugh, A. J. (1999a). "Phase inversion dynamics of plga solutions related to drug delivery part ii. The role of solution thermodynamics and bath-side mass transfer." *J. Control. Release* 62: 333-344.
- Brodbeck, K. J., Gaynor-Duarte, A. T. and Shen, T. T. (2000). Gel composition and methods. US 6,130,200.
- Brodbeck, K. J., Pushpala, S. and McHugh, A. J. (1999b). "Sustained release of human growth hormone from plga solution depots." *Pharm. Res.* 16: 1825-1829.
- Bromberg, L. E. and Klibanov, A. M. (1995). "Transport of proteins dissolved in organic solvents across biomimetic membranes." *Proc. Natl. Acad. Sci.* 92: 1262-1266.
- Buchholz, B. (1992). Accelerated degradation test on resorbable polymers. Degradation phenomena on polymeric biomaterials. H. Planck, M. Dauner and M. Renardy, editors. New York, Springer-Verlag: 67-76.
- Butler, S. M., Tracy, M. A. and Tilton, R. D. (1999). "Adsorption of serum albumin to thin films of poly(lactide-coglycolide)." *J. Control. Release* 58: 335-347.

C

- Cameron, N. R. and Sherrington, D. C. (1996). *J. Chem. Soc., Faraday Trans.* 92: 1543-1547.
- Canfield, R. E. and Liu, A. K. (1965). "The disulfide bonds of egg white lysozyme (muramidase)." *J. Biol. Chem.* 240: 1997.

- Cao, A., Hu, D. and Lai, L. (2004). "Formation of amyloid fibrils from fully reduced hen egg white lysozyme." *Protein Sci.* 13: 319-324.
- Carrasquillo, K. G., Stanley, A. M., Aponte-Carro, J. C., de Jèsus, P., Constantino, H. R., Bosques, C. J. and Griebenow, K. (2001). "Non-aqueous encapsulation of excipient-stabilized spray-freeze dried bsa into poly(lactide-co-glycolide) microspheres results in release of native protein." *J. Control. Release* 76: 199-208.
- Castellanos, I. J., Carrasquillo, K. G., de Jèsus López, J., Alvarez, M. and Griebenow, K. (2001). "Encapsulation of bovine serum albumin in poly(lactide-co-glycolide) microspheres by the solid-in-oil-in-water technique." *J. Pharm. Pharmacol.* 53: 167-178.
- Castillo, E. J., Koenig, J. L. and Anderson, J. M. (1985). "Protein adsorption on hydrogels." *Biomaterials* 6: 338-345.
- Catiker, E., Guemuesderelioglu, M. and Güner, A. (2000). "Degradation of pla, plga homo- and copolymers in the presence of serum albumin: A spectroscopic investigation." *Polym. Int.* 49: 728-734.
- Chan, C. C. W., Ng, E. H. Y., Chan, M. M. Y., Tang, O. S., Lau, E. Y. L., Yeung, W. S. B. and Ho, P. (2003). "Bioavailability of hcg after intramuscular or subcutaneous injection in obese and non-obese women." *Hum. Reprod.* 18: 2294-2297.
- Chang, L., Lee, H., Yang, Z. and Yang, V. C. (2001). "Low molecular weight protamine (lmwp) as nontoxic heparin/low molecular weight heparin antidote (i): Preparation and characterization." *AAPS PharmSci.* 3: E17.
- Chang, N., Hen, S. J. and Klibanov, A. M. (1991). "Protein separation and purification in neat dimethyl sulfoxide." *Biochem. Biophys. Res. Commun.* 176: 1462-1468.
- Chediack, J. G., Caviedes-Vidal, E., Fasulo, V., Yamin, L. J. and Karasov, W. H. (2003). "Intestinal passive absorption of water-soluble compounds by sparrows: Effect of molecular size and luminal nutrients." *J. Comp. Physiol. B.* 173: 187-197.
- Chen, L., Apte, R. N. and Cohen, S. (1997). "Characterization of plga microspheres for the controlled delivery of il-1a for tumor immunotherapy." *J. Control. Release* 43: 261-272.
- Chern, R. T. and Zingerman, J. R. (1999). Liquid polymeric compositions for controlled release of bioactive substances. WO 99/47073.

- Chi, E. Y., Krishnan, S., Randolph, T. W. and Carpenter, J. F. (2003). "Physical stability of proteins in aqueous solution: Mechanism and driving forces in nonnative protein aggregation." *Pharm. Res.* 20: 1325-1336.
- Chien, Y. W., Przybyszewski, P. and Shami, E. G. (1981). "Syringeability of nonaqueous parenteral formulations-development and evaluation of a testing apparatus." *J. Par. Sci. Tech.* 35: 281-284.
- Chin, J. T., Wheeler, S. L. and Klibanov, A. M. (1994). "On protein solubility in organic solvents." *Biotechnol. Bioeng.* 44: 140-145.
- Chitkara, D., Shikanov, A., Kumar, N. and Domb, A. J. (2006). "Biodegradable injectable in situ depot-forming drug delivery systems." *Macromol. Biosci.* 6: 977-990.
- Cho, K. Y., Choi, S. H., Kim, C., Nam, Y. S., Park, T. G. and Park, J. (2001). "Protein release microparticles based on the blend of poly(d,l-lactic-co-glycolic acid) and oligoethylene glycol grafted poly(l-lactide)." *J. Control. Release* 76: 275-284.
- Clark, P. L. (2004). "Protein folding in the cell: Reshaping the folding funnel." *Trends Biochem. Sci.* 29: 527-534.
- Claudy, P., Lètoffè, J. M., Bayol, A., Bonnet, M. C. and Maurizot, J. C. (1992). "Denaturation versus ph of lysozyme and biosynthetic human growth hormone by differential scanning calorimetry and circular dichroism: A comparative study." *Thermochim. Acta* 207: 227-237.
- Cleland, J. L. (1997d). Protein delivery from biodegradable microspheres. *Protein delivery: Physical systems. Pharmaceutical biotechnology.* L. M. Sanders and R. W. Hendren, editors. New York, Plenum Press. 10: 1-39.
- Cleland, J. L., Builder, S. E., Swartz, J. R., Winkler, M., Chang, J. Y. and Wang, D. I. C. (1992). "Polyethylene glycol enhanced protein refolding." *Bio/Technology* 10: 1013-1019.
- Cleland, J. L., Daugherty, A. and Mrsny, R. (2001). "Emerging protein delivery methods." *Curr. Opin. Biotechnol.* 12: 212-219.
- Cleland, J. L., Duenas, E., Daugherty, A., Marian, M., Yang, J., Wilson, M., Celniker, A. C., Shahzamani, A., Quarmby, V., Chu, H., Mukku, V., Mac, A., Roussakis, M., Gillette, N., Boyd, B., Yeung, D., Brooks, D., Maa, Y., Hsu, C. and Jones, A. J. S. (1997b). "Recombinant human growth hormone poly(lactic-co-glycolic acid) (plga) microspheres provide a long lasting effect." *J. Control. Release* 49: 193-205.

- Cleland, J. L. and Jones, A. J. S. (1996). "Stable formulations of recombinant human growth hormone and interferon-gamma for microencapsulation in biodegradable microspheres." *Pharm. Res.* 13: 1464-1475.
- Cleland, J. L., Lim, A., Barròn, L., Duenas, E. T. and Powell, M. F. (1997c). "Development of a single-shot subunit vaccine for hiv-1: Part 4. Optimizing microencapsulation and pulsatile release of mn rgp120 from biodegradable microspheres." *J. Control. Release* 47: 135-150.
- Cleland, J. L., Mac, A., Boyd, B., Yang, J., Duenas, E. T., Yeung, D., Brooks, D., Hsu, C., Chu, H., Mukku, V. and Jones, A. J. S. (1997a). "The stability of recombinant human growth hormone in poly(lactic-co-glycolic acid) (plga) microspheres." *Pharm. Res.* 14: 420-425.
- Cleland, J. L., Powell, M. F. and Shire, S. J. (1993). "The development of stable protein formulations: A close look at protein aggregation, deamidation, and oxidation." *Crit. Rev. Ther. Drug Carrier Syst.* 10: 307-377.
- Colombiè, A., Gaunand, A. and Lindet, B. (2001). "Lysozyme inactivation under mechanical stirring: Effect of physical and molecular interfaces." *Enzyme Microb. Technol.* 28: 820-826.
- Costantino, H. R., Firouzabadian, L., Hogeland, K., Wu, C., Beganski, C., Carrasquillo, K. G., Còrdova, M., Griebenow, K., Zale, S. E. and Tracy, M. A. (2000). "Protein spray-freeze drying. Effect of atomization conditions on particle size and stability." *Pharm. Res.* 17: 1374-1383.
- Costantino, H. R., Firouzabadian, L., Wu, C., Carrasquillo, K. G., Griebenow, K., Zale, S. E. and Tracy, M. A. (2002). "Protein spray freeze drying.2. Effect of formulation variables on particle size and stability." *J. Pharm. Sci.* 91: 388-395.
- Costantino, H. R., Griebenow, K., Mishra, P., Langner, R. and Klibanov, A. M. (1995). "Fourier-transform infrared spectroscopic investigation of protein stability in the lyophilized form." *Biochim. Biophys. Acta* 1253: 69-74.
- Costantino, H. R., Johnson, O. L. and Zale, S. E. (2004). "Relationship between encapsulated drug particle size and initial release of recombinant human growth hormone from biodegradable microspheres." *J. Pharm. Sci.* 93: 2624-2634.
- Crotts, G. and Park, T. G. (1997). "Stability and release of bovine serum albumin encapsulated within poly(d,l-lactide-co-glycolide) microparticles." *J. Control. Release* 44: 123-134.

- Crofts, G., Sah, H. and Park, T. G. (1997). "Adsorption determines in-vitro protein release rate from biodegradable microspheres: Quantitative analysis of surface area during degradation." *J. Control. Release* 47: 101-111.
- Curtis, R. A., Steinbrecher, C., Heinemann, M., Blanch, H. W. and Prausnitz, J. M. (2002b). "Hydrophobic forces between protein molecules in aqueous solutions of concentrated electrolyte." *Biophys. Chem.* 98: 249-265.
- Curtis, R. A., Ulrich, J., Montaser, A., Prausnitz, J. M. and Blanch, H. W. (2002a). "Protein-protein interactions in concentrated electrolyte solutions." *Biotechnol. Bioeng.* 79: 367-380.

D

- D'Souza, A. J. M., Schowen, R. L., Borchardt, R. T., Salsbury, J. S., Munson, E. J. and Topp, E. M. (2003). "Reaction of a peptide with polyvinylpyrrolidone in the solid state." *J. Pharm. Sci.* 92: 585-593.
- D'Souza, S. and DeLuca, P. P. (2006). "Methods to assess in vitro drug release from injectable polymeric particulate systems." *Pharm. Res.* 23: 460-474.
- D'Souza, S. S., Faraj, J. A. and DeLuca, P. P. (2005). "A model-dependent approach to correlate accelerated with real-time release from biodegradable microspheres." *AAPS Pharm. Sci. Tech.* 6: article 70.
- Dabulis, K. and Klibanov, A. M. (1992). "Dramatic enhancement of enzymatic activity in organic solvents by lyoprotectants." *Biotechnol. Bioeng.* 41: 566-571.
- Davis, B. G. and Robinson, M. A. (2002). "Drug delivery systems based on sugar macromolecule conjugates." *Curr. Opin. Drug Discov. Devel.* 5: 279-288.
- Davis, B. K. (1972). "Control of diabetes with polyacrylamide implants containing insulin." *Experientia* 28: 348.
- Davis, B. K. (1974). "Diffusion in polymer gel implants." *Proc. Nat. Acad. Sci.* 71: 3120-3123.
- de Jong, S. J., Arias, E. R., Rijkers, D. T. S., van Nostrum, C. F., Kettenes-van den Bosch, J. J. and Hennink, W. E. (2001). "New insights into the hydrolytic degradation of poly(lactic acid): Participation of the alcohol terminus." *Polymer* 42: 2795-2802.

- DesNoyer, J. R. and McHugh, A. J. (2001). "Role of crystallization in the phase inversion dynamics and protein release kinetics of injectable drug delivery systems." *J. Control. Release* 70: 285-294.
- DesNoyer, J. R. and McHugh, A. J. (2003). "The effect of pluronic on the protein release kinetics of an injectable drug delivery system." *J. Control. Release* 86: 15-24.
- Dinner, A. R., Sali, A., Smith, L. J., Dobson, C. M. and Karplus, M. (2000). "Understanding protein folding via free energy surfaces from theory and experiment." *Trends Biochem. Sci.* 25: 331-339.
- Diwan, M. and Park, T. G. (2001). "Pegylation enhances protein stability during encapsulation in plga microspheres." *J. Control. Release* 73: 233-244.
- Dobson, C. M. (2003). "Protein folding and misfolding." *Nature* 426: 884-889.
- Dong, M., Baggetto, L. G., Falson, P., Le Maire, M. and Penin, F. (1997). "Complete removal and exchange of sodium dodecyl sulfate bound to soluble and membrane proteins and restoration of their activities, using ceramic hydroxyapatite chromatography1." *Anal. Biochem.* 247: 333-341.
- Dong, W. Y., Körber, M., López Esguerra, V. and Bodmeier, R. (2006). "Stability of poly(d,l-lactide-co-glycolide) and leuprolide acetate in in-situ forming drug delivery systems." *J. Control. Release* 115: 158-167.
- Donovan, M. D., Flynn, G. L. and Amidon, G. L. (1990). "Absorption of polyethylene glycols 600 through 2000: The molecular weight dependence of gastrointestinal and nasal absorption." *Pharm. Res.* 7: 863-868.
- Drummond, C. J. and Fong, C. (2000). "Surfactant self-assembly objects as novel drug deliveryvehicles." *Curr. Opin. Colloid. Interface Sci.* 4: 449-456.
- Dunn, R. L. and al., e. (1990). Biodegradable in-situ forming implants and methods of producing the same. US 4,938,763.
- Dunn, R. L., English, J. P., Cowsar, D. R. and Vanderbilt, D. P. (1994). Biodegradable in-situ forming implants and methods of producing the same. US 5,278,201.
- Dunn, R. L., English, J. P., Cowsar, D. R. and Vanderbilt, D. P. (1998). Biodegradable in-situ forming implants and methods of producing the same. US 5,739,176.
- Dunn, R. L. and Tipton, A. J. (1997). Polymeric compositions useful as controlled release implants. US 5,702,716.
- Dunn, R. L., Tipton, A. J. and Southard, G. L. (1992). Biodegradable polymer composition. EP 0539751 A1.

E

- Eberlein, G. A., Stratton, P. R. and Wang, Y. J. (1994). "Stability of rhbfgf as determined by uv spectroscopic measurements of turbidity." *J. Pharm. Sci. Tech.* 48: 224-230.
- Edlund, U. and Albertsson, A. C. (2002). "Degradable polymer microspheres for controlled drug delivery." *Advances in Polymer Science* 157: 67-112.
- Eliaz, R. and Kost, J. (1997). Composition and method for forming biodegradable implants in situ and uses of these implants. WO 97/42987.
- Eliaz, R. E. and Kost, J. (2000). "Characterization of a polymeric plga-injectable implant delivery system for the controlled release of proteins." *J. Biomed. Mater. Res.* 50: 388-396.
- Eliaz, R. E. and Szoka Jr, F. C. (2002). "Robust and prolonged gene expression from injectable polymeric implants." *Gene Therapy* 9: 1230-1237.
- Eliaz, R. E., Wallach, D. and Kost, J. (2000). "Delivery of soluble tumor necrosis factor receptor from in-situ forming plga implants: In-vivo." *Pharm. Res.* 17: 1546-1550.
- Estey, T., Kang, J., Schwendemann, S. P. and Carpenter, J. F. (2006). "Bsa degradation under acidic conditions: A model for protein instability during release from plga delivery systems." *J. Pharm. Sci.* 95: 1626-1639.

F

- Faisant, N., Siepmann, J. and Benoit, J. P. (2002). "Plga-based microparticles: Elucidation of mechanisms and a new, simple mathematical model quantifying drug release." *Eur. J. Pharm. Sci.* 15: 355-366.
- Filipe, C. D. M. and Ghosh, R. (2005). "Effects of protein–protein interaction in ultrafiltration based fractionation processes." *Biotechnol. Bioeng.* 91: 678-687.
- Fischer, H., Polikarpov, I. and Craievich, A. F. (2004). "Average protein density is a molecular-weight-dependent function." *Protein Sci.* 13: 2825-2828.
- Fu, K., Klibanov, A. M. and Langer, R. (2000a). "Protein stability in controlled-release systems." *Nature Biotech.* 18: 24-25.

Fu, K., Pack, D. W., Klibanov, A. M. and Langer, R. (2000b). "Visual evidence of acidic environment within degrading poly(lactic-co-glycolic acid) (plga) microspheres." *Pharm. Res.* 17: 100-106.

G

- Galkin, O. and Vekilov, P. G. (2000). "Control of protein crystal nucleation around the metastable liquid–liquid phase boundary." *Proc. Natl. Acad. Sci.* 97: 6277-6281.
- Ganguly, S. and Dash, A. K. (2004). "A novel *in situ* gel for sustained drug delivery and targeting." *Int. J. Pharm.* 276: 83-92.
- Gao, Y. and Mehta, K. (2001). "Interchain disulfide bonds promote protein cross-linking during protein folding." *J. Biochem.* 129: 179-183.
- Gaspar, M. M., Blanco, D., Cruz, M. E. M. and Alonso, M. J. (1998). "Formulation of l-asparaginase-loaded poly(lactide-co-glycolide) nanoparticles: Influence of polymer properties on enzyme loading, activity and *in vitro* release." *J. Control. Release* 52: 53-62.
- Geiger, T. and Clarke, S. (1987). "Deamidation, isomerization, and racemization at asparaginyl and aspartyl residues in peptides." *J. Biol. Chem.* 262: 785-794.
- Gerich, J. E. (2004). "Insulin glargine: Long-acting basal insulin analog for improved metabolic control." *Curr. Med. Res. Opin.* 20: 31-37.
- Ghaderi, R. and Carlfors, J. (1997). "Biological activity of lysozyme after entrapment in poly (d,l-lactide-co-glycolide)-microspheres." *Pharm. Res.* 14: 1556-1562.
- Gilding, D. K. and Reed, A. M. (1979). "Biodegradable polymers for use in surgery-polyglycolic/poly(actic acid) homo- and copolymers: 1." *Polymer* 20: 1459-1464.
- Gitlin, I., Carbeck, J. D. and Whitesides, G. M. (2006). "Why are proteins charged? Networks of charge-charge interactions in proteins measured by charge ladders and capillary electrophoresis." *Angew. Chem. Int. Ed.* 45: 3022-3060.
- Glassman, H. N. and Molnar, D. M. (1951). "Precipitation and inhibition of lysozyme by surface-active agents." *Arch. Biochem.* 32: 170-180.
- Goepferich, A. (1997). "Polymer bulk erosion." *Macromolecules* 30: 2598-2604.
- Goepferich, A. and Tessmar, J. (2002). "Polyanhydride degradation and erosion." *Adv. Drug Deliv. Rev.* 54: 911-931.

- Goldberg, M. and Gomez-Orellana, I. (2003). "Challenges for the oral delivery of macromolecules." *Nat. Rev. Drug Discov.* 2: 289-295.
- Gombotz, W. R., Healy, M. S. and Brown, L. R. (1991). Very low temperature casting of controlled release microspheres. US 5,019,400.
- Gombotz, W. R. and Pettit, D. K. (1995). "Biodegradable polymers for protein and peptide drug delivery." *Bioconjugate Chem.* 6: 332-351.
- Graham, P. D., Brodbeck, K. J. and McHugh, A. J. (1999). "Phase inversion dynamics of plga solutions related to drug delivery." *J. Control. Release* 58: 233-245.
- Greenwald, R. B., Choe, Y. H., McGuire, J. and Conover, C. D. (2003). "Effective drug delivery by pegylated drug conjugates." *Adv. Drug Deliv. Rev.* 55: 217-250.
- Griebelnow, K. and Klibanov, A. M. (1995). "Lyophilization-induced reversible changes in the secondary structure of proteins." *Proc. Natl. Acad. Sci.* 92: 10969-10976.
- Griebelnow, K. and Klibanov, A. M. (1996). "On protein denaturation in aqueous-organic mixtures but not in pure organic solvents." *J. Am. Chem. Soc.* 118: 11695-11700.
- Gupta, P. N., Mishra, V., Rawat, A., Dubey, P., Mahor, S., Jain, S., Chatterji, D. P. and Vyas, S. P. (2005). "Non-invasive vaccine delivery in transfersomes, niosomes and liposomes: A comparative study." *Int. J. Pharm.* 293: 73-82.

H

- Ha, E., Wang, W. and Wang, Y. J. (2002). "Peroxide formation in polysorbate 80 and protein stability." *J. Pharm. Sci.* 91: 2252-2264.
- Halter, M., Antia, M. and Vogel, V. (2005). "Fibronectin conformational changes induced by adsorption to liposomes." *J. Control. Release* 101: 209-222.
- Hamdan, S., Laili, C. R. and Salina, S. (1995). "Vegetable oil in aqueous and nonaqueous microemulsions systems stabilized by non-ionic surfactants." *Elaies* 7: 148-155.
- Hatefi, A. and Amsden, B. (2002). "Biodegradable injectable in situ forming drug delivery systems." *J. Control. Release* 80: 9-28.
- Heidemann, W., Jeschkeit-Schubbert, S., Ruffieux, K., Fischer, J. H., Jung, H., Krueger, G., Wintermantel, E. and Gerlach, K. L. (2002). "Ph-stabilization of predegraded pdll-a by an admixture of water-soluble sodiumhydrogenphosphate—results of an in vitro-and in vivo-study." *Biomaterials* 23: 3567-3574.

- Heller, J. and Ng, S. Y. (1999). Polymers with controlled physical state and bioerodibility. US 5,968,543.
- Hem, S. L., Bright, D. R., Bunker, G. S. and Pogue, J. P. (1975). "Tissue irritation of potential parenteral vehicles." *Drug Dev Commun* 1: 471-477.
- Herberhold, H., Marchal, S., Lange, R., Scheyhing, C. H., Vogel, R. F. and Winter, R. (2003). "Characterization of the pressure-induced intermediate and unfolded state of red-shifted green fluorescent protein- a static and kinetic ftir, uv/vis and fluorescence spectroscopy study." *J. Mol. Biol.* 330: 1153-1164.
- Herberhold, H., Royer, C. A. and Winter, R. (2004). "Effects of chaotropic and kosmotropic cosolvents on the pressure-induced unfolding and denaturation of proteins: An ft-ir study on staphylococcal nuclease." *Biochemistry* 43: 3336-3345.
- Herceg, Z., Lelas, V. and Kresic, G. (2005). "Influence of tribomechanical micronization on the physical and functional properties of whey proteins." *Int. J. Diary Technol.* 58: 225-232.
- Herrmann, J. and Bodmeier, R. (1995). "Somatostatin containing biodegradable microspheres prepared by a modified solvent evaporation method based on w/o/w-multiple emulsions." *Int. J. Pharm.* 126(129-138).
- Higuchi, T. (1961). "Rate of release of medicaments from ointment bases containing drugs in suspensions." *J. Pharm. Sci.* 50: 874-875.
- Hinchcliffe, M. and Illum, L. (1999). "Intranasal insulin delivery and therapy." *Adv. Drug Deliv. Rev.* 35: 199-234.
- Hoffmann (1990). "Purification and analysis of the major components of chum salmon protamine contained in insulin formulations using high-performance liquid chromatography." *Protein Expr. Purif.* 1: 127-133.
- Hofmeister, F. (1888). "Zur lehre der wirkung der salze. Zweite mitteilung." *Arch. Exp. Pathol. Pharmakol.* 24: 247-260.
- Hora, M. S., Rana, R. K., Nunberg, J. H., Tice, T. R., Gilley, R. M. and Hudson, M. E. (1990). "Release of human serum albumin from poly(lactide-co-glycolide) microspheres." *Pharm. Res.* 7: 1190-1194.
- Houen, P. G. (1996). "The solubility of proteins in organic solvents." *Acta Chem. Scand.* 50: 68-70.

- Hsu, Y., Gresser, J. D., Trantolo, D. J., Lyons, C. M., Gangadharam, P. R. J. and Wise, D. L. (1996). "Low-density poly(dl-lactide-co-glycolide) foams for prolonged release of isoniazid." *J. Control. Release* 40: 293-302.
- Huang, X. and Brazel, C. S. (2001). "On the importance and mechanisms of burst release in matrix-controlled drug delivery systems." *J. Control. Release* 73: 121-136.
- Hubbell, J. A. (1996). "Hydrogel systems for barriers and local drug delivery in the control of wound healing." *J. Control. Release* 39: 305-313.
- Hurrell, S. and Cameron, R. E. (2003). "The effect of buffer concentration, ph and buffer ions on the degradation and drug release from polyglycolide." *Polym. Int.* 52: 358-366.

I

- Ibrahim, M. A., Ismail, A., Fetough, M. I. and Göpferich, A. (2005). "Stability of insulin during the erosion of poly(lactic acid) and poly(lactic-co-glycolic acid) microspheres." *J. Control. Release* 106: 241-252.
- Igurtua, M., Hernàndez, R. M., Esquível, A., Gascòn, A. R., Calvo, M. B. and Pedraz, J. L. (1998). "Stability of bsa encapsulated into plga microspheres using page and capillary electrophoresis." *Int. J. Pharm.* 169: 45-54.
- Illum, L. (2004). "Is nose-to-brain transport of drugs in man a reality?" *Pharm. Pharmac.* 56: 3-17.
- Imhof, A. and Pine, D. J. (1997). "Stability of nonaqueous emulsions." *J. Colloid Interface Sci.* 192: 368-374.
- Imoto, T. (1997). "Stabilization of protein." *Cell. mol. life sci.* 53: 215-223.

J

- Jackson, M. and Mantsch, H. H. (1991). "Beware of proteins in dmso." *Biochimica et Biophysica acta*: 231-235.
- Jaenicke, R. (1999). "Stability and folding of domain proteins." *Prog. Biophys. Mol. Biol.* 71: 155-241.
- Jaganathan, K. S., Rao, Y. U. B., Singh, P., Prabakaran, D., Gupta, S., Jain, A. and Vyas, S. P. (2005). "Development of a single dose tetanus toxoid formulation based on

- polymeric microspheres: A comparative study of poly(d,l-lactic-co-glycolic acid) versus chitosan microspheres." *Int. J. Pharm.* 294: 23-32.
- Jain, R. A. (2000a). "The manufacturing techniques of various drug loaded biodegradable poly(lactide-co-glycolide) (plga) devices." *Biomaterials* 21: 2475-2490.
- Jain, R. A., Rhodes, C. T., Railkar, A. M., Waseem Malick, A. and Shah, N. H. (2000b). "Comparison of various injectable protein loaded biodegradable poly(lactide-co-glycolide) (plga) devices: In-situ-formed implant versus in-situ-formed microspheres versus isolated microspheres." *Pharm. Dev. Tech.* 5: 201-207.
- Jain, R. A., Rhodes, C. T., Railkar, A. M., Waseem Malick, A. and Shah, N. H. (2000c). "Controlled release of drugs from injectable in situ formed biodegradable plga microspheres: Effect of various formulation variables." *Eur. J. Pharm. Biopharm.* 50: 257-262.
- Jiang, G., Woo, B. H., Kang, F., Singh, J. and DeLuca, P. P. (2002). "Assessment of protein release kinetics, stability and protein polymer interaction of lysozyme encapsulated poly(d,l-lactide-co-glycolide) microspheres." *J. Control. Release* 79: 137-145.
- Jiang, W. L. and Schwendemann, S. P. (2001a). "Stabilization of a model formalinized protein antigen encapsulated in poly(lactide-co-glycolide)-based microspheres." *J. Pharm. Sci.* 90: 1558-1569.
- Jiang, W. L. and Schwendemann, S. P. (2001b). "Stabilization and controlled release of bovine serum albumin encapsulated in poly(d, l-lactide) and poly(ethylene glycol) microsphere blends." *Pharm. Res.* 18: 878-885.
- Johansen, P., Corradin, G., Merkle, H. P. and Gander, B. (1998a). "Release of tetanus toxoid from adjuvants and plga microspheres: How experimental set-up and surface adsorption fool the pattern." *J. Control. Release* 56: 209-217.
- Johansen, P., Men, Y., Audran, R., Corradin, G., Merkle, H. P. and Gander, B. (1998b). "Improving stability and release kinetics of microencapsulated tetanus toxoid by co-encapsulation of additives." *Pharm. Res.* 15: 1103-1110.
- Johansen, P., Merkle, H. P. and Gander, B. (1998c). "Physico-chemical and antigenic properties of tetanus and diphtheria toxoids and steps towards improved stability." *Biochim. Biophys. Acta* 1425: 425-436.
- Johansen, P., Tamber, H., Merkle, H. P. and Gander, B. (1999). "Diphtheria and tetanus toxoid microencapsulation into conventional and end-group alkylated pla/plgas." *Eur. J. Pharm. Biopharm.* 47: 193-201.

- Johnson, K. A. (1997a). "Preparation of peptide and protein powders for inhalation." *Adv. Drug Deliv. Rev.* 26: 3-15.
- Johnson, O. L., Cleland, J. L., Lee, H. J., Charnis, M., Duenas, E., Jaworowicz, W., Shepard, D., Shahzamani, A., Jones, A. J. S. and Putney, S. D. (1996). "A month-long effect from a single injection of microencapsulated human growth hormone." *Nat. Med.* 2: 795-799.
- Johnson, O. L., Jaworowicz, W., Cleland, J. L., Bailey, L., Charnis, M., Duenas, E., Wu, C., Shepard, D., Magil, S., Last, T., Jones, A. J. S. and Putney, S. D. (1997b). "The stabilisation and encapsulation of human growth hormone into biodegradable microspheres." *Pharm. Res.* 14: 730-735.
- Johnston, T. P., Punjabi, M. and Froelich, C. J. (1992). "Sustained delivery of interleukin-2 from poloxamer 407 gel matrix following intraperitoneal injection in mice." *Pharm. Res.* 9: 425-434.
- Jollès, P. and Jollès, J. (1984). "What's new in lysozyme research?" *Mol. Cell. Biochem.* 63: 165-189.
- Jorgensen, L., van de Weert, M., Vermehren, C., Bjerregaard, S. and Frokjaer, S. (2004). "Probing structural changes of proteins incorporated into water-in-oil emulsions." *J. Pharm. Sci.* 93: 1847-1859.

K

- Kameoka, D., Ueda, T. and Imoto, T. (2003). "A method for the detection of asparagine deamidation and aspartate isomerization of proteins by maldi/tof-mass spectrometry using endoproteinase asp-n." *J. Biochem.* 134: 129-135.
- Kang, F., Jiang, G., Hinderliter, A., DeLuca, P. P. and Singh, J. (2002). "Lysozyme stability in primary emulsion for plga microsphere preparation: Effect of recovery methods and stabilizing excipients." *Pharm. Res.* 19: 629-633.
- Kemp, G. (2005). "Lactate accumulation, proton buffering, and ph change in ischemically exercising muscle." *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 289: 895-901.
- Kim, H. and Burgess, D. J. (2002). "Effect of drug stability on the analysis of release data from controlled release microspheres." *J. Microencapsul.* 19: 631-640.

- Kim, H. K. and Park, T. G. (1999). "Microencapsulation of human growth hormone within biodegradable polyester microspheres: Protein aggregation stability and incomplete release mechanism." *Biotechnol. Bioeng.* 65: 659-667.
- Kim, H. K. and Park, T. G. (2001). "Microencapsulation of dissociable human growth hormone aggregates within poly(d,l-lactic-co-glycolic acid) microparticles for sustained release." *Int. J. Pharm.* 229: 107-116.
- Kim, H. K. and Park, T. G. (2004). "Comparative study on sustained release of human growth hormone from semi-crystalline poly(l-lactic acid) and amorphous poly(d,l-lactic-co-glycolic acid) microspheres: Morphological effect on protein release." *J. Control. Release* 98: 115-125.
- Kim, Y. J., Choi, S., Koh, J. J., Lee, M., Ko, K. S. and Kim, S. W. (2001). "Controlled release of insulin from injectable biodegradable triblock copolymer." *Pharm. Res.* 18: 548-550.
- Kirker-Head, C. A. (2000). "Potential applications and delivery strategies for bone morphogenetic proteins." *Adv. Drug Deliv. Rev.* 43: 65-92.
- Kissel, T., Li, Y. and Unger, F. (2002). "Aba-triblock copolymers from biodegradable polyester ablocks and hydrophilic poly(ethylene oxide) b-blocks as a candidate for in situ forming hydrogel delivery systems for proteins." *Adv. Drug Deliv. Rev.* 54: 99-134.
- Knubovets, T., Osterhout, J. J. and Klibanov, A. M. (1999). "Structure of lysozyme dissolved in neat organic solvents as assessed by nmr and cd spectroscopies." *Biotechnol. Bioeng.* 63: 242-246.
- Kostanski, J. W. and DeLuca, P. P. (2000). "A novel in vitro release technique for peptide-containing biodegradable microspheres." *AAPS Pharm. Sci. Tech.* 1: article 4.
- Kranz, H. and Bodmeier, R. (2007). "A novel in situ forming drug delivery system for controlled parenteral drug delivery." *Int. J. Pharm.* 332: 107-114.
- Kranz, H., Brazeau, G. A., Napaporn, J., Martin, R. L., Millard, W. and Bodmeier, R. (2001). "Myotoxicity studies of injectable biodegradable in-situ forming drug delivery systems." *Int. J. Pharm.* 212: 11-18.
- Kranz, H., Ubrich, N., Maincent, P. and Bodmeier, R. (2000). "Physicomechanical properties of biodegradable poly(d,l-lactide) and poly(d,l-lactide-co-glycolide) films in the dry and wet states." *J. Pharm. Sci.* 89: 1558-1566.

- Krishnamurthy, R., Lumpkin, J. A. and Sridhar, R. (2000). "Inactivation of lysozyme by sonication under conditions relevant to microencapsulation." *Int. J. Pharm.* 205: 23-34.
- Kudou, M., Shiraki, K., Fujiwara, S., Imanaka, T. and Takagi, M. (2003). "Prevention of thermal inactivation and aggregation of lysozyme by polyamines." *Eur. J. Biochem.* 270: 4547-4554.
- Kulseng, B., Skjak-Braek, G., Ryan, L., Andersson, A., King, A., Faxvaag, A. and Espevik, T. (1999). "Transplantation of alginate microcapsules: Generation of antibodies against alginates and encapsulated porcine islet-like cell clusters." *Transplantation* 67: 978-984.

L

- Laane, C., Boeren, S., Vos, K. and Veeger, C. (1987). "Rules for optimization of biocatalysis in organic solvents." *Biotechnol. Bioeng.* 30: 81-87.
- Lad, M. D., Birembaut, F., Matthew, J. M., Frazier, R. A. and Green, R. J. (2006). "The adsorbed conformation of globular proteins at the air/water interface." *Phys. Chem. Chem. Phys.* 8: 2179-2186.
- Lad, M. D., Ledger, V. M., Briggs, B., Green, R. J. and Frazier, R. A. (2003). "Analysis of the SDS-lysozyme binding isotherm." *Langmuir* 19: 5098-5103.
- Lai, M. C. and Topp, E. M. (1999). "Solid-state chemical stability of proteins and peptides." *J. Pharm. Sci.* 88: 489-500.
- Lam, X. M., Duenas, E. T., Daugherty, A. L., Levin, N. and Cleland, J. L. (2000). "Sustained release of recombinant human insulin-like growth factor-I for treatment of diabetes." *J. Control. Release* 67: 281-292.
- Lambert, W. J. and Peck, K. D. (1995). "Development of an in situ forming biodegradable poly-lactide-coglycolide system for the controlled release of proteins." *J. Control. Release* 33: 189-195.
- Langer, R. and Folkmann, M. J. (1976). "Polymers for the sustained release of proteins and other macromolecules." *Nature* 263: 797-800.
- Langkjaer, L., Brange, J., Grodsky, G. M. and Guy, R. H. (1998). "Iontophoresis of monomeric insulin analogues in vitro : Effects of insulin charge and skin pretreatment." *J. Control. Release* 51: 47-56.

- Lee, V. H. L., Dodda-Kashi, S., Grass, G. M. and Rubas, W. (1991). Oral route of peptide and protein drug delivery. Peptide and protein drug delivery. V. H. L. Lee, editor. New York, Marcel Dekker: 1-56.
- Leone-Bay, A., Santiago, N., Achan, D., Chaudhary, K., DeMorin, F., Falzarano, L. and al., e. (1995). "N-acylated α -amino acids as novel oral delivery agents for proteins." *J. Med. Chem.* 38: 4263-4269.
- Li, J., Ni, X. and Leong, K. W. (2003). "Injectable drug-delivery systems based on supramolecular hydrogels formed by poly(ethylene oxide)s and alpha-cyclodextrin." *J. Biomed. Mater. Res.* 65A: 196-202.
- Li, S. M., Garreau, H. and Vert, M. (1990a). "Structure-property relationships in the case of the degradation of massive aliphatic poly-(alpha-hydroxy acids) in aqueous media; part 1: Poly(dl-lactic acid)." *J. Mater. Sci. Mater. Med.* 1: 123-131.
- Li, S. M., Garreau, H. and Vert, M. (1990b). "Structure-property relationships in the case of the degradation of massive aliphatic poly-(alpha-hydroxy acids) in aqueous media; part 2: Degradation of lactide-glycolide copolymers: Pla37.5ga25 and pla75ga25." *J. Mater. Sci., Mater. Med.* 1: 132-139.
- Li, X., Zhang, Y., Yan, R., Jia, W., Yuan, M., Deng, X. and Huang, Z. (2000). "Influence of process parameters on the protein stability encapsulated in poly-dl-lactide-poly(ethylene glycol) microspheres." *J. Control. Release* 68(41-52).
- Liu, W. R., Langer, R. and Klibanov, A. M. (1991). "Moisture-induced aggregation of lyophilized proteins in the solid state." *Biotechnol. Bioeng.* 37: 177-184.
- Lodish, H., Berk, A., Zipurksy, L. S., Matsudaira, P., Baltimore, D. and Darnell, J. (2000). Molecular cell biology. New York, W.H. Freeman and Company.
- Lougheed, W. D., Woulfe-Flanagan, H., Clement, J. R. and Albisser, A. M. (1980). "Insulin aggregation in artificial delivery systems." *Diabetologia* 19: 1-9.
- Lu, J. R. and Thomas, R. K. (1998). "Neutron reflection from wet interfaces." *J. Chem. Soc., Faraday Trans.*, 94: 995-1018.
- Lu, L., Garcia, C. A. and Mikos, A. G. (1999). "In vitro degradation of thin poly(dl-lactic-co-glycolic acid) films." *Inc. J. Biomed. Mater. Res.* 46: 236-244.
- Lu, W. and Park, T. G. (1995). "Protein release from poly(lactic-co-glycolic acid) microspheres: Protein stability problems." *J. Pharm. Sci. Tech.* 49: 13-19.

- Luan, X. and Bodmeier, R. (2006a). "Modification of the tri-phasic drug release pattern of leuprolide acetate-loaded poly(lactide-co-glycolide) microparticles." *Eur. J. Pharm. Biopharm.* 63: 205-214.
- Luan, X. and Bodmeier, R. (2006b). "In situ forming microparticle system for controlled delivery of leuprolide acetate: Influence of the formulation and processing parameters." *Eur. J. Pharm. Sci.* 27: 163-149.
- Luan, X. and Bodmeier, R. (2006c). "Influence of the poly(lactide-co-glycolide) type on the leuprolide release from in situ forming microparticle systems." *J. Control. Release* 110: 266-272.
- Lucke, A. and Göpferich, A. (2003). "Acylation of peptides by lactic acid solutions." *Eur. J. Pharm. Biopharm.* 55: 27-33.
- Lucke, A., Kiermaier, J. and Göpferich, A. (2002). "Peptide acylation by poly(a-hydroxy esters)." *Pharm. Res.* 19: 175-181.
- Lyu, S., Sparer, R. and Untereker, D. (2005). "Analytical solutions to mathematical models of the surface and bulk erosion of solid polymers." *J. Polym. Sci. Part B: Polym. Phys.* 43: 383-397.

M

- Maa, Y., Nguyen, P. T. and Hsu, S. W. (1998). "Spray-drying of air-liquid interface sensitive recombinant human growth hormone." *J. Pharm. Sci.* 87: 152-159.
- Maa, Y. F. and Hsu, C. C. (1997). "Effect of primary emulsions on microsphere size and protein-loading in the double emulsion process." *J. Microencapsul.* 14: 225-241.
- Makino, K., Ohshima, H. and Kondo, T. (1986). "Mechanism of hydrolytic degradation of poly(l-lactide) microcapsules: Effects of pH, ionic strength, and buffer concentration." *J. Microencapsul.* 3: 203-212.
- Marinina, J., Shenderova, A., Mallory, S. R. and Schwendemann, S. P. (2000). "Stabilization of vinca alkaloids encapsulated in poly(lactide-co-glycolide) microspheres." *Pharm. Res.* 17: 677-683.
- McKelvey, S. A. and Koros, W. J. (1996). "Phase separation, vitrification, and the manifestation of macrovoids in polymeric asymmetric membranes." *J. Membrane Sci.* 112: 29-39.

- Meinel, L., Illi, O., Zapf, J., Malfanti, M., Merkle, H. P. and Gander, B. (2001). "Stabilizing insulin-like growth factor-i in poly(d,l-lactide-co-glycolide) microspheres." *J. Control. Release* 70: 193-202.
- Mellstroem, A., Jedlinska, B., Hartmann, M. and Joensson, K. (2001). "Evaluation of subcutaneous tissue gases and ph during induction of acidosis and alkalosis." *Eur. Surg. Res.* 33: 64-70.
- Middleton, J. C. and Tipton, A. J. (1998). "Synthetic biodegradable polymers as medical devices." *Medical Plastics and Biomaterials* March: 30-39.
- Miller, R. A., Brady, J. M. and Cutright, D. E. (1977). "Degradation rates of oral resorbable implants (polylactates and polyglycolates): Rate modification with changes in pla/pga copolymer ratios." *J. Biomed. Mater. Res.* 11: 711-719.
- Mitagotri, S., Blankschtein, D. and Langer, R. (1995). "Ultrasound-mediated transdermal protein delivery." *Science* 269: 850-853.
- Mitchell, J. R. and Whitney, F. W. (2001). "The effect of injection speed on the perception of intramuscular injection pain. A clinical update." *AAOHN J.* 49: 286-292.
- Mohan, V. (2002). "Which insulin to use? Human or animal?" *Curr. Sci.* 83: 1544-1547.
- Moreau, S., Awadè, A. C., Mollè, D., Le Graet, Y. and Brulè, G. (1995). "Hen egg white lysozyme-metal ion interactions: Investigation by electrospray ionization mass spectrometry." *J. Agric. Food Chem.* 43: 883-889.
- Morita, T., Horikiri, Y., Suzuki, T. and Yoshino, H. (2001). "Preparation of gelatin microparticles by co-lyophilization with poly(ethylene glycol): Characterization and application to entrapment into biodegradable microspheres." *Int. J. Pharm.* 219: 127-137.
- Morita, T., Horikiri, Y., Yamahara, H., Suzuki, T. and Yoshino, H. (2000). "Formation and isolation of spherical fine protein microparticles through lyophilization of protein-poly(ethylene glycol) aqueous mixture." *Pharm. Res.* 17: 1367-1373.
- Morlock, M., Koll, H., Winter, G. and Kissel, T. (1997). "Microencapsulation of rh-erythropoietin, using biodegradable poly(d,l-lactide-co-glycolide): Protein stability and the effects of stabilizing excipients." *Eur. J. Pharm. Biopharm.* 43: 29-36.
- Moshashaë, S., Bisrat, M., Forbes, R. T., Nyqvist, H. and York, P. (2000). "Supercritical fluid processing of proteins i: Lysozyme precipitation from organic solution." *Eur. J. Pharm. Sci.* 11: 239-245.

Motulsky, A., Lafleur, M., Couffin-Hoarau, A., Hoarau, D., Boury, F., Benoit, J. P. and Leroux, J. (2005). "Characterization and biocompatibility of organogels based on l-alanine for parenteral drug delivery implants." *Biomaterials* 26: 6242-6253.

N

Nagendra, H. G., Sukumar, N. and Vijayan, M. (1998). "Role of water in plasticity, stability, and action of proteins: The crystal structures of lysozyme at very low levels of hydration." *Proteins* 32: 229-240.

Nakamura, H., Sano, A. and Matsuura, K. (1998). "Determination of critical micelle concentration of anionic surfactants by capillary electrophoresis using 2-naphthalenemethanol as a marker for micelle formation." *Anal. Sci.* 14: 379-382.

Nam, Y. S., Song, S. H., Choi, J. Y. and Park, T. G. (2000). "Lysozyme microencapsulation within biodegradable plga microspheres: Urea effect on protein release and stability." *Biotechnol. Bioeng.* 70: 270-277.

Narayanan, J. and Deotare, V. W. (1999). "Salt-induced liquid-liquid phase separation of protein-surfactant complexes." *Physical Review E* 60: 4597-4603.

Niu, C. and Chiu, Y. (1998). "Fda perspective on peptide formulation and stability issues." *J. Pharm. Sci.* 87: 1331-1334.

Nosadini, R., Kreutzenberg, S. and Duner, E. (1988). "Porcine and human insulin absorption from subcutaneous tissues in normal and insulin-dependent diabetic subjects: A deconvolution-based approach." *J. Clin. Endocrinol. Metab.* 67: 551-559.

O

O'Donnell, P. B. and McGinity, J. W. (1997). "Preparation of microspheres by the solvent evaporation technique." *Adv. Drug Deliv. Rev.* 28: 25-42.

Ogawa, Y., Yamamoto, M., Okada, H., Yashiki, T. and Shimamoto, T. (1988). "A new technique to efficiently entrap leuprolide acetate into microcapsules of polylactic acid or copoly(lactic/glycolic) acid." *Chem. Pharm. Bull.* 36: 1095-1103.

Okada, H. (1997). "One- and three-month release injectable microspheres of the lh-rh superagonist leuprorelin acetate." *Adv. Drug Deliv. Rev.* 28: 43-70.

- Omelczuk, M. O. and McGinity, J. W. (1992). "The influence of polymer glass transition temperature and molecular weight on drug release from tablets containing poly(dl-lactic acid)." *Pharm. Res.* 9: 26-32.
- Owens, D. R., Bolli, G. B. and Zinman, B. (2002). "Future options for insulin therapy." *Curr. Sci.* 83: 1548-1555.
- Owens, D. R., Zinman, B. and Bolli, G. (2003). "Alternative routes of insulin delivery." *Diabet. Med.* 20: 886-898.

P

- Pace, C. N. and McGrath, T. (1980). "Substrate stabilization of lysozyme to thermal and guanidine hydrochloride denaturation." *J. Biol. Chem.* 255: 3862-3865.
- Packhaeuser, C. B., Schnieders, J., Oster, C. G. and Kissel, T. (2004). "In situ forming parenteral drug delivery systems: An overview." *Eur. J. Pharm. Biopharm.* 58: 445-455.
- Panyam, J., Dali, M. M., Sahoo, S. K., Ma, W., Chakravarthi, S. S., Amidon, G. L., Levy, R. J. and Labhsetwar, V. (2003). "Polymer degradation and in vitro release of a model protein from poly(d,l-lactide-co-glycolide) nano- and microparticles." *J. Control. Release* 92: 173-187.
- Park, J. H., Ye, M. and Park, K. (2005). "Biodegradable polymers for microencapsulation of drugs." *Molecules* 10: 146-161.
- Park, T. G. (1994). "Degradation of poly(d,l-lactic acid) microspheres: Effect of molecular weight." *J. Control. Release* 30: 161-173.
- Park, T. G. (1995). "Degradation of poly(lactic-co-glycolic acid) microspheres: Effect of copolymer composition." *Biomaterials* 16: 1123-1130.
- Park, T. G., Cohen, S. and Langer, R. (1992). "Poly(l-lactic acid)/pluronic blends: Characterization of phase separation behavior, degradation, and morphology and use as protein-releasing matrices." *Macromol.* 25: 116-122.
- Park, T. G., Lee, H. Y. and Nam, Y. S. (1998). "A new preparation method for protein loaded poly(d,l-lactic-coglycolic acid) microspheres and protein release mechanism study." *J. Control. Release* 55: 181-191.

- Park, T. G., Lu, L. and Crofts, G. (1995). "Importance of in vitro experimental conditions on protein release kinetics, stability and polymer degradation in protein encapsulated poly(d,l-lactic acid-co-glycolic acid) microspheres." *J. Control. Release* 33: 211-222.
- Patton, J. S. (2000). "Pulmonary delivery of drugs for bone disorders." *Adv. Drug. Deliv. Rev.* 42: 239-248.
- Péan, J., Boury, F., Venier-Julienne, M., Menei, P., Proust, J. and Benoit, J. P. (1999). "Why does peg 400 co-encapsulation improve ngf stability and release from plga biodegradable microspheres?" *Pharm. Res.* 16: 1294-1299.
- Pérez, C., Castellanos, I. J., Costantino, H. R., Al-Azzam, W. and Griebenow, K. (2002b). "Recent trends in stabilizing protein structure upon encapsulation and release from bioerodible polymers." *J. Pharm. Pharmacol.* 54: 301-313.
- Pérez, C., De Jèsus, P. and Griebenow, K. (2002a). "Preservation of lysozyme structure and function upon encapsulation and release from poly(lactic-co-glycolic) acid microspheres prepared by the water-in-oil-in-water method." *Int. J. Pharm.* 248: 193-206.
- Pérez, C. and Griebenow, K. (2003). "Effect of salts on lysozyme stability at the water–oil interface and upon encapsulation in poly(lactic-co-glycolic) acid microspheres." *Biotechnol. Bioeng.* 82: 825-832.
- Pistel, K. F., Breitenbach, A., Zange-Volland, R. and Kissel, T. (2001). "Brush-like branched biodegradable polyesters, part iii protein release from microspheres of poly(vinyl alcohol)-graftpoly(d,l-lactic-co-glycolic acid)." *J. Control. Release* 73: 7-20.
- Pistner, H. P., Gutwald, R., Ordnung, R. and Reuther, J. (1993). "Poly[l-lactide]: A long-term degradation study in vim." *Biomaterials* 14: 671-677.
- Pitt, C. G. (1990). "The controlled parenteral delivery of polypeptides and proteins." *Int. J. Pharm.* 59: 173-196.
- Platz, R. M., Ip, A. and Whitham, C. L. (1994). Process for preparing micronized polypeptide drugs. US 5,354,562.
- Plourde, F., Motulsky, A., Couffin-Hoarau, A., Hoarau, D., Ong, H. and Leroux, J. (2005). "First report on the efficacy of l-alanine-based in situ-forming implants for the long-term parenteral delivery of drugs." *J. Control. Release* 108: 433-441.
- Powroznik, B., Gharbi, M., Dandrifosse, G. and Peulen, O. (2004). "Enhancement of lysozyme stability and activity by polyamines." *Biochemie* 86: 651-656.

- Poznanski, J. (2006). "Nmr-based localization of ions involved in salting out of hen egg white lysozyme." *Acta Biochim Pol.* 53: 421-424.
- Prabhu, S., Jacknowitz, A. I. and Stout, P. J. (2001). "A study of factors controlling dissolution kinetics of zinc complexed protein suspensions in various ionic species." *Int. J. Pharm.* 217: 71-78.
- Prabhu, S., Tran, L. P. and Betageri, G. V. (2005). "Effect of co-solvents on the controlled release of calcitonin polypeptide from in situ biodegradable polymer implants." *Drug Delivery* 12: 393-398.
- Prestrelski, S. J., Arakawa, T. and Carpenter, J. F. (1993b). "Separation of freezing- and drying-induced denaturation of lyophilized proteins using stress-specific stabilisation." *Arch. Biochem. Biophys.* 303: 465-473.
- Prestrelski, S. J., Tedeschi, N., Arakawa, T. and Carpenter, J. F. (1993a). "Dehydration-induced conformational transitions in proteins and their inhibition by stabilizers." *Biophys. J.* 65: 661-671.
- Prinn, K. B., Costantino, H. R. and Tracy, M. (2002). "Statistical modeling of protein spray drying at the lab scale." *AAPS Pharm. Sci. Tech.* 3: article 4.
- Privalov, P. L. (1990). "Cold denaturation of proteins." *CRC Crit. Rev. Biochem. Mol. Biol.* 25: 281-305.
- Putney, S. D. and Burke, P. A. (1998). "Improving protein therapeutics with sustained-release formulations." *Nature Biotech.* 16: 153-157.

Q

- Quaglia, F., De Rosa, G., Granata, E., Ungaro, F., Fattal, E. and La Rotonda, M. I. (2003). "Feeding liquid, non-ionic surfactant and cyclodextrin affect the properties of insulin-loaded poly(lactide-co-glycolide) microspheres prepared by spray-drying." *J. Control. Release* 86: 267-278.
- Quaglio, E., Chiesa, R. and Harris, D. A. (2001). "Copper converts the cellular prion protein into a protease resistant species that is distinct from the scrapie isoform." *J. Biol. Chem.* 276: 11432-11438.
- Quellec, P., R., G., Dellacherie, E., Sommer, F., Tran, M. D. and Alonso, M. J. (1999). "Protein encapsulation within poly(ethylene glycol)-coated nanospheres. II. Controlled release properties." *J. Biomed. Mater. Res.* 47: 388-395.

R

- Randolph, T. W. (1997). "Phase separation of excipients during lyophilization: Effects on protein stability." *J. Pharm. Sci.* 86: 1198-1203.
- Ravivarapu, H. B., Burton, K. and DeLuca, P. P. (2000b). "Polymer and microsphere blending to alter the release of a peptide from plga microspheres." *Eur. J. Pharm. Biopharm.* 50: 263-270.
- Ravivarapu, H. B., Moyer, K. L. and Dunn, R. L. (2000a). "Sustained activity and release of leuprolide acetate from an in situ forming polymeric implant." *AAPS Pharm. Sci. Tech.* 1: article 1.
- Ribeiro Dos Santos, I., Richard, J., Pech, B., Thies, C. and Benoit, J. P. (2002). "Microencapsulation of protein particles within lipids using a novel supercritical fluid process." *Int. J. Pharm.* 242: 69-78.
- Robergs, R. A., Ghiasvand, F. and Parker, D. (2004). "Biochemistry of exercise-induced metabolic acidosis." *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 287: 502-516.
- Robinson, N. E. and Robinson, A. B. (2001). "Prediction of protein deamidation rates from primary and three-dimensional structure." *Biochemistry* 98: 4367-4372.
- Robinson, S. and Williams, P. A. (2002). "Inhibition of protein adsorption onto silica by polyvinylpyrrolidone." *Langmuir* 18: 8743-8748.
- Rodger, M. A. and King, L. (2000). "Drawing up and administering intramuscular injections: A review of the literature." *J. Adv. Nurs.* 31: 574-582.
- Rojanasakul, Y., Wang, L., Bhat, M., Glover, D. D., Malanga, C. J. and J.K.H., M. (1992). "The transport barrier of epithelia: A comparative study on membrane permeability and charge selectivity in the rabbit." *Pharm. Res.* 9: 1029-1034.
- Rosenberg, A. S. (2006). "Effects of protein aggregates: An immunologic perspective." *AAPS Journal* 8: article 59.
- Rothen-Weinhold, A., Oudry, N., Schwach-Abdellaoui, K., Frutiger-Hughes, S., Hughes, G. J., Jeannerat, D., Burger, U., Bessegħir, K. and Gurny, R. (2000). "Formation of peptide impurities in polyester matrixes during implant manufacturing." *Eur. J. Pharm. Biopharm.* 49: 253-257.

- Royals, M. A., Fujita, S. M., Yewey, G. L., Rodriguez, J., Schultheiss, P. C. and Dunn, R. L. (1999). "Biocompatibility of a biodegradable in situ forming implant system in rhesus monkeys." *J. Biomed. Mater. Res.* 45: 231-239.
- Ruiz, J. M., Tissier, B. and Benoit, J. P. (1989). "Microencapsulation of peptide: A study of the phase separation of poly(d,l-lactic acid-co-glycolic acid) copolymers 50/50 by silicone oil." *Int. J. Pharm.* 49: 69-77.

S

- Sadhale, Y. and Shah, J. C. (1999). "Biological activity of insulin in gmo gels and the effect of agitation." *Int. J. Pharm.* 191: 65-74.
- Sah, H. (1997). "A new strategy to determine the actual protein content of poly(lactide-co-glycolide) microspheres." *J. Pharm. Sci.* 86(1315-1318).
- Sah, H. (1999). "Stabilization of proteins against methylene chloride / water interfaceinduced denaturation and aggregation." *J. Control. Release* 58: 143-151.
- Sah, H. and Bahl, Y. (2005). "Effects of aqueous phase composition upon protein destabilization at water/organic solvent interface." *J. Control. Release* 106: 51-61.
- Sah, H., Toddywala, R. and Chien, Y. W. (1994). "The influence of biodegradable microcapsule formulations on the controlled release of a protein." *J. Control. Release* 30: 201-211.
- Salvetti, G., Tombari, E., Mikheeva, L. and Johari, G. P. (2002). "The endothermic effects during denaturation of lysozyme by temperature modulated calorimetry and an intermediate reaction equilibrium." *J. Phys. Chem. B* 106: 6081-6087.
- Sanchez, A., Gupta, R. K., Alonso, M. J., Siber, G. R. and Langer, R. (1996). "Pulsed controlled-release system for potential use in vaccine delivery." *J. Pharm. Sci.* 85: 547-552.
- Sanchez, A., Villamayor, B., Guo, Y., McIver, J. and Alonso, M. J. (1999). "Formulation strategies for the stabilization of tetanus toxoid in poly(lactide-co-glycolide) microspheres." *Int. J. Pharm.* 185: 255-266.
- Sandor, M., Riechel, A., Kaplan, I. and Mathiowitz, E. (2002). "Effect of lecithin and mgco3 as additives on the enzymatic activity of carbonic anhydrase encapsulated in poly(lactide-co-glycolide) (plga) microspheres." *Biochim. Biophys. Acta* 1570: 63-74.

- Sanger, F., Thompson, E. O. P. and Kitai, R. (1955). "The amide groups of insulin." *J. Biochem.* 59: 509-518.
- Schaefer, A., Drewes, W. and Schwaegle, F. (1999). "Effect of storage temperature and time on egg white protein." *Nahrung* 43: 86-89.
- Schliecker, G., Schmidt, C., Fuchs, S., Ehinger, A., Sandow, J. and Kissel, T. (2004). "In vitro and in vivo correlation of buserelin release from biodegradable implants using statistical moment analysis." *J. Control. Release* 94: 25-37.
- Schliecker, G., Schmidt, C., Fuchs, S. and Kissel, T. (2003a). "Characterization of a homologous series of d,l-lactic acid oligomers; a mechanistic study on the degradation kinetics in vitro." *Biomaterials* 24: 3835-3844.
- Schliecker, G., Schmidt, C., Fuchs, S., Wombacher, R. and Kissel, T. (2003b). "Hydrolytic degradation of poly(lactide-co-glycolide) films: Effect of oligomers on degradation rate and crystallinity." *Int. J. Pharm.* 266: 39-49.
- Schmitt, E. A., Flanagan, D. R. and Linhardt, R. J. (1994). "Importance of distinct water environments in the hydrolysis of poly (dl-lactide-co-glycolide)." *Macromol.* 27: 743-748.
- Schrier, J. A. and DeLuca, P. P. (2001). "Porous bone morphogenetic protein-2 microspheres: Polymer binding and in vitro release." *AAPS Pharm. Sci. Tech.* 2: article 17.
- Schwendemann, S. P., Cardamone, M., Klibanov, A. M. and Langer, R. (1996). Stability of proteins and their delivery from biodegradable polymer microspheres. *Microparticulate systems for the delivery of proteins and vaccines.* S. Cohen and H. Bernstein, editors. New York, Dekker. 77: 1-49.
- Shacter, E. (2000). "Quantification and significance of protein oxidation in biological samples." *Drug Metab. Rev.* 32: 307-326.
- Shah, N. H., Railkar, A. S., Chen, F. C., Tarantino, R., Kumar, S., Murjani, M., Palmer, D., Infeld, M. H. and Malick, A. W. (1993). "A biodegradable injectable implant for delivering micro and macromolecules using poly (lactic-co-glycolic) acid (plga) copolymers." *J. Control. Release* 27: 139-147.
- Shah, S. S., Cha, Y. and Pitt, C. G. (1992). "Poly(glycolic acid-co-dl-lactic acid): Diffusion or degradation controlled drug delivery?" *J. Control. Release* 18: 261-270.
- Shao, P. G. and Bailey, L. C. (1999). "Stabilization of ph-induced degradation of porcine insulin in biodegradable polyester microspheres." *Pharm. Dev. Tech.* 4: 633-642.

- Shao, P. G. and Bailey, L. C. (2000). "Porcine insulin biodegradable polyester microspheres: Stability and in vitro release characteristics." *Pharm. Dev. Tech.* 5: 1-9.
- Shard, A. G., Clarke, S. and Davies, M. C. (2002). "Static sims analysis of random poly (lactic-co-glycolic acid)." *Surf. Interface Anal.* 33: 528-532.
- Sharif, S. and O`Hagan, D. T. (1995). "A comparison of alternative methods for the determination of the levels of proteins entrapped in poly(lactide-co-glycolide) microparticles." *Int. J. Pharm.* 115: 259-263.
- Shenderova, A., Burke, T. G. and Schwendemann, S. P. (1999). "The acidic microclimate in poly(lactide-co-glycolide) microspheres stabilizes camptothecins." *Pharm. Res.* 16: 241-248.
- Shenoy, B., Wang, Y., Shan, W. and Margolin, A. L. (2001). "Stability of crystalline proteins." *Biotechnol. Bioeng.* 73: 358-369.
- Shi, L., Caulfield, J., Chern, R. T., Wilson, R. A., Sanyal, G. and Volkin, D. B. (2001). "Pharmaceutical and immunological evaluation of a single-shot hepatitis b vaccine formulated with plga microparticles." *J. Pharm. Sci.* 91: 1019-1035.
- Shikama, K. and Sugawara, Y. (1978). "Autoxidation of native oxy-myoglobin: Kinetic analysis of the ph profile." *Eur. J. Biochem.* 91: 407-413.
- Shiraki, K., Kudou, M., Nishikori, S., Kitagawa, H., Imanaka, T. and Takagi, M. (2004). "Arginine ethylester prevents thermal inactivation and aggregation of lysozyme." *Eur. J. Biochem.* 271: 3242-3247.
- Shively, M. L., Coonts, B. A., Renner, W. D., Southard, J. L. and Bennett, A. T. (1995). "Physico-chemical characterization of a polymeric injectable implant delivery system." *J. Control. Release* 33: 237-243.
- Shugar, D. (1952). "The measurement of lysozyme activity and the ultra-violet inactivation of lysozyme." *Biochim. Biophys. Acta* 8: 302-309.
- Siepmann, J., Faisant, N. and Benoit, J. P. (2002). "A new mathematical model quantifying drug release from bioerodible microparticles using monte carlo simulations." *Pharm. Res.* 19: 1885-1893.
- Siepmann, J. and Peppas, N. A. (2001). "Modeling of drug release from delivery systems based on hydroxypropyl methylcellulose (hpmc)." *Adv. Drug Deliv. Rev.* 48: 139-157.
- Snell, E. H., Judge, R. A., Crawford, L., Forsythe, E. L., Pusey, M. L., Sportiello, M., Todd, P., Bellamy, H., Lovelace, J., Cassanto, J. M. and Borgstahl, G. E. O. (2001).

- "Investigating the effect of impurities on macromolecule crystal growth in microgravity." *Cryst. Growth Des.* 1: 151-158.
- Stevenson, C. L. (2000). "Characterization of protein and peptide stability and solubility in non-aqueous solvents." *Curr. Pharm. Biotech.* 1: 165-182.
- Stoll, B. R., Leipold, H. R., Milstein, S. and Edwards, D. A. (2000). "A mechanistic analysis of carrier-mediated oral delivery of protein therapeutics." *J. Control. Release* 64: 217-228.
- Storm, G., Koppenhagen, F., Heeremans, A., Vingerhoeds, M., Woodle, M. C. and Crommelin, D. J. A. (1995). "Novel developments in liposomal delivery of peptides and proteins." *J. Control. Release* 36: 19-24.
- Strathmann, H. and Kock, K. (1977). "The formation mechanism of phase inversion membranes." *Desalination* 21: 241-255.
- Strathmann, H., Kock, K., Amar, P. and Baker, R. W. (1975). "The formation mechanism of asymmetric membranes." *Desalination* 16: 179-203.
- Stryer, L. (1988). *Biochemistry*. New York, W.H. Freeman and Company.
- Su, D., Ashton, P. and Chen, J. (2005). In situ gelling drug delivery system. US Pat. Appl. 20050048123.
- Sund, R. B. and Schou, J. (1964). "The determination of absorption rates from rat muscles: An experimental approach rates to kinetic descriptions." *Acta Pharmacol. Toxicol.* 21: 313-325.
- Sundback, C., Hadlock, T., Cheney, M. and Vacanti, J. (2003). "Manufacture of porous polymer nerve conduits by a novel low-pressure injection molding process." *Biomaterials* 24: 819-830.

T

- Takada, S., Yamagata, Y., Misaki, M., Taira, K. and Kurokawa, T. (2003). "Sustained release of human growth hormone from microcapsules prepared by a solvent evaporation technique." *J. Control. Release* 88: 229-242.
- Takahata, H., Lavelle, E. C., Coombes, A. G. A. and Davis, S. S. (1998). "The distribution of protein associated with poly(dl-lactide co-glycolide) microparticles and its degradation in simulated body fluids." *J. Control. Release* 50: 237-246.

- Tatford, O. C., Gomme, P. T. and Bertolini, J. (2004). "Analytical techniques for the evaluation of liquid protein therapeutics." *Biotechnol. Appl. Biochem.* 40: 67-81.
- Terada, M. and Marchesault, R. H. (1999). "Determination of solubility parameters for poly(3-hydroxyalkanoates)." *Int. J. Biol. Macromol.* 25: 207-215.
- Thiering, R., Dehghani, F., Dillow, A. and Foster, N. R. (2000). "The influence of operating conditions on the dense gas precipitation of model proteins." *J. Chem. Technol. Biotechnol.* 75: 29-41.
- Thomasin, C., Nam-Tran, H., Merkle, H. P. and Gander, B. (1998). "Drug microencapsulation by pla/plga coacervation in the light of thermodynamics. 1. Overview and theoretical considerations." *J. Pharm. Sci.* 87: 259-268.
- Tice, T. R. (2004). "Delivering with depot formulations." *Drug Delivery* 4, No.1.
- Tomizawa, H., Yamada, H. and Imoto, T. (1994b). "The mechanism of irreversible inactivation of lysozyme at ph 4 and 100 c." *J. Biochem.* 33: 13032-13037.
- Tomizawa, H., Yamada, H., Ueda, T. and Imoto, T. (1994a). "Isolation and characterization of 101-succinimide lysozyme that possesses the cyclic imide at asp101-gly102." *J. Biochem.* 33: 8770-8774.
- Tomizawa, H., Yamada, H., Wada, K. and Imoto, T. (1995). "Stabilization of lysozyme against irreversible inactivation by suppression of chemical reactions." *J. Biochem.* 117: 635-640.
- Tracy, M. A., Ward, K. L., Firouzabadian, L., Wang, Y., Dong, N., Quian, R. and Zhang, Y. (1999). "Factors affecting the degradation rate of poly(lactide-co-glycolide) microspheres in vivo and in vitro." *Biomaterials* 20: 1057-1062.
- Treuheit, M. J., Kosky, A. A. and Brems, D. N. (2002). "Inverse relationship of protein concentration and aggregation." *Pharm. Res.* 19: 511-516.
- Tsai, T., Mehta, R. C. and DeLuca, P. P. (1996). "Adsorption of peptides to poly(d,l-lactide-co-glycolide): 1. Effect of physical factors on the adsorption." *Int. J. Pharm.* 127: 31-42.
- Tsay, C. S. and McHugh, A. J. (1990). "Mass transfer modeling of asymmetric membrane formation by phase inversion." *J. Polym. Sci. Part B: Polym. Phys.* 28: 1327-1365.
- Tung, L. H. (1966). "Method of calculating molecular weight distribution function from gel permeation chromatograms." *J. Appl. Polym. Sci.* 10: 375-385.

U

Uchida, T., Shiosaki, K., Nakada, Y., Fukada, K., Eda, Y., Tokiyoshi, S., Nagareya, N. and Matsuyama, K. (1998). "Microencapsulation of hepatitis b core antigen for vaccine preparation." *Pharm. Res.* 15: 1708-1713.

V

Valente, J. J., Verma, K. S., Manning, M. C., Wilson, W. W. and Henry, C. S. (2005). "Second virial coefficient studies of cosolvent-induced protein self-interaction." *Biophys. J.* 89: 4211-4218.

van de Weert, M., Andersen, M. B. and Frokjaer, S. (2004). "Complex coacervation of lysozyme and heparin: Complex characterization and protein stability." *Pharm. Res.* 21: 2354-2359.

van de Weert, M., Hennink, W. E. and Jiskoot, W. (2000a). "Protein instability in poly(lactic-co-glycolic acid) microparticles." *Pharm. Res.* 17: 1159-1167.

van de Weert, M., Hoechstetter, J., Hennink, W. E. and Crommelin, D. J. A. (2000c). "The effect of a water/ organic solvent interface on the structural stability of lysozyme." *J. Control. Release* 68: 351-359.

van de Weert, M., Jorgensen, L., Moeller, E. H. and Frokjaer, S. (2005). "Factors of importance for a successful delivery system for proteins." *Expert Opin. Drug Deliv.* 2: 1029-1037.

van de Weert, M., van Dijkhuizen-Radersma, R., Bezemer, J. M., Hennink, W. E. and Crommelin, D. J. A. (2002a). "Reversible aggregation of lysozyme in a biodegradable amphiphilic multiblock copolymer." *Eur. J. Pharm. Biopharm.* 54: 89-93.

van de Weert, M., van Steenbergen, M. J., Cleland, J. L., Heller, J., Hennink, W. E. and Crommelin, D. J. A. (2002b). "Semisolid, self-catalyzed poly(ortho ester)s as controlled-release systems: Protein release and protein stability issues." *J. Pharm. Sci.* 91: 1065-1074.

van de Weert, M., van't Hof, R., van der Weerd, J., Heeren, R. M. A., Posthuma, G., Hennink, W. E. and Crommelin, D. J. A. (2000b). "Lysozyme distribution and conformation

- in a biodegradable polymer matrix as determined by ftir techniques." *J. Control. Release* 68: 31-40.
- van Slooten, M. L., Boerman, O., Romoren, K., Kedar, E., Crommelin, D. J. A. and Storm, G. (2001). "Liposomes as sustained release system for human interferon-q: Biopharmaceutical aspects." *Biochim. Biophys. Acta* 1530: 134-145.
- van Vaeck, L., Adriaens, A. and Gijbels, R. (1999). "Static secondary ion mass spectrometry: (s-sims) part 1. Methology and stuctural interpretation." *Mass Spectrometry Rev.* 18: 1-47.
- Vert, M., Li, S., Garreau, H., Mauduit, J., Bousta, M., Schwach, G., Engel, R. and Coudane, J. (1997). "Complexity of the hydrolytic degradation of aliphatic polyesters." *Die Angewandte Makromolekulare Chemie* 247: 239-253.
- Voeroes, J. (2004). "The density and refractive index of adsorbing protein layers." *Biophys. J.* 87: 553-561.
- Voigt, V. (2005). Biodegradable in situ forming systems and sponge-like implants. College of Pharmacy, Freie Universitaet Berlin, Germany: 117.

W

- Wang, H. T., Schmitt, E., Flanagan, D. R. and Linhardt, R. J. (1991). "Influence of formulation methods on the in vitro controlled release of protein from poly (ester) microspheres." *J. Control. Release* 17: 23-32.
- Wang, S. S., Good, T. A. and Rymer, D. L. (2005). "The influence of phospholipid membranes on bovine calcitonin secondary structure and amyloid formation." *Protein Sci.* 14: 1419-1428.
- Wang, W. (1999). "Instability, stabilization, and formulation of liquid protein pharmaceuticals." *Int. J. Pharm.* 185: 129-188.
- Wasserfall, F. and Teubner, M. (1979). "Action of egg white lysozyme on clostridium tyrobutyricum." *Appl. Environ. Microbiol.*: 197-199.
- Wei, G., Pettway, G. J., McCauley, L. K. and Ma, P. X. (2004). "The release profiles and bioactivity of parathyroid hormone from poly(lactic-co-glycolic acid) microspheres." *Biomaterials* 25: 345-352.

- Weissig, V., Whiteman, K. R. and Torchilin, V. P. (1998). "Accumulation of protein-loaded long-circulating micelles and liposomes in subcutaneous lewis lung carcinoma in mice." *Pharm. Res.* 15: 1552-1556.
- Whittlesey, K. J. and Shea, L. D. (2004). "Delivery systems for small molecule drugs, proteins, and DNA: The neuroscience/biomaterial interface." *Exp. Neurol.* 190: 1-16.
- Winters, M., Knutson, B. L., Debenedetti, P. G., Sparks, H. G., Prybycien, T. M., Stevenson, C. L. and Prestrelski, S. J. (1996). "Precipitation of proteins in supercritical carbon dioxide." *J. Pharm. Sci.* 85: 586-594.
- Winzenburg, G., Schmidt, C., Fuchs, S. and Kissel, T. (2004). "Biodegradable polymers and their potential use in parenteral veterinary drug delivery systems." *Adv. Drug Deliv. Rev.* 56: 1453-1466.
- Wolf, M., Wirth, M., Pittner, F. and Gabor, F. (2003). "Stabilisation and determination of the biological activity of l-asparaginase in poly(d,l-lactide-co-glycolide) nanospheres." *Int. J. Pharm.* 256: 141-152.
- Woo, B. H., Fink, B. F., Page, R., Schrier, J. A., Woo Jo, Y., Jiang, G., DeLuca, M., Vasconez, H. C. and DeLuca, P. P. (2001a). "Enhancement of bone growth by sustained delivery of recombinant human bone morphogenetic protein-2 in a polymeric matrix." *Pharm. Res.* 18: 1747-1753.
- Woo, B. H., Kostanski, J. W., Gebrekidan, S., Dani, B. A., Thanoo, B. C. and DeLuca, P. P. (2001b). "Preparation, characterization and in vivo evaluation of 120-day poly(d,l-lactide) leuprolide microspheres." *J. Control. Release* 75: 307-315.

X

- Xu, D., Lin, S. L. and Nussinov, R. (1997). "Protein binding versus protein folding: The role of hydrophilic bridges in protein associations." *J. Mol. Biol.* 265: 68-84.

Y

- Yamamoto, A., Taniguchi, T., Rikyuu, K., Tsuji, T., Fujita, T., Murakami, M. and Muranishi, S. (1994). "Effects of various protease inhibitors on the intestinal absorption and degradation of insulin in rats." *Pharm. Res.* 11: 1496-1500.

- Yang, J. and Cleland, J. L. (1997). "Factors affecting the in vitro release of recombinant human interferon-gamma (rhifn-gamma) from plga microspheres." *J. Pharm. Sci.* 86: 908-914.
- Yang, T., Cleland, J. L., Lam, X., Meyer, J. D., Jones, L. S., Randolph, T. W., Manning, M. C. and Carpenter, J. F. (2000a). "Effect of zinc binding and precipitation on structures of recombinant human growth hormone and nerve growth factor." *J. Pharm. Sci.* 89: 1480-1485.
- Yang, Y., Chia, H. and Chung, T. (2000b). "Effect of preparation temperature on the characteristics and release profiles of plga microspheres containing protein fabricated by double-emulsion solvent extraction / evaporation method." *J. Control. Release* 69(81-96).
- Yang, Y., Chung, T. and Ping Ng, N. (2001). "Morphology, drug distribution, and in vitro release profiles of biodegradable polymeric microspheres containing protein fabricated by double-emulsion solvent extraction/evaporation method." *Biomaterials* 2001: 231-241.
- Yeo, Y. and Park, K. (2004a). "Control of encapsulation efficiency and initial burst in polymeric microparticle systems." *Arch. Pharm. Res.* 27: 1-12.
- Yeo, Y. and Park, K. (2004b). "A new microencapsulation method using an ultrasonic atomizer based on interfacial solvent exchange." *J. Control. Release* 100: 379-388.
- Yeo, Y. and Park, K. (2004c). "Characterization of reservoir-type microcapsules made by the solvent exchange method." *AAPS Pharm. Sci. Tech.* 5: article 52.
- Yonezawa, Y., Tanaka, S., Kubota, T., Wakabayashi, K., Yutani, K. and Fujiwara, S. (2002). "An insight into the pathway of the amyloid fibril formation of hen egg white lysozyme obtained from a small-angle x-ray and neutron scattering study." *J. Mol. Biol.* 323: 237-251.
- Yoo, H. S., Choi, H. and Park, T. G. (2001). "Protein-fatty acid complex for enhanced loading and stability within biodegradable nanoparticles." *J. Pharm. Sci.* 90: 194-201.
- Younes, H. M. and Amsden, B. G. (2002). "Interferon-gamma therapy: Evaluation of routes of administration and delivery systems." *J. Pharm. Sci.* 91: 2-17.
- Yu, L. X., Forster, T. P., Sarver, R. W. and Moseley, W. M. (1996). "Preparation, characterization, and in vivo evaluation of an oil suspension of a bovine growth hormone releasing factor analog." *J. Pharm. Sci.* 85: 396-401.

Z

- Zambaux, M. F., Bonneaux, F., Gref, R., Dellacherie, E. and Vigneron, C. (1999). "Preparation and characterization of protein c-loaded pla nanoparticles." *J. Control. Release* 60: 179-188.
- Zentner, G. M., Rathi, R., Shih, C., McRea, J. C., Seo, M., Oh, H., Rhee, B. G., Mestecky, J., Moldoveanu, Z., Morgan, M. and Weitman, S. (2001). "Biodegradable block copolymers for delivery of proteins and water-insoluble drugs." *J. Control. Release* 72: 203-215.
- Zettlmeissl, G., Rudolph, R. and Jaenicke, R. (1979). "Reconstitution of lactic dehydrogenase. Noncovalent aggregation vs. Reactivation. 1. Physical properties and kinetics of aggregation." *Biochemistry* 18: 5567-5571.
- Zhang, X., Wyss, U. P., Pichora, D., Amsden, B. and Goosen, M. F. A. (1993). "Controlled release of albumin from biodegradable poly(dl-lactide) cylinders." *J. Control. Release* 25: 61-69.
- Zhang, Y., Zale, S., Sawyer, L. and Bernstein, H. (1997). "Effects of metal salts on poly(dl-lactide-co glycolide) polymer hydrolysis." *J. Biomed. Mater. Res.* 34: 531-538.
- Zhu, G., Mallory, S. R. and Schwendeman, S. P. (2000). "Stabilization of proteins encapsulated in injectable poly(lactide-co-glycolide)." *Nature Biotech.* 18: 52-57.
- Zhu, G. and Schwendeman, S. P. (2000). "Stabilization of proteins encapsulated in cylindrical poly(lactide-co-glycolide) implants: Mechanism of stabilization by basic additives." *Pharm. Res.* 17: 351-357.
- Zhu, J., Shen, Z., Wu, L. and Yang, S. (1991). "In vitro degradation of polylactide and poly(lactide-co-glycolide) microspheres." *J. Appl. Polym. Sci.* 43: 2099-2106.
- Zolnik, B. S., Leary, P. E. and Burgess, D. J. (2006). "Elevated temperature accelerated release testing of plga microspheres." *J. Control. Release* 112: 293-300.