
8. Literaturverzeichnis

ALDENBORG, F., L. ENERBÄCK (1994):

The immunohistochemical demonstration of chymase and tryptase in human intestinal mast cells.

Histochem J **26**, 587-596

ALTER, S.C., L.B. SCHWARTZ (1989):

Effect of histamine and divalent cations on the activity and stability of tryptase from human mast cells.

Biochem Biophys Acta **991**, 426-430

ALTER, S.C., J.A. KRAMPS, A. JANOFF, L.B. SCHWARTZ (1990):

Interactions of human mast cell tryptase with biological protease inhibitors.

Arch Biochem Biophys **276**, 26-31

ASKENASE, P.W., H. VAN LOVEREN (1983):

Delayed-type hypersensitivity: activation of mast cells by antigen-specific T-cell factors initiates the cascade of cellular interactions.

Immunol Today **4**, 259-264

BASHKIN, P., S. DOCTROW, M. KLAGSBRUN, C.M. SVAHN, J. FOLKMAN, I. VLODAVSKY (1989):

Basic fibroblast growth factor binds to subendothelial extracellular matrix and is released by heparitinase and heparin-like molecules.

Biochemistry **28**, 1737-1743

BATTIFORA, H., M. KOPINSKI (1986):

The influence of protease digestion and duration of fixation on the immunostaining of keratins.

J Histochem Cytochem **34**, 1095-1100

BECKER, A.B., K.F. CHUNG, D.M. McDONALD, S.C. LAZARUS, O.L. FRICK, W.M. GOLD (1985):

Mast cell heterogeneity in dog skin.

The Anatomical Record, **213**, 477-480

BECKER, A.B., F. BALDWIN, M.W. KEPRON (1987):

The relationship of bronchoalveolar lavage mast cells and airways hyperresponsiveness in allergic dogs.

Am Rev Respir Dis **135**, A222

BEFUS, A.D., F.L. PEARCE, J. GAULDIE, P. HORSEWOOD, J. BIENENSTOCK (1982):

Mucosal mast cell. I. Isolation and functional characteristics of rat intestinal mast cells.

J Immunol **128**, 2475-2480

BEFUS, A.D., R. GODDACRE, N. DYCK, J. BIENENSTOCK (1985):

Mast cell heterogeneity in man. I. Histologic studies of the intestine.

Int Arch Allergy Appl Immunol 76, 232-236

BENDITT, E.P., H. HOLCENBERG, D. LAGUNOFF (1963):

The role of serotonin (5-hydroxytryptamine) in mast cells.

Ann NY Acad Sci 103, 179-185

BENTLEY, A.M., M.R. JACOBSON, V. CUMBERWORTH, J.R. BARKANS, R. MOQBEL, L.B.

SCHWARTZ, A.-M.A. IRANI, A.B. KAY, S.R. DURHAM (1992):

Immunhistology of the nasal mucosa in seasonal allergic rhinitis: increases in activated eosinophils and epithelial mast cells.

J Allergy Clin Immunol 89, 877-883

BIENENSTOCK, J., A.D. BEFUS, J. DENBURG (1986):

Mast cell heterogeneity: basic questions and clinical implications.

In: BEFUS, A.D., J. BIENENSTOCK, J.A. DENBURG (eds): *Mast Cells Heterogeneity*. Raven Press, New York, 391-402

BIENENSTOCK, J., K.F. AUSTEN, S.J. GALLI (1989):

Nomenclature of mast cells and basophils.

In: GALLI, S.J., K.F. AUSTEN (eds): *Mast cell and basophil differentiation and function in health and disease*. Raven Press, New York, 329-338

BIRKEDAL-HANSEN, H., C.M. COBB, R.E. TAYLOR, H.M. FULLMER (1976):

Activation of fibroblast procollagenase by mast cell proteases.

Biochem Biophys Acta 438, 273-286

BLENKINSOPP, W. K. (1967):

Mast cell proliferation in adult rats.

J Cell Sci 2, 33-37

BRADDING, P., Y. OKAYAMA, P.H. HOWARTH, M.K. CHURCH, S.T. HOLGATE, (1995):

Heterogeneity of human mast cells based on cytokine content.

J Immunol 155, 297-307

BRADLEY, B.L., M. AZZAWI, M. JACOBSON, B. SOOUFI, J.V. COLLINS, A.A. IRANI, L.B.

SCHWARTZ (1991):

Eosinophils, T-lymphocytes, mast cells, neutrophils, and macrophages in bronchial biopsies from atopic asthmatics: comparison with atopic non-asthma and normal controls and relationship to bronchial hyperresponsiveness.

J Allergy Clin Immunol 88, 661-674

8. Literaturverzeichnis

BRAGANZA, V.J., W.H. SIMMONS (1991):

Tryptase from rat skin: purification and properties.

Biochemistry **30**, 4997-5007

BRAIN, S.D., T.J. WILLIAMS (1988):

Substance P regulates the vasodilator activity of calcitonin gene-related peptide.

Nature **335**, 73-75

BRIGGAMAN, R.A., N.M. SCHECHTER, J. FRÄKI, G.S. LAZARUS (1984):

Degradation of the epidermal-dermal junction by proteolytic enzymes from human skin and human polymorphonuclear leukocytes.

J Exp Med **160**, 1027-1042

BURNET, F.M. (1977):

The probable relationship of some or all mast cells to the T-cell system.

Cell Immunol **30**, 358-360

BUSSOLATI, G., P. GUGLIOTTA (1983):

Nonspecific staining of mast cells by avidin-biotin-peroxidase complexes (ABC).

J Histochem Cytochem **31**, 1419-1421

BROWN, J.K., C.L. TYLER, C.A. JONES, S.J. RUOSS, T. HARTMANN, G.H. CAUGHEY (1995):

Tryptase, the dominant secretory granular protein in human mast cells, is a potent mitogen for cultured dog tracheal smooth muscle cells.

Am J Respir Cell Mol Biol **13**, 227-236

CALONICO, L.D., M.J. PHILLIPS, D.M. McDONALD, W.M. GOLD (1985):

An ultrastructural analysis of dog mastocytoma cells and normal mast cells.

The Anatomical Record, **212**, 399-407

CAIRNS, J.A., A.F. WALLS (1996):

Mast cell tryptase is a mitogen for epithelial cells. Stimulation of IL-8 production and intercellular adhesion molecule-1 expression.

J Immunol **156**, 275-283

CAMPBELL E.J., E.K. SILVERMAN, M.A. CAMPBELL (1989):

Elastase and cathepsin G of human monocytes, quantification of cellular content, release in response to stimuli, and heterogeneity in elastase-mediated proteolytic activity.

J Immunol **143**, 2961-2968

CASTELLS, M.C., A.-M. IRANI, L.B. SCHWARTZ (1987):

Evaluation of human peripheral blood leukocytes for mast cell tryptase.

J Immunol **138**, 2184-2189

CAUGHEY, G.H., N.F. VIRO, J. RAMACHANDRAN, S.C. LAZARUS, D.B. BORSON, J.A. NADEL (1987):

Dog mastocytoma tryptase: affinity purification, characterization, and amino-terminal sequence.
Arch Biochem Biophys **258**, 555-563

CAUGHEY, G.H., S.C. LAZARUS, N.F. VIRO, W.M. GOLD, J.A. NADEL (1988a):

Tryptase and chymase: comparison of extraction and release in two dog mastocytoma lines.
Immunology **63**, 339-344

CAUGHEY, G.H., N.F. VIRO, S.C. LAZARUS, J.A. NADEL (1988b):

Purification and characterization of dog mastocytoma chymase: identification of an octapeptide conserved in chymotryptic leukocyte proteinases.

Biochim Biophys Acta **952**, 142-149

CAUGHEY, G.H., N.F. VIRO, L.D. CALONICI, D.M. McDONALD, S.C. LAZARUS, W.M. GOLD (1988c):

Chymase and tryptase in dog mastocytoma cells: asynchronous expression as revealed by enzyme cytochemical staining.

J Histochem Cytochem **36**, 1053-1060

CAUGHEY, G.H., F. LEIDIG, F. VIRO, J.A. NADEL (1988d):

Substance P and vasoactive intestinal peptide degradation by mast cell tryptase and chymase.

J Pharmacol Exp Ther **244**, 133-137

CAUGHEY, G.H. (1990):

Tryptase and chymase in dog mast cells.

In: SCHWARTZ, L.B. (ed), *Neutral proteases of mast cells*. S. Karger, Basel, 67-89

CAUGHEY, G.H., W.W. RAYMOND, P. VANDERSLICE (1990):

Dog mast cell chymase: molecular cloning and characterization.

Biochemistry **29**, 5166-5171

CAUGHEY, G.H., E.H. ZERWECK, P. VANDERSLICE (1991):

Structure, chromosomal assignment, and deduced amino acid sequence of a human gene for mast cell chymase.

J Biol Chem **266**, 12956-12963

CAUGHEY, G.H. (1995):

Mast cell chymase and tryptase: phylogeny, family relations, and biogenesis
in Caughey, G.H. (ed): *Mast Cell Proteases in Immunology and Biology*. M. Dekker, New York, 305-329

8. Literaturverzeichnis

CHEN, Z., A.A. IRANI, T.R. BRADFORD, S.S. CRAIG, G. NEWLANDS, H. MILLER, T. HUFF, W.H. SIMMONS, L.B. SCHWARTZ (1993):

Localization of rat tryptase to a subset of the connective tissue type of mast cell.

J Histochem Cytochem **41**, 961-969

COLBATZKY,F., B. TOBOLLIK, W. HERMANNS (1991):

Bedeutung und Nachweis verschiedener Mastzellpopulationen beim Hund.

Tierärztl Prax, **19**, 435-438

CORDELL, J.L., B. FALINI, W.N. ERBER, A.K. GHOSH, Z. ABDULAZIZ, S. MacDONALD, K.A.F.

PULFORD, H. STEIN, D.Y. MASON (1984):

Immunoenzymatic labeling of monoclonal antibodies using immune complexes of alkaline phosphatase and monoclonal antialkaline phosphatase (APAAP complexes).

J Histochem Cytochem **32**, 219-229

CRAIG, S.S., C.W. MONCURE, E. LEVINE, L.B. SCHWARTZ (1985):

Identification of two human mast cell subsets with monoclonal anti-tryptase antibody (G5).

Ann Allergy **55**, 272 (Abstract)

CRAIG S.S., G. DeBLOIS, L.B. SCHWARTZ (1986):

Mast cells in human keloid, small intestine, and lung by an immunoperoxidase technique using a murine monoclonal antibody against tryptase.

Am J Pathol **124**, 427-435

CRAIG S.S., N.M. SCHECHTER, L.B. SCHWARTZ (1988):

Ultrastructural analysis of human T and TC mast cells identified by immunoelectron microscopy.

Lab Invest **58**, 682-691

CRAIG, S.S., N.M. SCHECHTER, L.B. SCHWARTZ (1989):

Ultrastructural analysis of maturing human T and TC mast cells in situ.

Lab Invest **60**, 147-157

CRAIG, S.S., A.-M.A. IRANI, D.D. METCALFE, L.B. SCHWARTZ (1993):

Ultrastructural localization of heparin to human mast cells of the MCTC and MCT types by labeling with antithrombin III-gold.

Lab Invest **69**, 552-561

CZARNETZKI, B.M., W. STERRY, H. BAZIN, K. J. KAPVERAM (1982):

Evidence that tissue mast cells derived from mononuclear phagocytes.

Int Arch Allergy Appl Immunol **67**, 44-48

EADY, R.A.J., T. COWEN, T.F. MARSHALL, V. PLUMMER, M.W. GREAVES (1979):

Mast cell population density, blood vessel density and histamine content in normal skin.

Br J Dermatol **100**, 623-633

ECHTENACHER, B., D.N. MÄNNEL, L. HÜLTNER (1996):
Critical protective role of mast cells in a model of acute septic peritonitis.
Nature **381**, 75-77

EHRLICH, P. (1878):
Beiträge zur Kenntnis der Anilinfärbungen und ihrer Verwendung in der mikroskopischen Technik.
Archiv für Mikroskopische Anatomie (Bonn) **13**, 263.
Cited in: *Collected Papers of Paul Ehrlich*. F. Himmelweit, Ed., Pergamon Press, London, New York, 1956

Ehrlich, P. (1879):
Beiträge zur Kenntnis der granulierten Bindegewebszellen und der eosinophilen Leukozyten.
Arch Anat Physiol **3**, 166-169

ENERBÄCK, L. (1966a):
Mast cells in rat gastrointestinal mucosa. I. Effects of fixation.
Acta Pathol Microbiol Scand **66**, 289-302

ENERBÄCK, L. (1966b):
Mast cells in rat gastrointestinal mucosa. II. Dye-binding and metachromatic properties.
Acta Pathol Microbiol Scand **66**, 303-312

ENERBÄCK, L. (1974):
Berberine sulphate binding to mast cell polyanions: a cytofluorometric method for the quantitation of heparin.
Histochemistry **42**, 301-313

ENERBÄCK, L., LÖWHAGEN, G. B. (1979):
Long term increase of mucosal mast cells in the rat induced by administration of compound 48/80.
Cell Tissue Res **198**, 209-215

ENERBÄCK, L. (1981):
The gut mucosal mast cell.
Monogr Allergy **17**, 222-232

ENERBÄCK, L., S.O. KOLSET, M. KUSCHE, A. HJERPE, U. LINDAHL (1985):
Glycosaminoglycans in rat mucosal mast cells.
Biochem J **227**, 661-668

ENERBÄCK, L. (1986):
Mast cell heterogeneity: the evolution of the concept of a specific mucosal mast cells.
In: BEFUS, A.D., J. BIENENSTOCK, J.A. DENBURG (eds): *Mast Cell Differentiation and Heterogeneity*. Raven Press, New York, 1-26

8. Literaturverzeichnis

- ENERBÄCK, L., H.R.P. MILLER, G. MAYRHOFER (1986):
Methods for the identification and characterization of mast cells by light microscopy.
In: BEFUS, A.D., J. BIENENSTOCK, J.A. DENBURG (eds): *Mast Cells Heterogeneity*.
Raven Press, New York, 405-417
- ENERBÄCK, L. (1987):
Mucosal mast cells in the rat and in man.
Int Arch Allergy Immunol **82**, 249-255
- ENERBÄCK, L., K. NORRBY (1989):
The mast cell.
In: IVERSEN, O. (Ed.): *Cell Kinetics of the Inflammatory reaction*. Springer-Verlag, New York, 169-204
- EVERITT, M.T., H. NEURATH (1980):
Rat peritoneal mast cell carboxypeptidase: localization, purification and enzymatic properties.
FEBS Lett **110**, 292-296
- FLINT, K.C., K.B.P. LEUNG, F.L. PEARCE, B.N. HUDSPITH, J. BROSTOFF, N.Mc.I. JOHNSON (1985):
Human mast cells recovered by bronchoalveolar lavage: their morphology, histamine release, and the effects of sodium cromoglycate.
Clin Sci **68**, 427-432
- FORSBERG, L.S., S.C. LAZARUS, N. SENO, R. DeVINNEY, G.H. CAUGHEY, W.M. GOLD (1988):
Dog mastocytoma proteoglycans: occurrence of heparin and oversulfated chondroitin sulfates, containing trisulfated disaccharides, in three cell lines.
Biochim Biophys Acta **967**, 416-428
- FRÄKI, J.E., V.K. HOPSU-HAVU (1975):
Human skin proteases: separation and characterization of two alkaline proteases, one splitting trypsin and the other chymotrypsin substrates.
Arch Derm Res **253**, 261- 276
- FRÄKI, J.E. (1977):
Human skin proteases: effect of separated proteases on vascular permeability and leukocyte emigration in the skin.
Acta Dermatol Venereol **57**, 393-398
- FURITSU, T., H. SAITO, A.M. DVORAK, L.B. SCHWARZ, A.-M.A. IRANI, J.F. BURDICK, K. ISHIZAKA, T. ISHIZAKA (1989):
Development of human mast cells in vitro.
Proc Natl Acad Sci U S A **86**, 10039-10043

GALLI, S.J. (1990):

Biology of diseases. New insights into "The riddle of the mast cells": Microenvironmental regulation of mast cell development and phenotypic heterogeneity.

Lab Invest **62**, 5-33

GALLI, S.J. (1993):

New concepts about the mast cell.

In: FLIER J.S., L.H. UNDERHILL (eds): *Seminars in medicine of the Beth Israel Hospital*. Boston.

N Engl J Med **328**, 257-265

GARCIA, J.G.N., A. SIFLINGER-BIRNBOIM, R. BIZIOS, P.J. Del VECCHIO, J.W. FENTON II, A.B.

MALIK (1986):

Thrombin-induced increase in albumin permeability across the endothelium.

J Cell Physiol **128**, 96-104

GIBSON, S., H.R.P. MILLER (1986):

Mast cell subsets in the rat distinguished immunohistochemically by their content of serine proteinases.

Immunology **58**, 101-104

GIBSON, S., A. MACKELLAR, G. NEWLANDS, H.R.P. MILLER (1987):

Phenotypic expression of mast cell granule proteinases. Distribution of mast cell proteinases I and II in the rat digestive system.

Immunology **62**, 621-627

GLENNER, G.G., L.A. COHEN (1960):

Histochemical demonstration of a species-specific trypsin-like enzyme in mast cells.

Nature **185**, 846-847

GLENNER, G.G., V.K. HOPSU, L.A. COHEN (1962):

Histochemical demonstration of a trypsin-like esterase activity in mast cells.

J Histochem Cytochem **10**, 109-110

GOLDSTEIN, S.M., C.E. KAEMPFER, D. PROUD, L.B. SCHWARTZ, A.-M. IRANI, B.U. WINTROUB (1987):

Detection and partial characterization of a human mast cell carboxypeptidase.

J Immunol **139**, 2724-2729

GOLDSTEIN, S.M., J. LEONG, L.B. SCHWARTZ, D. COOKE (1992):

Protease composition of exocytosed human skin mast cell protease-proteoglycan complexes:

Tryptase resides in a complex distinct from chymase and carboxypeptidase.

J Immunol **148**, 2475-2482

8. Literaturverzeichnis

GOLDSTEIN S.M., WINTROUB B.U. (1993):

Mast cell proteases.

In: KALINER, M.A., D.D. METCALF (rds): *The Mast Cell in Health and Disease*. M. Dekker, New York, 343-380

GOMORI, G. (1951):

Chloracetyl esters as histochemical substrates.

J Histochem Cytochem **1**, 469- 470

GORDON, J.R., P.R. BURD, S.J. GALLI (1990):

Mast cells as a source of multifunctional cytokines.

Immunol Today **11**, 458-464

GOROSPE, J.R.M., M.D. THARP, J. HINCKLEY, J.N. KORNEGAY, E.P. HOFFMANN (1994):

A role for mast cells in the progression of Duchenne muscular dystrophy? Correlation in dystrophin-deficient humans, dogs, and mice.

J Neurol Sci **122**, 44-56

GRUBER, B.L., M.J. MARCHESE, F. SUZUKI, L.B. SCHWARTZ, Y. OKADA, H. NAGASE, N.S.

RAMAMURTHY (1989):

Synovial procollagenase activation by human mast cell tryptase dependence upon matrix metalloproteinase activation.

J Clin Invest **84**, 1657-1662

GRUBER, B.L., L.B. SCHWARTZ (1990):

The mast cell as an effector of connective tissue degradation: A study of matrix susceptibility to human mast cells.

Biochem Biophys Res Commun **171**, 1272-1278

HARDY, W.B., F.F. WESBROOK (1895):

The wandering cells of the alimentary canal.

J Physiol **18**, 490-524

HARVIMA, I.T., A. NAUKKARINEN, R.J. HARVIMA, J.E. FRÄKI (1988a):

Immunoperoxidase and enzyme-histochemical demonstration of human skin tryptase in cutaneous mast cells in normal and mastocytoma cells.

Arch Dermatol Res **280**, 363-370

HARVIMA, I.T., N.M. SCHECHTER, R.J. HARVIMA, J.E. FRÄKI (1988b):

Human skin tryptase: purification, partial characterization and comparison with human lung tryptase.

Biochim Biophys Acta **957**, 71-80

HARVIMA, I.T., A. NAUKKARINEN, R.J. HARVIMA, M. HORSMANHEIMO (1989a):
Enzyme- and immunohistochemical localization of mast cell tryptase in psoriatic skin.
Arch Dermatol Res **281**, 387-391

HARVIMA, I.T., K. KARKOLA, R.J. HARVIMA, A. NAUKKARINEN, H. NEITTAANMÄKI, M. HORSMANHEIMO, J.E. FRÄKI (1989b):
Biochemical and histochemical evaluation of tryptase in various human tissues.
Arch Dermatol Res **281**, 231-237

HARVIMA, I.T., A. NAUKKARINEN, R.J. HARVIMA, M.-L. AALTO, H. NEITTAANMÄKI, M. HORSMANHEIMO (1990):
Quantitative enzyme-histochemical analysis of tryptase- and chymase-containing mast cells in psoriatic skin.
Arch Dermatol Res **282**, 428-433

HARVIMA, I.T., A. NAUKKARINEN, R.J. HARVIMA, M.L. AALTO, H. NEITTAANMAKI, M. HORSMANHEIMO (1991):
Quantitation of tryptase- and chymase-containing mast cells in cutaneous lichen planus.
Acta Derm Venerol **71**, 394-398

HARVIMA, I.T., A. NAUKKARINEN, K. PAUKKONEN, R.J. HARVIMA, M.-L. AALTO, L.B. SCHWARTZ, M. HORSMANHEIMO (1993):
Mast cell tryptase and chymase in developing and mature psoriatic lesions.
Arch Dermatol Res **285**, 184-192

HEAVY, D.J., P.B. ERNST, R.L. STEVENS, A.D. BEFUS, J. BIENENSTOCK, K.F. AUSTEN (1988):
Generation of leukotriene C₄, leukotriene B₄, and prostaglandin D₂ by immunologically activated rat intestinal mucosal mast cells.
J Immunol **140**, 1953-1957

HED, J., S. ENESTRÖM (1981):
Detection of immune deposits in glomeruli: the masking effect on antigenicity of formalin in the presence of proteins.
J Immunol Methods **41**, 57-62

HIBBS, R.G., G.E. BURCH, J.H. PHILLIPS (1960):
Electron-microscopic observations on the human mast cell.
Am Heart J **60**, 121-127

HIRSHMAN, C.A., D.R. AUSTIN, W. KLEIN, J.M. HANIFIN, W. HULBERT (1986):
Increased metachromatic cells and lymphocytes in bronchoalveolar lavage fluid of dogs with airway hyperreactivity.
Am Rev Respir Dis **133**, 482-487

8. Literaturverzeichnis

HOPSU, V.K., G.G. GLENNER (1963):
A histochemical enzyme kinetic system applied to the trypsin-like, amidase and esterase activity in human mast cells.
J Cell Biol **17**, 503-510

HUANG, R., T. BLOM, L. HELLMAN (1991):
Cloning and structural analysis of MMCP-1, MMCP-4 and MMCP-5, three mouse mast cell-specific serine proteases.
Eur J Immunol **21**, 1611-1621

HÜLTNER, L., J. MOELLER, E. SCHMITT, G. JAGER, G. REISBACH, J. RING, P. DORMER (1989):
Thiol-sensitive mast cell lines derived from mouse bone marrow respond to a mast cell growth-enhancing activity different from both IL-3 and IL-4.
J Immunol **142**, 3440-3446

HÜLTNER, L., C. DRUEZ, J. MOELLER, E. SCHMITT, C. UYTTEHOVE, E. RUDE, P. DORMER, J. VAN SNICK (1990):
Mast cell growth enhancing activity (MEA) is structurally related and functionally identical to the novel mouse T cell growth factor P40/TCGF III.
Eur J Immunol **20**, 1413-1416

HUNTLEY, J.F., G.F. NEWLANDS, S. GIBSON, A. FERGUSON, H.R.P. MILLER (1985):
Histochemical demonstration of chymotrypsin like serine esterases in mucosal mast cells in four species including man.
J Clin Pathol **38**, 375-384

HUNTLEY, J.F., A. MACKELLAR, G.F.J. NEWLANDS, J. IRVINE, H.R.P. MILLER (1990):
Mapping of the rat mast cell granule proteinases RMCP I and II by enzyme-linked immunosorbent assay and paired immunofluorescence.
APMIS **98**, 933-944

HUNTLEY, J.F. (1992):
Mast cells and basophils: a review of their heterogeneity and function.
J Comp Path **107**, 349-372

IHLE, N.J., J. KELLER, S. OROSZLAN, L.E. HENDERSON, T.D. COPELAND, F. FITCH, M.B. PRYSTOWSKY, E. GOLDWASSER, J.W. SCHRADER, E. PALASZYNSKI, M. DY, B. LEBEL (1983):
Biologic properties of homogeneous interleukin 3. I. Demonstration of WEHI-3 growth factor activity, colony-stimulation factor activity, and histamine-producing cell-stimulating factor activity.
J Immunol **131**, 282-287

IRANI, A.A., N.M. SCHECHTER, S.S. CRAIG, G. DeB LOIS, L.B. SCHWARTZ (1986):
Two types of human mast cells that have distinct neutral protease compositions.
Proc Natl Acad Sci U S A **83**, 4464-4468

IRANI, A.-M.A., S.S. CRAIG, G. DeBLOIS, C.O. ELSON, N.M. SCHECHTER, L.B. SCHWARTZ (1987a):

Deficiency of the tryptase-positive, chymase-negative mast cell type in gastrointestinal mucosa of patients with defective T lymphocyte function.

J Immunol **138**, 4381-4386

IRANI, A.A., N. GOLZAR, G. DeBLOIS, B. GRUBER, L.B. SCHWARTZ (1987b):

Distribution of mast cell subsets in rheumatoid arthritis and osteoarthritis synovia.

Arthritis Rheum **30**, 66 (abstract)

IRANI, A.A., A. SPOCK, L.B. SCHWARTZ (1988):

Reverse distribution of human mast cell subsets in cystic fibrosis.

Ped Res **23**, 565 (abstract)

IRANI, A.-M.A., T.R. BRADFORD, C.L. KEPLEY, N.M. SCHECHTER, L.B. SCHWARTZ (1989a):

Detection of MC_T and MC_{TC} types of human mast cells by immunohistochemistry using new monoclonal anti-tryptase and anti-chymase antibodies.

J Histochem Cytochem **37**, 1509-1515

IRANI, A.A., H.A. SAMPSON, L.B. SCHWARTZ (1989b):

Mast cells in atopic dermatitis.

Allergy **44**, Suppl **9**, 31-34

IRANI, A.A., L.B. SCHWARTZ (1989):

Mast cell heterogeneity.

Clin Exp Allergy **19**, 143-155

IRANI, A.A., M.M. GARRIGA, D.D. METCALF, L.B. SCHWARTZ (1990a):

Mast cells in cutaneous mastocytosis: accumulation of the MC_{TC} type.

Clin Exp Allergy **20**, 53-58

IRANI, A.-M.A., S.I. BUTRUS, K.F. TABBARA, L.B. SCHWARTZ (1990b):

Human conjunctival mast cells: distribution of MC_T and MC_{TC} in vernal conjunctivitis and giant papillary conjunctivitis.

J Allergy Clin Immunol **86**, 34-40

IRANI, A.-M.A., S.M. GOLDSTEIN, B.U. WINTROUB, T. BRADFORD, L.B. SCHWARTZ (1991):

Human mast cell carboxypeptidase: selective localization to MC_{TC} cells.

J Immunol **147**, 247-253

IRANI A.A., S.S. CRAIG, G. NILSSON, T. ISHIZAKA, L.B. SCHWARTZ (1992a):

Characterization of human mast cells developed in vitro from fetal liver cells cocultured with murine 3T3 fibroblasts.

Immunology, **77**, 136-143

8. Literaturverzeichnis

IRANI, A.A., B.L. GRUBER, L.D. KAUFMAN, M.B. KAHALEH, L.B. SCHWARTZ (1992b):
Mast cell changes in scleroderma: presence of MC_T cells in the skin and evidence of mast cell activation.

Arthritis Rheum **35**, 933-939

IRANI, A.-M.A., L.B. SCHWARTZ (1994):

Human mast cell heterogeneity.

Allergy Proc **15**, 303-308

IRANI, A.-M.A. (1995):

Tissue and developmental variation of protease expression in human mast cells.

In: CAUGHEY, G.H. (ed): *Mast Cell Proteases in Immunology and Biology*. M. Dekker, New York, 127-143

JOHNSON, P.R., A.J. AMMIT, S.M. CARLIN, C.L. ARMOUR, G.H. CAUGHEY, J.L. BLACK (1997):

Mast cell tryptase potentiates histamine-induced contraction in human sensitized bronchus.

Eur Respir J **10**, 38-43

KATUNUMA, N., E. KOMINAMI, K. KOBAYASHI, Y. BANNO, K. SUZUKI, K. CHICHIBU, Y.

HAMAGUCHI, T. KATSUNUMA (1975):

Studies on new intracellular proteases in various organs of rat. 1. Purification and comparison of their properties.

Eur J Biochem **52**, 37-50

KATZ, H.R., K.F. AUSTEN, B. CATERSON, R.L. STEVENS (1986):

Secretory granules of heparin-containing rat serosal mast cells also possess highly sulfated chondroitin sulfate proteoglycans.

J Biol Chem **261**, 13393-13396

KELLY, J.W., G. BLOOM (1959):

A quantitative spectrophotometric study of the mast cell.

Exp Cell Res **16**, 538-564

KAWABORI, S., J.A. DENBURG, L.B. SCHWARTZ, A.A. IRANI, D. WONG, G. JORDANA, S.
EVANS, J. DOLOVICH (1992):

Histochemical and immunohistochemical characteristics of mast cells in nasal polyps.

Am J Respir Cell Mol Biol **6**, 37-43

KIDO, H., N. FUKUSEN, N. KATUNUMA (1985):

Chymotrypsin- and trypsin-type serine proteases in rat mast cells: properties and functions.

Arch Biochem Biophys **239**, 436-443

KIELTY, C.M., M. LEES, C.A. SHUTTLEWORTH, D. WOOLEY (1993):

Catabolism of intact type VI collagen microfibrils: susceptibility to degradation by serine proteinases.

Biochem Biophys Res Commun **191**, 1230-1236

KIRSHENBAUM, A.S., S.W. KESSLER, J.P. GOFF, D.D. METCALF (1991):

Demonstration of the origin of human mast cells from CD34+ bone marrow progenitor cells.

J Immunol **146**, 1410-1415

KIRSHENBAUM A.S., J.P. GOFF, S.W. KESSLER, J.M. MICAN, K. ZSEBO, D.D. METCALF (1992):

Effect of IL-3 and stem cell factor on the appearance of human basophils and mast cells from CD34+ pluripotent progenitor cells.

J Immunol **148**, 772-777

KITAMURA, Y., S. GO, S. HATANAKA (1978):

Decrease of mast cells in W/W^V mice and their increase by bone marrow transplantation.

Blood **52**, 447-452

KITAMURA, Y., T. SONODA, T. NAKANO, Y. KANAYAMA (1986):

Probable dedifferentiation of mast cells in mouse connective tissues.

Curr Top Dev Biol **20**, 325-332

KITAMURA, Y., Y. KANAKURA, S. SONODA, H. ASAI, T. NAKANO (1987):

Mutual phenotypic changes between connective tissue type and mucosal mast cells.

Int Arch Allergy Appl Immunol **82**, 244-248

KITAMURA, Y. (1989):

Heterogeneity of mast cells and phenotypic changes between subpopulations.

Annu Rev Immunol **7**, 59-76 BVI (1 aus 3)

KITAMURA, Y., T. KASUGAI, N. ARIZONO, H. MATSUDA (1993):

Development of mast cells and basophils: process and regulation mechanisms.

Am J Med Sci **306**, 185-191

KUBE, P., M. WELLE, R. RUDOLPH (1994):

Untersuchungen zur Heterogenität caniner Mastzellen.

43. Jahrestagung, Europäische Gesellschaft für Veterinärpathologie.

5.4.1994, Zürich, Abstract im Tagungsband 31

KUBE, P., M. WELLE (1994):

Heterogeneity of canine mast cells depending on different fixation properties.

12th annual meeting, European Society of Veterinary Pathology.

19-21.9.1994, Cuneo/Mondovi, Abstr, 124

8. Literaturverzeichnis

KUBE, P., L. AUDIGÉ, K. KÜTHER, M. WELLE (1998):
Distribution, density and heterogeneity of canine mast cells and influence of fixation techniques.
Histochem Cell Biol **110**, 129-135

KÜTHER, K., L. AUDIGÉ, P. KUBE, M. WELLE (1998):
Bovine mast cells: distribution, density, heterogeneity, and influence of fixation techniques.
Cell Tissue Res **293**, 111-119

KURIU, A., S. SONODA, Y. KANAKURA, K. JOZAKI, A. YAMATODANI, Y. KITAMURA (1989):
Proliferation potential of degranulated murine peritoneal mast cells.
Blood **74**, 925-929

LAGUNOFF, D., E.P. BENDITT (1963):
Proteolytic enzymes of mast cells.
Ann NY Acad Sci **103**, 185-198

LAGUNOFF, D., T.W. MARTIN, G. READ (1983):
Agents that release histamine from mast cells.
Annu Rev Pharmacol Toxicol **23**, 331-351

LEDER, L.D. (1979):
The chloroacetate esterase reaction. A useful means of histological diagnosis of hematological disorders from paraffin sections of skin.
Am J Dermatopathol **1**, 39-42

LEE, T.D.G., M. SWIETER, J. BIENENSTOCK, A.D. BEFUS (1985):
Heterogeneity in mast cell populations.
Clin Immunol Rev **4**, 143-199

LEES, M., D.J. TAYLOR, D.E. WOOLLEY (1994):
Mast cell proteinases activate precursor forms of collagenase and stromelysin, but not of gelatinases A and B.
Eur J Biochem **223**, 171-177

LEMANSKE, R.F. Jr., M.A. KALINER (1988):
Late phase allergic reactions.
In: MIDDLETON Jr., E., C.E. REED, E.F. Ellis, N.F. ATKINS Jr., J.W. YUNNIGER (eds): *Allergy: principles and practice*. 3rd ed. C.V. Mosby, St. Louis, 224-246
Int J Dermatol **22**, 401-409

LE TRONG, H., H. NEURATH, R.G. WOODBURY (1987):
Substrate specificity of the chymotrypsin-like protease in secretory granules isolated from rat mast cells.
Proc Natl Acad Sci U S A **84**, 364-367

LEVI-SCHAFFER, F., K.F. AUSTEN, P.M. GRAVALLESE, R.L. STEVENS (1986):
Coculture of interleukin 3-dependent mouse mast cells with fibroblasts results in a phenotypic change
of the mast cells.
Proc Natl Acad Sci U S A **83**, 6485-6489

LEVI-SCHAFFER, F. (1995):
Mast cell/fibroblast interactions in health and disease.
In: MARONE, G. (ed): *Human Basophils and Mast Cells: Biological Aspects*. Chem Immunol. Karger,
Basel **61**, 161-185

LI, C.Y., K.W. LAM, L.T. YAM (1973):
Esterases in human leukocytes.
J Histochem Cytochem **21**, 1-12

LI, L., X.-W. MENG, S.A. KRILIS (1996):
Mast cells expressing chymase but not tryptase can be derived by culturing human progenitors in
conditioned medium obtained from a human mastocytosis cell strain with c-kit ligand.
J Immunol **156**, 4839-4844

LOHI, J., I. HARVIMA, J. KESKI-OJA (1992):
Pericellular substrates of human mast cell tryptase: 72000 dalton gelatinase and fibronectin.
J Cell Biochem **50**, 337-349

LOWMAN, M.A., P.H. REES, R.C. BENYON, M.K. CHURCH (1988):
Human mast cell heterogeneity: Histamin release from mast cells dispersed from skin, lung, adenoids,
tonsils and intestinal mucosa in response to IgE-dependent and non-immunological stimuli.
J Allergy Clin Immunol **81**, 590-597

MALAVIYA, R., T. IKEDA, E. ROSS, S.N. ABRAHAM (1996):
Mast cell modulation of neutrophil influx and bacterial clearance at sites of infection through TNF-alpha.
Nature **381**, 77-80

MARKEY, A.C., L.J. CHURCHILL, D.M. MacDONALD (1989):
Human cutaneous mast cells: a study of fixative and staining reactions in normal skin.
Br J Dermatol **120**, 625-631

MARSHALL, J.S., G.P. FORD, E.B. BELL (1987):
Formalin sensitivity and differential staining of mast cells in human dermis.
Brit J Dermatol **117**, 29-36

MARSHALL, J.S., J. BIENENSTOCK, M.H. PERDUE, A.M. STANISZ, R.H. STEAD, P.B. ERNST
(1989): Novel cellular interactions and networks involving the intestinal immune system and its
microenvironment.
APMIS **97**, 383

8. Literaturverzeichnis

MARSHALL, J.S., J. BIENENSTOCK (1990):

Mast Cells.

Springer Semin Immunopathol **12**, 191-202

MATIN, R., E.K. TAM, J.A. NADEL, G.H. CAUGHEY (1992):

Distribution of chymase-containing mast cells in human bronchi.

J Histochem Cytochem **40**, 781-786

MAXIMOW, A. (1906):

Über die Zellformen des lockeren Bindegewebes.

Arch Mikroskop Anat Entw Gesch **67**, 680-757

McNEIL, H.P., D.S. REYNOLDS, V. SCHILLER, N. GHILDYAL, D.S. GURLEY, K.F. AUSTEN, R.L. STEVENS (1992):

Isolation, characterization, and transcription of the gene encoding mouse mast cell protease 7.

Proc Natl Acad Sci U S A **89**, 11174-11178

MENGLUNG, S., E.Y. CHI, M.J. BISHOP, W.R. HENDERSON (1993):

Lung mast cells increase in number and degranulate during pulmonary artery occlusion/reperfusion injury in dogs.

Am Rev Respir Dis **147**, 448-456

METCALFE, D.D., R.A. LEWIS, JE SILBERT RD ROSENBERG, S.I. WASSERMAN, K.F. AUSTEN (1979):

Isolation and characterization of heparin from human lung.

J Clin Invest **64**, 1537-1543

METCALFE, D.D., N.A. SOTER, S.I. WASSERMAN, K.F. AUSTEN (1980):

Identification of sulfated mucopolysaccharides including heparin in the lesional skin of a patient with mastocytosis.

J Invest Dermatol **74**, 210-215

METZGER, H., J-P. KINET (1988):

How antibodies work: focus on Fc receptors.

FASEB J **2**, 3-11

MILLER, H.R.P., J.F. HUNTLEY, G.F.J. NEWLANDS, A. MACKELLAR, J. IRVINE, A. MacDONALD, A.D. LAMMAS, D. WAKELIN, R.G. WOODBURY (1989):

Mast cell granule proteinases in mouse and rat: a guide to mast cell heterogeneity and activation in the gastrointestinal tract.

In: GALLI S.J., K.F. AUSTEN (eds): *Mast cell and basophil differentiation and function in health and disease*. Raven Press, New York 81-91

- MILLER, J.S., E.H. WESTIN, L.B. SCHWARTZ (1989):
Cloning and characterization of complementary DNA for human tryptase.
J Clin Invest **84**, 1188-1195
- IMITSU, H., T. FURITSU, A.M. DVORAK, A.-M.A. IRANI, L.B. SCHWARTZ, N. INAGAKI, M. TAKEI, K. ISHIZAKA, K.M. ZSEBO, S. GILLIS (1993):
Development of human mast cells from umbilical blood cells by recombinant human and murine c-kit ligand.
Proc Natl Acad Sci USA, **90**, 735-739
- MIZUTANI, H., N.M. SCHECHTER, G.S. LAZARUS, R.A. BLACK, T.S. KUPPER (1991):
Rapid and specific conversion of precursor interleukin 1 β (IL-1 β) to an active IL-1 species by human mast cell chymase.
J Exp Med **174**, 821-825
- MORA, F.de, G. GARCIA, L. FERRER, M. ARBOIX, F. DeMORA (1993):
Canine cutaneous mast cells dispersion and histamine secretory characterization.
Vet Immunol Immunopathol **39**, 421-429
- MORI, A., Y.L. ZHAI, T. TOKI, T. NIKAIDO, S. FUJII (1997):
Distribution and heterogeneity of mast cells in the human uterus.
Hum Reprod **12**, 368-372
- MURPHY, R.C., S. HAMMARSTRÖM, B. SAMUELSSON (1979):
Leukotriene C: a slow reacting substance from murine mastocytoma cells.
Proc Natl Acad Sci U S A **76**, 4275-4279
- NAUKKARINEN, A., B.J. NICKOLOFF, E.M. FARBER (1989):
Quantification of cutaneous sensory nerves and their substance P content in psoriasis.
J Invest Dermatol **92**, 126-129
- NEWLANDS, G.F., J. HUNTLEY, H.R.P. MILLER (1984):
Concomitant detection of mucosal mast cells and eosinophils in the intestines of normal and *Nippostrongylus*-immune rats. A re-evaluation of histochemical and immunocytochemical techniques.
Histochemistry **81**, 585-589
- ORR, T.S.C. (1977):
Fine structure of the mast cell with special reference to human cells.
Scand J Resp Dis **98**, 1-7
- OSBORNE, M.L., L.D. CALONICO, C.P. SOMMERHOFF, J.A. NADEL, D.M. McDONALD (1986):
Comparison of mast cells obtained by bronchoalveolar lavage of people with asthma and Basenji-Greyhound dogs.
Am Rev Respir Dis **133**, A396

8. Literaturverzeichnis

- OSBORNE, M.L., C.P. SOMMERHOFF, J.A. NADEL, D.M. McDONALD (1989):
Histochemical comparison of mast cells obtained from the airways of mongrel dogs and Basenji-Greyhound dogs by bronchoalveolar lavage.
Am Rev Respir Dis **140**, 749-755
- OSMAN, I.A.R., J.R. GARRETT, R.E. SMITH (1989):
Enzyme histochemical discrimination between tryptase and chymase in mast cells of human gut.
J Histochem Cytochem **37**, 415-421
- PADAWER, J. (1978):
The mast cell and immediate hypersensitivity.
In: Bach, M.K. (ed): *Immediate Hypersensitivity*. M. Dekker Inc., New York **7**, 301-367
- PEARCE, F.L., A.D. BEFUS, J. BIENENSTOCK (1984):
Mucosal mast cells: III. Effect of quercetin and other flavonoids on antigen-induced histamine secretion from rat intestinal mast cells.
J Allergy Clin Immunol **73**, 819-823
- PEARCE, F.L. (1986):
On the heterogeneity of mast cells.
Pharmacology **32**, 61-71
- PETERSON, M.W., P. STONE, D.M. SHASBY (1987):
Cationic neutrophil proteins increase transendothelial albumin movement.
J Appl Physiol **62**, 1521-1530
- PUGH, D., P.G. WALKER (1961):
Histochemical localization of beta-glucuronidase and N-acetyl-beta-glucosaminidase.
J Histochem Cytochem **9**, 105-106
- RAYMOND, W.W., G.H. CAUGHEY (1989):
N-glycosylation of dog mast cell chymase and tryptase.
FASEB J **3**, A1333 (abstract)
- RAZIN, E., J.M. MENCIA-HUERTA, R.L. STEVENS, R.A. LEWIS, F.-T. LIU, E.J. COREY, K.F. AUSTEN (1983):
IgE-mediated release of leukotriene C₄, chondroitin sulfate E proteoglycan, β -hexosaminidase, and histamine from cultured bone marrow derived mouse mast cells.
J exp Med **157**, 189-201

RAZIN, E., J.N. IHLE, D. SELDIN, J.M. MENCIA-HUERTA, H.R. KATZ, P.A. LeBLANC, A. HEIN, J.P. CAULFIELD, K.F. AUSTEN, R.L. STEVENS (1987):

Interleukin 3: A differentiation and growth factor for the mouse mast cell that contains chondroitin sulfate E proteoglycan.

J Immunol **132**, 1479-1486

REILLY, C.F., D.A. TEWKSBURY, N.M. SCHECHTER, J. TRAVIS (1982):

Rapid conversion of angiotensin I to angiotensin II by neutrophil and mast cell proteinases.

J Biol Chem **257**, 8619-8622

REILLY, C.F., N.B. SCHECHTER, J. TRAVIS (1985):

Inactivation of bradykinin and kallidrin by cathepsin G and mast cell chymase.

Biochem Biophys Res Commun **127**, 443-4

REYNOLDS, D.S., R.L. STEVENS, W.S. LANE, M.H. CARR, K.F. AUSTEN, W.E. SERAFIN (1990):

Different mouse mast cell populations express various members of at least six distinct mast cell serine proteases.

Proc Natl Acad Sci U S A **87**, 3230-3234

REYNOLDS, D.S., D.S. GURLEY, K.F. AUSTEN, W.E. SERAFIN (1991):

Cloning of the cDNA and gene of mouse mast cell protease-6: transcription by progenitor mast cells and mast cells of the connective tissue subclass.

J Biol Chem **266**, 3847-3853

RILEY, J.F. (1959):

The Mast Cells. E. & S. Livingstone Ltd., Edinburgh and London. 3-164

ROMEIS, B. (1968):

Mikroskopische Technik

R. Oldenbourg Verlag, München, Wien, 16. neubearbeitete und verbesserte Auflage

ROMEIS, B. (1989):

Mikroskopische Technik

Neubearbeitet und herausgegeben von P. Böck, Urban und Schwarzenberg, München, Wien, Baltimore, 17. Auflage

ROTHE, M.J., M. NOWAK, F.A. KERDEL (1990):

The mast cell in health and disease.

J Am Acad Dermatol **23**, 615-624

RUBINSTEIN, I., J.A. NADEL, P.D. GRAF, G.H. CAUGHEY (1990):

Mast cell chymase potentiates histamine-induced wheal formation in the skin of ragweed-allergic dogs.

J Clin Invest **86**, 555-559

8. Literaturverzeichnis

RUDOLPH, R. (1971):

Elektronenmikroskopischer Nachweis schwefelveresterter saurer Mukopolysaccharide in Mastzelltumoren des Hundes mit Hilfe von Bariumchlorid und Rutheniumrot. Zugleich ein Beitrag zur Einteilung und Differenzierung der Tumorzellen.

Arch exper Vet med **25**, 926-935

RUITENBERG, E.J., A. ELGERSMA (1976):

Absence of intestinal mast cell response in congenitally athymic mice during *Trichinella spiralis* Oinfestation.

Nature **264**, 258-260

RUITENBERG, S.J., L. GUSTOWSKA, A. ELGERSMA, H.M. RUITENBERG (1982):

Effect of fixation on the light microscopical visualization of mast cells in the mucosa and connective tissue of the human duodenum.

Int Arch Allergy Appl Immunol **67**, 233-238

RUOSS, S.J., T. HARTMANN, G.H. CAUGHEY (1991):

Mast cell tryptase is a mitogen for cultured fibroblasts.

J Clin Invest **88**, 493-499

RUSSEL, J.D., S.B. RUSSEL, K.M. TRUPIN (1977):

The effect of histamine on the growth of cultured fibroblasts isolated from normal and keloid tissue.

J Cell Physiol **93**, 389-394

SAAVEDRA-DELGADO, A.M.P., S. TURPIN, D.D. METCALF (1984):

Typical and atypical mast cells of the rat gastrointestinal system. Distribution and correlation with tissue histamine.

Agents Actions **14**, 1-7

SAGE, H., R.G. WOODBURY, P. BORNSTEIN (1979):

Structural studies on human type IV collagen.

J Biol Chem **254**, 9893-99000

SAYAMA, S., R.V. IOZZO, G.S. LAZARUS, N.M. SCHECHTER (1987):

Human skin chymotrypsin-like proteinase chymase. Subcellular localization to mast cell granules and interaction with heparin and other glycosaminoglycans.

J Biol Chem **262**, 6808-6815

SCHECHTER, N.M., J.E. FRÄKI, C.J. GEESIN, G.S. LAZARUS (1983):

Human skin chymotryptic proteinase: Isolation and relation to cathepsin G and rat mast cell proteinase I.

J Biol Chem **258**, 2973-2978

SCHECHTER, N.M., J.K. CHOI, D.A. SLAVIN, D.T. DERESIENSKI, S. SAYAMA, G. DONG, R.M. LAVKER, D. PROUD, G.S. LAZARUS (1986):
Identification of a chymotrypsin-like proteinase in human mast cells.
J Immunol **137**, 962-970

SCHECHTER, N.M., D. SLAVIN, R.D. FETTER, G.S. LAZARUS, J.E. FRÄKI (1988):
Purification and identification of two serine class proteinases from dog mast cells biochemically and immunologically similar to human proteinases tryptase and chymase.
Arch Biochem Biophys **262**, 232- 244

SCHECHTER, N.M., J.L. SPROWS, O.L. SCHOENBERGER, G.S. LAZARUS, B.S. COOPerman, H. RUBIN (1989):
Reaction of human skin chymotrypsin-like proteinase chymase with plasma proteinase inhibitor.
J Biol Chem **264**, 21308-21315

SCHECHTER N.M., A.-M.A. IRANI, J.L. SPROWS, I. ABERNETHEY, B.U. WINTROUB, L.B. SCHWARTZ (1990):
Identification of a cathepsin G-like proteinase in the MCTC type of human mast cell.
J Immunol **145**, 2652-2661

SCHICK, B., K.F. AUSTEN (1986):
Rat serosal mast cell degranulation mediated by chymase, an endogenous secretory granule protease: active site-dependent initiation at 1 degree C.
J Immunol **136**, 3812-3818

SCHMOLKE, B., U. AMMON, N. ZEMCKE, H.H. WOLFF (1994):
Immunohistochemical studies with skin mast cells.
Agents Actions **41**, ISS NSICI, C49-C50

SCHMUTZLER W., F. THIELE, U. ROSENKRANZ, U. BLUM, F.L. PEARCE, G. POBLETE-FREUNDT, P. PULT (1978):
Studies on isolated mast cells from guinea pig, dog, calf and man.
Agents Actions **8**, 407

SCHWARTZ, L.B., R.A. LEWIS, K.F. AUSTEN (1981a):
Tryptase from human pulmonary mast cells: purification and characterization.
J Biol Chem **256**, 11939-11943

SCHWARTZ, L.B., R.A. LEWIS, D. SELDIN, K.F. AUSTEN (1981b):
Acid hydrolases and tryptase from secretory granules of dispersed human lung mast cells.
J Immunol **126**, 1290-1294

8. Literaturverzeichnis

SCHWARTZ, L.B., C. RIEDEL, J.P. CAULFIELD, S.I. WASSERMANN, K.F. AUSTEN (1981c):
Cell association of complexes of chymase, heparin proteoglycan, and protein after degranulation by rat mast cells.

J Immunol **126**, 2071-2078

SCHWARTZ, L.B., K.F. AUSTEN (1984):
Structure and function of the chemical mediators of mast cells.
Prog Allergy **34**, 271-321

SCHWARTZ, L.B. (1985):
Monoclonal antibodies against human mast cell tryptase demonstrate shared antigenetic sites on subunits of tryptase and selective localization of the enzyme to mast cells.
J Immunol **134**, 526-531

SCHWARTZ, L.B., J.V. FOLEY, K.F. AUSTEN, N.A. SOTER, T. SHEPARD, G.F. MURPHEY (1985a):
Localization of tryptase to human cutaneous mast cells and keratinocytes by immunofluorescence and immunoperoxidase cytochemistry with monoclonal antitryptase antibody.
J Allergy Clin Immunol **76**, 182-188

SCHWARTZ, L.B., T.R. BRADFORD, B.H. LITTMAN, B.U. WINTROUB (1985b):
The fibrinogenolytic activity of purified tryptase from human lung mast cells.
J Immunol **135**, 2762-2767

SCHWARTZ, L.B., T.R. BRADFORD (1986):
Regulation of tryptase from human lung mast cells by heparin. Stabilization of the active tetramer.
J Biol Chem **261**, 7372-7379

SCHWARTZ, L.B., A.A. IRANI, K. ROLLER, M. CASTELLS, N.M. SCHECHTER (1987a):
Quantitation of histamine, tryptase, and chymase in dispersed human T and TC mast cells.
J Immunol **138**, 2611-2615

SCHWARTZ, L.B., A.A. IRANI, S. MROUEH, A. SPOCK (1987b):
Reversed ratio of T/TC types of human mast cells in cystic fibrosis.
Clin Res **35**, 255A

SCHWARTZ, L.B. (1989):
Heterogeneity of mast cells in humans.
In: GALLI, S.J., K.F. AUSTEN (eds): *Mast cell and basophil differentiation and function in health and disease*. Raven Press, New York, 93-105

SCHWARTZ, L.B. (1990a):
Neutral proteases of mast cells.
In: HANSON, L.A., F. SHAKIB (eds): *Monographs in Allergy*. Karger, Basel **27**, 165

SCHWARTZ, L.B. (1990b):

Tryptase from human mast cells: biochemistry, biology and clinical utility.

Monogr Allergy **27**, 90-113

SCHWARTZ, L.B. (1992):

Heterogeneity of human mast cells.

In: KALINER, M.A., D.D. METCALFE (eds): *Lung Biology in Health and Disease. The Mast Cell in Health and Disease*. M. Dekker, New York, 219-236

SCHWARTZ, L.B. (1994):

Mast cells: function and contents.

Curr Opin Immunol **6**, 91-97

SELYE, H. (1965):

The Mast Cells. Butterworths, Washington D.C., 1-448

SEKIZAWA, K., G.H. CAUGHEY, S.C. LAZARUS, W.M. GOLD, J.A. NADEL (1989):

Mast cell tryptase causes airway smooth muscle hyperresponsiveness in dogs.

J Clin Invest **83**, 175-179

SEPPÄ, H., K. VAANANEN, K. KORHONEN (1979):

Effect of mast cell chymase of rat skin on intercellular matrix: a histochemical study.

Acta Histochem **64**, 64-70

SEPPÄ, H. (1980):

The role of chymotrypsin-like protease of the rat mast cells in inflammatory vasopermeability and fibrinolysis.

Inflammation **4**, 1-8

SERAFIN, W.E., H.R. KATZ, K.F. AUSTEN, R.L. STEVENS (1986):

Complexes of heparin proteoglycans, chondroitin sulfate E proteoglycans, and [³H]diisopropyl fluorophosphate-binding proteins are exocytosed from activated mouse bone marrow-derived mast cells.

J Biol Chem **261**, 15017-10521

SERAFIN, W.E., E.T. DAYTON, P.M. GRAVALLESE, K.F. AUSTEN, R.L. STEVENS (1987):

Carboxypeptidase A in mouse mast cells: identification, characterization, and use as a differentiation marker.

J Immunol **139**, 3771-3776

SERAFIN, W.E., D.S. REYNOLDS, S. ROGELJ, W.S. LANE, G.A. CONDER, S.S. JOHNSON, K.F. AUSTEN, R.L. STEVENS (1990):

Identification and molecular cloning of a novel mouse mucosal mast cell serine protease.

J Biol Chem **265**, 423-429

8. Literaturverzeichnis

SERAFIN, W.E., T.P. SULLIVAN, G.A. CONDER, E. EBRAHIMI, P.M. MARCHAM, S.S. JOHNSON, K.F. AUSTEN, D.S. REYNOLDS (1991):

Cloning of the cDNA and gene for mouse mast cell protease-4: demonstration of its late transcription in mast cell subclasses and analysis of its homology to subclass-specific neutral proteases of the mouse and rat.

J Biol Chem **266**, 1934-1941

SIGMA DIAGNOSTICS (1992):

Naphthol AS-D-Chloroacetate Esterase and α -Naphthyl Acetate Esterase. For cytologic demonstration *Sigma Diagnostics* (Procedure No. 91)

SMITH, T.J., M.W. HOUGLAND, D.A. JOHNSON (1984):

Human lung tryptase. Purification and characterization.

J Biol Chem **259**, 11046-11051

SMITH, C.A., D.M. RENNICK (1986):

Characterization of a murine lymphokine distinct from interleukin 2 and interleukin 3 (IL-3) possessing a T-cell growth factor activity and a mast-cell growth factor activity that synergizes with IL-3.

Proc Natl Acad Sci U S A **83**, 1857-1861

SOMMERHOFF, C.P., G.H. CAUGHEY, W.E. FINKBEINER, S.C. LAZARUS, C.B. BASBAUM, J.A.

NADEL (1989a):

Mast cell chymase: a potent secretagogue for airway gland serous cells.

J Immunol **142**, 2450-2456

SOMMERHOFF, C.P., M.L. OSBORNE, W.M. GOLD, S.C. LAZARUS (1989b):

Functional and morphologic characterization of mast cells recovered by bronchoalveolar lavage from Basenji greyhound and mongrel dogs.

J Allergy Clin Immunol **83**, 441-449

SOMMERHOFF, C.P., M.L. OSBORNE, S.C. LAZARUS (1990):

Effect of inhibitors on histamine release from mast cells recovered by bronchoalveolar lavage in Basenji-Greyhound and Mongrel dogs.

Agents and Actions, **31**, 183-189

SOMMERHOFF, C.P., S.J. RUOSS, G.H. CAUGHEY (1992):

Mast cell proteoglycans modulate the secretagogue, proteoglycanase, and amidolytic activities of dog mast cell chymase.

J Immunol **148**, 2859- 2866

SOMMERHOFF, C.P. (1995):

Dog mast cell proteinases in models of airway secretion, bronchoconstriction, cutaneous vascular permeability, and tissue fibrosis.

In: CAUGHEY, G.H. (ed): *Mast Cell Proteases in Immunology and Biology*. M. Dekker, New York, 145-167

STEVENS, R.L., E. RAZIN, K.F. AUSTEN, A. HEIN, J.P. CAULFIELD, N. SENO, K. SCHMID, F. AKIYAMA (1983):

Synthesis of chondroitin sulfate E glycosaminoglycan onto p-nitrophenyl-B-D-xyloside and its localization to the secretory granules of rat serosal mast cells and mouse bone marrow-derived mast cells.

J Biol Chem **258**, 5977-5984

STEVENS, R.L., J.R. KATZ, D.S. SELDIN, K.F. AUSTEN (1986a):

Biochemical characteristics distinguish subclasses of mammalian mast cells.

In: BEFUS, A.D., J. BIENENSTOCK, J.A. DENBURG (eds): *Mast cell differentiation and heterogeneity*. Raven Press, New York, 183

STEVENS, R.L., T.D.G. LEE, D.C. SELDIN, K.F. AUSTEN, A.D. BEFUS, J. BIENENSTOCK (1986b): Intestinal mucosal mast cells from rats infected with *Nippostrongylus brasiliensis* contain protease-resistant chondroitin sulfate di-B proteoglycans.

J Immunol **137**, 291-295

STEVENS, R.L., C.C. FOX, L.M. LICHTENSTEIN, K.F. AUSTEN (1988):

Identification of chondroitin sulfat E proteoglycans and heparin proteoglycans in the secretory granules of human lung mast cells.

Proc Natl Acad Sci U S A **85**, 2284-2287

STEVENS, R.L., K.F. AUSTEN (1989):

Recent advances in the cellular and molecular biology of mast cells.

Immunol Today **10**, 381-386

STROBEL, S., H.R.P. MILLER, A. FERGUSON (1981):

Human intestinal mucosal mast cells: evaluation of fixation and staining techniques.

J Clin Pathol **34**, 851-858

STÜRZEBECHER, J., D. PRASA, C.P. SOMMERHOFF (1992):

Inhibition of human mast cell tryptase by benzamidine derivatives.

Biol Chem Hoppe-Seyler **373**, 1025-1030

TAINSH, K.R., H.Y.A. LAU, W.L. LIU, F.L. PEARCE (1991):

The human skin mast cell: A comparison with the human lung cell and a novel mast cell type, the uterine mast cell.

Agents and Actions, **33**, 1/2, 16-19

8. Literaturverzeichnis

- TAM, E.K., L.D. CALONICO, J.A. NADEL, D.M. McDONALD (1988):
Globule leukocytes and mast cells in the rat trachea: their number, distribution, and response to compound 48/80 and dexamethasone.
Anat Embryol (Berl) **178**, 107-118
- TAM, E.K., G.H. CAUGHEY (1990):
Degradation of airway neuropeptides by human lung tryptase.
Am J Respir Cell Molec Biol **3**, 27-32
- TAM, E.K. (1995):
Mast cell neuropeptidases.
In: CAUGHEY, G.H. (ed): *Mast Cell Proteases in Immunology and Biology*. M. Dekker, New York, 71-107
- TAS, J., R.G. BERNDSEN (1977):
Does heparin occur in mucosal mast cells of the rat small intestine?
J Histochem Cytochem **25**, 1058-1062
- THOMAS, P.S., A.N. WILSON, R.E. SCHRECK, S.C. LAZARUS (1992):
Prostaglandin D2 production and identification of prostaglandin H synthase within canine mast cell granule.
Am J Physiol **263**, 168-176
- THOMPSON, H.L., E.S. SCHULMAN, D.D. METCALF (1988):
Identification of chondroitin sulfate E in human lung mast cells.
J Immunol **140**, 2708-2713
- THOMPSON-SNIPES, L., V. DHAR, A. O'GARRA, K. MOORE, M. BOND, D. RENNICK (1990):
Cytokine synthesis inhibitory factor is a potent co-factor for mast cell growth.
FASEB J **4**, A1705 (abstract)
- TURNER, C.R., M.J. DAROWSKI, H.A. SAMPSON, E.W. SPANNHAKE, C.A. HIRSHMAN (1989):
Dermal mast cell releasability and end organ responsiveness in atopic and nonatopic dogs.
J Allergy Clin Immunol **83**, 643-648
- UVNÄS B., C.H. ABORG, A. BERGENDORFF (1970):
Storage of histamine in mast cells. Evidence for an ionic binding of histamine to protein carboxyls in the granule heparin-protein complex.
Acta Physiol Scand Suppl **336**, 1-26
- VALDIMARSSON, H., B.S. BAKER, J. INGILEIF, L. FRY (1986):
Psoriasis: a disease of abnormal keratinocyte proliferation induced by T lymphocytes.
Immunol Today **7**, 256-259

VANDERSLICE, P., C.S. CRAIG, J.A. NADEL, G.H. CAUGHEY (1989):

Molecular cloning of dog mast cell tryptase and a related protease: structural evidence of a unique mode of serine protease activation.

Biochemistry **28**, 4148-4155

VANDERSLICE, P., S.M. BALINGER, E.K. TAM, S.M. GOLDSTEIN, C.S. CRAIK, G.H. CAUGHEY (1990):

Human mast cell tryptase: multiple cDNAs and genes reveal a multigene serine protease family.

Proc Natl Acad Sci U S A **87**, 3811-3815

VARSANO, S., C.B. BASBAUM, L.S. FORSBERG, D.B. BORSON, G.H. CAUGHEY, J.A. NADEL (1987):

Dog tracheal epithelial cells in culture synthesize sulfated macromolecular glycoconjugates and release them from the cell surface upon exposure to extracellular proteinases.

Exp Lung Res **13**, 157-184

VARTIO, T., H. SEPPÄ, A. VAHERI (1981):

Susceptibility of soluble and matrix fibronectins to degradation by tissue proteinases, mast cell chymase, and cathepsin G.

J Biol Chem **256**, 471-477

WALTER, J. (1992):

Persönliche Mitteilung.

WEIDNER, N., K.F. AUSTEN (1990):

Evidence for morphologic diversity of human mast cells. An ultrastructural study of mast cells from multiple body sites.

Lab Invest **63**, 63-71

WEIDNER, N., K.F. AUSTEN (1991):

Ultrastructural and immunohistochemical characterization of normal mast cells at multiple body sites.

J Invest Dermatol **96**, 26-31

WEIDNER, N., K.F. AUSTEN (1993):

Heterogeneity of mast cells at multiple body sites. Fluorescent determination of Avidin binding and immunofluorescent determination of chymase, tryptase, and carboxypeptidase content.

Path Res Pract **189**, 156-162

WELLE, M.M., S.M. PROSKE, I.T. HARVIMA, N.M. SCHECHTER (1995):

Demonstration of tryptase in bovine cutaneous and tumor mast cells.

J Histochem Cytochem **43**, 1139-1144

8. Literaturverzeichnis

WELLE, M., L. AUDIGÉ, J.-P. BELZ (1997a):

The equine endometrial mast cell during the puerperal period: evaluation of mast cell numbers and types in comparison to other inflammatory changes.

Veth Pathol **34**, 23-30

WELLE M., S GRIMM, P. KUBE, C. von TSCHARNER (1997b):

Mast cell numbers and subtypes in the skin of Shar Peis with cutaneous mucinosis.

14th ESVD-ECVD Annual Congress.

5.-7.9.1997, Pisa, Proceedings, 179

WELLE M., S. GRIMM, M. SUTER (1997c):

Mast cell numbers and subtypes in the skin of atopic dogs.

15th European Congress of Veterinary Pathology.

16.-19.9.1997, Sassari-Alghero, Proceedings, 117

WHITAKER-MENEZES D., N.M. SCHECHTER, G.F. MURPHY (1993):

Localization of cathepsin G to cutaneous mast cell granules: evidence for regional segregation of mast cell proteinases.

Clin Res **41**, 473A

WILLIAMS, M. A. (1977):

Quantitative methods in biology, practical methods in electron microscopy.

In: GLAVERT, A.M. (eds), New York, North-Holland Publishing Co., 5-84

WINGREN, U., L. ENERBÄCK (1983):

Mucosal mast cells of the rat intestine: A re-evaluation of fixation and staining properties, with special reference to protein blocking and solubility of the granular glycosaminoglycan.

Histochem J **15**, 571-582

WINTROUB, B.U., N.B. SCHECHTER, G.S. LAZARUS, C.E. KAEMPFER, L.B. SCHWARTZ (1984):

Angiotensin I conversion by human and rat chymotryptic proteinases.

J Invest Dermatol **83**, 336-339

WINTROUB, B.U., C.E. KEMPFER, N.M. SCHECHTER, D. PROUD (1986):

A human lung mast cell chymotrypsin-like enzyme. Identification and partial characterization.

J Clin Invest **77**, 196-201

WOODBURY, R.G., M. EVERITT, Y. SANADA, N. KATUNUMA, D. LAGUNOFF, H. NEURATH

(1978a):

A major serine protease in rat skeletal muscle: evidence for its mast cell origin.

Proc Natl Acad Sci U S A **75**, 5311-5313

WOODBURY, R.G., N. KATUNUMA, K. KOBAYASHI, K. TITANI, H. NEURATH (1978b):

Covalent structure of a group-specific protease from rat small intestine.

Biochemistry **17**, 811-819

WOODBURY, R.G., G.M. GRUZENSKI, D. LAGUNOFF (1978c):

Immunofluorescent localization of a serine protease in rat small intestine.

Proc Natl Acad Sci U S A **75**, 2785-2789

YAM, L.T., C.Y. LI, W.H. CROSBY (1971):

Cytochemical identification of monocytes and macrophages.

Am J Clin Pathol **55**, 283-290

YEZZI, M.J., I.E. HSIEH, G.H. CAUGHEY (1994):

Mast cell and neutrophil expression of dog mast cell protease-3. A novel tryptase-related serine protease.

J Immunol **152**, 3064-3072

YOSHIDA, N., M.T. EVERITT, H. NEURATH, R.G. WOODBURY, J.C. POWERS (1980):

Substrate specificity of two chymotrypsin-like proteases from rat mast cells. Studies with peptide 4-nitroanilides and comparison with cathepsin G.

Biochemistry **19**, 5799-5804

ZSEBO, K.M., D.A. WILLIAMS, E.N. GEISSLER, V.C. BROUDY, F.C. MARTIN, H.L. ATKINS, R.-Y. HSU, N.C. BIRKETT, K.H. OKINO, D.C. MURDOCK, F.W. JACOBSON, K.E. LANGLEY, K.A. SMITH, T. TAKEISHI, B.M. CATTANACH, S.J. GALLI, S.V. SUGGS (1990):

Stem cell factor is encoded at the *S*/*i* locus of the mouse and is the ligand for the *c-kit* tyrosine kinase receptor.

Cell **63**, 213-224

ZUCKER-FRANKLIN, D., G. GRUSKY, N. HIRAYAMA, E. SCHNIPPER (1981):

The presence of mast cell precursors in rat peripheral blood.

Blood **58**, 544-551