

Stable odor coding is ensured by
uniglomerular output neurons throughout
olfactory learning in the honeybee *Apis
mellifera*

Dissertation zur Erlangung des akademischen Grades des
Doktors der Naturwissenschaften (Dr. rer. nat.)

eingereicht im Fachbereich Biologie, Chemie, Pharmazie
der Freien Universität Berlin

von
Philipp Peele
aus Berlin
Juni 2005

1. Gutachter: Prof. Dr. C.G. Galizia
2. Gutachter: Prof. Dr. R. Menzel

Tag der Disputation: 28.06.2005

Table of Contents

1	<u>Introduction</u>	1
1.1	Neuronal representations.....	1
1.2	Simple and complex central neural sensory representations.....	2
1.3	Plasticity in internal representations.....	3
1.4	An enigmatic example of changes in neural representation: olfactory learning.....	3
1.5	Olfactory coding.....	5
1.6	The olfactory system of the honeybee.....	6
1.6.1	Overview.....	6
1.6.2	Olfactory sensory neurons.....	6
1.6.3	Local interneurons.....	7
1.6.4	Projection neurons.....	7
1.7	Olfactory learning and memory in the honeybee.....	8
1.8	Representation of the unconditioned stimulus.....	9
1.9	Rationale of this study.....	9
2	<u>Methods</u>	11
2.1	Preparation.....	11
2.2	Imaging.....	12
2.3	Data analysis.....	12
2.4	Responses to sucrose water.....	13
2.5	Absolute conditioning.....	14
2.6	Sequential stimulation with three odors and differential Conditioning.....	16
2.7	Behavior.....	19
3	<u>Results</u>	20
3.1	Odors elicit activity patterns in PNs that are equal across animals.....	20
3.2	PN responses to sucrose.....	22
3.3	Repeated odor stimulation does not change the odor's Representation.....	28
3.5	Absolute conditioning does not change the representation of a learned odor.....	29

3.6	The sequence of the CS – US pairing does not influence the PN responses during conditioning.....	31
3.7	Stable odor responses in PNs in the AL throughout absolute and differential appetitive conditioning.....	33
3.8	Olfactory responses in a multidimensional coding space.....	41
3.9	Comparing effects in individual animals.....	43
3.10	Plasticity of PN odor responses in the AL.....	45
3.11	The role of IACT PNs in PER to odors and sucrose.....	48
4	<u>Discussion</u>	50
4.6	Odor stimulation elicits reliable activity patterns in PNs that are equal across animals.....	50
4.7	PN responses to sucrose.....	51
4.8	Animals do learn under the experimental conditions and uniglomerular IACT PNs are necessary for a behavioral response to a learned odor.....	53
4.9	Following learning IACT PN odor responses remain unmodulated.....	54
4.10	Critical discussion of the results.....	56
4.11	Robust PN odor responses albeit plasticity in the AL network due to associative conditioning.....	58
4.12	Changes of odor responses in the AL.....	60
4.13	Which neurons are subject to modulation in the AL.....	61
5	<u>Outlook</u>	65
6	<u>Summary</u>	68
7	<u>Zusammenfassung</u>	69
8	<u>Acknowledgements</u>	70
9	<u>References</u>	71