

TABLE OF CONTENTS

1. Summary	1
1. Zusammenfassung	3
2. Introduction	6
2.1. Life cycles and life stages.....	6
2.2. Heterochrony	7
2.2.1. Examples of heterochrony	7
2.3. The model organism <i>C. elegans</i>.....	9
2.4. <i>C. elegans</i> life cycle	9
2.4.1. Embryonic development	10
2.4.2. Post-embryonic development	10
2.5. <i>C. elegans</i> stage-specific programs, an overview.....	11
2.5.1. Seam cell programs.....	11
2.5.2. Gonad migration programs	13
2.6. Chronological age versus developmental age	13
2.6.1. Chronological age	13
2.6.2. Developmental age	14
2.7. The heterochronic loci control developmental timing in <i>C. elegans</i>	15
2.7.1. The early timing circuit.....	16
2.7.1.1. <i>lin-14</i> specifies S1 to S3 programs	16
2.7.1.2. <i>lin-28</i> regulates the S2/S3 transition	18
2.7.1.3. <i>lin-4</i> translationally represses <i>lin-14</i> and <i>lin-28</i>	19
2.7.1.4. <i>lin-46</i>	20
2.7.1.5. The nuclear hormone receptor <i>daf-12</i> acts at the convergence of dauer and heterochronic pathways.....	21
2.7.2. The late timing circuit.....	23
2.7.2.1. <i>lin-42</i> , a circadian rhythm component acts at several stages in development...24	24
2.7.2.2. <i>lin-41</i> specifies S4 fates by inhibiting LIN-29 and is regulated by <i>let-7</i>25	25
2.7.2.3. <i>hbl-1</i> acts at multiple times during <i>C. elegans</i> development and is regulated by microRNAs.....	26
2.7.2.4. <i>let-7</i> regulates the transition from larval to adult stage	28
2.7.2.5. <i>lin-29</i> controls the switch from larval to adult development	30
2.7.2.6. Parallel functions in the late timer	31
2.7.3. The heterochronic epidermal pathway model	32
2.7.3.1. The early timer	33

2.7.3.2. Connection of the early to the late timer	34
2.7.3.3. The late timer	34
2.7.4. Conservation of heterochronic genes	34
2.8. Cell autonomous versus cell non-autonomous regulation of developmental age	35
2.9. Regulatory mechanisms involved in the control of developmental timing	35
2.9.1. Transcriptional control	36
2.9.2. Translational control	36
2.9.3. MicroRNAs and non-coding RNAs	36
2.10. Thesis question	38
3. Material and Methods	40
3.1. Genetics	40
3.1.1. Nematode Culture Conditions.....	40
3.1.2. Microscopy	40
3.1.3. Mutant Isolation – EMS mutagenesis	40
3.1.4. Outcrossing of isolated mutants	41
3.1.5. Allele specificity test.....	41
3.1.6. Strain constructions	41
3.1.6.1. Construction of <i>dre-1</i> and <i>dre-2</i> single mutants.....	41
3.1.6.2. Double mutants constructed for epistasis analysis	41
3.1.7. Staging of nematodes	45
3.1.8. Molting experiments.....	46
3.2. Mapping <i>dre-1</i> and <i>dre-2</i>	46
3.2.1. SNP mapping	46
3.2.2. Three factor mapping	48
3.2.3. Deletion mapping	48
3.2.4. SNP mapping with single recombinants	49
3.2.5. Microinjections	49
3.3. Molecular biology	50
3.3.1. Sequencing of candidate genes	50
3.3.2. Isolation of genomic DNA of <i>C. elegans</i>	50
3.3.3. Isolation of cosmid DNA	50
3.3.4. Primer.....	51
3.3.5. Cloning	51
3.3.6. <i>dre-1</i> cDNA clones.....	53

3.3.6.1. Phage stock preparation	53
3.3.6.2. Excision of Phagemids of Lambda Zap II-phages	54
3.3.7. <i>dre-1::gfp</i> constructs	54
3.3.8. Preparation of <i>C. elegans</i> mixed stage RNA and cDNA	55
3.3.9. Deletion of <i>dre-1</i>	55
3.4. Database analyses	57
3.5. miRNA search.....	57
3.6. Search for <i>daf-12</i> binding sites	57
3.7. RNAi.....	57
3.8. Life span assays.....	58
4. Results	59
Part I- <i>dre-1</i>	59
4.1. Screen for <i>daf-12</i> redundant functions.....	59
4.2. <i>dre-1</i> influences gonadal heterochrony.....	60
4.3. <i>dre-1</i> is an allele non-specific Mig enhancer of <i>daf-12</i>	61
4.4. <i>dre-1</i> regulates the larval to adult switch in seam cells	61
4.5. Phenotypic classes	64
4.6. <i>dre-1</i> encodes an evolutionary conserved F-box protein.....	64
4.6.1. Mapping <i>dre-1</i>	64
4.6.2. <i>dre-1</i> structure.....	65
4.6.3. <i>dre-1</i> encodes an evolutionary conserved F-box protein	65
4.6.4. DRE-1 orthologs	66
4.7. <i>dre-1</i> molecular lesions	69
4.8. <i>dre-1</i> loss-of-function versus gain-of-function mutations	70
4.9. The <i>dre-1</i> 3'UTR lacks <i>let-7</i> and <i>lin-4</i> binding sites	71
4.10. The heterochronic gonadal circuit	71
4.11. Heterochronic seam cell circuit.....	75
4.11.1. <i>dre-1</i> acts upstream of <i>lin-29</i>	75
4.11.2. <i>dre-1</i> acts in parallel to <i>lin-41</i> and <i>lin-42</i>	77
4.12. <i>dre-1</i> affects molting.....	79
4.13. <i>dre-1</i> deletion results in embryonic lethality	81
4.14. Expression pattern.....	82
4.15. <i>dre-1::gfp</i> partially rescues the <i>dre-1</i> deletion.....	83
4.16. Aging experiments.....	83

4.17. DRE-1 complex	84
Part II – <i>dre-2</i>	88
4.18. <i>dre-2</i> is delayed in gonad migration	88
4.19. Seam cell heterochrony - <i>dre-2</i> may be a delayed mutant	89
4.20. <i>dre-2</i> exhibits pleiotropic defects.....	90
4.21. Mapping <i>dre-2</i>.....	90
5. Discussion	91
Part I - <i>dre-1</i>	91
5.1. <i>dre-1</i> is a novel player in <i>C. elegans</i> developmental timing.....	91
5.2. F-box proteins function in the ubiquitin system	91
5.2.1. F-box proteins are involved in diverse biological processes	93
5.2.2. Regulation of F-box protein and DRE-1	95
5.2.3. The role of F-box protein in other biochemical contexts	95
5.2.4. DRE-1 may be a component of a SCF complex	96
5.2.5. DRE-1 may interact with a BTB domain containing protein	96
5.2.6. Functional analysis of the <i>C. elegans</i> ubiquitin system.....	97
5.3. DRE-1 orthologs	97
5.4. <i>dre-1</i> functions in developmental timing in <i>C. elegans</i>	98
5.4.1. <i>dre-1</i> promotes S4 programs in the epidermis	98
5.4.2. <i>dre-1</i> acts upstream of <i>lin-29</i>	98
5.4.3. <i>dre-1</i> acts downstream of <i>let-7</i>	99
5.4.4. <i>dre-1</i> acts in parallel to <i>lin-41</i> and <i>lin-42</i>	100
5.4.5. <i>lin-4</i> may be epistatic to <i>dre-1</i>	101
5.4.6. Model of epidermal heterochronic pathway.....	102
5.4.7. <i>dre-1</i> promotes gonadal age.....	105
5.5. <i>dre-1</i> affects chronological age	107
5.6. DRE-1 may function in diverse pathways	108
5.7. Future prospects	109
Part II - <i>dre-2</i>	111
5.8. The <i>dre-2</i> locus	111
5.9. <i>dre-2</i> may be involved in <i>C. elegans</i> developmental timing.....	111
5.9.1. <i>dre-2</i> may promote gonadal age	111
5.9.2. <i>dre-2</i> may function in temporal epidermal development	112
5.10. DRE-2 may function in diverse pathways	112

5.11. Future prospects	113
6. References.....	114
Appendices.....	133
Table A1. Mutant strains isolated in this work.....	133
Table A2. Strains obtained by injection.....	133
Table A3. Strains made in this work by crosses	134
Table A4. Strains used in this work.....	136
Table A5. RNAi strains used of Ahringer library	137
Table A6. Primer for SNP chromosome mapping.....	138
Table A7. Primer for SNP fine mapping.....	139
Table A8. SNP primer (all)	141
Table A9. Primer for sequencing	149
Table A10. Primer for cloning	156
Table A11. Plasmids, cosmids and YACs used.....	158
Acknowledgements	159
Danksagung	159
Curriculum Vitae	160