

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Experimental details</b>	<b>7</b>
2.1	Adsorption and the use of UHV . . . . .	7
2.2	The experimental chamber . . . . .	9
2.3	Core level photoemission spectroscopy . . . . .	10
2.4	Photoelectron diffraction . . . . .	14
2.4.1	Modes of photoelectron diffraction . . . . .	14
2.4.2	Experimental methodology . . . . .	17
2.4.3	Structure determination . . . . .	19
2.5	Synchrotron radiation . . . . .	22
2.6	Overlayer structures and LEED patterns . . . . .	25
<b>3</b>	<b>Photoelectron diffraction study of the Ni(100)c(2x2)-N<sub>2</sub> system</b>	<b>27</b>
3.1	Adsorption structure . . . . .	29
3.1.1	Description of the experiment . . . . .	31
3.1.2	Structural determination . . . . .	32
3.2	An example of forward focusing . . . . .	42
3.3	Photoemission satellite structure . . . . .	44
3.3.1	Core-hole localisation . . . . .	46
3.4	General discussion and conclusions . . . . .	49
<b>4</b>	<b>Adsorption structure of formic acid reaction products on TiO<sub>2</sub>(110)(1x1)</b>	<b>51</b>
4.1	The rutile TiO <sub>2</sub> (110) surface . . . . .	54
4.1.1	Oxygen vacancies . . . . .	57
4.1.2	Experimental recipe for the preparation of nearly defect-free TiO <sub>2</sub> (110) surfaces . . . . .	59
4.2	Previous studies on the HCOOH/TiO <sub>2</sub> (110) system . . . . .	59
4.3	Description of the experiment . . . . .	62
4.4	Adsorption structure . . . . .	63
4.5	General discussion and conclusions . . . . .	74

<b>5</b>	<b>Structural investigation of a chiral adsorbate: <math>\alpha</math>-alanine on Cu(110)</b>	<b>77</b>
5.1	$\alpha$ -alanine: A chiral amino acid . . . . .	79
5.2	Adsorption structure . . . . .	83
5.2.1	Description of the experiment . . . . .	86
5.2.2	Structure determination . . . . .	87
5.3	Future perspectives: circular dichroism and chiral molecules . . . . .	97
5.4	Conclusions . . . . .	99
<b>6</b>	<b>Summary</b>	<b>101</b>
	<b>Bibliography</b>	<b>105</b>