

# Literaturverzeichnis

- [1] Orvig C., Abrams M., Chem. Rev. (1999), 99(9), 2201-2203.
- [2] Auterhoff, Knabe, Höltje, Lehrbuch der Pharmazeutischen Chemie, Wissenschaftl. Verlagges. Stuttgart (1994), 13. Auflage.
- [3] Silverman R.B., The Organic Chemistry of Drug Design and Drug Action, Academic Press (1992).
- [4] Raymond E., Faivre S., Chaney S., Woynarowski J., Cvitkovic E., Mol. Cancer Ther. (2002), 1, 227-235.
- [5] Gust R., Schnurr B., Krauser R., Bernhardt G., Koch M., Schmid B., Hummel E., Schönenberger H., J. Cancer Res. Clin. Oncol. (1998), 124, 585-597.
- [6] Hall M.D., Dillon C.T., Zhang M., Beale P., Cai Z., Lai B., Stampfl A.P.J., Hambley T.W., J. Biol. Inorg. Chem. (2003), 8, 726-732.
- [7] Hall M.D., Martin C., Ferguson D.J.P., Phillips R.M., Hambley T.W., Callaghan R., Biochem. Pharmacol. (2004), 67, 17-30.
- [8] Boulikas T., Vougiouka M., Oncol. Rep. (2003), 10, 1663-1682.
- [9] Di Blasi P., Bernareggi A., Beggiolin G., Piazzoni L., Menta E., Formento M.L., Anticancer Res. (1998), 18, 3113-3118.
- [10] Reedijk J., Curr. Opin. Chem. Biol. (1999), 3, 236-240.
- [11] Morris R.E., Aird R.E., Murdoch P.d.S., Chen H., Cummings J., Hughes N.D., Parsons S., Parkin A., Boyd G., Jodrell D.I., Sadler P.J., J. Med. Chem. (2001), 44, 3616-3621.
- [12] Messori L., Orioli P., Vullo D., Alessio E., Iengo E., Eur. J. Biochem. (2000), 267, 1206-1213.

- [13] Hall I.H., Lackey C.B., Kistler T.D., Durham, R.W., Russell J.M., Grimes R.N., Anticancer Res. (2000), 20, 2345-2354.
- [14] Hall I.H., Lackey C.B., Kistler T.D., Durham R.W., Jouad E.M., Khan M., Thanh X.D., Djebbar-Sid S., Benali-Baitich O., Bouet G.M., Pharmazie (2000), 55, 937-941.
- [15] Afrasiabi Z., Sinn E., Padhye S., Dutta S., Padhye S., Newton C., Anson C.E., Powell A.K., J. Inorg. Biochem. (2003), 95, 306-314.
- [16] Jayaraju D., Vashisht Gopal Y.N., A.K. Kondapi, Arch. Biochem. Biophys. (1999), 369(1), 68-77.
- [17] Ware D.C., Palmer B.D., Wilson W.R., Denny W.A., J. Med. Chem. (1993), 36, 1839-1846.
- [18] Osinsky S.P., Levitin I.Y., Bubnovskaya L.N., Ganusevich I.I., Tsikalova M.V., Istomin Y.Y.P., Zhavrid E.A., Volpin M.E., Anticancer Res. (1997), 17, 3457-3462.
- [19] Volpin M., Levitin I., Osinsky S., Angew. Chem. Int. Ed. Engl. (1996), 35 (20), 2395-2396.
- [20] Sommer, Dissertation (2001), Freie Universität Berlin
- [21] Kamalakannan P., Venkappayya D., J. Inorg. Biochem. (2002), 90, 22-37.
- [22] Metzler Nolte N., Angew. Chem. (2001), 113(6), 1072-1076. / Angew. Chem. Int. Ed. (2001), 40(6), 1040-1043.
- [23] Amann A., Decristoforo C., Ott I., Wenger M., Bader D., Alberto R., Putz G., Nuc. Med. Biol. (2001), 28, 243-250.
- [24] Egan T.J., Koch K.R., Swan P.L., Clarkson C., Van Schalkwyk D.A., Smith P.J., J. Med. Chem. (2004), 47, 2926-2934.
- [25] Sanchez-Delgado R.A., Navarro M., Perez H., Urbina J.A., J. Med. Chem. (1996), 39(5), 1095-1099.
- [26] Sun H., Huang J., Zheng B., The Eighth Symposium on Applied Bioinorganic Chemistry (2004), Book of Abstracts, 31.
- [27] Greenfield H., Sternberg H.W., Friedel R.A., Wotiz J.H., Markby R., Wender I., J. Am. Chem. Soc. (1956), 78, 120-124.

- [28] Gregson D., Howard J.A.K., *Acta Cryst.* (1983), C39, 1024-1027.
- [29] Nicholas K.M., Pettit R., *Tetrahedron Lett.* (1971), 37, 3475-3478.
- [30] Nicholas K.M., Pettit R., *J. Organomet. Chem.* (1972), 44, C21-C24.
- [31] Connor R.E., Nicholas K.M., *J. Organomet. Chem.* (1977), 125, C45-C48.
- [32] Lockwood R.F., Nicholas K.M., *Tetrahedron Lett.* (1977), 48, 4163-4166.
- [33] Kuhn O., Rau D., Mayr H., *J. Am. Chem. Soc.* (1998), 120, 900-907.
- [34] Pauson P.L., *Tetrahedron* (1985), 41(24), 5855-5860.
- [35] Sugihara T., Yamaguchi M., Nishizawa M., *Chem. Eur. J.* (2001), 7(8), 1589-1595.
- [36] Laue T., Plagens A., *Namen- und Schlagwortreaktionen der Organischen Chemie*, Teubner-Verlag
- [37] Osella D., Fiedler J., *Organometallics* (1992), 11, 3875-3878.
- [38] Osella D., Stein E., Jaouen G., Zanello P., *J. Organomet. Chem.* (1991), 401(1-2), 37-47.
- [39] Marcos M.L., Macazaga M.J., Medina R.M., Moreno C., Castro J.A., Gomez J.L., Delgado S., Gonzalez-Velasco J., *Inorg. Chim. Acta* (2001), 312, 249-255.
- [40] Hyama T., Nishide K., Saimoto H., Kusano Y., Sakai K., Yamada K., *Chem. Abstr.* (1987), 107, 229145b.
- [41] Jung M., Kerr D.E., Senter P.D., *Arch. Pharm. Pharm. Med. Chem.* (1997), 330, 173-176.
- [42] Schmidt K., Jung M., Keilitz R., Schnurr B., Gust R., *Inorg. Chim. Acta* (2000), 306, 6-16.
- [43] Schmidt K., *Dissertation* (2000), Freie Universität Berlin
- [44] Roth T., Eckert C., Fiebig H.H., Jung M., *Anticancer Res.* (2002), 22, 2281-2284.
- [45] Jaouen G., Vessieres A., Top S., Savignac M., Ismail A.A., Butler I.S., *Organometallics* (1987), 6, 1985-1987.

- [46] Jaouen G., Vessieres A., Top S., J. Am. Chem. Soc. (1985), 107, 4778-4780.
- [47] Osella D., Ravera M., Nervi C., Cavigiolio G., Vincenti M., Vessieres A., Jaouen G., Eur. J. Inorg. Chem. (2000), 491-497.
- [48] Osella D., Cavioglio G., Vincenti M., Vessieres A., Laios I., Leclerq G., Napolitano E., Fiaschi R., Jaouen G., J. Organomet. Chem. (2000), 596, 242-247.
- [49] Philomin V., Vessieres A., Gruselle M., Jaouen G., Bioconjugate Chem. (1993), 4, 419-424.
- [50] Vessieres A., Top S., Vaillant C., Osella D., Mornon J.-P., Jaouen G., Angew. Chem. (1992), 104(6), 790-792. / Angew. Chem. Int. Ed. Engl. (1992), 31, 754-755.
- [51] Varenne A., Vessieres A., Salmain M., Brossier P., Jaouen G., J. Immun. Meth. (1995), 186, 195-204.
- [52] Chandrasekharan N.V., Dai H., Roos K.L.T., Evanson N.K., Tomsik J., Elton T.S., Simmons D.L., PNAS (2002), 99(21), 13926-13931.
- [53] Williams C.S., Mann M., DuBois R.N., Oncogene (1999), 18, 7908-7916.
- [54] DeWitt D., Mol. Pharm. (1999), 55, 625-631.
- [55] Gilroy D.W., Colville-Nash P.R., Willis D., Chivers J., Paul-Clark M.J., Willoughby D.A., Nature Medicine (1999), 5(6), 698-701.
- [56] Warner T.D., Giuliano F., Vojnovic I., Bukasa A., Mitchell J.A., Vane J.R., Proc. Natl. Acad. Sci. (1999), 96, 7563-7568.
- [57] Giardiello F.M., Offerhaus G.J.A., DuBois R.N., Eur. J. Cancer (1995), 31A(7/8), 1071-1076.
- [58] Harris E.R., Chlebowski R.T., Jackson R.D., Frid D.J., Ascencio J.L., Anderson G., Loar A., Rodabough R.J., White E., McTiernan A., Cancer Res. (2003), 63, 6096-6101.
- [59] Koki A.T., Masferrer L.M., Cancer Control (2002), 9 (2), 28-35.
- [60] Terry M.B., Gammon M.D., Zhang F.F., Tawfik H., Teitelbaum S.L., Britton J.A., Subbaramaiah K., Dannenberg A.J., Neugut A.I., JAMA (2004), 291(20), 2433-2440.

- [61] Yu H.G., Huang J.A., Yang Y.N., Huang H., Luo H.S., Yu J.P., Meier J.J., Schrader H., Bastian A., Schmidt W.E., Schmitz F., Eur. J. Clin. Invest. (2002), 32, 838-846.
- [62] Sotiriou C., Lacroix M., Lagneaux L., Berchem G., Body J.J., Anticancer Res. (1999), 2997-3006.
- [63] Rodriguez-Burford C., Barnes M.N., Oelschlager D.K., Myers R.B., Talley L.I., Partridge E.E., Grizzle W.E. Clin. Cancer Res. (2002), 8, 202-209.
- [64] Fulton A.M., Int. J. Cancer (1984), 33, 375-379.
- [65] Cunningham D.C., Harrison L.Y., Shultz T.D., Anticancer Res. (1997), 17, 197-204.
- [66] Waskevich C., Blumenthal R.D., Li H., Stein R., Goldenberg D.M., Burton J., Cancer Res. (2002), 62, 2029-2033.
- [67] Sanchez-Alcazar J.A., Bradbury D.A., Pang L., Knox A.J., Lung Cancer (2003), 40, 33-44.
- [68] Earashi M., Noguchi M., Kinoshita K., Tanaka M., Oncology (1995), 52, 150-155.
- [69] King J.G., Khalili K., Oncogene (2001), 20, 6864-6870.
- [70] Sheng H., Shao J., Kirkland S.C., Isakson P., Coffey R.J., Morrow J., Beauchamp R.D., DuBois R.N., J. Clin. Invest. (1997), 99(9), 2254-2259.
- [71] WilliamsC.S., Watson A.J.M., Sheng H., Helou R., Shao J., DuBois R.N., Cancer Res. (2000), 60, 6045-6051.
- [72] Kalgutkar A.S., Crews B.C., Rowlinson S.W., Garner C., Seibert K., Marnett L.J., Science (1998), 280, 1268-1270.
- [73] Kalgutkar A.S., Kozak K.R., Crews B.C., Hochgesang P., Marnett L.J., J. Med. Chem. (1998), 41, 4800-4818.
- [74] Hassner A., Alexanian V., Tetrahedron Lett. (1978), 46, 4475-4478.
- [75] Freedman J., Huber E.W., J. Heterocyclic Chem. (1990), 27, 343-346.
- [76] Valliant J.F., Schaffer P., J. Inorg. Biochem. (2001), 85, 43-51.

- [77] Fisnerova L., Grimova J., Rabek V., Roubal Z., Cesko-Slovenska Farmacie (1977), 26(2), 227-231.
- [78] Happ B., Bartik T., Zucchi C., Rossi M.C., Ghelfi F., Palyi G., Organometallics (1995), 14, 809-819.
- [79] Welz B., Sperling M., Atomabsorptionsspektroskopie, 4.Auflage (1997), Wiley-VCH.
- [80] Hoffmann K.L., Feng M.R., Rossi D.T., J. Pharm. Biomed. Anal. (1999), 19, 319-326.
- [81] NIST: [www.physics.nist.gov/cgi-bin/AtData/main\\_asd](http://www.physics.nist.gov/cgi-bin/AtData/main_asd)
- [82] Braumann T., J. Chromatography (1986), 373, 191-225.
- [83] Shuyuan L., Xuejin Y., Songlan L., Licheng S., Qingmei H., Sepu (1990), 8(3), 143-146.
- [84] McKeage M.J., Berners-Price S.J., Galettis P., Bowen R.J., Brouwer W., Ding L., Zhuang L., Baguley B.C., Cancer Chemother. Pharmacol (2000), 46, 343-350.
- [85] Koolman J., Rhm K.H., Taschenatlas der Biochemie (2002), 3.Aufl., Thieme-Verlag.
- [86] Hunnius Pharmazeutisches Wörterbuch, 7.Auflage, deGruyter-Verlag.
- [87] Schertl S., Hartmann R.W., Batzl-Hartmann C., Bernhardt G., Spruß T., Beckenlehner K., Koch M., Krauser R., Schlemmer R., Gust R., Schönenberger H., Arch. Pharm. Pharm. Med. Chem. (2004), 337, 349-359.
- [88] Bernhardt G., Koch M., Spruß T., Gust R., Krauser R., Schlemmer R., Hollstein M., Lux F., Schönenberger H., Arch. Pharm. Pharm. Med. Chem. (1999), 332(6), 195-200.
- [89] Verdaguer X., Moyano A., Pericas M.A., Riera A., Alvarez-Larena A., Piniella J.-F., Organometallics (1999), 18, 4275-4285.
- [90] Gelasco A., Lippard S.J., Biochemistry (1998), 37, 9230 ff.
- [91] Natarajan G., Malathi R., Holler E.; Biochem. Pharmacol. (1999) , 58, 1625-1629.

- [92] Smith W.L., Garavito R.M., DeWitt D.L., *J. Biol. Chem.* (1996), 271 (52), 33157-33160.
- [93] Morita I., Prostaglandins and other Lipid Mediators (2002), 68-69, 165-175.
- [94] Kis B., Snipes J.A., Isse T., Nagy K., Busija D.W., *J. Cereb. Blood Flow Metab.* (2003), 23(11), 1287-1292.
- [95] Warner T.D., Mitchell J.A., *PNAS* (2002), 99(21), 13371-13373.
- [96] Loll P.J., Picot D., Garavito R.M., *Nat. Struct. Biol.* (1995), 2, 637ff.
- [97] Kurumbail R.G., Stevens A.M., Gierse J.K., McDonald J.J., Stegeman R.A., Pak J.Y., Gildehaus D., Miyashiro J.M., Penning T.D., Seibert K., Isakson P.C., Stallings W.C., *Nature* (1996), 384, 644ff.
- [98] Copeland R.A., Williams J.M., Giannaras J., Nurnberg S., Covington M., Pinto D., Pick S., Trzaskos J.M., *PNAS* (1994), 91, 11202-11206.
- [99] DeWitt D.L., El-Harith E.A., Kraemer S.A., Andrews M.J., Eveline F.Y., Armstrong R.L., Smith W.L., *J. Biol. Chem.* (1990), 265(9), 5192-5198.
- [100] Gierse J.K., McDonald J.J., Hauser S.D., Rangwala S.H., Koboldt C.M., Seibert K., *J. Biol. Chem.* (1996), 271(26), 15810-15814.
- [101] Mancini J.A., Riendeau D., Falgueyret J.-P., Vickers P.J., O'neill G.P., *J. Biol. Chem.* (1995), 270(49), 29372-29377.
- [102] Marnett L. J., Prostaglandins and other Lipid Mediators (2002), 68-69, 153-164.
- [103] Wu K.K.Y., *Biochem. Pharmacol.* (1998), 55, 543-547.
- [104] Maclouf J., Grassi J., Pradelles P., *Prostagl. Lipid Metab. Rad. Inj.* (1987), 355-364.
- [105] Pradelles P., Grassi J., Maclouf J., *Anal. Chem.* (1985), 57, 1170-1173.
- [106] Kalgutkar A.S., Marnett A.B., Crews B.C., Remmel R.P., Marnett L.J., *J. Med. Chem.* (2000), 43, 2860-2870.
- [107] Kalgutkar A.S., Crews B.C., Rowlinson S. W., Marnett A.B., Kozak K.R., Remmel R.P., Marnett L.J., *PNAS* (2000), 97(2), 925-930.

- [108] Bednarski P.J., Biochem. Pharmacol. (1992), 43(12), 2609-2620.
- [109] Bednarski P.J., J. Inorg. Biochem. (1995), 80, 1-19.
- [110] Neumann C., Boubakari, Grünert R., Bednarski P.J., Anal. Biochem. (2003), 320, 170-178.
- [111] Perquin M., Oster T., Maul A., Froment N., Untereiner M., Bagrel D., J. Cancer Res. Clin. Oncol. (2001), 127, 368-374.
- [112] Adams R.D., Yamamoto J.H., Organometallics (1997), 16, 1430-1439.
- [113] Adams R.D., Acc. Chem. Res. (2000), 33, 171-178.
- [114] Adams R.D., Queisser J.A., Yamamoto J.H., J. Am. Chem. Soc. (1996), 118, 10674-10675.
- [115] Arterburn J.B., Perry M.C., Nelson S.L., Dible B.R., Holguin M.S., J. Am. Chem. Soc. (1997), 119, 9309-9310.
- [116] Davies J.E., Hope-Weeks L.J., Mays M.J., Raithby P.R., Chem. Commun. (2000), 1411-1412.
- [117] Leonard S., Gannett P.M., Rojanasakul Y., Schwegler-Berry D., Castranova V., Vallyathan V., Shi X., J. Inorg. Biochem. (1998), 70, 239-244.
- [118] Pompella A., Visvikis A., Paolicchi A., De Tata V., Casini A.F., Biochem. Pharmacol. (2003), 66, 1499-1503.
- [119] Schumacher, Therapie maligner Tumoren (2000), Schattauer Verlag.
- [120] Rao M. S., Esho N., Sergeant C., Dembinsky R., J. Org. Chem. (2003), 68, 6788-6790.
- [121] Esho N., Davies B., Lee J., Dembinsky R., Chem. Comm. (2002), 332-333.
- [122] Eisenhut M., Mohammed A., Mier W., Schnsiegel F., Friebe M., Mahmood A., Jones A.G., Haberkorn U., J. Med. Chem. (2002), 45, 5802-5805.
- [123] Ghezzi A.R., Aceto M., Cassino C., Gabano E., Osella D., J. Inorg. Biochem. (2004), 98, 73-78.

- [124] Ishida S., Lee J., Thiele D.J., Herskowitz I., PNAS (2002), 99(22), 14298-14302.
- [125] Los G., Gateley D., Costello M.L., Thiebaut F., Naredi P., Howell S.B., Platinum and Other Metal Coordination Compounds in Cancer Chemotherapy 2 (1996), Plenum Press, 91-105.
- [126] Okada T., El-Mehasseb I.M., Kodaka M., Tomohiro T., Okamoto K., Okuno H., J. Med. Chem. (2001), 44, 4661-4667.
- [127] Lindauer E., Holler E., Biochem. Pharmacol. (1996), 52, 7-14.
- [128] Cesar E.T., Vieira de Almeida M., Soares Fontes A.P., Pereira Maia E.C., Garnier-Suillerot A., Costa Couri M.R., Antunes Felicio E.C., J. Inorg. Biochem. (2003), 95, 297-305.
- [129] Jakob R., Prep. Biochem. (1992), 22(1), 1-9.
- [130] Muramatsu M., Onishi T., Methods Cell. Biol. (1977), 15, 221-234.
- [131] Rigobello M.P., Scutari G., Folda A., Bindoli A., Biochem. Pharmacol. (2004), 67, 689-696.
- [132] Gromer S., Arscott L.D., Williams C.H., Schirmer R.H., Becker K., J. Biol. Chem. (1998), 273 (32), 20096-20101.
- [133] Becker K., Herold-Mende C., Park J.J., Lowe G., Schirmer R.H., J. Med. Chem. (2001), 44, 2784-2792.
- [134] Kanduc D., Mittelman A., Serpico R., Sinigaglia E., Sinha A.A., Natale C., Santacroce R., Di Corcia M.G., Lucchese A., Dini L., Pani P., Santacroce S., Simone S., Bucci R., Farber E., Int. J. Oncol. (2002), 21, 165-170.
- [135] Fadok V.A., Voelker D.R., Campbell P.A., Cohen J.J., Bratton D.L., Henson P.M., J. Immunol. (1992), 148(7), 2207-2216.
- [136] Frankfurt O.S., Krishan A. J. Histochem. Cytochem. (2001), 49, 369-378.
- [137] Frankfurt O.S., Krishan A., J. Immunol. Methods (2001), 153, 133-143.
- [138] Mosmann T., J. Immunol. Methods (1983), 65(1-2), 55-63.
- [139] Ott I., Kircher B., Gust R., J. Inorg. Biochem. (2004), 98, 485-489.

- [140] Shao J., Sheng H., Inoue H., Morrow J.D., DuBois R.N., *J. Biol. Chem.* (2000), 275(43), 33951-33956.
- [141] Bradford M.M., *Anal. Biochem.* (1976), 72, 248-254.
- [142] Pawlowski C.E., U.S. Pat.3.288.840,29.11.1966; *Chem. Abstr.* (1967), 66, 462242.
- [143] Liu X.-H., Rose D.P., *Cancer Res.* (1996), 56, 5125-5127.
- [144] Half E., Tang X.M., Gwyn K., Sahin A., Wathen K., Sinicrope F.A., *Cancer Res.* (2002), 62, 1676-1681.
- [145] Hwang D., Scollard D., Byrne J., Levine E., *J. Nat. Canc. Inst.* (1998), 90(6), 455-459.
- [146] Bange J., Zwick E., Ullrich A., *Nature Med.* (2001), 7(5), 548-552.