

---

## 7 Literaturverzeichnis

1. **Abraham, S.N., Goguen, J.D., and Beachey, E.H.** (1988). Hyperadhesive mutant of type 1-fimbriated *Escherichia coli* associated with formation of FimH organelles (fimbriosomes). *Infect. Immun.* **56**(5): 1023-1029.
2. **Achtman, M., Heuzenroeder, M., Kusecek, B., Ochman, H., Caugant, D., Selander, R.K., Vaisanen-Rhen, V., Korhonen, T.K., Stuart, S., and Orskov, F.** (1986). Clonal analysis of *Escherichia coli* O2:K1 isolated from diseased humans and animals. *Infect. Immun.* **51**(1): 268-276.
3. **Aguero, M.E., Aron, L., DeLuca, A.G., Timmis, K.N., and Cabello, F.C.** (1984). A plasmid-encoded outer membrane protein, TraT, enhances resistance of *Escherichia coli* to phagocytosis. *Infect. Immun.* **46**(3): 740-746.
4. **Arne, P., Marc, D., Bree, A., Schouler, C., and Dho-Moulin, M.** (2000). Increased tracheal colonization in chickens without impairing pathogenic properties of avian pathogenic *Escherichia coli* MT78 with a *fimH* deletion. *Avian Dis.* **44**(2): 343-355.
5. **Arp, L.H. and Jensen, A.E.** (1979). Piliation, hemagglutination, motility, and generation time of *Escherichia coli* that are virulent or avirulent for turkeys. *Avian Dis.* **24**(1): 153-161.
6. **Atkins, A., Wyborn, N.R., Wallace, A.J., Stillman, T.J., Black, L.K., Fielding, A.B., Hisakado, M., Artymiuk, P.J., and Green, J.** (2000). Structure-function relationships of a novel bacterial toxin, hemolysin E. The role of alpha G. *J. Biol. Chem.* **275**(52): 41150-41155.
7. **Ausubel, F.M.** (ed.) (1987-2000). *Current protocols in molecular biology*. New York, Wiley and Sons, Inc.
8. **Babai, R., Blum-Oehler, G., Stern, B.E., Hacker, J., and Ron, E.Z.** (1997). Virulence patterns from septicemic *Escherichia coli* O78 strains. *FEMS Microbiol. Lett.* **149**(1): 99-105.
9. **Bagg, A. and Neilands, J.B.** (1987). Molecular mechanism of regulation of siderophore-mediated iron assimilation. *Microbiol. Rev.* **51**(4): 509-518.

10. **Barnes, H.J. and Gross, W.B.** (1997). Colibacillosis. In: Diseases of poultry, W.B. Gross (ed.), Ames Iowa, Iowa State University Press: pp. 131-141.
11. **Bauer, M.E. and Welch, R.A.** (1996). Characterization of an RTX toxin from enterohemorrhagic *Escherichia coli* O157:H7. *Infect. Immun.* **64**(1): 167-175.
12. **Bindereif, A. and Neilands, J.B.** (1985). Aerobactin genes in clinical isolates of *Escherichia coli*. *J. Bacteriol.* **161**(2): 727-735.
13. **Binns, M.M., Mayden, J., and Levine, R.P.** (1982). Further characterization of complement resistance conferred on *Escherichia coli* by the plasmid genes *traT* of R100 and *iss* of ColV,I- K94. *Infect. Immun.* **35**(2): 654-659.
14. **Blanco, J.E., Blanco, M., Mora, A., and Blanco, J.** (1997). Production of toxins (enterotoxins, verotoxins, and necrotoxins) and colicins by *Escherichia coli* strains isolated from septicemic and healthy chickens: relationship with in vivo pathogenicity. *J. Clin. Microbiol.* **35**(11): 2953-2957.
15. **Bollmann, R., Seeburg, A., Parschau, J., Schonian, G., Sokolowska-Kohler, W., Halle, E., and Presber, W.** (1997). Genotypic and phenotypic determination of five virulence markers in clinical isolates of *Escherichia coli*. *FEMS Immunol. Med. Microbiol.* **17**(4): 263-271.
16. **Bree, A., Dho, M., and Lafont, J.P.** (1989). Comparative infectivity for axenic and specific-pathogen-free chickens of O2 *Escherichia coli* strains with or without virulence factors. *Avian Dis.* **33**(1): 134-139.
17. **Brown, P.K. and Curtiss, R., 3rd** (1996). Unique chromosomal regions associated with virulence of an avian pathogenic *Escherichia coli* strain. *Proc. Natl. Acad. Sci. USA.* **93**(20): 11149-11154.
18. **Carniel, E.** (1999). The *Yersinia* high-pathogenicity island. *Int. Microbiol.* **2**(3): 161-167.
19. **Caya, F., Fairbrother, J.M., Lessard, L., and Quessy, S.** (1999). Characterization of the risk to human health of pathogenic *Escherichia coli* isolates from chicken carcasses. *J. Food Prot.* **62**(7): 741-746.

20. **Chaffer, M., Heller, E.D., and Schwartsburd, B.** (1999). Relationship between resistance to complement, virulence and outer membrane protein patterns in pathogenic *Escherichia coli* O2 isolates. *Vet. Microbiol.* **64**(4): 323-332.
21. **Chansiripornchai, N., Ramasoota, P., Sasipreeyajan, J., and Svenson, S.B.** (2001). Differentiation of avian pathogenic *Escherichia coli* (APEC) strains by random amplified polymorphic DNA (RAPD) analysis. *Vet. Microbiol.* **80**(1): 75-83.
22. **Cherifi, A., Contrepolis, M., Picard, B., Goulet, P., Orskov, I., and Orskov, F.** (1994). Clonal relationships among *Escherichia coli* serogroup O78 isolates from human and animal infections. *J. Clin. Microbiol.* **32**(5): 1197-1202.
23. **Chipperfield, J.R. and Ratledge, C.** (2000). Salicylic acid is not a bacterial siderophore: a theoretical study. *Biometals.* **13**(2): 165-168.
24. **Dho, M. and Lafont, J.P.** (1982). *Escherichia coli* colonization of the trachea in poultry: comparison of virulent and avirulent strains in gnotoxenic chickens. *Avian Dis.* **26**(4): 787-797.
25. **Dho, M. and Lafont, J.P.** (1984). Adhesive properties and iron uptake ability in *Escherichia coli* lethal and nonlethal for chicks. *Avian Dis.* **28**(4): 1016-1025.
26. **Dho-Moulin, M., van den Bosch, J.F., Girardeau, J.P., Bree, A., Barat, T., and Lafont, J.P.** (1990). Surface antigens from *Escherichia coli* O2 and O78 strains of avian origin. *Infect. Immun.* **58**(3): 740-745.
27. **Dho-Moulin, M. and Fairbrother, J.M.** (1999). Avian pathogenic *Escherichia coli* (APEC). *Vet. Res.* **30**(2-3): 299-316.
28. **Dias da Siveira, W., Ferreira, A., Brocchi, M., Maria de Hollanda, L., Pestana de Castro, A., Tatsumi Yamada, A., and Lancellotti, M.** (2002). Biological characteristics and pathogenicity of avian *Escherichia coli* strains. *Vet. Microbiol.* **85**(1): 47-53.
29. **Dozois, C.M., Fairbrother, J.M., Harel, J., and Bosse, M.** (1992). *pap*- and *pil*-related DNA sequences and other virulence determinants associated with *Escherichia coli* isolated from septicemic chickens and turkeys. *Infect. Immun.* **60**(7): 2648-2656.

30. **Dozois, C.M., Chanteloup, N., Dho-Moulin, M., Bree, A., Desautels, C., and Fairbrother, J.M.** (1994). Bacterial colonization and in vivo expression of F1 (type 1) fimbrial antigens in chickens experimentally infected with pathogenic *Escherichia coli*. *Avian Dis.* **38**(2): 231-239.
31. **Dozois, C.M., Pourbakhsh, S.A., and Fairbrother, J.M.** (1995). Expression of P and type 1 (F1) fimbriae in pathogenic *Escherichia coli* from poultry. *Vet. Microbiol.* **45**(4): 297-309.
32. **Dozois, C.M., Clement, S., Desautels, C., Oswald, E., and Fairbrother, J.M.** (1997). Expression of P, S, and F1C adhesins by cytotoxic necrotizing factor 1-producing *Escherichia coli* from septicemic and diarrheic pigs. *FEMS Microbiol. Lett.* **152**(2): 307-312.
33. **Dozois, C.M. and Curtiss, R., 3rd** (1999). Pathogenic diversity of *Escherichia coli* and the emergence of 'exotic' islands in the gene stream. *Vet. Res.* **30**(2-3): 157-179.
34. **Dozois, C.M., Dho-Moulin, M., Bree, A., Fairbrother, J.M., Desautels, C., and Curtiss, R., 3rd** (2000). Relationship between the Tsh autotransporter and pathogenicity of avian *Escherichia coli* and localization and analysis of the *Tsh* genetic region. *Infect. Immun.* **68**(7): 4145-4154.
35. **Emery, D.A., Nagaraja, K.V., Shaw, D.P., Newman, J.A., and White, D.G.** (1992). Virulence factors of *Escherichia coli* associated with colisepticemia in chickens and turkeys. *Avian Dis.* **36**(3): 504-511.
36. **Evans, D.G., Silver, R.P., Evans, D.J., Jr., Chase, D.G., and Gorbach, S.L.** (1975). Plasmid-controlled colonization factor associated with virulence in *Escherichia coli* enterotoxigenic for humans. *Infect. Immun.* **12**: 656-667.
37. **Fantinatti, F., Silveira, W.D., and Castro, A.F.** (1994). Characteristics associated with pathogenicity of avian septicaemic *Escherichia coli* strains. *Vet. Microbiol.* **41**(1-2): 75-86.
38. **Goes, C.R., Gaziri, L.C., and Vidotto, M.C.** (1993). Cloned genes of the aerobactin system of virulent avian *Escherichia coli* do not confer virulence to recombinant strains. *Braz. J. Med. Biol. Res.* **26**(3): 261-275.

39. **Gomis, S.M., Gomis, A.I., Horadagoda, N.U., Wijewardene, T.G., Allan, B.J., and Potter, A.A.** (2000). Studies on cellulitis and other disease syndromes caused by *Escherichia coli* in broilers in Sri Lanka. *Trop. Anim. Health Prod.* **32**(6): 341-351.
40. **Gophna, U., Barlev, M., Seiffers, R., Oeschlager, T.A., Hacker, J., and Ron, E.Z.** (2001). Curli fibers mediate internalization of *Escherichia coli* by eukaryotic cells. *Infect. Immun.* **69**(4): 2659-2665.
41. **Gophna, U., Oeschlaeger, T.A., Hacker, J., and Ron, E.Z.** (2001a). *Yersinia* HPI in septicemic *Escherichia coli* strains isolated from diverse hosts. *FEMS Microbiol. Lett.* **196**(1): 57-60.
42. **Gross, W.B.** (1994). Diseases due to *Escherichia coli* in poultry. In: *Escherichia coli* in domestic animals and humans, C.L. Gyles (ed.), Wallingford, UK, CAB International: pp. 237-259.
43. **Großmann, K.** (2002). Nachweis und Charakterisierung von Shigatoxin-bildenden *Escherichia coli* (STEC) bei Tauben. Berlin, Freie Universität Berlin, Fachbereich Veterinärmedizin, Vet. Med. Diss.
44. **Guillot, J.F. and Boucaud, J.L.** (1988). In vivo plasmid transfer between strains of *Escherichia coli* in the chicken digestive system. *Pathol. Biol. (Paris)*. **36**(5 Pt 2): 655-659.
45. **Gyimah, J.E. and Panigrahy, B.** (1988). Adhesin-receptor interactions mediating the attachment of pathogenic *Escherichia coli* to chicken tracheal epithelium. *Avian Dis.* **32**(1): 74-78.
46. **Hacker, J.** (1992). Role of fimbrial adhesins in the pathogenesis of *Escherichia coli* infections. *Can. J. Microbiol.* **38**(7): 720-727.
47. **Hacker, J.** (2002) Pathogenicity islands in *E. coli*. In: Genomics in Infectious Diseases, Kongress 1.-3. Mai 2002, Würzburg.
48. **Hammond, S.M., Lambert, P.A., and Rycroft, A.N.** (1984). The cell envelope in bacterial disease. In: The bacterial cell surface, S.M. Hammond, P.A. Lambert, and A.N. Rycroft (ed.), Washington, DC, Kapitan Szabo: pp. 147-193.

49. **Hanson, M.S., Slaughter, C., and Hansen, E.J.** (1992). The *hbpA* gene of *Haemophilus influenzae* type b encodes a heme-binding lipoprotein conserved among heme-dependent *Haemophilus* species. *Infect. Immun.* **60**(6): 2257-2266.
50. **Hantke, K.** (2001). Iron and metal regulation in bacteria. *Curr. Opin. Microbiol.* **4**(2): 172-177.
51. **Harry, E.G. and Hemsley, L.A.** (1965). The relationship between environmental contamination with septicaemia strains of *Escherichia coli* and their incidence in chickens. *Vet. Rec.* **77**(9): 241-245.
52. **Harry, E.G. and Hemsley, L.A.** (1965a). The association between the presence of septicaemia strains of *Escherichia coli* in the respiratory and intestinal tracts of chickens and the occurrence of coli septicaemia. *Vet. Rec.* **77**(2): 35-39.
53. **Harvill, E.T., Cotter, P.A., Yuk, M.H., and Miller, J.F.** (1999). Probing the function of *Bordetella bronchiseptica* adenylate cyclase toxin by manipulating host immunity. *Infect. Immun.* **67**(3): 1493-1500.
54. **Heinrichs, D.E., Yethon, J.A., and Whitfield, C.** (1998). Molecular basis for structural diversity in the core regions of the lipopolysaccharides of *Escherichia coli* and *Salmonella enterica*. *Mol. Microbiol.* **30**(2): 221-232.
55. **Henderson, I.R., Navarro-Garcia, F., and Nataro, J.P.** (1998). The great escape: structure and function of the autotransporter proteins. *Trends. Microbiol.* **6**(9): 370-378.
56. **Horne, S.M., Pfaff-McDonough, S.J., Giddings, C.W., and Nolan, L.K.** (2000). Cloning and sequencing of the *iss* gene from a virulent avian *Escherichia coli*. *Avian Dis.* **44**(1): 179-184.
57. **Ike, K., Kawahara, K., Danbara, H., and Kume, K.** (1992). Serum resistance and aerobactin iron uptake in avian *Escherichia coli* mediated by conjugative 100-megadalton plasmid. *J. Vet. Med. Sci.* **54**(6): 1091-1098.

- 
58. **Janßen, T., Schwarz, C., Preikschat, P., Voss, M., Philipp, H.C., and Wieler, L.H.** (2001). Virulence-associated genes in avian pathogenic *Escherichia coli* (APEC) isolated from internal organs of poultry having died from colibacillosis. *Int. J. Med. Microbiol.* **291**(5): 371-378.
59. **Johnson, J.R., Stapleton, A.E., Russo, T.A., Scheutz, F., Brown, J., and Maslow, J.N.** (1997). Characteristics and prevalence within Serogroup O4 of a J96-like clonal group of uropathogenic *Escherichia coli* O4:H5 containing the class I and class III alleles of *papG*. *Infect. Immun.* **65**(6): 2153-2159.
60. **Johnson, J.R., Stell, A.L., Scheutz, F., O'Bryan, T.T., Russo, T.A., Carlino, U.B., Fasching, C., Kavle, J., Van Dijk, L., and Gaastra, W.** (2000). Analysis of the F antigen-specific *papA* alleles of extraintestinal pathogenic *Escherichia coli* using a novel multiplex PCR-based assay. *Infect. Immun.* **68**(3): 1587-1599.
61. **Johnson, J.R., Stell, A.L., Kaster, N., Fasching, C., and O'Bryan, T.T.** (2001). Novel molecular variants of allele I of the *Escherichia coli* P fimbrial adhesin gene *papG*. *Infect. Immun.* **69**(4): 2318-2327.
62. **Johnson, T.J., Giddings, C.W., Horne, S.M., Gibbs, P.S., Wooley, R.E., Skyberg, J., Olah, P., Kercher, R., Sherwood, J.S., Foley, S.L., and Nolan, L.K.** (2002). Location of increased serum survival gene and selected virulence traits on a conjugative R plasmid in an avian *Escherichia coli* isolate. *Avian Dis.* **46**(2): 342-352.
63. **Kaijser, B., Hanson, L.A., Jodal, U., Lidin-Janson, G., and Robbins, J.B.** (1977). Frequency of *E. coli* K antigens in urinary-tract infections in children. *Lancet.* **1**(8013): 663-666.
64. **Karch, H., Schubert, S., Zhang, D., Zhang, W., Schmidt, H., Olschlager, T., and Hacker, J.** (1999). A genomic island, termed high-pathogenicity island, is present in certain non-O157 Shiga toxin-producing *Escherichia coli* clonal lineages. *Infect. Immun.* **67**(11): 5994-6001.
65. **Knöbl, T., Baccaro, M.R., Moreno, A.M., Gomes, T.A., Vieira, M.A., Ferreira, C.S., and Ferreira, A.J.** (2001). Virulence properties of *Escherichia coli* isolated from ostriches with respiratory disease. *Vet. Microbiol.* **83**(1): 71-80.

66. **Kottom, T.J., Nolan, L.K., Robinson, M., Brown, J., Gustad, T., Horne, S.M., and Giddings, C.W.** (1997). Further characterization of a complement-sensitive mutant of a virulent avian *Escherichia coli* isolate. *Avian Dis.* **41**(4): 817-823.
67. **La Ragione, R.M., Sayers, A.R., and Woodward, M.J.** (2000). The role of fimbriae and flagella in the colonization, invasion and persistence of *Escherichia coli* O78:K80 in the day-old-chick model. *Epidemiol. Infect.* **124**(3): 351-363.
68. **Lafont, J.P., Dho, M., D'Hauteville, H.M., Bree, A., and Sansonetti, P.J.** (1987). Presence and expression of *aerobactin* genes in virulent avian strains of *Escherichia coli*. *Infect. Immun.* **55**(1): 193-197.
69. **Liang-Takasaki, C.J., Makela, P.H., and Leive, L.** (1982). Phagocytosis of bacteria by macrophages: changing the carbohydrate of lipopolysaccharide alters interaction with complement and macrophages. *J. Immunol.* **128**(3): 1229-1235.
70. **Ludwig, A., Bauer, S., Benz, R., Bergmann, B., and Goebel, W.** (1999). Analysis of the SlyA-controlled expression, subcellular localization and pore-forming activity of a 34 kDa haemolysin (ClyA) from *Escherichia coli* K-12. *Mol. Microbiol.* **31**(2): 557-567.
71. **Marc, D. and Dho-Moulin, M.** (1996). Analysis of the *fim* cluster of an avian O2 strain of *Escherichia coli*: serogroup-specific sites within *fimA* and nucleotide sequence of *fimI*. *J. Med. Microbiol.* **44**(6): 444-452.
72. **Marc, D., Arne, P., Bree, A., and Dho-Moulin, M.** (1998). Colonization ability and pathogenic properties of a *fim*- mutant of an avian strain of *Escherichia coli*. *Res. Microbiol.* **149**(7): 473-485.
73. **Maurer, J.J., Brown, T.P., Steffens, W.L., and Thayer, S.G.** (1998). The occurrence of ambient temperature-regulated adhesins, curli, and the temperature-sensitive hemagglutinin tsh among avian *Escherichia coli*. *Avian Dis.* **42**(1): 106-118.
74. **Morabito, S., Dell'Omo, G., Agrimi, U., Schmidt, H., Karch, H., Cheasty, T., and Caprioli, A.** (2001). Detection and characterization of Shiga toxin-producing *Escherichia coli* in feral pigeons. *Vet. Microbiol.* **82**(3): 275-283.



- 
75. **Nataro, J.P. and Kaper, J.B.** (1998). Diarrheagenic *Escherichia coli*. Clin. Microbiol. Rev. **11**(1): 142-201.
76. **Neilands, J.B.** (1992). Mechanism and regulation of synthesis of *aerobactin* in *Escherichia coli* K12 (pColV-K30). Can. J. Microbiol. **38**(7): 728-733.
77. **Ngeleka, M., Kwaga, J.K., White, D.G., Whittam, T.S., Riddell, C., Goodhope, R., Potter, A.A., and Allan, B.** (1996). *Escherichia coli* cellulitis in broiler chickens: clonal relationships among strains and analysis of virulence-associated factors of isolates from diseased birds. Infect. Immun. **64**(8): 3118-3126.
78. **Ngeleka, M., Brereton, L., Brown, G., and Fairbrother, J.M.** (2002). Pathotypes of avian *Escherichia coli* as related to *tsh*-, *pap*-, *pil*-, and *iuc*-DNA sequences, and antibiotic sensitivity of isolates from internal tissues and the cloacae of broilers. Avian Dis. **46**(1): 143-152.
79. **Nolan, L.K., Wooley, R.E., Giddings, C.W., and Brown, J.** (1994). Characterization of an avirulent mutant of a virulent avian *Escherichia coli* isolate. Avian Dis. **38**(1): 146-150.
80. **Olsen, A., Wick, M.J., Morgelin, M., and Bjorck, L.** (1998). Curli, fibrous surface proteins of *Escherichia coli*, interact with major histocompatibility complex class I molecules. Infect. Immun. **66**(3): 944-949.
81. **Orndorff, P.E.** (1994). *Escherichia coli* type 1 pili. In: Molecular genetics of bacterial pathogenesis, V.L. Miller, et al. (ed.), Washington, DC, ASM Press: pp. 91-111.
82. **Parreira, V.R. and Yano, T.** (1998). Cytotoxin produced by *Escherichia coli* isolated from chickens with swollen head syndrome (SHS). Vet. Microbiol. **62**(2): 111-119.
83. **Pellecchia, M., Guntert, P., Glockshuber, R., and Wuthrich, K.** (1998). NMR solution structure of the periplasmic chaperone FimC. Nat. Struct. Biol. **5**(10): 885-890.

84. **Pfaff-McDonough, S.J., Horne, S.M., Giddings, C.W., Ebert, J.O., Doetkott, C., Smith, M.H., and Nolan, L.K.** (2000). Complement resistance-related traits among *Escherichia coli* isolates from apparently healthy birds and birds with colibacillosis. *Avian Dis.* **44**(1): 23-33.
85. **Pourbakhsh, S.A. and Fairbrother, J.M.** (1994). Purification and characterization of P fimbriae from an *Escherichia coli* strain isolated from a septicemic turkey. *FEMS Microbiol. Lett.* **122**(3): 313-318.
86. **Pourbakhsh, S.A., Boulianne, M., Martineau-Doize, B., Dozois, C.M., Desautels, C., and Fairbrother, J.M.** (1997). Dynamics of *Escherichia coli* infection in experimentally inoculated chickens. *Avian Dis.* **41**(1): 221-233.
87. **Pourbakhsh, S.A., Boulianne, M., Martineau-Doize, B., and Fairbrother, J.M.** (1997a). Virulence mechanisms of avian fimbriated *Escherichia coli* in experimentally inoculated chickens. *Vet. Microbiol.* **58**(2-4): 195-213.
88. **Pourbakhsh, S.A., Dho-Moulin, M., Bree, A., Desautels, C., Martineau-Doize, B., and Fairbrother, J.M.** (1997b). Localization of the in vivo expression of P and F1 fimbriae in chickens experimentally inoculated with pathogenic *Escherichia coli*. *Microb. Pathog.* **22**(6): 331-341.
89. **Provence, D.L. and Curtiss, R., 3rd** (1994). Isolation and characterization of a gene involved in hemagglutination by an avian pathogenic *Escherichia coli* strain. *Infect. Immun.* **62**(4): 1369-1380.
90. **Ramirez Santoyo, R.M., Moreno Sala, A., and Almanza Marquez, Y.** (2001). Avian *Escherichia coli* virulence factors associated with coli septicemia in broiler chickens. *Rev. Argent. Microbiol.* **33**(1): 52-57.
91. **Ratledge, C. and Dover, L.G.** (2000). Iron metabolism in pathogenic bacteria. *Annu. Rev. Microbiol.* **54**: 881-941.
92. **Reingold, J., Starr, N., Maurer, J., and Lee, M.D.** (1999). Identification of a new *Escherichia coli* She aemolysin homolog in avian *E. coli*. *Vet. Microbiol.* **66**(2): 125-134.

93. **Riley, M.A., Cadavid, L., Collett, M.S., Neely, M.N., Adams, M.D., Phillips, C.M., Neel, J.V., and Friedman, D.** (2000). The newly characterized colicin Y provides evidence of positive selection in pore-former colicin diversification. *Microbiology*. **146**(Pt 7): 1671-1677.
94. **Robbins, J.B., McCracken, G.H., Jr., Gotschlich, E.C., Orskov, F., Orskov, I., and Hanson, L.A.** (1974). *Escherichia coli* K1 capsular polysaccharide associated with neonatal meningitis. *N. Engl. J. Med.* **290**(22): 1216-1220.
95. **Salvadori, M.R., Yano, T., Carvalho, H.E., Parreira, V.R., and Gyles, C.L.** (2001). Vacuolating cytotoxin produced by avian pathogenic *Escherichia coli*. *Avian Dis.* **45**(1): 43-51.
96. **Savarino, S.J., McVeigh, A., Watson, J., Cravioto, A., Molina, J., Echeverria, P., Bhan, M.K., Levine, M.M., and Fasano, A.** (1996). Enteroaggregative *Escherichia coli* heat-stable enterotoxin is not restricted to enteroaggregative *E. coli*. *J. Infect. Dis.* **173**(4): 1019-1022.
97. **Schlegel, H.G.** (1992). Die Zelle und ihre Struktur. In: *Allgemeine Mikrobiologie*, H.G. Schlegel (ed.), Stuttgart, Georg Thieme Verlag: pp. 17-88.
98. **Schmidt, H., Scheef, J., Morabito, S., Caprioli, A., Wieler, L.H., and Karch, H.** (2000). A new Shiga toxin 2 variant (*Stx2f*) from *Escherichia coli* isolated from pigeons. *Appl. Environ. Microbiol.* **66**(3): 1205-1208.
99. **Schubert, S., Rakin, A., Karch, H., Carniel, E., and Heesemann, J.** (1998). Prevalence of the "high-pathogenicity island" of *Yersinia* species among *Escherichia coli* strains that are pathogenic to humans. *Infect. Immun.* **66**(2): 480-485.
100. **Schubert, S., Rakin, A., Fischer, D., Sorsa, J., and Heesemann, J.** (1999). Characterization of the integration site of *Yersinia* high-pathogenicity island in *Escherichia coli*. *FEMS Microbiol. Lett.* **179**(2): 409-414.
101. **Silver, R.P., Aaronson, W., and Vann, W.F.** (1988). The K1 capsular polysaccharide of *Escherichia coli*. *Rev. Infect. Dis.* **10 Suppl 2**: 282-286.

102. **Spory, A., Bosserhoff, A., von Rhein, C., Goebel, W., and Ludwig, A.** (2002). Differential regulation of multiple proteins of *Escherichia coli* and *Salmonella enterica* serovar *Typhimurium* by the transcriptional regulator SlyA. *J. Bacteriol.* **184**(13): 3549-3559.
103. **Stathopoulos, C., Provence, D.L., and Curtiss, R., 3rd** (1999). Characterization of the avian pathogenic *Escherichia coli* hemagglutinin Tsh, a member of the immunoglobulin A protease-type family of autotransporters. *Infect. Immun.* **67**(2): 772-781.
104. **Stearns, R.C., Barnas, G.M., Walski, M., and Brain, J.D.** (1987). Deposition and phagocytosis of inhaled particles in the gas exchange region of the duck, *Anas platyrhynchos*. *Respir. Physiol.* **67**(1): 23-36.
105. **Suwanichkul, A. and Panigrahy, B.** (1988). Diversity of pilus subunits of *Escherichia coli* isolated from avian species. *Avian Dis.* **32**(4): 822-825.
106. **Tablante, N.L., Brunet, P.Y., Odor, E.M., Salem, M., Harter-Dennis, J.M., and Hueston, W.D.** (1999). Risk factors associated with early respiratory disease complex in broiler chickens. *Avian Dis.* **43**(3): 424-428.
107. **Toth, T.E.** (2000). Nonspecific cellular defense of the avian respiratory system: a review. *Dev. Comp. Immunol.* **24**(2-3): 121-139.
108. **Valvano, M.A.** (1992). Diphenylamine increases cloacin DF13 sensitivity in avian septicemic strains of *Escherichia coli*. *Vet. Microbiol.* **32**(2): 149-161.
109. **van den Bosch, J.F., Hendriks, J.H., Gladigau, I., Willems, H.M., Storm, P.K., and de Graaf, F.K.** (1993). Identification of F11 fimbriae on chicken *Escherichia coli* strains. *Infect. Immun.* **61**(3): 800-806.
110. **Vial, P.A., Robins-Browne, R., Lior, H., Prado, V., Kaper, J.B., Nataro, J.P., Maneval, D., Elsayed, A., and Levine, M.M.** (1988). Characterization of enteroadherent-aggregative *Escherichia coli*, a putative agent of diarrheal disease. *J. Infect. Dis.* **158**: 70-79.

- 
111. **Vidotto, M.C., Muller, E.E., de Freitas, J.C., Alfieri, A.A., Guimaraes, I.G., and Santos, D.S.** (1990). Virulence factors of avian *Escherichia coli*. *Avian Dis.* **34**(3): 531-538.
112. **Vidotto, M.C., Navarro, H.R., and Gaziri, L.C.** (1997). Adherence pili of pathogenic strains of avian *Escherichia coli*. *Vet. Microbiol.* **59**(1): 79-87.
113. **Wallace, A.J., Stillman, T.J., Atkins, A., Jamieson, S.J., Bullough, P.A., Green, J., and Artymiuk, P.J.** (2000). *E. coli* hemolysin E (HlyE, ClyA, SheA): X-ray crystal structure of the toxin and observation of membrane pores by electron microscopy. *Cell.* **100**(2): 265-276.
114. **Waters, V.L. and Crosa, J.H.** (1991). Colicin V virulence plasmids. *Microbiol. Rev.* **55**(3): 437-450.
115. **Weiser, J.N. and Gotschlich, E.C.** (1991). Outer membrane protein A (OmpA) contributes to serum resistance and pathogenicity of *Escherichia coli* K-1. *Infect. Immun.* **59**(7): 2252-2258.
116. **White, D.G., Dho-Moulin, M., Wilson, R.A., and Whittam, T.S.** (1993). Clonal relationships and variation in virulence among *Escherichia coli* strains of avian origin. *Microb. Pathog.* **14**(5): 399-409.
117. **Whittam, T.S. and Wilson, R.A.** (1988). Genetic relationships among pathogenic strains of avian *Escherichia coli*. *Infect. Immun.* **56**(9): 2458-2466.
118. **Willinger, H.** (1992). *Enterobacteriaceae*-Infektionen. In: *Krankheiten des Wirtschaftsgeflügels Band II*, G. Heider and G. Monreal (ed.), Jena, Gustav Fischer Verlag: pp. 97-110.
119. **Wooley, R.E., Spears, K.R., Brown, J., Nolan, L.K., and Fletcher, O.J.** (1992). Relationship of complement resistance and selected virulence factors in pathogenic avian *Escherichia coli*. *Avian Dis.* **36**(3): 679-684.

120. **Wooley, R.E., Nolan, L.K., Brown, J., Gibbs, P.S., Giddings, C.W., and Turner, K.S.** (1993). Association of K-1 capsule, smooth lipopolysaccharides, *traT* gene, and Colicin V production with complement resistance and virulence of avian *Escherichia coli*. *Avian Dis.* **37**(4): 1092-1096.
  
121. **Yamamoto, T. and Echeverria, P.** (1996). Detection of the enteroaggregative *Escherichia coli* heat-stable enterotoxin 1 gene sequences in enterotoxigenic *E. coli* strains pathogenic for humans. *Infect. Immun.* **64**(4): 1441-1445.