

- Abele, U. und Schulz G.E. (1995). High-resolution structures of adenylate kinase from yeast ligated with inhibitor Ap_5A , showing the pathway of phosphoryl transfer., *Protein Sci.*, 4, 1262-1271.
- Bahassi, E.M., O'Dea, M.H., Allali, N., Messens, J., Gellert, M. und Couturier, M. (1999). Interactions of CcdB with DNA gyrase. Inactivation of GyrA, poisoning of the gyrase-DNA complex, and the antidote action of CcdA. *J. Biol. Chem.* 274, 10936-10944.
- Bairoch, A., Bucher, P. und Hofmann, K. (1997). The PROSITE database, its status in 1997. *Nucl. Acids Res.*, 25, 217-221.
- Berry, M.B. und Phillips, Jr. G.N. (1998). Crystal Structures of *Bacillus stearothermophilus* adenylate kinase with bound Ap_5A , $Mg^{2+} Ap_5A$, and $Mn^{2+} Ap_5A$ reveal an intermediate lid position and six coordinate octahedral geometry for bound Mg^{2+} and Mn^{2+} . *Proteins*, 32, 276-288.
- Bossemeyer, D., Engh, R.A., Kinzel, V., Ponstingl, H. und Huber, R. (1993). Phosphotransferase and substrate binding mechanism of the cAMP-dependent protein kinase catalytic subunit from porcine heart as deduced from the 2.0 Å structure of the complex with Mn^{2+} adenylymidodiphosphate and inhibitor PKI(5-24). *EMBO J.*, 12, 849-859
- Bradford, M. (1976). A rapid and sensitive method for quantitation of microgram quantities of proteins utilizing of protein-dye binding. *Anal. Biochem.*, 72, 248-254.
- Branden, C und Tooze, J. (1991): *Introduction to Protein Structure* (Garland Publishing, Inc., New York und London) pp. 99-110.
- Brenner, S. (1987). Phosphotransferase sequence homology. *Nature*, 329, 21.

- Budisa, N., Steipe, B., Demange, P., Eckerskorn, C., Kellermann, J. und Huber, R. (1995). High-level biosynthetic substitution of methionine in proteins by its analogs 2-aminohexanoic acid, selenomethionine, telluromethionine and ethionine in *Escherichia coli*. *Eur. J. Biochem.*, 230, 788-796.
- Burmeister, W.P. (2000). Structural changes in a cryo-cooled protein crystal owing to radiation damage. *Acta. Cryst.*, D56, 328-341.
- Castellano, E.E., Oliva, G., und Navazza, J.J. (1992). Fast rigid-body refinement for molecular-replacement techniques. *Appl. Cryst.*, 25, 281 -284.
- CCP4 (1994). The CCP4 suite: programs for protein crystallography, *Acta Cryst.*, D50, 760-763.
- Ceglowski, P, Boitsov, A., Chai, S. und Alonso, J.C. (1993a). Analysis of the stabilization system of the pSM19035-derived plasmid pBT233 in *Bacillus subtilis*. *Gene*, 136, 1-12.
- Ceglowski, P, Boitsov, A., Karmyan, N., Chai, S. und Alonso, J.C. (1993b). Characterization of the effectors required for stable inheritance of *Streptococcus pyogenes* pSM19035-derived plasmids in *Bacillus subtilis*. *Mol. Gen. Genet.*, 241, 579-585.
- Cox, S., Radzio-Andzelm, E. und Taylor, S.S. (1994). Domain movements in protein kinases. *Curr. Opin. Struct. Biol.*, 4, 893-901.
- Dao-Thi, M.H., Messens, J., Wyns, L., und Backmann, J (2000) The thermodynamic stability of the proteins of the ccd plasmid addiction system. *J. Mol. Biol.*, 299, 1373-1386.
- de la Hoz, A.B., Ayora, S., Sitkiewicz, I., Fernández, S., Pankiewicz, R., Alonso, J.C. und Ceglowski, P. (2000). Plasmid copy-number control and better-than-random segregation genes of pSM19035 share a common regulator. *Proc. Natl. Acad. Sci.*, 97, 728-733.
- Diederichs, K. und Schulz, G.E. (1991). The refined structure of the complex between adenylate kinase from beef heart mitochondrial matrix and its substrate AMP at 1.85 Å resolution., *J. Mol. Biol.*, 217, 541-549.

- Drenth, J. (1999). Anomalous scattering in the determination of the protein phase angles and the absolute configuration. In *Principles of Protein X-Ray Crystallography*. Second Edition. (Springer), pp 203-218).
- Dreusicke, D. and Schulz, G.E. (1986). The glycin-rich loop of adenylate kinase forms a giant anion hole., *FEBS letters*. 208, 301-304.
- Dreusicke, D., Karplus, P.A. und Schulz, G.E. (1988). Refined structure of porcine cytosolic adenylate kinase at 2.1 Å resolution. *J. Mol. Biol.*, 199, 359-371.
- Ducruix, A. und Giegé, R. (1992). *Crystallization of nucleic acids and proteins, A practical approach*. The practical approach series, IRL Press, Oxford University Press, Oxford-New York-Tokyo.
- Elamrani, S., Berry, M.B., Phillips, G.N. und McCammon, J.A. (1996) Study of global motions in proteins by weighted masses molecular dynamics: Adenylate kinase as a test case. *Proteins* 25, 79-88.
- Evans, G. and Pettifer, R.F. (2001). CHOOCH: a program for deriving anomalous-scattering factors from X-ray fluorescence spectra. *J. Appl. Cryst.*, 34, 82-86.
- Gazit, E. und Sauer, R.T. (1999). The Doc toxin and Phd antidote proteins of the bacteriophage P1 plasmid addiction system form a heterotrimeric complex. *J. Biol. Chem.*, 274, 2652-2657.
- Gerdes, K., Gulyaev, A.P., Franch, T., Pedersen, K. und Mikkelsen, N.D. (1997). Antisense RNA regulated programmed cell death. *Annu. Rev. Genet.*, 31, 1-31.
- Gerdes, K. (2000). Toxin-Antitoxin modules may regulate synthesis of macromolecules during nutritional stress. *J. Bacteriol.*, 182, 561-572.
- Glison, M., Sharp, K. und Honig, B. (1987). Calculating electrostatic interactions in biomolecules: Method and error assessment. *J. Computational Chem.* 9, 327-335.
- Goldsmith, E.J. und Cobb, M.H. (1994). Protein kinases. *Curr. Opin. Struct. Biol.*, 4, 833-840.
- Harry, E.J. (1997). Illuminating the force: bacterial mitosis? *Trends Microbiol.*, 5, 295-297.

- Hendrickson, W.A., Smith J.L., Phizackerley, R.P. and Merritt, E.A. (1988). Crystallographic Structure Analysis of Lamprey Hemoglobin From Anomalous Dispersion of Synchrotron Radiation. *Proteins*, 4, 77-88.
- Holm, L. und Sander, C. (1993). Protein structure comparison by alignment of distance matrices. *J. Mol. Biol.* 233, 123-138.
- Izard, T. und Ellis J. (2000). The crystal structures of chloramphenicol phosphotransferase reveal a novel inactivation mechanism. *EMBO J.*, 11, 2690-2700.
- Jancarik, J. und Kim, H.S. (1991). Sparse matrix sampling: a screening method for crystallization of proteins. *J. Appl. Cryst.*, 24, 409-411.
- Johnson, E.P., Ström, A.R. und Helinski, D.R. (1996). Plasmid RK2 toxin protein ParE: purification und interaction with the ParD antitoxin protein. *J. Bacteriol.*, 178, 1420-1429.
- Jones, T.A., Zou, J.Y., Cowan, S.W. und Kjeldgaard, M. (1991): Improved methods for the building of protein Models. In *Crystallographic Computing*. Edited by Moras, D., Podany, A.D. und Thierry, J.C., (Oxford Univ. Press, Oxford) pp. 413-432.
- Kelywegt, G.J. und Jones, T.A. (1996). xdIMAPMAN and xdIDATAMAN - programs for reformatting, analysis and manipulation of biomacromolecular electron-density maps and reflection data sets. *Acta. Cryst.*, D52, 826-828.
- Krell, T., Coggins, J.R. und Laphorn, A.J. (1998). The three-dimensional structure of shikimate kinase. *J. Mol. Biol.*, 278, 983-997.
- Kwong, M.S., Yeo, C.C., Poh, C.L. (2001). Molecular analysis of the pRA2 partitioning region: ParB autoregulates *parAB* transcription and forms a nucleoprotein complex with the plasmid partition site, *parS*. *Mol. Microbiol.*, *in press*.
- Laemmli, U.K. (1970). Cleavage of structural proteins during the assembly of the head of the bacteriophage T4, *Nature*, 227, 680-685.

- Lavie, A., Ostermann, N., Brundiers, R. Goody, R.S., Reinstein, J., Konrad, M. und Schlichting, I. (1998). Structural basis for efficient phosphorylation of 3'-azidothymidine monophosphate by *Escherichia coli* thymidylate kinase. Proc. Natl. Acad. Sci., 95, 14045-14050.
- Lehninger, A.L, Nelson, D.L. und Cox, M.M. (1994). Prinzipien der Biochemie. (Herausgegeben von H. Tschesche). Spektrum Akademischer Verlag, Heidelberg, Berlin, Oxford.
- Magnuson, R. und Yarmolinsky, M.B. (1998). Coexpression of the P1 addition operon by Phd and Doc. J. Bacteriol., 180, 6342-6351.
- Meinhart, A., Alings, C., Sträter, N., Camacho, A.G., Alonso, J.C. und Saenger, W. (2001) Crystallization and preliminary X-ray diffraction studies of the $\epsilon\zeta$ addition system encoded by *Streptococcus pyogenes* plasmid pSM19035, Acta. Cryst., D57, 745-747.
- Murzin A. G., Brenner S. E., Hubbard T. und Chothia C. (1995). SCOP: a structural classification of proteins database for the investigation of sequences and structures. J. Mol. Biol. 247, 536-540.
- Müller, C.W., Schlauderer, G.J., Reinstein, J. und Schulz, G.E. (1996). Adenylate kinase motions during catalysis: An energetic counterweight balancing substrate binding., Structure, 4, 147-156
- Müller-Dieckmann, H.-J. und Schulz, G.E. (1994). The structure of uridylylase kinase with its substrates, showing the transition state geometry., J. Mol. Biol., 236, 361-367
- Navaza, J. (1994). AMoRe: an automated package for molecular replacement. Acta Cryst., A50, 157-163.
- Navaza, J. und Vernoslova, E. (1995). On the fast translation functions for molecular replacement. Acta Cryst., A51, 445-449.
- Navaza, J. und Soludjian, P. (1997). AMoRe: An Automated Molecular Replacement Program Package. In Methods Enzymology, Edited by Charles W., Carter, Jr., Sweet, R.M., (Academic Press) Macromolecular Crystallography, Part A. 276, pp. 581-594.

- Otwinowski, Z. & Minor, W. (1997). Processing of X-Ray Diffraction Data Collected in Oscillation Mode. In *Methods Enzymology*, Edited by Charles W., Carter, Jr., Sweet, R.M., (Academic Press) *Macromolecular Crystallography, Part A*. 276, pp. 307 - 326.
- Rossmann, M.G. und Blow, D.M. (1962). The detection of sub-units within the crystallographic asymmetric unit. *Acta. Cryst.*, 15, 24-31.
- Rost, B. und Sander, C. (1994). Combining evolutionary information and neural networks to predict protein secondary structure. *Proteins*, 19, 55-72.
- Rulz-Echevarria, M.J., de la Torre, M.A. und Diaz-Orejas, R. (1995). A mutation that decreases the efficiency of plasmid R1 replication leads to the activation of *parD*, a killer stability system of the plasmid. *FEMS Microbiol. Lett.*, 130, 129-135.
- Sambrook, J., Fritsch, E.F., Maniatis, T. (1989). *Molecular Cloning, A Laboratory Manual*, Second Edition. (Cold Spring Harbor Laboratory Press).
- Sanner, M.F., Spohner, J.-C. und Olson, A.J. (1996). Reduced surface: an efficient way to compute molecular surfaces. *Biopolymers*, 38, 305-320.
- Sitkiewicz, U., Zielenkiewicz, R., Pankiewicz, I., Kern, I., Alonso, J.C. und Ceglowski, P. (1999). Characterization of the region involved in a better-than-random segregation of streptococcal plasmid pSM19035. *Plasmid* 41, 161-162.
- Schlauderer, G.J., Proba, K. und Schulz, G.E. (1996). Structure of a mutant adenylate kinase ligated with an ATP-analogue showing closure over ATP. *J. Mol. Biol.*, 256, 223-227
- Stehle, T. and Schulz, G.E. (1992). Refined structure of the complex between guanylate kinase and its substrate GMP at 2.0 Å resolution. *J. Mol. Biol.* 224, 1127-1141.
- Tam, J.E. und Kline, B.C. (1989). The F plasmid *ccd* autorepressor is a complex of CcdA and CcdB proteins. *Mol. Gen. Genet.*, 219, 26-32.
- Tian, Q.B., Ohnishi, M., Tabuchi, A und Terawaqki, Y. (1996). A new plasmid-encoded proteic killer gene system: cloning, sequencing and analyzing *hig* locus of plasmid Rts1. *Biochem. Biophys. Res. Commun.*, 220, 280-284.

- Terwilliger, T.C. (1994a). MAD phasing: Bayesian estimates of F_A , Acta Cryst., D50, 11-16
- Terwilliger, T.C. (1994b). MAD phasing: treatment of dispersive differences as isomorphous replacement information. Acta Cryst., D50, 11-16
- Terwilliger, T.C. und Berendzen, J. (1999). Automated MAD and MIR structure Solution. Acta Cryst., D55, 849-861.
- Ushiki, T., Hitomi, J., Ogura, S., Umemoto, T. und Shigeno, M. (1996). Atomic force microscopy in histology and cytology. Achr. Histol. Cytol., 59, 421-431.
- Van Melderen, L., Thi, M.H.D., Lecchi, P., Gottesmann, S., Couturier, M. und Maurizi, M.R. (1996). ATP-dependent degradation of CCdA by Lon protease. Effects of secondary structure and heterologous subunit interactions. J. Biol. Chem., 271, 27730-27738.
- Viend, G. (1990). WHAT IF: a molecular modelling und drug design program. J. Mol. Graph., 8, 52-56.
- Walker, J.R., Saraste, M., Runswick, M.J. und Gay, M.N. (1992). Distantly related sequences in the α - and β - subunits of ATP synthase, myosin, kinases and other ATP-requiring enzymes and a common nucleotide binding fold. EMBO J. 1, 945-951.
- Weik, M., Ravelli, R.B.G., Kryger, G., McSweeney, S., Raves, M.L. Harel, M., Gros, P., Silman, I., Kroon, J. und Sussman, J.L. (1999) Specific chemical und structural damage to proteins produced by synchrotron radiation. Proc. Natl. Acad. Sci., 97, 623-628.
- Wheeler, R.T., und Shapiro, L. (1997). Bacterial chromosome segregation: is there a mitotic apparatus? Cell, 88, 577-579.
- Yap, K.L., Ames, J.B., Swindells, M.B. und Ikura, M. (1999). Diversity of conformational states and changes within the EF-hand protein superfamily. Proteins, 37 499-507.
- Yin, K.C., Blinkowa, A. und Walker, J.R. (1986). Nucleotide sequence of the *E. coli* replication gene dnaZX. Nucleic Acids Res., 14, 6541-6550.