

Bibliography

Abaza I, Gebauer F: **Trading translation with RNA-binding proteins.** RNA 2008, 14(3):404-9.

Alberts B, Johnson A, Lewis J, Raff M, Roberts K, Walter P: **Molecular Biology of the Cell.** Garland Science 2002, 5th Edition.

Aoki KF, Kanehisa M: **Using the KEGG database resource.** Curr Protoc Bioinformatics. 2005, Chapter 1: Unit 1.12.

Atkins PW, Paula J: **Physikalische Chemie.** Chemistry Oxford University Press Wiley-VCH Verlag GmbH 2007, 4th Edition.

Atkins PW: **Physical Chemistry.** Oxford University Press 1978, 1st Edition

Bashiardes S, Lovett M: cDNA detection and analysis. Curr Opin Chem Biol. 2001, 5(1):15-20.

Beck S, Rakyan VK: **The methylome: approaches for global DNA methylation profiling.** Trends Genet. 2008, 24(5):231-7.

Belaguli NS, Schildmeyer LA, Schwartz RJ: **Organization and myogenic restricted expression of the murine serum response factor gene.** A role for autoregulation. J Biol Chem. 1997, 272(29):18222-31.

Benos PV, Bulyk ML, Stormo GD: **Additivity in protein-DNA interactions: how good an approximation is it?** NAR. 2002, 30(20):4442-51.

Berg O, von Hippel PH: **Selection of DNA binding sites by regulatory proteins. Statistical-mechanical theory and application to operators and promoters.** J Mol Biol 1987, 193: 723-750.

Birney E, Andrews D, Caccamo M, Chen Y, Clarke L, Coates G, Cox T, Cunningham F, Curwen V, Cutts T: **Ensembl 2006.** NAR 2006, 34(Database issue):D556-561.

Birney E, Stamatoyannopoulos JA, Dutta A, Guigo R, Gingeras TR, Margulies EH, Weng Z, Snyder M, Dermitzakis ET, Thurman RE: **Identification and analysis of functional elements in 1% of the human genome by the ENCODE pilot project.** Nature 2007, 447(7146):799-816.

Blaiseau P, Lesuisse E, Camadro J: **Aft2p, a novel iron-regulated transcription activator that modulates, with Aft1p, intracellular iron use and resistance to oxidative stress in yeast.** J Biol Chem 2001, 276(36), 34221-6.

Boguski MS, Schuler GD: **Establishing a human transcript map.** Nat Genet. 1995, 10(4):369-71.

Bruner KL, Derfoul A, Robertson NM, Guerriero G, Fernandes-Alnemri T, Alnemri ES, Litwack G: **The unliganded mineralocorticoid receptor is associated with heat shock proteins 70 and 90 and the immunophilin FKBP-52.** Recept Signal Transduct 1997, 7(2):85-98.

Bucher P: **Weight matrix descriptions of four eukaryotic RNA polymerase II promoter elements derived from 502 unrelated promoter sequences.** J Mol Biol 1990, 212(4):563-578.

Butler JE, Kadonaga JT: **The RNA polymerase II core promoter: a key component in the regulation of gene expression.** Genes Dev. 2002, 16(20):2583-92.

Cantin GT, Stevens JL, Berk AJ: **Activation domain–mediator interactions promote transcription preinitiation complex assembly on promoter DNA.** PNAS 2003, 100(21):12003-12008.

Chang LW, Fontaine BR, Stormo GD, Nagarajan R: **PAP: a comprehensive workbench for mammalian transcriptional regulatory sequence analysis.** NAR 2007, 35(Web Server issue):W238-44.

Chen SS, Chen JF, Johnson PF, Muppala V, Lee YH: **C/EBP β , when expressed from the C/ebp α gene locus, can functionally replace C/EBP α in liver but not in adipose tissue.** Mol Cell Biol. 2000, 20(19):7292-9.

Chen ZF, Paquette AJ, Anderson DJ: **NRSF/REST is required in vivo for repression of multiple neuronal target genes during embryogenesis.** Nat Genet 1998, 20(2):136-142.

Chu D, Kakazu N, Gorrin-Rivas MJ, Lu HP, Kawata M, Abe T, Ueda K, Adachi Y: **Cloning and characterization of LUN, a novel ring finger protein that is highly expressed in lung and specifically binds to a palindromic sequence.** J Biol Chem 2001, 276(17):14004-14013.

Collins LL, Lee HJ, Chen YT, Chang M, Hsu HY, Yeh S, Chang C: **The androgen receptor in spermatogenesis.** Cytogenet Genome Res. 2003;103(3-4):299-301.

D'haeseleer P: **What are DNA sequence motifs?** Nat Biotechnol 2006, 24(4), 423–5.

Dalma-Weiszhausz DD, Warrington J, Tanimoto EY, Miyada CG: **The affymetrix GeneChip platform: an overview.** Methods Enzymol. 2006, 410:3-28.

Das M, Harvey I, Chu LL, Sinha M, Pelletier J: **Full-length cDNAs: more than just reaching the ends.** Physiol Genomics 2001, 6(2):57-80.

Das PM, Singal R: **DNA methylation and cancer.** J Clin Oncol. 2004, 22(22):4632-42.

Davis RJ: **Transcriptional regulation by MAP kinases.** Mol Reprod Dev. 1995, 42(4):459-67.

Day WH, McMorris FR: **Critical comparison of consensus methods for molecular Sequences.** Nucleic Acids Res. 1992, 20(5):1093-9.

Dermitzakis ET, Clark AG: **Evolution of transcription factor binding sites in Mammalian gene regulatory regions: conservation and turnover.** Mol Biol Evol. 2002, 19(7):1114-21.

Djordjevic M, Sengupta AM, Shraiman BI: **A biophysical approach to transcription factor binding site discovery.** Genome Res 2003, 13(11), 2381–90.

Dorval KM, Bobechko BP, Fujieda H, Chen S, Zack DJ, Bremner R: **CHX10 targets a subset of photoreceptor genes.** J Biol Chem 2006, 281(2):744-751.

Dostie J, Dekker J: **Mapping networks of physical interactions between genomic elements using 5C technology.** Nat Protoc. 2007,2(4):988-1002.

Drouin J, Sun YL, Tremblay S, Lavender P, Schmidt TJ, de Léan A, Nemer M: **Homodimer formation is rate-limiting for high affinity DNA binding by glucocorticoid receptor.** Mol Endocrinol. 1992, 6(8):1299-309.

Ellington AD, Szostak JW: **In vitro selection of RNA molecules that bind specific ligands.** Nature. 1990, 346(6287):818-22.

Engstrom EM, Izhaki A, Bowman JL: **Promoter bashing, microRNAs, and Knox genes. New insights, regulators, and targets-of-regulation in the establishment of lateral organ polarity in Arabidopsis.** Plant Physiol 2004, 135(2):685-94.

Foat BC, Morozov AV, Bussemaker HJ: **Statistical mechanical modeling of genome-wide transcription factor occupancy data by MatrixREDUCE.** Bioinformatics 2006, 22(14):e141-149.

Fried M, Crothers D: **Equilibria and kinetics of lac repressor-operator interactions by polyacrylamide gel electrophoresis.** NAR 1981, 9(23), 6505–6525.

Frith MC, Fu Y, Yu L, Chen JF, Hansen U, Weng Z: **Detection of functional DNA motifs via statistical over-representation.** NAR 2004, 32(4):1372-81.

Frolova E, Johnston M, Majors J: **Binding of the glucose-dependent Mig1p repressor to the GAL1 and GAL4 promoters in vivo: regulation by glucose and chromatin structure.** NAR 1999, 27(5), 1350–8.

Fukuda H, Sano N, Muto S, Horikoshi M: **Simple histone acetylation plays a complex role in the regulation of gene expression.** Brief Funct Genomic Proteomic. 2006, 5(3):190-208.

Furukawa A, Koike C, Lippincott P, Cepko CL, Furukawa T: **The mouse Crx 5'-upstream transgene sequence directs cell-specific and developmentally regulated expression in retinal photoreceptor cells.** J Neurosci 2002, 22(5):1640-1647.

Furukawa T, Morrow EM, Li T, Davis FC, Cepko CL: **Retinopathy and attenuated circadian entrainment in Crx-deficient mice.** Nat Genet 1999, 23(4):466-470.

Galas D, Schmitz A: **DNAse footprinting: a simple method for the detection of protein-DNA binding specificity.** NAR 1978, 5(9), 3157–70.

Garner MM, Revzin A: **A gel electrophoresis method for quantifying the binding of proteins to specific DNA regions: application to components of the Escherichia coli lactose operon regulatory system.** NAR 1981, 9:3047-3060.

Gerland U, Moroz JD, Hwa T: **Physical constraints and functional characteristics of transcription factor-DNA interaction.** PNAS 2002, 99(19):12015-20.

Gilson E, Roberge M, Giraldo R, Rhodes D, Gasser S: **Distortion of the DNA double helix by RAP1 at silencers and multiple telomeric binding sites.** J. Mol Biol 1993, 231(2), 293–310.

Gonze D, Pinloche S, Gascuel O, Helden J: **Discrimination of yeast genes involved in methionine and phosphate metabolism on the basis of upstream motifs.** Bioinformatics 2005, 21(17):3490-3500.

Grably MR, Stanhill A, Tell O, Engelberg D: **HSF and Msn2/4p can exclusively or cooperatively activate the yeast HSP104 gene.** Molecular Microbiology 2002, Vol 44, Number 1, 21-35(15).

Granek JA, Clarke ND: **Explicit equilibrium modeling of transcriptionfactor binding and gene regulation.** Genome Biol 2005, 6(10), R87.

Gupta S, Vingron M, Haas SA: **T-STAG: resource and web-interface for tissue-specific transcripts and genes.** NAR 2005, 33(Web Server issue):W654-658.

Haas SA, Beissbarth T, Rivals E, Krause A, Vingron M: **GeneNest: automated generation and visualization of gene indices.** Trends Genet 2000, 16(11):521-523.

Haeusler RA, Engelke DR: **Spatial organization of transcription by RNA polymerase III.** NAR 2006, 34(17):4826-36.

Hager J: **Making and using spotted DNA microarrays in an academic core laboratory.** Methods Enzymol. 2006, 410:135-68.

Hahn S: **Structure and mechanism of the RNA Polymerase II transcription machinery.** Nat Struct Mol Biol. 2004, 11(5): 394–403.

Hallikas O, Palin K, Sinjushina N, Rautiainen R, Partanen J, Ukkonen E, Taipale J: **Genome-wide prediction of mammalian enhancers based on analysis of transcription-factor binding affinity.** Cell 2006, 124(1):47-59.

Harbison CT, Gordon DB, Lee TI, Rinaldi NJ, Macisaac KD, Danford TW, Hannett NM, Tagne JB, Reynolds DB, Yoo J, Jennings EG, Zeitlinger J, Pokholok DK, Kellis M, Rolfe PA, Takusagawa KT, Lander ES, Gifford DK, Fraenkel E, Young RA: **Transcriptional regulatory code of a eukaryotic genome.** Nature 2004, 431(7004), 99–104.

Harr R, Häggström M, Gustafsson P: **Search algorithm for pattern match analysis of nucleic acid sequences.** NAR 1983, 11(9):2943-57.

Hashikawa N, Mizukami Y, Imazu H, Sakurai H: **Mutated yeast heat shock transcription factor activates transcription independently of hyperphosphorylation.** J Biol Chem. 2006, 281(7):3936-42.

Herdegen T, Leah JD: **Inducible and constitutive transcription factors in the mammalian nervous system: control of gene expression by Jun, Fos and Krox, and CREB/ATF proteins.** Brain Res Brain Res Rev. 1998, 28(3):370-490.

Heumann JM, Lapedes AS, Stormo GD: **Neural networks for determining protein specificity and multiple alignment of binding sites.** Proc Int Conf Intell Syst Mol Biol. 1994, 2:188-94.

Hewitt J, Lu X, Gilbert L, Nanes MS: **The Muscle Transcription Factor MyoD Promotes Osteoblast Differentiation by Stimulation of the Osterix Promoter.** Endocrinology 2008, Epub ahead of print.

Hill DP, Blake JA, Richardson JE, Ringwald M: **Extension and integration of the gene ontology (GO): combining GO vocabularies with external vocabularies.** Genome Res. 2002, 12(12):1982-91.

Ho Sui SJ, Mortimer JR, Arenillas DJ, Brumm J, Walsh CJ, Kennedy BP, Wasserman WW: **oPOSSUM: Identification of over-represented transcription factor binding sites in co-expressed genes.** NAR 2005, 33(10):3154-64.

Ishida S, Huang E, Zuzan H, Spang R, Leone G, West M, Nevins JR: **Role for E2F in control of both DNA replication and mitotic functions as revealed from DNA microarray analysis.** Mol Cell Biol. 2001, 21(14):4684-99.

Johansson O, Alkema W, Wasserman WW, Lagergren J: **Identification of functional clusters of transcription factor binding motifs in genome sequences: the MSCAN algorithm.** Bioinformatics 2003, 19 Suppl 1:i169-76.

Johnson PR, Swanson R, Rakhlina L, Hochstrasser M: **Degradation signal masking by heterodimerization of MATalpha2 and MATalpha1 blocks their mutual destruction by the ubiquitin-proteasome pathway.** Cell. 1998, 94(2):217-27.

Jorgensen MC, Vestergard Petersen H, Ericson J, Madsen OD, Serup P: **Cloning and DNA-binding properties of the rat pancreatic beta-cell-specific factor Nkx6.1.** FEBS Lett 1999, 461(3):287-294.

Juven-Gershon T, Hsu JY, Theisen JW, Kadonaga JT: **The RNA polymerase II core promoter - the gateway to transcription.** Curr Opin Cell Biol. 2008, Epub ahead of print.

Kaestner KH, Katz J, Liu Y, Drucker DJ, Schutz G: **Inactivation of the winged helix transcription factor HNF3alpha affects glucose homeostasis and islet glucagon gene expression in vivo.** Genes Dev 1999, 13(4):495-504.

Kawai H, Kasukawa T, Fukuda S, Katayama S, Kai C, Kawai J, Carninci P, Hayashizaki Y: **CAGE Basic/Analysis Databases: the CAGE resource for comprehensive promoter analysis.** NAR 2006, 34(Database issue):D632-6.

Kim NK, Tharakaraman K, Spouge JL: **Adding sequence context to a Markov background model improves the identification of regulatory elements.** Bioinformatics. 2006, 22(23):2870-5.

Kimura S, Ward JM, Minoo P: **Thyroid-specific enhancer-binding protein/thyroid transcription factor 1 is not required for the initial specification of the thyroid and lung primordia.** Biochimie 1999, 81(4):321-327.

Kininis M, Kraus WL: **A global view of transcriptional regulation by nuclear receptors: gene expression, factor localization, and DNA sequence analysis.** Nucl Recept Signal. 2008, 6:e005.

Kinney JB, Tkacik G, Callan CG: **Precise physical models of protein-DNA interaction from high-throughput data.** PNAS 2007, 104(2):501-6.

Komatsu Y: **Regulation of ribozyme activity with short oligonucleotides.** Biol Pharm Bull. 2004, 27(4):457-62.

Kullback S, Leibler RA: **On information and sufficiency.** Annals of Mathematical Statistics (1951) 22:79-86.

Kumar CC, Kim J, Bushel P, Armstrong L and Catino JJ: **Activation of Smooth Muscle-Actin Promoter in ras-Transformed Cells by Treatments with Antimitotic Agents: Correlation with Stimulation of SRF: SRE Mediated Gene Transcription.** J. Biochem, 1995, Vol. 118, No. 6 1285-1292.

Lee TI, Rinaldi NJ, Robert F, Odom DT, Bar-Joseph Z, Gerber GK, Hannett NM, Harbison CT, Thompson CM, Simon I, Zeitlinger J, Jennings EG, Murray HL, Gordon DB, Ren B, Wyrick JJ, Tagne JB, Volkert TL, Fraenkel E, Gifford DK, Young RA: **Transcriptional regulatory networks in *Saccharomyces cerevisiae*.** Science 2002, 298(5594), 799–804.

Lenhard B, Sandelin A, Mendoza L, Engström P, Jareborg N, Wasserman WW: **Identification of conserved regulatory elements by comparative genome analysis.** J Biol. 2003, 2(2): 13.

Levitsky VG, Ignatieva EV, Ananko EA, Turnaev II, Merkulova TI, Kolchanov NA, Hodgman TC: **Effective transcription factor binding site prediction using a combination of optimization, a genetic algorithm and discriminant analysis to capture distant interactions.** BMC Bioinformatics 2007, 8:481.

Li H, Liu H, Wang Z, Liu X, Guo L, Huang L, Gao L, McNutt MA, Li G: **The role of transcription factors Sp1 and YY1 in proximal promoter region in initiation of transcription of the mu opioid receptor gene in human lymphocytes.** J Cell Biochem. 2008, 104(1):237-50.

Li S, Crenshaw EB, 3rd, Rawson EJ, Simmons DM, Swanson LW, Rosenfeld MG: **Dwarf locus mutants lacking three pituitary cell types result from mutations in the POU-domain gene pit-1.** Nature 1990, 347(6293):528-533.

Liu IS, Chen JD, Ploder L, Vidgen D, van der Kooy D, Kalnins VI, McInnes RR: **Developmental expression of a novel murine homeobox gene (Chx10): evidence for roles in determination of the neuroretina and inner nuclear layer.** Neuron 1994, 13(2):377-393.

Liu S, Borras AM, Liu P, Suske G, Speck SH: **Binding of the Ubiquitous Cellular Transcription Factors Sp1 and Sp3 to the ZI Domains in the Epstein–Barr Virus Lytic Switch BZLF1 Gene Promoter.** Virology. 1997, 228(1):11-8.

Lodish H, Baltimore D, Berk A, Zipursky SL, Matsudaira P, Darnell J: **Molecular Cell Biology.** Scientific American Books 1995, 3rd Edition.

Luo G, Yu-Lee L: **Stat5b Inhibits NFK-Mediated Signaling.** Mol Endocrinol 14: 114–123, 2000.

Ma B, Levine AJ: **Probing potential binding modes of the p53 tetramer to DNA based on the symmetries encoded in p53 response elements.** NAR 2007, 35(22):7733-47.

Magrab EB, Azarm S, Balachandran B, Duncan J, Herold K, Walsh G: **Engineer's Guide to MATLAB.** Prentice Hall 2005, 2nd Edition.

Manke T, Roider HG, Vingron M: **Statistical Modeling of Transcription Factor Binding Affinities Predicts Regulatory Interactions.** PLoS Comput Biol. 2008, 4(3).

Matys V, Fricke E, Geffers R, Gossling E, Haubrock M, Hehl R, Hornischer K, Karas D, Kel A, Kel-Margoulis O, Kloos D-U, Land S, Lewicki-Potapov B, Michael H, Munch R, Reuter I, Rotert S, Saxel H, Scheer M, Thiele S, Wingender E: **TRANSFAC: transcriptional regulation, from patterns to profiles**. NAR 2003, 31(1), 374–8.

Matys V, Kel-Margoulis OV, Fricke E, Liebich I, Land S, Barre-Dirrie A, Reuter I, Chekmenev D, Krull M, Hornischer K: **TRANSFAC and its module TRANSCompel: transcriptional gene regulation in eukaryotes**. NAR 2006, 34(Database issue):D108-110.

Miano JM, Long X, Fujiwara K: **Serum response factor: master regulator of the actin cytoskeleton and contractile apparatus**. Am J Physiol Cell Physiol 2007, 292(1):C70-81.

Miyake T, Reese J, Loch CM, Auble DT, Li R: **Genome-wide analysis of ARS (autonomously replicating sequence) binding factor 1 (Abf1p)-mediated transcriptional regulation in *Saccharomyces cerevisiae***. J Biol Chem. 2004, 279(33):34865-72.

Mo Y, Ho W, Johnston K, Marmorstein R: **Crystal structure of a ternary SAP-1/SRF/c-fos SRE DNA complex**. J Mol Biol. 2001, 314(3):495-506.

Mossing M, Record M: **Thermodynamic origins of specificity in the lac repressor-operator interaction Adaptability in the recognition of mutant operator sites**. J Mol Biol 1985, 186(2), 295–305.

Mukherjee S, Berger MF, Jona G, Wang XS, Muzzey D, Snyder M, Young RA, Bulyk ML: **Rapid analysis of the DNA-binding specificities of transcription factors with DNA microarrays**. Nat Genet. 2004, 36(12):1331-9.

Munoz ET, Bogard LD, Deem MW: **Microarray and EST database estimates of mRNA expression levels differ: the protein length versus expression curve for *C. elegans***. BMC Genomics 2004, 5(1):30.

Nehlin JO, Carlberg M, Ronne H: **Control of yeast GAL genes by MIG1 repressor: a transcriptional cascade in the glucose response**. EMBO J. 1991, 10(11):3373-7.

Nelson SB, Janiesch C, Sander M: **Expression of Nkx6 genes in the hindbrain and gut of the developing mouse.** J Histochem Cytochem. 2005, 53(6):787-90.

Neuman E, Flemington EK, Sellers WR, Kaelin WG Jr: **Transcription of the E2F-1 gene is rendered cell cycle-dependent by E2F DNA-binding sites within its promoter.** Mol Cell Biol 1994, 14: 6607-6615.

Nishida A, Furukawa A, Koike C, Tano Y, Aizawa S, Matsuo I, Furukawa T: **Otx2 homeobox gene controls retinal photoreceptor cell fate and pineal gland development.** Nat Neurosci 2003, 6(12):1255-1263.

Odom DT, Zilzperger N, Gordon DB, Bell GW, Rinaldi NJ, Murray HL, Volkert TL, Schreiber J, Rolfe PA, Gifford DK: **Control of pancreas and liver gene expression by HNF transcription factors.** Science 2004, 303(5662):1378-1381.

Ogawa H, Ishiguro K, Gaubatz S, Livingston DM, Nakatani Y: **A Complex with Chromatin Modifiers That Occupies E2F- and Myc-Responsive Genes in G0 Cells.** Science 2002: Vol. 296. no. 5570, 1132 – 1136.

Ohlsson H, Karlsson K, Edlund T: **IPF1, a homeodomain-containing transactivator of the insulin gene.** Embo J 1993, 12(11):4251-4259.

Pabo CO, Sauer RT: Protein-DNA recognition. Annu Rev Biochem 1984, 53:293-321.
Pennacchio LA, Loots GG, Nobrega MA, Ovcharenko I: **Predicting tissue-specific enhancers in the human genome.** Genome Res 2007, 17(2):201-211.

Pickering BM, Willis AE: **The implications of structured 5' untranslated regions on translation and disease.** Semin Cell Dev Biol. 2005, 16(1):39-47.

Pribnow D: **Nucleotide sequence of an RNA Polymerase Binding Site at an Early T7 Promoter.** PNAS 1975, 72:784-788.

Primig M, Winkler H, Ammerer G: **The DNA binding and oligomerization domain of MCM1 is sufficient for its interaction with other regulatory proteins.** EMBO J. 1991, 10(13):4209-18.

Qian J, Esumi N, Chen Y, Wang Q, Chowers I, Zack DJ: **Identification of regulatory targets of tissue-specific transcription factors: application to retina-specific gene regulation.** NAR 2005, 33(11):3479-3491.

Qiu M, Shimamura K, Sussel L, Chen S, Rubenstein JL: **Control of anteroposterior and dorsoventral domains of Nkx-6.1 gene expression relative to other Nkx genes during vertebrate CNS development.** Mech Dev. 1998, 72(1-2):77-88.

Rahmann S, Muller T, Vingron M: **On the power of profiles for transcription factor binding site detection.** Stat Appl Genet Mol Biol 2003, 2: Article 7.

Raitt D, Johnson A, Erkine A, Makino K, Morgan B, Gross D, Johnston, L: **The Skn7 response regulator of *Saccharomyces cerevisiae* interacts with Hsf1 in vivo and is required for the induction of heat shock genes by oxidative stress.** Mol Biol Cell 2000, 11(7), 2335–47.

Rajewsky N, Vergassola M, Gaul U, Siggia ED: **Computational detection of genomic cis-regulatory modules applied to body patterning in the early *Drosophila* embryo.** BMC Bioinformatics. 2002, 3:30.

Reeves WM, Hahn S: **Targets of the Gal4 transcription activator in functional transcription complexes.** Mol Cell Biol 2005, 25(20), 9092–102.

Roider HG, Kanhere A, Manke T, Vingron M: **Predicting transcription factor affinities to DNA from a biophysical model.** Bioinformatics 2007, 23(2):134-141.

Ronaghi M, Uhlén M, Nyrén P: **A sequencing method based on real-time pyrophosphate.** Science 1998, 281(5375):363, 365.

Roux E, Strubin M, Hagenbuchle O, Wellauer PK: **The cell-specific transcription factor PTF1 contains two different subunits that interact with the DNA.** Genes Dev 1989, 3(10):1613-1624.

Russell J, Zomerdijk JC: **RNA-polymerase-I-directed rDNA transcription, life and works.** Trends Biochem Sci. 2005, 30(2):87-96.

Ruvolo M: **Comparative primate genomics: the year of the chimpanzee.** Curr Opin Genet Dev. 2004, 14(6):650-6.

Salmeron JM Jr, Langdon SD, Johnston SA: **Interaction between transcriptional activator protein LAC9 and negative regulatory protein GAL80.** Mol Cell Biol. 1989, 9(7):2950-6.

Sandelin A, Alkema W, Engström P, Wasserman WW, Lenhard B: **JASPAR: an open-access database for eukaryotic transcription factor binding profiles.** Nucleic Acids Res. 2004, 32(Database issue):D91-4.

Schaller H, Gray C, Herrman K: **Nucleotide Sequence of an RNA Polymerase Binding Site from the DNA of Bacteriophage.** PNAS USA 1975, 72:737-741.

Schwartz S, Kent WJ, Smit A, Zhang Z, Baertsch R, Hardison RC, Haussler D, Miller W: **Human-mouse alignments with BLASTZ.** Genome Res 2003, 13(1):103-107.

Selleck S, Majors J: **In vivo DNA-binding properties of a yeast transcription activator protein.** Mol Cell Biol 1987, 7(9), 3260-7.

Sharon-Friling R, Richardson J, Sperbeck S, Lee D, Rauchman M, Maas R, Swaroop A, Wistow G: **Lens-specific gene recruitment of zeta-crystallin through Pax6, Nrl-Maf, and brain suppressor sites.** Mol Cell Biol 1998, 18(4):2067-2076.

Shin SY, Bahk YY, Ko J, Chung IY, Lee YS, Downward J, Eibel H, Sharma PM, Olefsky JM, Kim YH, Lee B, Lee YH: **Suppression of Egr-1 transcription through targeting of the serum response factor by oncogenic H-Ras.** EMBO J. 2006, 25(5):1093-103.

Siegmund KD, Connor CM, Campan M, Long TI, Weisenberger DJ, Biniszkiewicz D, Jaenisch R, Laird PW, Akbarian S: **DNA methylation in the human cerebral cortex is dynamically regulated throughout the life span and involves differentiated neurons.** PLoS ONE. 2007, 2(9):e895.

Simon M, Adam G, Rapatz W, Spevak W, Ruis H: **The *Saccharomyces cerevisiae* ADR1 gene is a positive regulator of transcription of genes encoding peroxisomal proteins.** Mol Cell Biol. 1991, 11(2):699-704.

Small S, Arnosti DN, Levine M: **Spacing ensures autonomous expression of different stripe enhancers in the even-skipped promoter.** Development. 1993, 119(3):762-72.

Small S, Kraut R, Hoey T, Warrior R, Levine M: **Transcriptional regulation of a pair-rule stripe in *Drosophila*.** Genes Dev. 1991, 5(5):827-39.

Smit AF: **The origin of interspersed repeats in the human genome.** Curr Opin Genet Dev 1996, 6(6):743-748.

Smith AD, Sumazin P, Zhang MQ: **Tissue-specific regulatory elements in mammalian promoters.** Mol Syst Biol. 2007, 3:73.

Smith AD, Sumazin P, Xuan Z, Zhang MQ: **DNA motifs in human and mouse proximal promoters predict tissue-specific expression.** PNAS 2006, 103(16):6275-6280.

Sorger P, Pelham H: **Purification and characterization of a heat-shock element binding protein from yeast.** EMBO J 1987, 6(10), 3035–41.

Sprague BL, Pego RL, Stavreva DA, McNally JG: **Analysis of Binding Reactions by Fluorescence Recovery after Photobleaching.** Biophys J. 2004, 86(6):3473-95.

Staden R: **Computer methods to locate signals in nucleic acid sequences.** NAR 1984, 12(1 Pt 2):505-19.

Staden R: **Methods for calculating the probabilities of finding patterns in sequences.** Comput Appl Biosci. 1989, 5(2):89-96.

Stoltenburg R, Reinemann C, Strehlitz B: **SELEX--a (r)evolutionary method to generate high-affinity nucleic acid ligands.** Biomol Eng. 2007, 24(4):381-403.

Stormo GD, Fields DS: **Specificity, free energy and information content in protein-DNA interactions.** Trends Biochem Sci. 1998, 23(3):109-13.

Stormo GD: **DNA binding sites: representation and discovery.** Bioinformatics. 2000, 16(1):16-23.

Su AI, Wiltshire T, Batalov S, Lapp H, Ching KA, Block D, Zhang J, Soden R, Hayakawa M, Kreiman G: **A gene atlas of the mouse and human protein-encoding transcriptomes.** PNAS USA 2004, 101(16):6062-6067.

Sundaresh S, Hung SP, Hatfield GW, Baldi P: **How noisy and replicable are DNA microarray data?** Int J Bioinform Res Appl. 2005, 1(1):31-50.

Szymanski M, Barciszewska MZ, Erdmann VA, Barciszewski J: **5 S rRNA: structure and interactions.** Biochem J. 2003, 371(Pt 3):641-51.

Tabach Y, Brosh R, Buganim Y, Reiner A, Zuk O, Yitzhaky A, Koudritsky M, Rotter V, Domany E: **Wide-scale analysis of human functional transcription factor binding reveals a strong bias towards the transcription start site.** PLoS ONE 2007, 2(8):e807.

Tanay A: **Extensive low-affinity transcriptional interactions in the yeast genome.** Genome Res. 2006, 16(8), 962–72.

Tuerk C, Gold L: **Systematic evolution of ligands by exponential enrichment: RNA ligands to bacteriophage T4 DNA polymerase.** Science 1990, 249(4968):505-10.

Tullai JW, Schaffer ME, Mullenbrock S, Kasif S, Cooper GM: **Identification of Transcription Factor Binding Sites Upstream of Human Genes Regulated by the Phosphatidylinositol 3-Kinase and MEK/ERK Signaling Pathways.** J Biol Chem. 2004, 279(19):20167-77.

Turek-Plewa J, Jagodzinski PP: **The role of mammalian DNA methyltransferases in the regulation of gene expression.** Cell Mol Biol Lett. 2005, 10(4):631-47.

Uberbacher EC, Mural RJ: **Locating Protein-Coding Regions in Human DNA Sequences by a Multiple Sensor-Neural Network Approach.** PNAS 1991, 15,88(24):11261-5.

Vaillant I, Paszkowski J: **Role of histone and DNA methylation in gene regulation.** Curr Opin Plant Biol. 2007, 10(5):528-33.

Valadkhan S: **The spliceosome: a ribozyme at heart?** Biol Chem. 2007, 388(7):693-7.

Vázquez ME, Caamaño AM, Mascareñas JL: **From transcription factors to designed sequence-specific DNA-binding peptides.** Chem Soc Rev. 2003, 32(6):338-49.

Vit MD, Waddle J, Johnston M: **Regulated nuclear translocation of the Mig1 glucose repressor.** Mol Biol Cell 1997, 8(8), 1603–18.

von Hippel PH, Berg OG: **On the specificity of DNA-protein interactions.** PNAS 1986, 83(6):1608-1612.

Wang D, Zheng F, Holmberg S, Kohlhaw GB: **Yeast transcriptional regulator Leu3p. Self-masking, specificity of masking, and evidence for regulation by the intracellular level of Leu3p.** J Biol Chem. 1999 Jul 2,274(27):19017-24.

Wasserman WW, Sandelin A: **Applied bioinformatics for the identification of regulatory elements.** Nat Rev Genet 2004, 5(4), 276–87.

Wasserman WW, Fickett JW: **Identification of regulatory regions which confer muscle specific gene expression.** J Mol Biol 1998, 278(1):167-181.

Weber MA, Groos S, Höpfl U, Spielmann M, Aumüller G, Konrad L: **Glucocorticoid receptor distribution in rat testis during postnatal development and effects of dexamethasone on immature peritubular cells in vitro.** Andrologia. 2000, 32(1):23-30.

Wei CL, Wu Q, Vega VB, Chiu KP, Ng P, Zhang T, Shahab A, Yong HC, Fu Y, Weng Z, Liu J, Zhao XD, Chew JL, Lee YL, Kuznetsov VA, Sung WK, Miller LD, Lim B, Liu ET, Yu Q, Ng HH,

Ruan Y: **A global map of p53 transcription-factor binding sites in the human genome.** Cell. 2006, 124(1):21-3.

Wei L, Sandbulte MR, Thomas PG, Webby RJ, Homayouni R, Pfeffer LM: **NFkappaB negatively regulates interferon-induced gene expression and anti-influenza activity.** J Biol Chem 2006, 28,281(17):11678-84.

Wilson D, Charoensawan V, Kummerfeld SK, Teichmann SA: **DBD--taxonomically broad transcription factor predictions: new content and functionality.** NAR. 2008, 36 (Database issue): D88-92.

Wu C: **Heat shock transcription factors: structure and regulation.** Annu Rev Cell Dev Biol. 1995, 11:441-69.

Xiao H, Perisic O, Lis J: **Cooperative binding of Drosophila heat shock factor to arrays of a conserved 5 bp unit.** Cell 1991, 64(3), 585–93.

Xie X, Lu J, Kulbokas EJ, Golub TR, Mootha V, Lindblad-Toh K, Lander ES, Kellis M: **Systematic discovery of regulatory motifs in human promoters and 3' UTRs by comparison of several mammals.** Nature 2005, 434(7031):338-345.

Yamada R, Mizutani-Koseki Y, Koseki H, Takahashi N: **Requirement for Mab21l2 during development of murine retina and ventral body wall.** Dev Biol 2004, 274(2):295-307.

Yang C, Bolotin E, Jiang T, Sladek FM, Martinez E: **Prevalence of the initiator over the TATA box in human and yeast genes and identification of DNA motifs enriched in human TATA-less core promoters.** Gene 2007, 389(1):52-65.

Yu X, Lin J, Zack DJ, Qian J: **Computational analysis of tissue-specific combinatorial gene regulation: predicting interaction between transcription factors in human tissues.** NAR 2006, 34(17):4925-4936.

Zadeh KS, Elman HC, Montas HJ, Shirmohammadi A: **A finite element model for protein transport in vivo.** Biomed Eng Online. 2007, 6:24.

Zenke FT, Zachariae W, Lunkes A, Breunig KD: **Gal80 proteins of Kluyveromyces lactis and Saccharomyces cerevisiae are highly conserved but contribute differently to glucose repression of the galactose regulon.** Mol Cell Biol. 1993, 13(12):7566-76.

Zhang SX, Garcia-Gras E, Wycuff DR, Marriot SJ, Kadeer N, Yu W, Olson EN, Garry DJ, Parmacek MS, Schwartz RJ: **Identification of direct serum-response factor gene targets during Me2SO-induced P19 cardiac cell differentiation.** J Biol Chem. 2005, 280(19):19115-26.

Zheng J, Wu J, Sun Z: **An approach to identify over-represented cis-elements in related sequences.** Nucleic Acids Res. 2003, 31(7):1995-2005.

Zhou K, Brisco P, Hinkkanen A, and Kohlhaw G: **Structure of yeast regulatory gene LEU3 and evidence that LEU3 itself is under general amino acid control.** NAR 1987, 15(13), 5261–73.

Zumdahl SS: **Chemical Principles.** Houghton Mifflin Company 1998, 3rd Edition.