

6. REFERENZEN

- Andersson, C., Bjersing, L. & Lithner, F. (1996). The epidemiology of hepatocellular carcinoma in patients with acute intermittent porphyria. *J Intern Med* 240, 195-201.
- Andersson, C., Innala, E. & Backstrom, T. (2003). Acute intermittent porphyria in women: clinical expression, use and experience of exogenous sex hormones. A population-based study in northern Sweden. *J Intern Med* 254, 176-183.
- Andersson, C., Wikberg, A., Stegmayr, B. & Lithner, F. (2000). Renal symptomatology in patients with acute intermittent porphyria. A population-based study. *J Intern Med* 248, 319-325.
- Badminton, M. N. & Elder, G. H. (2002). Management of acute and cutaneous porphyrias. *Int J Clin Pract* 56, 272-278.
- Barohn, R. J., Sanchez, J. A. & Anderson, K. E. (1994). Acute peripheral neuropathy due to hereditary coproporphyria. *Muscle Nerve* 17, 793-799.
- Bechara, E. J. (1996). Oxidative stress in acute intermittent porphyria and lead poisoning may be triggered by 5-aminolevulinic acid. *Braz J Med Biol Res* 29, 841-851.
- Black, K. S., Mirsky, P., Kalina, P., Greenberg, R. W., Drehobl, K. E., Sapan, M. & Meikle, E. (1995). Angiographic demonstration of reversible cerebral vasospasm in porphyric encephalopathy. *AJNR Am J Neuroradiol* 16, 1650-1652.
- Bonkovsky, H. L. & Barnard, G. F. (1998). Diagnosis of porphyric syndromes: a practical approach in the era of molecular biology. *Semin Liver Dis* 18, 57-65.
- Bonkowsky, H. L. & Schady, W. (1982). Neurologic manifestations of acute porphyria. *Semin Liver Dis* 2, 108-124.
- Bor, M., Balogh, K. & Pusztai, A. (2000). Fast genetic screening of exon 12 of the hydroxymethylbilane synthase gene by temporal temperature gradient electrophoresis. In *Millenium meeting on porphyrins and porphyrias*, pp. 18.
- Brett, D., Pospisil, H., Valcarcel, J., Reich, J. & Bork, P. (2002). Alternative splicing and genome complexity. *Nat Genet* 30, 29-30.
- Burcham, P. C. (1998). Genotoxic lipid peroxidation products: their DNA damaging properties and role in formation of endogenous DNA adducts. *Mutagenesis* 13, 287-305.
- Bylesjo, I., Forsgren, L., Lithner, F. & Boman, K. (1996). Epidemiology and clinical characteristics of seizures in patients with acute intermittent porphyria. *Epilepsia* 37, 230-235.

- Castelo-Branco, C., Vicente, J. J. & Vanrell, J. A. (2001). Use of gonadotropin-releasing hormone analog with tibolone to prevent cyclic attacks of acute intermittent porphyria. *Metabolism* 50, 995-996.
- Celik, M., Forta, H., Dalkilic, T. & Babacan, G. (2002). MRI reveals reversible lesions resembling posterior reversible encephalopathy in porphyria. *Neuroradiology* 44, 839-841.
- Chen, C. H., Astrin, K. H., Lee, G., Anderson, K. E. & Desnick, R. J. (1994). Acute intermittent porphyria: identification and expression of exonic mutations in the hydroxymethylbilane synthase gene. An initiation codon missense mutation in the housekeeping transcript causes "variant acute intermittent porphyria" with normal expression of the erythroid-specific enzyme. *J Clin Invest* 94, 1927-1937.
- Church, S. E., McColl, K. E., Moore, M. R. & Youngs, G. R. (1992). Hypertension and renal impairment as complications of acute porphyria. *Nephrol Dial Transplant* 7, 986-990.
- Crimlisk, H. L. (1997). The little imitator--porphyria: a neuropsychiatric disorder. *J Neurol Neurosurg Psychiatry* 62, 319-328.
- Daimon, M., Morita, Y., Yamatani, K., Igarashi, M., Fukase, N., Ohnuma, H., Sugiyama, K., Ogawa, A., Manaka, H., Tominaga, M. & et al. (1993). Two new polymorphisms in introns 2 and 3 of the human porphobilinogen deaminase gene. *Hum Genet* 92, 115-116.
- Daimon, M., Yamatani, K., Igarashi, M., Fukase, N., Morita, Y., Ogawa, A., Tominaga, M. & Sasaki, H. (1994). Acute intermittent porphyria caused by a single base insertion of C in exon 15 of the porphobilinogen deaminase gene that results in a frame shift and premature stopping of translation. *Hum Genet* 93, 533-537.
- De Rooij, F., Voortman, G. & De Baar, E. (1995). Frequency and distribution of mutations in the gene of porphobilinogen deaminase in Dutch acute intermittent porphyria patients. *Scand J Clin Lab Invest* 55, 223.
- De Siervi, A., Mendez, M., Parera, V. E., Varela, L., Batlle, A. M. & Rossetti, M. V. (1999a). Acute intermittent porphyria: characterization of two novel mutations in the porphobilinogen deaminase gene, one amino acid deletion (453-455delAGC) and one splicing acceptor site mutation (IVS8-1G>T). *Hum Mutat* 14, 355.
- De Siervi, A., Parera, V. E. & Atencia, G. (2001). 344+1 G-C; IVS 7; SD. ed. Cappellini, M. D. Cappellini, M.D. di Montemuros, F.M. Di Piero, E. Fiorelli, G., Milan.
- De Siervi, A., Rossetti, M. V., Parera, V. E., Astrin, K. H., Aizencang, G. I., Glass, I. A., Batlle, A. M. & Desnick, R. J. (1999b). Identification and characterization of hydroxymethylbilane synthase mutations causing acute intermittent porphyria: evidence for an ancestral founder of the common G111R mutation. *Am J Med Genet* 86, 366-375.

- De Siervi, A., Weiss Cadiz, D. E., Parera, V. E., del, C. B. A. M. & Rossetti, M. V. (2000). Identification and characterization of two novel mutations that produce acute intermittent porphyria: A 3-base deletion (841-843delGGA) and a missense mutation (T35M). *Hum Mutat* 16, 373.
- Deacon, A. C. & Peters, T. J. (1998). Identification of acute porphyria: evaluation of a commercial screening test for urinary porphobilinogen. *Ann Clin Biochem* 35 (Pt 6), 726-732.
- Delfau, M. H., Picat, C., De Rooij, F., Voortman, G., Deybach, J. C., Nordmann, Y. & Grandchamp, B. (1991). Molecular heterogeneity of acute intermittent porphyria: identification of four additional mutations resulting in the CRIM-negative subtype of the disease. *Am J Hum Genet* 49, 421-428.
- Delfau, M. H., Picat, C., de Rooij, F. W., Hamer, K., Bogard, M., Wilson, J. H., Deybach, J. C., Nordmann, Y. & Grandchamp, B. (1990). Two different point G to A mutations in exon 10 of the porphobilinogen deaminase gene are responsible for acute intermittent porphyria. *J Clin Invest* 86, 1511-1516.
- Demasi, M., Costa, C. A., Pascual, C., Llesuy, S. & Bechara, E. J. (1997). Oxidative tissue response promoted by 5-aminolevulinic acid promptly induces the increase of plasma antioxidant capacity. *Free Radic Res* 26, 235-243.
- Desaga, U., Leonhardt, K. F., Frahm, H. & Doss, M. (1985). Clinical and experimental investigations of vasopressin secretion in acute porphyrias. *Exp Clin Endocrinol* 86, 79-86.
- Di Mascio, P., Teixeira, P. C., Onuki, J., Medeiros, M. H., Dornemann, D., Douki, T. & Cadet, J. (2000). DNA damage by 5-aminolevulinic and 4,5-dioxovaleric acids in the presence of ferritin. *Arch Biochem Biophys* 373, 368-374.
- Di Pierro, E., Patti, E. & Cappellini, M. D. (2004). Gene symbol: HMBS. Disease: porphyria, acute intermittent. *Hum Genet* 115, 172.
- Douki, T., Onuki, J., Medeiros, M. H., Bechara, E. J., Cadet, J. & Di Mascio, P. (1998). DNA alkylation by 4,5-dioxovaleric acid, the final oxidation product of 5-aminolevulinic acid. *Chem Res Toxicol* 11, 150-157.
- Edixhoven-Bosdijk, A., de Rooij, F. W., de Baar-Heesackers, E. & Wilson, J. H. (2002). Residual activity of human porphobilinogen deaminase with R167Q or R167W mutations: an explanation for survival of homozygous and compound heterozygous acute intermittent porphyrics. *Cell Mol Biol (Noisy-le-grand)* 48, 861-866.
- Erlandsen, E. J., Jorgensen, P. E., Markussen, S. & Brock, A. (2000). Determination of porphobilinogen deaminase activity in human erythrocytes: pertinent factors in obtaining optimal conditions for measurements. *Scand J Clin Lab Invest* 60, 627-634.
- Fernandez-Barreiro, A., Guillen-Navarro, E. & Tortosa Conesa, D. (2000). Clinical and molecular analysis of acute intermittent porphyria in Murcia: founder effect of 669-668 del. In *Millenium meeting on porphyrins and porphyrias*. Cappellini, M. D. di Montemuros, F.M. Di Pierro, E. Fiorelli, G.

- Floderus, Y., Shoolingin-Jordan, P. M. & Harper, P. (2002). Acute intermittent porphyria in Sweden. Molecular, functional and clinical consequences of some new mutations found in the porphobilinogen deaminase gene. *Clin Genet* 62, 288-297.
- Fraunberg, M. V., Pischik, E., Udd, L. & Kauppinen, R. (2005). Clinical and Biochemical Characteristics and Genotype-Phenotype Correlation in 143 Finnish and Russian Patients With Acute Intermittent Porphyria. *Medicine (Baltimore)* 84, 35-47.
- Garg, M. K., Mohapatro, A. K., Dugal, J. S. & Singh, A. P. (1999). Cortical blindness in acute intermittent porphyria. *J Assoc Physicians India* 47, 727-729.
- Goldberg, A. (1959). Acute intermittent porphyria: a study of 50 cases. *Q J Med* 28, 183-209.
- Gonzalez-Arriaza, H. L. & Bostwick, J. M. (2003). Acute porphyrias: a case report and review. *Am J Psychiatry* 160, 450-459.
- Gouya, L., Puy, H., Robreau, A. M., Lyoumi, S., Lamoril, J., Da Silva, V., Grandchamp, B. & Deybach, J. C. (2004). Modulation of penetrance by the wild-type allele in dominantly inherited erythropoietic protoporphyria and acute hepatic porphyrias. *Hum Genet* 114, 256-262.
- Grandchamp, B., Picat, C., de Rooij, F., Beaumont, C., Wilson, P., Deybach, J. C. & Nordmann, Y. (1989a). A point mutation G----A in exon 12 of the porphobilinogen deaminase gene results in exon skipping and is responsible for acute intermittent porphyria. *Nucleic Acids Res* 17, 6637-6649.
- Grandchamp, B., Picat, C., Kauppinen, R., Mignotte, V., Peltonen, L., Mustajoki, P., Romeo, P. H., Goossens, M. & Nordmann, Y. (1989b). Molecular analysis of acute intermittent porphyria in a Finnish family with normal erythrocyte porphobilinogen deaminase. *Eur J Clin Invest* 19, 415-418.
- Grandchamp, B., Picat, C., Mignotte, V., Wilson, J. H., Te Velde, K., Sandkuyl, L., Romeo, P. H., Goossens, M. & Nordmann, Y. (1989c). Tissue-specific splicing mutation in acute intermittent porphyria. *Proc Natl Acad Sci U S A* 86, 661-664.
- Greene-Davis, S. T., Neumann, P. E., Mann, O. E., Moss, M. A., Schreiber, W. E., Welch, J. P., Langley, G. R., Sangalang, V. E., Dempsey, G. I. & Nassar, B. A. (1997). Detection of a R173W mutation in the porphobilinogen deaminase gene in the Nova Scotian "foreign Protestant" population with acute intermittent porphyria: a founder effect. *Clin Biochem* 30, 607-612.
- Gregor, A., Schneider-Yin, X., Szlendak, U., Wettstein, A., Lipniacka, A., Rufenacht, U. B. & Minder, E. I. (2002). Molecular study of the hydroxymethylbilane synthase gene (HMBS) among Polish patients with acute intermittent porphyria. *Hum Mutat* 19, 310.
- Gross, U., Puy, H., Doss, M., Robreau, A. M., Nordmann, Y., Doss, M. O. & Deybach, J. C. (1999). New mutations of the hydroxymethylbilane synthase gene in German patients with acute intermittent porphyria. *Mol Cell Probes* 13, 443-447.

- Gu, X. F., de Rooij, F., de Baar, E., Bruyland, M., Lissens, W., Nordmann, Y. & Grandchamp, B. (1993a). Two novel mutations of the porphobilinogen deaminase gene in acute intermittent porphyria. *Hum Mol Genet* 2, 1735-1736.
- Gu, X. F., de Rooij, F., Lee, J. S., Te Velde, K., Deybach, J. C., Nordmann, Y. & Grandchamp, B. (1993b). High prevalence of a point mutation in the porphobilinogen deaminase gene in Dutch patients with acute intermittent porphyria. *Hum Genet* 91, 128-130.
- Gu, X. F., de Rooij, F., Voortman, G., Te Velde, K., Deybach, J. C., Nordmann, Y. & Grandchamp, B. (1994). Detection of eleven mutations causing acute intermittent porphyria using denaturing gradient gel electrophoresis. *Hum Genet* 93, 47-52.
- Gu, X. F., de Rooij, F., Voortman, G., Te Velde, K., Nordmann, Y. & Grandchamp, B. (1992). High frequency of mutations in exon 10 of the porphobilinogen deaminase gene in patients with a CRIM-positive subtype of acute intermittent porphyria. *Am J Hum Genet* 51, 660-665.
- Hardell, L., Bengtsson, N. O., Jonsson, U., Eriksson, S. & Larsson, L. G. (1984). Aetiological aspects on primary liver cancer with special regard to alcohol, organic solvents and acute intermittent porphyria--an epidemiological investigation. *Br J Cancer* 50, 389-397.
- Helson, L., Braverman, S. & Mangiardi, J. (1993). delta-Aminolevulinic acid effects on neuronal and glial tumor cell lines. *Neurochem Res* 18, 1255-1258.
- Hessels, J., Voortman, G., van der Wagen, A., van der Elzen, C., Scheffer, H. & Zuijderhoudt, F. M. (2004). Homozygous acute intermittent porphyria in a 7-year-old boy with massive excretions of porphyrins and porphyrin precursors. *J Inherit Metab Dis* 27, 19-27.
- Higuchi, R. (1989). Simple and rapid preparation of samples for PCR. In *PCR technology, principles and applications for DNA amplification*. ed. Ehrlich, H. A., pp. 31-38. Stockton Press, New York.
- Kaido, M., Fukada, K., Moriya, M., Abe, K., Sakoda, S., Kondo, M. & Yanagihara, T. (2001). Porphyria with double errors in the heme biosynthetic pathway. *J Neurol* 248, 328-329.
- Kappas, A., Sassa, S. & Galbraight, Y. (1995). The porphyrias. In *The metabolic and molecular basis of inherited disease*. ed. Scriver, C. R., Beaudet, A. L., Sly, W. S. & Valle, D., pp. 2103-2159. McGraw-Hill, New York.
- Karbownik, M., Tan, D., Manchester, L. C. & Reiter, R. J. (2000). Renal toxicity of the carcinogen delta-aminolevulinic acid: antioxidant effects of melatonin. *Cancer Lett* 161, 1-7.
- Kaappinen, R. & Mustajoki, P. (1988). Acute hepatic porphyria and hepatocellular carcinoma. *Br J Cancer* 57, 117-120.

- Kauppinen, R., Mustajoki, S., Pihlaja, H., Peltonen, L. & Mustajoki, P. (1995). Acute intermittent porphyria in Finland: 19 mutations in the porphobilinogen deaminase gene. *Hum Mol Genet* 4, 215-222.
- Kauppinen, R. & von und zu Fraunberg, M. (2002). Molecular and biochemical studies of acute intermittent porphyria in 196 patients and their families. *Clin Chem* 48, 1891-1900.
- King, P. H., Petersen, N. E., Rakhra, R. & Schreiber, W. E. (2002). Porphyria presenting with bilateral radial motor neuropathy: evidence of a novel gene mutation. *Neurology* 58, 1118-1121.
- Kupferschmidt, H., Bont, A., Schnorf, H., Landis, T., Walter, E., Peter, J., Krahenbuhl, S. & Meier, P. J. (1995). Transient cortical blindness and bioccipital brain lesions in two patients with acute intermittent porphyria. *Ann Intern Med* 123, 598-600.
- Kwon, Y. S., Koh, J. Y., Song, D. K., Kim, H. C., Kwon, M. S., Choi, Y. S. & Wie, M. B. (2004). Danthron Inhibits the Neurotoxicity Induced by Various Compounds Causing Oxidative Damages Including beta-Amyloid (25-35) in Primary Cortical Cultures. *Biol Pharm Bull* 27, 723-726.
- Laiwah, A. A., Mactier, R., McColl, K. E., Moore, M. R. & Goldberg, A. (1983). Early-onset chronic renal failure as a complication of acute intermittent porphyria. *Q J Med* 52, 92-98.
- Lam, C. W., Poon, P. M., Tong, S. F., Lo, A. W., Lai, C. K., Choi, K. L., Tiu, S. C., Chan, Y. W. & Shek, C. C. (2001). Novel mutation and polymorphisms of the HMBS gene detected by denaturing HPLC. *Clin Chem* 47, 343-346.
- Lecha, M., Herrero, C. & Ozalla, D. (2003). Diagnosis and treatment of the hepatic porphyrias. *Dermatol Ther* 16, 65-72.
- Lee, G. Y., Astrin, K. H. & Desnick, R. J. (1995). Acute intermittent porphyria: a single-base deletion and a nonsense mutation in the human hydroxymethylbilane synthase gene, predicting truncations of the enzyme polypeptide. *Am J Med Genet* 58, 155-158.
- Lee, J. S. & Anvret, M. (1991). Identification of the most common mutation within the porphobilinogen deaminase gene in Swedish patients with acute intermittent porphyria. *Proc Natl Acad Sci U S A* 88, 10912-10915.
- Lee, J. S., Lundin, G., Lannfelt, L., Forsell, L., Picat, C., Grandchamp, B. & Anvret, M. (1991). Genetic heterogeneity of the porphobilinogen deaminase gene in Swedish families with acute intermittent porphyria. *Hum Genet* 87, 484-488.
- Leger, J. M. & Salachas, F. (2001). Diagnosis of motor neuropathy. *Eur J Neurol* 8, 201-208.
- Lindberg, R. L., Martini, R., Baumgartner, M., Erne, B., Borg, J., Zielasek, J., Ricker, K., Steck, A., Toyka, K. V. & Meyer, U. A. (1999). Motor neuropathy in porphobilinogen deaminase-deficient mice imitates the peripheral neuropathy of human acute porphyria. *J Clin Invest* 103, 1127-1134.

- Lindberg, R. L., Porcher, C., Grandchamp, B., Ledermann, B., Burki, K., Brandner, S., Aguzzi, A. & Meyer, U. A. (1996). Porphobilinogen deaminase deficiency in mice causes a neuropathy resembling that of human hepatic porphyria. *Nat Genet* 12, 195-199.
- Linnet, M. S., Gridley, G., Nyren, O., Mellekjaer, L., Olsen, J. H., Keehn, S., Adami, H. O. & Fraumeni, J. F., Jr. (1999). Primary liver cancer, other malignancies, and mortality risks following porphyria: a cohort study in Denmark and Sweden. *Am J Epidemiol* 149, 1010-1015.
- Lithner, F. (2002). Beneficial effect of diabetes on acute intermittent porphyria. *Diabetes Care* 25, 797-798.
- Lithner, F. & Wetterberg, L. (1984). Hepatocellular carcinoma in patients with acute intermittent porphyria. *Acta Med Scand* 215, 271-274.
- Llewellyn, D. H., Scobie, G. A., Urquhart, A. J., Whatley, S. D., Roberts, A. G., Harrison, P. R. & Elder, G. H. (1996). Acute intermittent porphyria caused by defective splicing of porphobilinogen deaminase RNA: a synonymous codon mutation at -22 bp from the 5' splice site causes skipping of exon 3. *J Med Genet* 33, 437-438.
- Llewellyn, D. H., Smyth, S. J., Elder, G. H., Hutchesson, A. C., Rattenbury, J. M. & Smith, M. F. (1992). Homozygous acute intermittent porphyria: compound heterozygosity for adjacent base transitions in the same codon of the porphobilinogen deaminase gene. *Hum Genet* 89, 97-98.
- Llewellyn, D. H., Whatley, S. & Elder, G. H. (1993). Acute intermittent porphyria caused by an arginine to histidine substitution (R26H) in the cofactor-binding cleft of porphobilinogen deaminase. *Hum Mol Genet* 2, 1315-1316.
- Louie, G. V., Brownlie, P. D., Lambert, R., Cooper, J. B., Blundell, T. L., Wood, S. P., Malashkevich, V. N., Hadener, A., Warren, M. J. & Shoolingin-Jordan, P. M. (1996). The three-dimensional structure of *Escherichia coli* porphobilinogen deaminase at 1.76-Å resolution. *Proteins* 25, 48-78.
- Louie, G. V., Brownlie, P. D., Lambert, R., Cooper, J. B., Blundell, T. L., Wood, S. P., Warren, M. J., Woodcock, S. C. & Jordan, P. M. (1992). Structure of porphobilinogen deaminase reveals a flexible multidomain polymerase with a single catalytic site. *Nature* 359, 33-39.
- Lundin, G., Hashemi, J., Floderus, Y., Thunell, S., Sagen, E., Laegreid, A., Wassif, W., Peters, T. & Anvret, M. (1995). Four mutations in the porphobilinogen deaminase gene in patients with acute intermittent porphyria. *J Med Genet* 32, 979-981.
- Lundin, G., Lee, J. S., Thunell, S. & Anvret, M. (1997). Genetic investigation of the porphobilinogen deaminase gene in Swedish acute intermittent porphyria families. *Hum Genet* 100, 63-66.
- Lundin, G., Wedell, A., Thunell, S. & Anvret, M. (1994). Two new mutations in the porphobilinogen deaminase gene and a screening method using PCR amplification of specific alleles. *Hum Genet* 93, 59-62.

- Maeda, N., Horie, Y., Adachi, K., Nanba, E., Kawasaki, H., Daimon, M., Kudo, Y. & Kondo, M. (2000). Two deletion mutations in the hydroxymethylbilane synthase gene in two unrelated Japanese patients with acute intermittent porphyria. *J Hum Genet* 45, 263-268.
- Martinez di Montemuros, F., Di Pierro, E., Biolcati, G., Rocchi, E., Bissolotti, E., Tavazzi, D., Fiorelli, G. & Cappellini, M. D. (2001). Acute intermittent porphyria: heterogeneity of mutations in the hydroxymethylbilane synthase gene in Italy. *Blood Cells Mol Dis* 27, 961-970.
- Martinez di Montemuros, F., Di Pierro, E., Fargion, S., Biolcati, G., Griso, D., Macri, A., Fiorelli, G. & Cappellini, M. D. (2000). Molecular analysis of the hydroxymethylbilane synthase (HMBS) gene in Italian patients with acute intermittent porphyria: report of four novel mutations. *Hum Mutat* 15, 480.
- Mauzerall, D. & Granick, S. (1956). The occurrence and determination of delta-aminolaevulinic acid and porphobilinogen in urine. *J Biol Chem* 219, 435-446.
- McGillion, F. B., Thompson, G. G. & Goldberg, A. (1975). Tissue uptake of o-aminolaevulinic acid. *Biochem Pharmacol* 24, 99-301.
- Meyer, U. A., Schuurmans, M. M. & Lindberg, R. L. (1998). Acute porphyrias: pathogenesis of neurological manifestations. *Semin Liver Dis* 18, 43-52.
- Mgone, C. S., Lanyon, W. G., Moore, M. R. & Connor, J. M. (1992). Detection of seven point mutations in the porphobilinogen deaminase gene in patients with acute intermittent porphyria, by direct sequencing of in vitro amplified cDNA. *Hum Genet* 90, 12-16.
- Mgone, C. S., Lanyon, W. G., Moore, M. R., Louie, G. V. & Connor, J. M. (1993). Detection of a high mutation frequency in exon 12 of the porphobilinogen deaminase gene in patients with acute intermittent porphyria. *Hum Genet* 92, 619-622.
- Mgone, C. S., Lanyon, W. G., Moore, M. R., Louie, G. V. & Connor, J. M. (1994). Identification of five novel mutations in the porphobilinogen deaminase gene. *Hum Mol Genet* 3, 809-811.
- Miller, A. D., Hart, G. J., Packman, L. C. & Battersby, A. R. (1988). Evidence that the pyrromethane cofactor of hydroxymethylbilane synthase (porphobilinogen deaminase) is bound to the protein through the sulphur atom of cysteine-242. *Biochem J* 254, 915-918.
- Millward, L. M., Kelly, P., Deacon, A., Senior, V. & Peters, T. J. (2001). Self-rated psychosocial consequences and quality of life in the acute porphyrias. *J Inherit Metab Dis* 24, 733-747.
- Monteiro, H. P., Abdalla, D. S., Augusto, O. & Bechara, E. J. (1989). Free radical generation during delta-aminolevulinic acid autoxidation: induction by hemoglobin and connections with porphyriopathies. *Arch Biochem Biophys* 271, 206-216.

- Mustajoki, P. (1981). Normal erythrocyte uroporphyrinogen I synthase in a kindred with acute intermittent porphyria. *Ann Intern Med* 95, 162-166.
- Mustajoki, S., Ahola, H., Mustajoki, P. & Kauppinen, R. (1999). Insertion of Alu element responsible for acute intermittent porphyria. *Hum Mutat* 13, 431-438.
- Mustajoki, S., Pihlaja, H., Ahola, H., Petersen, N. E., Mustajoki, P. & Kauppinen, R. (1998). Three splicing defects, an insertion, and two missense mutations responsible for acute intermittent porphyria. *Hum Genet* 102, 541-548.
- Myers, R. M., Maniatis, T. & Lerman, L. S. (1987). Detection and localization of single base changes by denaturing gradient gel electrophoresis. *Methods Enzymol* 155, 501-527.
- Namba, H., Narahara, K., Tsuji, K., Yokoyama, Y. & Seino, Y. (1991). Assignment of human porphobilinogen deaminase to 11q24.1----q24.2 by in situ hybridization and gene dosage studies. *Cytogenet Cell Genet* 57, 105-108.
- Nordmann, Y., Puy, H., Da Silva, V., Simonin, S., Robreau, A. M., Bonaiti, C., Phung, L. N. & Deybach, J. C. (1997). Acute intermittent porphyria: prevalence of mutations in the porphobilinogen deaminase gene in blood donors in France. *J Intern Med* 242, 213-217.
- Ong, P. M., Lanyon, W. G. & Hift, R. J. (1995). Detection of three mutations in four patients with acute intermittent porphyria. *Scand J Clin Lab Invest* 55, 223.
- Ong, P. M., Lanyon, W. G., Hift, R. J., Halkett, J., Cramp, C. E., Moore, M. R. & Connor, J. M. (1998). Identification of two novel mutations in the hydroxymethylbilane synthase gene in three patients from two unrelated families with acute intermittent porphyria. *Hum Hered* 48, 24-29.
- Ong, P. M., Lanyon, W. G., Hift, R. J., Halkett, J., Moore, M. R., Mgone, C. S. & Connor, J. M. (1996). Detection of four mutations in six unrelated South African patients with acute intermittent porphyria. *Mol Cell Probes* 10, 57-61.
- Onozato, M. L., Tojo, A., Kamijo, A., Taniguchi, S., Kimura, K., Goto, A. & Fujita, T. (2001). Tubulointerstitial nephritis associated with acute intermittent porphyria. *Clin Nephrol* 55, 171-174.
- Oomman, A. & Gurtoo, A. (2002). Acute intermittent porphyria as a cause of acute respiratory failure. *J Indian Med Assoc* 100, 44, 46.
- Peters, T. J. & Deacon, A. C. (2003). International air travel: a risk factor for attacks in acute intermittent porphyria. *Clin Chim Acta* 335, 59-63.
- Petersen, N. E., Nissen, H., Hansen, T. S., Rasmussen, K., Brock, A. & Horder, M. (1996). R325X mutation in exon 15 of the hydroxymethylbilane synthase gene identified in two Danish families with acute intermittent porphyria. *Clin Chem* 42, 106-107.
- Petersen, N. E., Nissen, H., Horder, M., Senz, J., Jamani, A. & Schreiber, W. E. (1998). Mutation screening by denaturing gradient gel electrophoresis in North American patients with acute intermittent porphyria. *Clin Chem* 44, 1766-1768.

- Petrides, P. E. (1997). Die akute intermittierende Porphyrie. Deutsches Aerzteblatt – Aertzliche Mitteilungen 94, 3407-3412.
- Petrides, P. E. (1998). Acute intermittent porphyria: mutation analysis and identification of gene carriers in a German kindred by PCR-DGGE analysis. *Skin Pharmacol Appl Skin Physiol* 11, 374-380.
- Petrides, P. E. (1999). Was Pflanzen grün, Blut rot und Menschen krank macht: die Porphyrine. *Humboldt-Spektrum* 3, 14-19.
- Puy, H., Aquaron, R., Lamoril, J., Robreau, A. M., Nordmann, Y. & Deybach, J. C. (1997a). Acute intermittent porphyria: rapid molecular diagnosis. *Cell Mol Biol (Noisy-le-grand)* 43, 37-45.
- Puy, H., Deybach, J. C., Lamoril, J., Robreau, A. M., Da Silva, V., Gouya, L., Grandchamp, B. & Nordmann, Y. (1997b). Molecular epidemiology and diagnosis of PBG deaminase gene defects in acute intermittent porphyria. *Am J Hum Genet* 60, 1373-1383.
- Puy, H., Deybach, J. C., Lamoril, J., Robreau, A. M. & Nordmann, Y. (1996). Detection of four novel mutations in the porphobilinogen deaminase gene in French Caucasian patients with acute intermittent porphyria. *Hum Hered* 46, 177-180.
- Puy, H., Gross, U., Deybach, J. C., Robreau, A. M., Frank, M., Nordmann, Y. & Doss, M. (1998). Exon 1 donor splice site mutations in the porphobilinogen deaminase gene in the non-erythroid variant form of acute intermittent porphyria. *Hum Genet* 103, 570-575.
- Ramdall, R. B., Cunha, L., Astrin, K. H., Katz, D. R., Anderson, K. E., Glucksman, M., Bottomley, S. S. & Desnick, R. J. (2000). Acute intermittent porphyria: novel missense mutations in the human hydroxymethylbilane synthase gene. *Genet Med* 2, 290-295.
- Regan, L., Gonsalves, L. & Tesar, G. (1999). Acute intermittent porphyria. *Psychosomatics* 40, 521-523.
- Robreau-Fraolini, A. M., Puy, H., Aquaron, C., Bogard, C., Traore, M., Nordmann, Y., Aquaron, R. & Deybach, J. C. (2000). Porphobilinogen deaminase gene in African and Afro-Caribbean ethnic groups: mutations causing acute intermittent porphyria and specific intragenic polymorphisms. *Hum Genet* 107, 150-159.
- Rocha, M. E., Bandy, B., Costa, C. A., de Barros, M. P., Pinto, A. M. & Bechara, E. J. (2000). Iron mobilization by succinylacetone methyl ester in rats. A model study for hereditary tyrosinemia and porphyrias characterized by 5-aminolevulinic acid overload. *Free Radic Res* 32, 343-353.
- Rocha, M. E., Dutra, F., Bandy, B., Baldini, R. L., Gomes, S. L., Faljoni-Alario, A., Liria, C. W., Miranda, M. T. & Bechara, E. J. (2003). Oxidative damage to ferritin by 5-aminolevulinic acid. *Arch Biochem Biophys* 409, 349-356.

- Rosipal, R., Puy, H., Lamoril, J., Martasek, P., Nordmann, Y. & Deybach, J. C. (1997). Molecular analysis of porphobilinogen (PBG) deaminase gene mutations in acute intermittent porphyria: first study in patients of Slavic origin. *Scand J Clin Lab Invest* 57, 217-224.
- Rufener, E. A. (1987). Erythropoietic protoporphyria: a study of its psychosocial aspects. *Br J Dermatol* 116, 703-708.
- Santosh, P. J. & Malhotra, S. (1994). Varied psychiatric manifestations of acute intermittent porphyria. *Biol Psychiatry* 36, 744-747.
- Schneider-Yin, X., Bogard, C., Rufenacht, U. B., Puy, H., Nordmann, Y., Minder, E. I. & Deybach, J. (2000). Identification of a prevalent nonsense mutation (W283X) and two novel mutations in the porphobilinogen deaminase gene of Swiss patients with acute intermittent porphyria. *Hum Hered* 50, 247-250.
- Schreiber, W. E., Fong, F. & Jamani, A. (1994). Frameshift mutations in exons 9 and 10 of the porphobilinogen deaminase gene produce a crossreacting immunological material (CRIM)-negative form of acute intermittent porphyria. *Hum Genet* 93, 552-556.
- Schreiber, W. E., Fong, F., Nassar, B. A. & Jamani, A. (1995a). Heteroduplex analysis detects frameshift and point mutations in patients with acute intermittent porphyria. *Hum Genet* 96, 161-166.
- Schreiber, W. E., Jamani, A. & Armstrong, J. G. (1995b). Acute intermittent porphyria in a native North American family. Biochemical and molecular analysis. *Am J Clin Pathol* 103, 730-734.
- Scobie, G. A., Llewellyn, D. H., Urquhart, A. J., Smyth, S. J., Kalsheker, N. A., Harrison, P. R. & Elder, G. H. (1990). Acute intermittent porphyria caused by a C----T mutation that produces a stop codon in the porphobilinogen deaminase gene. *Hum Genet* 85, 631-634.
- Sheffield, V. C., Cox, D. R., Lerman, L. S. & Myers, R. M. (1989). Attachment of a 40-base-pair G + C-rich sequence (GC-clamp) to genomic DNA fragments by the polymerase chain reaction results in improved detection of single-base changes. *Proc Natl Acad Sci U S A* 86, 232-236.
- Shoolingin-Jordan, P. M., Al-Dbass, A., McNeill, L. A., Sarwar, M. & Butler, D. (2003). Human porphobilinogen deaminase mutations in the investigation of the mechanism of dipyrromethane cofactor assembly and tetrapyrrole formation. *Biochem Soc Trans* 31, 731-735.
- Solis, C., Lopez-Echaniz, I., Sefarty-Graneda, D., Astrin, K. H. & Desnick, R. J. (1999). Identification and expression of mutations in the hydroxymethylbilane synthase gene causing acute intermittent porphyria (AIP). *Mol Med* 5, 664-671.
- Solis, C. S., Lopez-Echaniz, I., Sefarty-Graneda, D., Astrin, K. H. & Desnick, R. J. (2004). Gene symbol: HMBS. Disease: Acute intermittent porphyria. *Hum Genet* 114, 402.

- Stein, J. A. & Tschudy, D. P. (1970). Acute intermittent porphyria. A clinical and biochemical study of 46 patients. *Medicine (Baltimore)* 49, 1-16.
- Suarez, J. I., Cohen, M. L., Larkin, J., Kernich, C. A., Hricik, D. E. & Daroff, R. B. (1997). Acute intermittent porphyria: clinicopathologic correlation. Report of a case and review of the literature. *Neurology* 48, 1678-1683.
- Surin, V. L., Luk'ianenko, A. V., Karpova, I. V., Misiurin, A. V., Pustovot Ia, S. & Pivnik, A. V. (2001). [Three new mutations in the porphobilinogen deaminase gene, detected in acute intermittent porphyria patients from Russia]. *Genetika* 37, 690-697.
- Susa, S., Daimon, M., Morita, Y., Kitagawa, M., Hirata, A., Manaka, H., Sasaki, H. & Kato, T. (1999). Acute intermittent porphyria with central pontine myelinolysis and cortical laminar necrosis. *Neuroradiology* 41, 835-839.
- Tefferi, A., Solberg, L. A., Jr. & Ellefson, R. D. (1994). Porphyrrias: clinical evaluation and interpretation of laboratory tests. *Mayo Clin Proc* 69, 289-290.
- Tishler, P. V., Woodward, B., O'Connor, J., Holbrook, D. A., Seidman, L. J., Hallett, M. & Knighton, D. J. (1985). High prevalence of intermittent acute porphyria in a psychiatric patient population. *Am J Psychiatry* 142, 1430-1436.
- Utz, N., Kinkel, B., Hedde, J. P. & Bewermeyer, H. (2001). MR imaging of acute intermittent porphyria mimicking reversible posterior leukoencephalopathy syndrome. *Neuroradiology* 43, 1059-1062.
- von Brasch, L., Wekerle, G., Schoenberg, S., Brueckmann, H., Klopstock, T., Jakob, K. & Petrides, P. E. (2005). A step in the wrong direction: treating tonic-clonic seizures with phenytoin. *Journal of Internal Medicine* submitted.
- Von Brasch, L., Zang, C., Haverkamp, T., Schlechte, H., Heckers, H. & Petrides, P. E. (2004). Molecular analysis of acute intermittent porphyria: mutation screening in 20 patients in Germany reveals 11 novel mutations. *Blood Cells Mol Dis* 32, 309-314.
- Whatley, S. D., Roberts, A. G. & Elder, G. H. (1995). De-novo mutation and sporadic presentation of acute intermittent porphyria. *Lancet* 346, 1007-1008.
- Whatley, S. D., Roberts, A. G., Llewellyn, D. H., Bennett, C. P., Garrett, C. & Elder, G. H. (2000). Non-erythroid form of acute intermittent porphyria caused by promoter and frameshift mutations distant from the coding sequence of exon 1 of the HMBS gene. *Hum Genet* 107, 243-248.
- Whatley, S. D., Woolf, J. R. & Elder, G. H. (1999). Comparison of complementary and genomic DNA sequencing for the detection of mutations in the HMBS gene in British patients with acute intermittent porphyria: identification of 25 novel mutations. *Hum Genet* 104, 505-510.
- Wikberg, A., Jansson, L. & Lithner, F. (2000). Women's experience of suffering repeated severe attacks of acute intermittent porphyria. *J Adv Nurs* 32, 1348-1355.

- Winkler, A. S., Marsden, J., Deacon, A., Wilson, S., Chandler, G., Macdougall, I. C. & Peters, T. J. (2002). Serum erythropoietin levels may be inappropriately low in the acute neuropsychiatric porphyrias. *Clin Chim Acta* 317, 93-100.
- Wood, S. P., Lambert, R. & Jordan, P. M. (1995). Molecular basis of acute intermittent porphyria. *Molecular Medicine Today* 1, 232-239.
- Yen, P. S., Chen, C. J., Lui, C. C., Wai, Y. Y. & Wan, Y. L. (2002). Diffusion-weighted magnetic resonance imaging of porphyric encephalopathy: a case report. *Eur Neurol* 48, 119-121.
- Yu, S., Poulos, V. & Stewart, P. (2000). A novel mutation in a family with non-erythroid variant form of acute intermittent porphyria. *J Hum Genet* 45, 367-369.