

5 Literaturverzeichnis

- Adams, C. L., Chen, Y. T., Smith, S. J., and Nelson, W. J. (1998). Mechanisms of epithelial cell-cell adhesion and cell compaction revealed by high-resolution tracking of E-cadherin-green fluorescent protein. *J Cell Biol* 142, 1105-19.
- Alattia, J. R., Ames, J. B., Porumb, T., Tong, K. I., Heng, Y. M., Ottensmeyer, P., Kay, C. M., and Ikura, M. (1997). Lateral self-assembly of E-cadherin directed by cooperative calcium binding. *FEBS Lett* 417, 405-8.
- Alattia, J. R., Kurokawa, H., and Ikura, M. (1999). Structural view of cadherin-mediated cell-cell adhesion. *Cell Mol Life Sci* 55, 359-67.
- Anastasiadis, P. Z., and Reynolds, A. B. (2001). Regulation of Rho GTPases by p120-catenin. *Curr Opin Cell Biol* 13, 604-10.
- Angres, B., Barth, A., and Nelson, W. J. (1996). Mechanism for transition from initial to stable cell-cell adhesion: kinetic analysis of E-cadherin-mediated adhesion using a quantitative adhesion assay. *J Cell Biol* 134, 549-57.
- Angres, B., Kim, L., Jung, R., Geßner, R., and Tauber, R. (2001). LI-cadherin gene expression during mouse intestinal development. *Dev Dyn* 221, 182-93.
- Angst, B. D., Marcozzi, C., and Magee, A. I. (2001). The cadherin superfamily. *J Cell Sci* 114, 625-6.
- Aplin, A. E., Howe, A., Alahari, S. K., and Juliano, R. L. (1998). Signal transduction and signal modulation by cell adhesion receptors: the role of integrins, cadherins, immunoglobulin-cell adhesion molecules, and selectins. *Pharmacol Rev* 50, 197-263.
- Arnheim, N., and Erlich, H. (1992). Polymerase chain reaction strategy. *Annu Rev Biochem* 61, 131-56.
- Bai, Y., Pontoglio, M., Hiesberger, T., Sinclair, A. M., and Igarashi, P. (2002). Regulation of kidney-specific Ksp-cadherin gene promoter by hepatocyte nuclear factor-1beta. *Am J Physiol Renal Physiol* 283, F839-51.
- Baumgartner, W., Hinterdorfer, P., Ness, W., Raab, A., Vestweber, D., Schindler, H., and Drenckhahn, D. (2000a). Cadherin interaction probed by atomic force microscopy. *Proc Natl Acad Sci U S A* 97, 4005-10.
- Baumgartner, W., Gruber, H. J., Hinterdorfer, P., and Drenckhahn, D. (2000b). Affinity of trans-interacting VE-cadherin determined by atomic force microscopy. *Single Mol.* 1, 119-122.
- Baumgartner, W., Hinterdorfer, P., and Schindler, H. (2000c). Data analysis of interaction forces measured with the atomic force microscope. *Ultramicroscopy* 82, 85-95.
- Baumgartner, W., and Drenckhahn, D. (2002a). Transmembrane cooperative linkage in cellular adhesion. *Eur J Cell Biol* 81, 161-8.
- Baumgartner, W., and Drenckhahn, D. (2002b). Plasmalemmal concentration and affinity of mouse vascular endothelial cadherin, VE-cadherin. *Eur Biophys J* 31, 532-8.
- Baumgartner, W., and Drenckhahn, D. (2002c). An expectation-maximisation algorithm for the deconvolution of the intrinsic distribution of single molecule's parameters. *Comput Chem* 26, 321-6.
- Baumgartner, W., Schutz, G. J., Wiegand, J., Golenhofen, N., and Drenckhahn, D. (2003). Cadherin function probed by laser tweezer and single molecule fluorescence in vascular endothelial cells. *J Cell Sci* 116, 1001-11.
- Behrens, J. (1999). Cadherins and catenins: role in signal transduction and tumor progression. *Cancer Metastasis Rev* 18, 15-30.

- Behrens, J., Vakaet, L., Friis, R., Winterhager, E., Van Roy, F., Mareel, M. M., and Birchmeier, W. (1993). Loss of epithelial differentiation and gain of invasiveness correlates with tyrosine phosphorylation of the E-cadherin/beta-catenin complex in cells transformed with a temperature-sensitive v-SRC gene. *J Cell Biol* *120*, 757-66.
- Bell, G. I. (1978). Models for the specific adhesion of cells to cells. *Science* *200*, 618-27.
- Berndorff, D., Geßner, R., Kreft, B., Schnoy, N., Lajous-Petter, A. M., Loch, N., Reutter, W., Hortsch, M., and Tauber, R. (1994). Liver-intestine cadherin: molecular cloning and characterization of a novel Ca(2+)-dependent cell adhesion molecule expressed in liver and intestine. *J Cell Biol* *125*, 1353-69.
- Binnig, G., and Quate, C. F. G., C. (1986). Atomic force microscopy. *Phys. Rev. Lett.* **56**, 930-933.
- Birchmeier, W., and Behrens, J. (1994). Cadherin expression in carcinomas: role in the formation of cell junctions and the prevention of invasiveness. *Biochim Biophys Acta* *1198*, 11-26.
- Birnboim, H. C., and Doly, J. (1979). A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Res* *7*, 1513-23.
- Bisswanger, H. (2000). *Enzymkinetik, Theorien und Methoden*, 3. Edition (Weinheim: Wiley-VCH).
- Blaschuk, O. W., Sullivan, R., David, S., and Pouliot, Y. (1990). Identification of a cadherin cell adhesion recognition sequence. *Dev Biol* *139*, 227-9.
- Blobel, C. P., and White, J. M. (1992). Structure, function and evolutionary relationship of proteins containing a disintegrin domain. *Curr Opin Cell Biol* *4*, 760-5.
- Boggon, T. J., Murray, J., Chappuis-Flament, S., Wong, E., Gumbiner, B. M., and Shapiro, L. (2002). C-cadherin ectodomain structure and implications for cell adhesion mechanisms. *Science* *296*, 1308-13.
- Boller, K., Vestweber, D., and Kemler, R. (1985). Cell-adhesion molecule uvomorulin is localized in the intermediate junctions of adult intestinal epithelial cells. *J Cell Biol* *100*, 327-32.
- Boyer, B., Valles, A. M., and Edme, N. (2000). Induction and regulation of epithelial-mesenchymal transitions. *Biochem Pharmacol* *60*, 1091-9.
- Braga, V. M. (2002). Cell-cell adhesion and signalling. *Curr Opin Cell Biol* *14*, 546-56.
- Breviario, F., Caveda, L., Corada, M., Martin-Padura, I., Navarro, P., Golay, J., Introna, M., Gulino, D., Lampugnani, M. G., and Dejana, E. (1995). Functional properties of human vascular endothelial cadherin (7B4/cadherin-5), an endothelium-specific cadherin. *Arterioscler Thromb Vasc Biol* *15*, 1229-39.
- Brieher, W. M., and Gumbiner, B. M. (1994). Regulation of C-cadherin function during activin induced morphogenesis of *Xenopus* animal caps. *J Cell Biol* *126*, 519-27.
- Brieher, W. M., Yap, A. S., and Gumbiner, B. M. (1996). Lateral dimerization is required for the homophilic binding activity of C-cadherin. *J Cell Biol* *135*, 487-96.
- Brittan, M., and Wright, N. A. (2002). Gastrointestinal stem cells. *J Pathol* *197*, 492-509.
- Brown, E. M., and MacLeod, R. J. (2001). Extracellular calcium sensing and extracellular calcium signaling. *Physiol Rev* *81*, 239-297.
- Brown, E. M., Vassilev, P. M., and Hebert, S. C. (1995). Calcium ions as extracellular messengers. *Cell* *83*, 679-82.
- Buckley, C. D., Rainger, G. E., Bradfield, P. F., Nash, G. B., and Simmons, D. L. (1998). Cell adhesion: more than just glue (review). *Mol Membr Biol* *15*, 167-76.
- Burridge, K., and Chrzanowska-Wodnicka, M. (1996). Focal adhesions, contractility, and signaling. *Annu Rev Cell Dev Biol* *12*, 463-518.
- Carafoli, E. (1987). Intracellular calcium homeostasis. *Annu Rev Biochem* *56*, 395-433.

- Cepek, K. L., Shaw, S. K., Parker, C. M., Russell, G. J., Morrow, J. S., Rimm, D. L., and Brenner, M. B. (1994). Adhesion between epithelial cells and T lymphocytes mediated by E-cadherin and the alpha E beta 7 integrin. *Nature* *372*, 190-3.
- Chappuis-Flament, S., Wong, E., Hicks, L. D., Kay, C. M., and Gumbiner, B. M. (2001). Multiple cadherin extracellular repeats mediate homophilic binding and adhesion. *J Cell Biol* *154*, 231-43.
- Chitaev, N. A., and Troyanovsky, S. M. (1998). Adhesive but not lateral E-cadherin complexes require calcium and catenins for their formation. *J Cell Biol* *142*, 837-46.
- Chitaev, N. A., and Troyanovsky, S. M. (1997). Direct Ca²⁺-dependent heterophilic interaction between desmosomal cadherins, desmoglein and desmocollin, contributes to cell-cell adhesion. *J Cell Biol* *138*, 193-201.
- Cho, E. A., Patterson, L. T., Brookhiser, W. T., Mah, S., Kintner, C., and Dressler, G. R. (1998). Differential expression and function of cadherin-6 during renal epithelium development. *Development* *125*, 803-12.
- Chothia, C., and Jones, E. Y. (1997). The molecular structure of cell adhesion molecules. *Annu Rev Biochem* *66*, 823-62.
- Christofori, G., and Semb, H. (1999). The role of the cell-adhesion molecule E-cadherin as a tumour-suppressor gene. *Trends Biochem Sci* *24*, 73-6.
- Coller, H. A., and Coller, B. S. (1983). Statistical analysis of repetitive subcloning by the limiting dilution technique with a view toward ensuring hybridoma monoclonality. *Hybridoma* *2*, 91-6.
- Corps, E., Carter, C., Karecla, P., Ahrens, T., Evans, P., and Kilshaw, P. (2001). Recognition of E-cadherin by integrin alpha(E)beta(7): requirement for cadherin dimerization and implications for cadherin and integrin function. *J Biol Chem* *276*, 30862-70.
- Cunningham, B. A. (1995). Cell adhesion molecules as morphoregulators. *Curr Opin Cell Biol* *7*, 628-33.
- Dantzig, A. H., Hoskins, J. A., Tabas, L. B., Bright, S., Shepard, R. L., Jenkins, I. L., Duckworth, D. C., Sportsman, J. R., Mackensen, D., Rosteck, P. R., Jr., and et al. (1994). Association of intestinal peptide transport with a protein related to the cadherin superfamily. *Science* *264*, 430-3.
- Detrick, R. J., Dickey, D., and Kintner, C. R. (1990). The effects of N-cadherin misexpression on morphogenesis in *Xenopus* embryos. *Neuron* *4*, 493-506.
- Diamond, M. S., and Springer, T. A. (1994). The dynamic regulation of integrin adhesiveness. *Curr Biol* *4*, 506-17.
- Dogic, D., Eckes, B., and Aumailley, M. (1999). Extracellular matrix, integrins and focal adhesions. *Curr Top Pathol* *93*, 75-85.
- Drenckhahn, D., Ness, W. (1997). The endothelial contractile cytoskeleton. In *Vascular Endothelium*, C. J. S. G.V.R. Born, ed. (Stuttgart: Schattauer).
- Duguay, D., Foty, R. A., and Steinberg, M. S. (2003). Cadherin-mediated cell adhesion and tissue segregation: qualitative and quantitative determinants. *Dev Biol* *253*, 309-23.
- Edelman, G. M. (1985). Expression of cell adhesion molecules during embryogenesis and regeneration. *Exp Cell Res* *161*, 1-16.
- Engel, A., Lyubchenko, Y., and Muller, D. (1999). Atomic force microscopy: a powerful tool to observe biomolecules at work. *Trends Cell Biol* *9*, 77-80.
- Engvall, E., and Perlman, P. (1971). Enzyme-linked immunosorbent assay (ELISA). Quantitative assay of immunoglobulin G. *Immunochemistry* *8*, 871-4.
- Evans, E., and Ritchie, K. (1997). Dynamic strength of molecular adhesion bonds. *Biophys J* *72*, 1541-55.

- Evans, E., and Ritchie, K. (1999). Strength of a weak bond connecting flexible polymer chains. *Biophys J* 76, 2439-47.
- Ey, P. L., Prowse, S. J., and Jenkin, C. R. (1978). Isolation of pure IgG1, IgG2a and IgG2b immunoglobulins from mouse serum using protein A-sepharose. *Immunochemistry* 15, 429-36.
- Firestone, G. L., and Winguth, S. D. (1990). Immunoprecipitation of proteins. *Methods Enzymol* 182, 688-700.
- Frank, M., and Kemler, R. (2002). Protocadherins. *Curr Opin Cell Biol* 14, 557-62.
- Friedlander, D. R., Mege, R. M., Cunningham, B. A., and Edelman, G. M. (1989). Cell sorting-out is modulated by both the specificity and amount of different cell adhesion molecules (CAMs) expressed on cell surfaces. *Proc Natl Acad Sci U S A* 86, 7043-7.
- Fritz, J., Katopodis, A. G., Kolbinger, F., and Anselmetti, D. (1998). Force-mediated kinetics of single P-selectin/ligand complexes observed by atomic force microscopy. *Proc Natl Acad Sci U S A* 95, 12283-8.
- Galyani, M., Ikrenyi, C., Fekrete, J., Ikrenyi, K., Kovach, G.B. (1988). Ion concentrations in subcutaneous interstitial fluid: measured versus expected values. *Am J Physiol* 24, 513-519.
- Garrod, D. R., Merritt, A. J., and Nie, Z. (2002). Desmosomal cadherins. *Curr Opin Cell Biol* 14, 537-45.
- Geiger, B., and Ayalon, O. (1992). Cadherins. *Annu Rev Cell Biol* 8, 307-32.
- Gerard, R. D., and Meidell, R. S. (1995). Adenovirus Vectors. In *DNA Cloning 4: Mammalian Systems: A Practical Approach*, D. M. Glover, ed. (Oxford: Oxford University Press).
- Geßner, R., and Tauber, R. (2000). Intestinal cell adhesion molecules. Liver-intestine cadherin. *Ann N Y Acad Sci* 915, 136-43.
- Gomez-Foix, A. M., Coats, W. S., Baque, S., Alam, T., Gerard, R. D., and Newgard, C. B. (1992). Adenovirus-mediated transfer of the muscle glycogen phosphorylase gene into hepatocytes confers altered regulation of glycogen metabolism. *J Biol Chem* 267, 25129-34.
- Goodwin, M., Kovacs, E. M., Thoreson, M. A., Reynolds, A. B., and Yap, A. S. (2003). Minimal mutation of the cytoplasmic tail inhibits the ability of E-cadherin to activate rac but not PI3-kinase. Direct evidence of a role for cadherin-activated Rac signaling in adhesion and contact formation. *J Biol Chem*.
- Gordon, J. I. (1989). Intestinal epithelial differentiation: new insights from chimeric and transgenic mice. *J Cell Biol* 108, 1187-94.
- Goto, S., Yaoita, E., Matsunami, H., Kondo, D., Yamamoto, T., Kawasaki, K., Arakawa, M., and Kihara, I. (1998). Involvement of R-cadherin in the early stage of glomerulogenesis. *J Am Soc Nephrol* 9, 1234-41.
- Grötzinger, C., Kneifel, J., Patschan, D., Schnoy, N., Anagnostopoulos, I., Faiss, S., Tauber, R., Wiedenmann, B., and Geßner, R. (2001). LI-cadherin: a marker of gastric metaplasia and neoplasia. *Gut* 49, 73-81.
- Grubmuller, H., Heymann, B., and Tavan, P. (1996). Ligand binding: molecular mechanics calculation of the streptavidin-biotin rupture force. *Science* 271, 997-9.
- Gumbiner, B. M. (1996). Cell adhesion: the molecular basis of tissue architecture and morphogenesis. *Cell* 84, 345-57.
- Gumbiner, B. M. (1993). Proteins associated with the cytoplasmic surface of adhesion molecules. *Neuron* 11, 551-64.
- Gumbiner, B. M. (2000). Regulation of Cadherin Adhesive Activity. *J Cell Biol* 148, 399-404.
- Gumbiner, B. M. (1995). Signal transduction of beta-catenin. *Curr Opin Cell Biol* 7, 634-40.

- Hanahan, D. (1983). Studies on transformation of *Escherichia coli* with plasmids. *J Mol Biol* 166, 557-80.
- Hazan, R. B., Phillips, G. R., Qiao, R. F., Norton, L., and Aaronson, S. A. (2000). Exogenous expression of N-cadherin in breast cancer cells induces cell migration, invasion, and metastasis. *J Cell Biol* 148, 779-90.
- Hecking, M. (2002). Homologieklonierung von 7D-Cadherinen. Inst. für Laboratoriumsmedizin und Pathobiochemie (Berlin: Humboldt Universität).
- Heimark, R. L., Degner, M., and Schwartz, S. M. (1990). Identification of a Ca²⁺(+)-dependent cell-cell adhesion molecule in endothelial cells. *J Cell Biol* 110, 1745-56.
- Hermiston, M. L., and Gordon, J. I. (1995). Inflammatory bowel disease and adenomas in mice expressing a dominant negative N-cadherin. *Science* 270, 1203-7.
- Hermiston, M. L., Wong, M. H., and Gordon, J. I. (1996). Forced expression of E-cadherin in the mouse intestinal epithelium slows cell migration and provides evidence for nonautonomous regulation of cell fate in a self-renewing system. *Genes Dev* 10, 985-96.
- Heukeshoven, J., and Dernick, R. (1988). Improved silver staining procedure for fast staining in PhastSystem Development Unit. I. Staining of sodium dodecyl sulfate gels. *Electrophoresis* 9, 28-32.
- Higgins, J. M., Mandlebrot, D. A., Shaw, S. K., Russell, G. J., Murphy, E. A., Chen, Y. T., Nelson, W. J., Parker, C. M., and Brenner, M. B. (1998). Direct and regulated interaction of integrin alphaEbeta7 with E-cadherin. *J Cell Biol* 140, 197-210.
- Hinoi, T., Lucas, P. C., Kuick, R., Hanash, S., Cho, K. R., and Fearon, E. R. (2002). CDX2 regulates liver intestine-cadherin expression in normal and malignant colon epithelium and intestinal metaplasia. *Gastroenterology* 123, 1565-77.
- Hinterdorfer, P., Baumgartner, W., Gruber, H. J., Schilcher, K., and Schindler, H. (1996). Detection and localization of individual antibody-antigen recognition events by atomic force microscopy. *Proc Natl Acad Sci U S A* 93, 3477-81.
- Hinterdorfer, P., Kienberger, F., Raab, A., Gruber, H. J., Baumgartner, W., Kada, G., Riener, C., Wielert-Badt, S., Borkern, C., and Schindler, H. (2000). Poly(ethylene glycol): an ideal spacer for molecular recognition force microscopy/spectroscopy. *Single Mol.* 1, 99-103.
- Hippo, Y., Taniguchi, H., Tsutsumi, S., Machida, N., Chong, J. M., Fukayama, M., Kodama, T., and Aburatani, H. (2002). Global gene expression analysis of gastric cancer by oligonucleotide microarrays. *Cancer Res* 62, 233-40.
- Horsfield, J., Ramachandran, A., Reuter, K., LaVallie, E., Collins-Racie, L., Crosier, K., and Crosier, P. (2002). Cadherin-17 is required to maintain pronephric duct integrity during zebrafish development. *Mech Dev* 115, 15-26.
- Hussain, M. M. (2000). A proposed model for the assembly of chylomicrons. *Atherosclerosis* 148, 1-15.
- Hyafil, F., Babinet, C., and Jacob, F. (1981). Cell-cell interactions in early embryogenesis: a molecular approach to the role of calcium. *Cell* 26, 447-54.
- Hyafil, F., Morello, D., Babinet, C., and Jacob, F. (1980). A cell surface glycoprotein involved in the compaction of embryonal carcinoma cells and cleavage stage embryos. *Cell* 21, 927-34.
- Hynes, R. O. (1999). Cell adhesion: old and new questions. *Trends Cell Biol* 9, M33-7.
- Hynes, R. O. (2002). Integrins: bidirectional, allosteric signaling machines. *Cell* 110, 673-87.
- Igarashi, P., Shashikant, C. S., Thomson, R. B., Whyte, D. A., Liu-Chen, S., Ruddle, F. H., and Aronson, P. S. (1999). Ksp-cadherin gene promoter. II. Kidney-specific activity in transgenic mice. *Am J Physiol* 277, F599-610.

- Ilyas, M., Tomlinson, I. P., Rowan, A., Pignatelli, M., and Bodmer, W. F. (1997). Beta-catenin mutations in cell lines established from human colorectal cancers. *Proc Natl Acad Sci U S A* *94*, 10330-4.
- Imai, Y., True, D. D., Singer, M. S., and Rosen, S. D. (1990). Direct demonstration of the lectin activity of gp90MEL, a lymphocyte homing receptor. *J Cell Biol* *111*, 1225-32.
- Inuzuka, H., Redies, C., and Takeichi, M. (1991). Differential expression of R- and N-cadherin in neural and mesodermal tissues during early chicken development. *Development* *113*, 959-67.
- Jamora, C., and Fuchs, E. (2002). Intercellular adhesion, signalling and the cytoskeleton. *Nat Cell Biol* *4*, E101-8.
- Juliano, R. L. (2002). Signal transduction by cell adhesion receptors and the cytoskeleton: functions of integrins, cadherins, selectins, and immunoglobulin-superfamily members. *Annu Rev Pharmacol Toxicol* *42*, 283-323.
- Jung, R. (2001). Struktur und Funktion muriner 7D-Cadherin-Gene. Institut für Biochemie (Berlin: Freie Universität).
- Kansas, G. S. (1996). Selectins and their ligands: current concepts and controversies. *Blood* *88*, 3259-87.
- Kawano, R., Matsuo, N., Tanaka, H., Nasu, M., Yoshioka, H., and Shirabe, K. (2002). Identification and characterization of a soluble cadherin-7 isoform produced by alternative splicing. *J Biol Chem* *277*, 47679-85.
- Kemler, R. (1993). From cadherins to catenins: cytoplasmic protein interactions and regulation of cell adhesion. *Trends Genet* *9*, 317-21.
- Kim, J. B., Islam, S., Kim, Y. J., Prudoff, R. S., Sass, K. M., Wheelock, M. J., and Johnson, K. R. (2000). N-Cadherin extracellular repeat 4 mediates epithelial to mesenchymal transition and increased motility. *J Cell Biol* *151*, 1193-206.
- Kimura, Y., Matsunami, H., Inoue, T., Shimamura, K., Uchida, N., Ueno, T., Miyazaki, T., and Takeichi, M. (1995). Cadherin-11 expressed in association with mesenchymal morphogenesis in the head, somite, and limb bud of early mouse embryos. *Dev Biol* *169*, 347-58.
- Kitagawa, M., Natori, M., Murase, S., Hirano, S., Taketani, S., and Suzuki, S. T. (2000). Mutation analysis of cadherin-4 reveals amino acid residues of EC1 important for the structure and function. *Biochem Biophys Res Commun* *271*, 358-63.
- Klein, G., Langedegger, M., Goridis, C., and Ekblom, P. (1988). Neural cell adhesion molecules during embryonic induction and development of the kidney. *Development* *102*, 749-61.
- Koch, A. W., Bozic, D., Pertz, O., and Engel, J. (1999). Homophilic adhesion by cadherins. *Curr Opin Struct Biol* *9*, 275-81.
- Koch, A. W., Pokutta, S., Lustig, A., and Engel, J. (1997). Calcium binding and homoassociation of E-cadherin domains. *Biochemistry* *36*, 7697-705.
- Koch, P. J., Franke, W. W., Aberle, H., Schwartz, H., and Kemler, R. (1994). Desmosomal cadherins: another growing multigene family of adhesion molecules. *Curr Opin Cell Biol* *6*, 682-7.
- Köhler, A. (2003). Etablierung eines auf Mikroperlen basierenden durchflußzytometrischen Aggregationsassays. Institut für Biochemie (Berlin: Freie Universität).
- Koshland, D. E., Nemethy, G. and Filmer, D. (1976). Comparison of experimental binding data and theoretical models in protein containing subunits. *Biochemistry* *5*, 365-385.
- Kreft, B., Berndorff, D., Bottinger, A., Finnemann, S., Wedlich, D., Hortsch, M., Tauber, R., and Geßner, R. (1997). LI-cadherin-mediated cell-cell adhesion does not require cytoplasmic interactions. *J Cell Biol* *136*, 1109-21.
- Laemmli, U. K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* *227*, 680-5.

- Lambert, M., Padilla, F., and Mege, R. M. (2000). Immobilized dimers of N-cadherin-Fc chimera mimic cadherin-mediated cell contact formation: contribution of both outside-in and inside-out signals. *J Cell Sci* *113*, 2207-19.
- Lampugnani, M. G., and Dejana, E. (1997). Interendothelial junctions: structure, signalling and functional roles. *Curr Opin Cell Biol* *9*, 674-82.
- Larue, L., Ohsugi, M., Hirchenhain, J., and Kemler, R. (1994). E-cadherin null mutant embryos fail to form a trophectoderm epithelium. *Proc Natl Acad Sci U S A* *91*, 8263-7.
- Lasky, L. A., Singer, M. S., Yednock, T. A., Dowbenko, D., Fennie, C., Rodriguez, H., Nguyen, T., Stachel, S., and Rosen, S. D. (1989). Cloning of a lymphocyte homing receptor reveals a lectin domain. *Cell* *56*, 1045-55.
- Leckband, D., and Sivasankar, S. (2000). Mechanism of homophilic cadherin adhesion. *Curr Opin Cell Biol* *12*, 587-92.
- Leibach, F. H., and Ganapathy, V. (1996). Peptide transporters in the intestine and the kidney. *Annu Rev Nutr* *16*, 99-119.
- Levenberg, S., Sadot, E., Goichberg, P., and Geiger, B. (1998). Cadherin-mediated transmembrane interactions. *Cell Adhes Commun* *6*, 161-70.
- Locker, F. G. (1996). Hormonal regulation of calcium homeostasis. *Nurs Clin North Am* *31*, 797-803.
- Macdonald, P. M., and Struhl, G. (1986). A molecular gradient in early *Drosophila* embryos and its role in specifying the body pattern. *Nature* *324*, 537-45.
- Marcozzi, C., Burdett, I. D., Buxton, R. S., and Magee, A. I. (1998). Coexpression of both types of desmosomal cadherin and plakoglobin confers strong intercellular adhesion. *J Cell Sci* *111*, 495-509.
- Matsuyoshi, N., Hamaguchi, M., Taniguchi, S., Nagafuchi, A., Tsukita, S., and Takeichi, M. (1992). Cadherin-mediated cell-cell adhesion is perturbed by v-src tyrosine phosphorylation in metastatic fibroblasts. *J Cell Biol* *118*, 703-14.
- Maurer, P., Hohenester, E., and Engel, J. (1996). Extracellular calcium-binding proteins. *Curr Opin Cell Biol* *8*, 609-17.
- McCarron, D. A. (1989). Calcium metabolism and hypertension. *Kidney Int* *35*, 717-36.
- McEver, R. P. (2002). Selectins: lectins that initiate cell adhesion under flow. *Curr Opin Cell Biol* *14*, 581-6.
- McNeill, H., Ryan, T. A., Smith, S. J., and Nelson, W. J. (1993). Spatial and temporal dissection of immediate and early events following cadherin-mediated epithelial cell adhesion. *J Cell Biol* *120*, 1217-26.
- Merkel, R., Nassoy, P., Leung, A., Ritchie, K., and Evans, E. (1999). Energy landscapes of receptor-ligand bonds explored with dynamic force spectroscopy. *Nature* *397*, 50-3.
- Miyatani, S., Shimamura, K., Hatta, M., Nagafuchi, A., Nose, A., Matsunaga, M., Hatta, K., and Takeichi, M. (1989). Neural cadherin: role in selective cell-cell adhesion. *Science* *245*, 631-5.
- Moll, T., and Vestweber, D. (1999). Construction and purification of adhesion molecule immunoglobulin chimeric proteins. *Methods Mol Biol* *96*, 77-84.
- Moreno, E., and Morata, G. (1999). Caudal is the Hox gene that specifies the most posterior *Drosophila* segment. *Nature* *400*, 873-7.
- Morris, Kirby, and Gunning. (1999). *Atomic Force Microscopy for Biologists* (London: Imperial College Press).
- Müller, D. J., and Anderson, K. (2002). Biomolecular imaging using atomic force microscopy. *Trends in Biotechnology* *20*, 45-49.

- Munchberg, F. E., Spieker, T. P., Joos, T. O., and Hausen, P. (1997). A paired oocyte adhesion assay reveals the homophilic binding properties of the *Xenopus* maternal cadherins, XB/U- and EP-cadherin. *Mech Dev* 64, 87-94.
- Mupanomunda, M. M., Ishioka, N., and Bukoski, R. D. (1999). Interstitial Ca²⁺ undergoes dynamic changes sufficient to stimulate nerve-dependent Ca²⁺-induced relaxation. *Am J Physiol* 276, H1035-42.
- Mupanomunda, M. M., Tian, B., Ishioka, N., and Bukoski, R. D. (2000). Renal interstitial Ca(2+). *Am J Physiol Renal Physiol* 278, F644-9.
- Murase, S., and Schuman, E. M. (1999). The role of cell adhesion molecules in synaptic plasticity and memory. *Curr Opin Cell Biol* 11, 549-53.
- Nagafuchi, A., and Takeichi, M. (1988). Cell binding function of E-cadherin is regulated by the cytoplasmic domain. *Embo J* 7, 3679-84.
- Nagar, B., Overduin, M., Ikura, M., and Rini, J. M. (1996). Structural basis of calcium-induced E-cadherin rigidification and dimerization. *Nature* 380, 360-4.
- Nakagawa, S., and Takeichi, M. (1995). Neural crest cell-cell adhesion controlled by sequential and subpopulation-specific expression of novel cadherins. *Development* 121, 1321-32.
- Nelson, W. J. (1992). Regulation of cell surface polarity from bacteria to mammals. *Science* 258, 948-55.
- Niessen, C. M., and Gumbiner, B. M. (2002). Cadherin-mediated cell sorting not determined by binding or adhesion specificity. *J Cell Biol* 156, 389-399.
- Nollet, F., Kools, P., and van Roy, F. (2000). Phylogenetic analysis of the cadherin superfamily allows identification of six major subfamilies besides several solitary members. *J Mol Biol* 299, 551-72.
- Nose, A., Nagafuchi, A., and Takeichi, M. (1988). Expressed recombinant cadherins mediate cell sorting in model systems. *Cell* 54, 993-1001.
- Nose, A., and Takeichi, M. (1986). A novel cadherin cell adhesion molecule: its expression patterns associated with implantation and organogenesis of mouse embryos. *J Cell Biol* 103, 2649-58.
- Nose, A., Tsuji, K., and Takeichi, M. (1990). Localization of specificity determining sites in cadherin cell adhesion molecules. *Cell* 61, 147-55.
- Orsulic, S., Huber, O., Aberle, H., Arnold, S., and Kemler, R. (1999). E-cadherin binding prevents beta-catenin nuclear localization and beta-catenin/LEF-1-mediated transactivation. *J Cell Sci* 112, 1237-45.
- Overduin, M., Harvey, T. S., Bagby, S., Tong, K. I., Yau, P., Takeichi, M., and Ikura, M. (1995). Solution structure of the epithelial cadherin domain responsible for selective cell adhesion [see comments]. *Science* 267, 386-9.
- Ozawa, M., Baribault, H., and Kemler, R. (1989). The cytoplasmic domain of the cell adhesion molecule uvomorulin associates with three independent proteins structurally related in different species. *Embo J* 8, 1711-7.
- Ozawa, M., and Kemler, R. (1998). Altered cell adhesion activity by pervanadate due to the dissociation of alpha-catenin from the E-cadherin.catenin complex. *J Biol Chem* 273, 6166-70.
- Ozawa, M., and Kemler, R. (1990a). Correct proteolytic cleavage is required for the cell adhesive function of uvomorulin. *J Cell Biol* 111, 1645-50.
- Ozawa, M., Ringwald, M., and Kemler, R. (1990b). Uvomorulin-catenin complex formation is regulated by a specific domain in the cytoplasmic region of the cell adhesion molecule. *Proc Natl Acad Sci U S A* 87, 4246-50.
- Perret, E., Benoliel, A. M., Nassoy, P., Pierres, A., Delmas, V., Thiery, J. P., Bongrand, P., and Feracci, H. (2002). Fast dissociation kinetics between individual E-cadherin fragments revealed by flow chamber analysis. *Embo J* 21, 2537-46.

- Pertz, O., Bozic, D., Koch, A. W., Fauser, C., Brancaccio, A., and Engel, J. (1999). A new crystal structure, Ca²⁺ dependence and mutational analysis reveal molecular details of E-cadherin homoassociation. *Embo J* 18, 1738-47.
- Piper, J. W., Swerlick, R. A., and Zhu, C. (1998). Determining force dependence of two-dimensional receptor-ligand binding affinity by centrifugation. *Biophys J* 74, 492-513.
- Pokutta, S., Herrenknecht, K., Kemler, R., and Engel, J. (1994). Conformational changes of the recombinant extracellular domain of E-cadherin upon calcium binding. *Eur J Biochem* 223, 1019-26.
- Potten, C. S., and Loeffler, M. (1990). Stem cells: attributes, cycles, spirals, pitfalls and uncertainties. Lessons for and from the crypt. *Development* 110, 1001-20.
- Potter, S. W., and Morris, J. E. (1985). Development of mouse embryos in hanging drop culture. *Anat Rec* 211, 48-56.
- Pouyani, T., and Seed, B. (1995). PSGL-1 recognition of P-selectin is controlled by a tyrosine sulfation consensus at the PSGL-1 amino terminus. *Cell* 83, 333-43.
- Puck, T. (1958). *Genetics of somatic mammalian cells III. Long-term cultivation of euploid cells from human and animal subjects*. *J. Exp. Med.*, 945-956.
- Ranscht, B., and Dours-Zimmermann, M. T. (1991). T-cadherin, a novel cadherin cell adhesion molecule in the nervous system lacks the conserved cytoplasmic region. *Neuron* 7, 391-402.
- Redfield, A., Nieman, M. T., and Knudsen, K. A. (1997). Cadherins promote skeletal muscle differentiation in three-dimensional cultures. *J Cell Biol* 138, 1323-31.
- Redies, C. (2000). Cadherins in the central nervous system. *Prog Neurobiol* 61, 611-48.
- Renaud-Young, M., and Gallin, W. J. (2002). In the first extracellular domain of E-cadherin, heterophilic interactions, but not the conserved His-Ala-Val motif, are required for adhesion. *J Biol Chem* 277, 39609-16.
- Rief, M., Oesterhelt, F., Heymann, B., and Gaub, H. E. (1997). Single Molecule Force Spectroscopy on Polysaccharides by Atomic Force Microscopy. *Science* 275, 1295-7.
- Rimm, D. L., Koslov, E. R., Kebriaei, P., Cianci, C. D., and Morrow, J. S. (1995). Alpha 1(E)-catenin is an actin-binding and -bundling protein mediating the attachment of F-actin to the membrane adhesion complex. *Proc Natl Acad Sci U S A* 92, 8813-7.
- Ringwald, M., Schuh, R., Vestweber, D., Eistetter, H., Lottspeich, F., Engel, J., Dolz, R., Jahnig, F., Epplen, J., Mayer, S., and et al. (1987). The structure of cell adhesion molecule uvomorulin. Insights into the molecular mechanism of Ca²⁺-dependent cell adhesion. *Embo J* 6, 3647-53.
- Salomon, D., Ayalon, O., Patel-King, R., Hynes, R. O., and Geiger, B. (1992). Extrajunctional distribution of N-cadherin in cultured human endothelial cells. *J Cell Sci* 102, 7-17.
- Sambrook, J., Fritsch, E. F., and Maniatis, T. (1989). *Molecular Cloning, A Laboratory Manual*, second Edition, Volume 1-3, C. Nolan, ed. (Cold Spring Harbor: Cold Spring Harbor Laboratory Press).
- Sanger, F., and Coulson, A. R. (1978). The use of thin acrylamide gels for DNA sequencing. *FEBS Lett* 87, 107-10.
- Sanger, F., Nicklen, S., and Coulson, A. R. (1977). DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A* 74, 5463-7.
- Schedl, A., and Hastie, N. D. (2000). Cross-talk in kidney development. *Curr Opin Genet Dev* 10, 543-9.
- Schuh, R., Vestweber, D., Riede, I., Ringwald, M., Rosenberg, U. B., Jackle, H., and Kemler, R. (1986). Molecular cloning of the mouse cell adhesion molecule uvomorulin: cDNA contains a B1-related sequence. *Proc Natl Acad Sci U S A* 83, 1364-8.

- Sefton, M., Johnson, M. H., and Clayton, L. (1992). Synthesis and phosphorylation of uvomorulin during mouse early development. *Development* *115*, 313-8.
- Shafer, S. H., Puhl, H. L., Phelps, S. H., and Williams, C. L. (1999). Activation of transfected M1 or M3 muscarinic acetylcholine receptors induces cell-cell adhesion of Chinese hamster ovary cells expressing endogenous cadherins. *Exp Cell Res* *248*, 148-59.
- Shan, W. S., Tanaka, H., Phillips, G. R., Arndt, K., Yoshida, M., Colman, D. R., and Shapiro, L. (2000). Functional cis-heterodimers of N- and R-cadherins. *J Cell Biol* *148*, 579-90.
- Shapiro, L., Fannon, A. M., Kwong, P. D., Thompson, A., Lehmann, M. S., Grubel, G., Legrand, J. F., Als-Nielsen, J., Colman, D. R., and Hendrickson, W. A. (1995). Structural basis of cell-cell adhesion by cadherins. *Nature* *374*, 327-37.
- Silberg, D. G., Swain, G. P., Suh, E. R., and Traber, P. G. (2000). Cdx1 and cdx2 expression during intestinal development. *Gastroenterology* *119*, 961-71.
- Sivasankar, S., Briehner, W., Lavrik, N., Gumbiner, B., and Leckband, D. (1999). Direct molecular force measurements of multiple adhesive interactions between cadherin ectodomains [In Process Citation]. *Proc Natl Acad Sci U S A* *96*, 11820-4.
- Sivasankar, S., Gumbiner, B., and Leckband, D. (2001). Direct measurements of multiple adhesive alignments and unbinding trajectories between cadherin extracellular domains. *Biophys J* *80*, 1758-68.
- Sjodin, A., Dahl, U., and Semb, H. (1995). Mouse R-cadherin: expression during the organogenesis of pancreas and gastrointestinal tract. *Exp Cell Res* *221*, 413-25.
- Smith, P. K., Krohn, R. I., Hermanson, G. T., Mallia, A. K., Gartner, F. H., Provenzano, M. D., Fujimoto, E. K., Goeke, N. M., Olson, B. J., and Klenk, D. C. (1985). Measurement of protein using bicinchoninic acid. *Anal Biochem* *150*, 76-85.
- Stappert, J., and Kemler, R. (1994). A short core region of E-cadherin is essential for catenin binding and is highly phosphorylated. *Cell Adhes Commun* *2*, 319-27.
- Steinberg, M. S., and Takeichi, M. (1994). Experimental specification of cell sorting, tissue spreading, and specific spatial patterning by quantitative differences in cadherin expression. *Proc Natl Acad Sci U S A* *91*, 206-9.
- Sterba, R. E., and Sheetz, M. P. (1998). Basic laser tweezers. *Methods Cell Biol* *55*, 29-41.
- Svoboda, K., and Block, S. M. (1994). Biological applications of optical forces. *Annu Rev Biophys Biomol Struct* *23*, 247-85.
- Sweet, D. H., Miller, D. S., and Pritchard, J. B. (2000). Basolateral localization of organic cation transporter 2 in intact renal proximal tubules. *Am J Physiol Renal Physiol* *279*, F826-34.
- Takamura, M., Sakamoto, M., Ino, Y., Shimamura, T., Ichida, T., Asakura, H., and Hirohashi, S. (2003). Expression of liver-intestine cadherin and its possible interaction with galectin-3 in ductal adenocarcinoma of the pancreas. *Cancer Sci* *94*, 425-30.
- Takeda, H., Shimoyama, Y., Nagafuchi, A., and Hirohashi, S. (1999). E-cadherin functions as a cis-dimer at the cell-cell adhesive interface in vivo. *Nat Struct Biol* *6*, 310-2.
- Takeichi, M. (1991). Cadherin cell adhesion receptors as a morphogenetic regulator. *Science* *251*, 1451-5.
- Takeichi, M. (1990). Cadherins: a molecular family important in selective cell-cell adhesion. *Annu Rev Biochem* *59*, 237-52.
- Takeichi, M. (1988). The cadherins: cell-cell adhesion molecules controlling animal morphogenesis. *Development* *102*, 639-55.
- Takeichi, M. (1977). Functional correlation between cell adhesive properties and some cell surface proteins. *J Cell Biol* *75*, 464-74.

- Takeichi, M. (1995). Morphogenetic roles of classic cadherins. *Curr Opin Cell Biol* 7, 619-27.
- Tamura, K., Shan, W. S., Hendrickson, W. A., Colman, D. R., and Shapiro, L. (1998). Structure-function analysis of cell adhesion by neural (N-) cadherin. *Neuron* 20, 1153-63.
- Tassin, M. T., Beziau, A., Gubler, M. C., and Boyer, B. (1994). Spatiotemporal expression of molecules associated with junctional complexes during the in vivo maturation of renal podocytes. *Int J Dev Biol* 38, 45-54.
- Tedder, T. F., Steeber, D. A., Chen, A., and Engel, P. (1995). The selectins: vascular adhesion molecules. *Faseb J* 9, 866-73.
- Tepass, U., Truong, K., Godt, D., Ikura, M., and Peifer, M. (2000). Cadherins in embryonic and neural morphogenesis. *Nat Rev Mol Cell Biol* 1, 91-100.
- Thomsen, D. R., Stenberg, R. M., Goins, W. F., and Stinski, M. F. (1984). Promoter-regulatory region of the major immediate early gene of human cytomegalovirus. *Proc Natl Acad Sci U S A* 81, 659-63.
- Thomson, R. B., and Aronson, P. S. (1999). Immunolocalization of Ksp-cadherin in the adult and developing rabbit kidney. *Am J Physiol* 277, F146-56.
- Thomson, R. B., Igarashi, P., Biemesderfer, D., Kim, R., Abu-Alfa, A., Soleimani, M., and Aronson, P. S. (1995). Isolation and cDNA cloning of Ksp-cadherin, a novel kidney-specific member of the cadherin multigene family. *J Biol Chem* 270, 17594-601.
- Tseng, S. Y., and Dustin, M. L. (2002). T-cell activation: a multidimensional signaling network. *Curr Opin Cell Biol* 14, 575-80.
- Turner, C. E. (2000). Paxillin and focal adhesion signalling. *Nat Cell Biol* 2, E231-6.
- Uemura, T. (1998). The cadherin superfamily at the synapse: more members, more missions. *Cell* 93, 1095-8.
- Vainio, S. J., and Uusitalo, M. S. (2000). A road to kidney tubules via the Wnt pathway. *Pediatr Nephrol* 15, 151-6.
- Van Doren, K., and Gluzman, Y. (1984). Efficient transformation of human fibroblasts by adenovirus-simian virus 40 recombinants. *Mol Cell Biol* 4, 1653-6.
- Vasioukhin, V., Bauer, C., Yin, M., and Fuchs, E. (2000). Directed actin polymerization is the driving force for epithelial cell-cell adhesion. *Cell* 100, 209-19.
- Vasioukhin, V., and Fuchs, E. (2001). Actin dynamics and cell-cell adhesion in epithelia. *Curr Opin Cell Biol* 13, 76-84.
- Vestweber, D. (2002). Regulation of endothelial cell contacts during leukocyte extravasation. *Curr Opin Cell Biol* 14, 587-93.
- Vestweber, D., and Blanks, J. E. (1999). Mechanisms that regulate the function of the selectins and their ligands. *Physiol Rev* 79, 181-213.
- Vestweber, D., Gossler, A., Boller, K., and Kemler, R. (1987). Expression and distribution of cell adhesion molecule uvomorulin in mouse preimplantation embryos. *Dev Biol* 124, 451-6.
- Vestweber, D., Kemler, R., and Ekblom, P. (1985). Cell-adhesion molecule uvomorulin during kidney development. *Dev Biol* 112, 213-21.
- Vleminckx, K., and Kemler, R. (1999). Cadherins and tissue formation: integrating adhesion and signaling. *Bioessays* 21, 211-20.
- Volk, T., Cohen, O., and Geiger, B. (1987). Formation of heterotypic adherens-type junctions between L-CAM-containing liver cells and A-CAM-containing lens cells. *Cell* 50, 987-94.
- Walsh, F. S., and Doherty, P. (1997). Neural cell adhesion molecules of the immunoglobulin superfamily: role in axon growth and guidance. *Annu Rev Cell Dev Biol* 13, 425-56.

- Webb, D. J., Parsons, J. T., and Horwitz, A. F. (2002). Adhesion assembly, disassembly and turnover in migrating cells -- over and over and over again. *Nat Cell Biol* 4, E97-100.
- Wertz, K., and Herrmann, B. G. (1999). Kidney-specific cadherin (cdh16) is expressed in embryonic kidney, lung, and sex ducts. *Mech Dev* 84, 185-8.
- Whyte, D. A., Li, C., Thomson, R. B., Nix, S. L., Zanjani, R., Karp, S. L., Aronson, P. S., and Igarashi, P. (1999). Ksp-cadherin gene promoter. I. Characterization and renal epithelial cell-specific activity. *Am J Physiol* 277, F587-98.
- Williams, C. L., Hayes, V. Y., Hummel, A. M., Tarara, J. E., and Halsey, T. J. (1993). Regulation of E-cadherin-mediated adhesion by muscarinic acetylcholine receptors in small cell lung carcinoma. *J Cell Biol* 121, 643-54.
- Williams, E. J., Williams, G., Howell, F. V., Skaper, S. D., Walsh, F. S., and Doherty, P. (2001). Identification of an N-cadherin motif that can interact with the fibroblast growth factor receptor and is required for axonal growth. *J Biol Chem* 276, 43879-86.
- Wu, Q., and Maniatis, T. (1999). A striking organization of a large family of human neural cadherin-like cell adhesion genes. *Cell* 97, 779-90.
- Xiang, Y. Y., Tanaka, M., Suzuki, M., Igarashi, H., Kiyokawa, E., Naito, Y., Ohtawara, Y., Shen, Q., Sugimura, H., and Kino, I. (1994). Isolation of complementary DNA encoding K-cadherin, a novel rat cadherin preferentially expressed in fetal kidney and kidney carcinoma. *Cancer Res* 54, 3034-41.
- Yap, A. S., Briehner, W. M., and Gumbiner, B. M. (1997). Molecular and functional analysis of cadherin-based adherens junctions. *Annu Rev Cell Dev Biol* 13, 119-46.
- Yonemura, S., Itoh, M., Nagafuchi, A., and Tsukita, S. (1995). Cell-to-cell adherens junction formation and actin filament organization: similarities and differences between non-polarized fibroblasts and polarized epithelial cells. *J Cell Sci* 108, 127-42.
- Zech, R. u. D., G. (1986). *Enzyme -Biochemie, Pathobiochemie, Klinik, Therapie* (Weinheim: VCH Verlagsgesellschaft).
- Zhu, C. (2000). Kinetics and mechanics of cell adhesion. *J Biomech* 33, 23-33.
- Zimmermann, P., and David, G. (1999). The syndecans, tuners of transmembrane signaling. *Faseb J* 13 Suppl, S91-S100.
- Zitt, A. (1997). *Klonierung und Charakterisierung des humanen LI-Cadherins*. Fachbereich Chemie (Berlin: Freie Universität).