

7. Literaturverzeichnis

- Alkhatib, H.M., Chen, D.F., Cherney, B., Bhatia, K., Notario, V., Giri, C., Stein, G., Slattery, E., Roeder, R.G. and Smulson, M.E. (1987) Cloning and expression of cDNA for human poly(ADP-ribose) polymerase. *Proc Natl Acad Sci U S A*, **84**, 1224-1228.
- Allen, J.F. and Raven, J.A. (1996) Free-radical-induced mutation vs redox regulation: costs and benefits of genes in organelles. *J Mol Evol*, **42**, 482-492.
- Allinson, S.L., Dianova, I.I. and Dianov, G.L. (2003) Poly(ADP-ribose) polymerase in base excision repair: always engaged, but not essential for DNA damage processing. *Acta Biochim Pol*, **50**, 169-179.
- Althaus, F.R. (1992) Poly ADP-ribosylation: a histone shuttle mechanism in DNA excision repair. *J Cell Sci*, **102 (Pt 4)**, 663-670.
- Augustin, A., Spenlehauer, C., Dumond, H., Menissier-De Murcia, J., Piel, M., Schmit, A.C., Apiou, F., Vonesch, J.L., Kock, M., Bornens, M. and De Murcia, G. (2003) PARP-3 localizes preferentially to the daughter centriole and interferes with the G1/S cell cycle progression. *J Cell Sci*, **116**, 1551-1562.
- Beard, W.A. and Wilson, S.H. (2000) Structural design of a eukaryotic DNA repair polymerase: DNA polymerase beta. *Mutat Res*, **460**, 231-244.
- Bennett, R.A., Wilson, D.M., 3rd, Wong, D. and Demple, B. (1997) Interaction of human apurinic endonuclease and DNA polymerase beta in the base excision repair pathway. *Proc Natl Acad Sci U S A*, **94**, 7166-7169.
- Bernstein, C., Bernstein, H., Payne, C.M. and Garewal, H. (2002) DNA repair/pro-apoptotic dual-role proteins in five major DNA repair pathways: fail-safe protection against carcinogenesis. *Mutat Res*, **511**, 145-178.
- Bhattacharya, P. and Basu, S. (1978) DNA polymerase activities in differentiating mouse neuroblastoma N-18 cells. *Proc Natl Acad Sci U S A*, **75**, 1289-1293.
- Bhattacharyya, N. and Banerjee, S. (2001) A Novel Role of XRCC1 in the Functions of a DNA Polymerase beta Variant. *Biochemistry*, **40**, 9005-9013.
- Bohr, V.A. (2002) Repair of oxidative DNA damage in nuclear and mitochondrial DNA, and some changes with aging in mammalian cells(1,2). *Free Radic Biol Med*, **32**, 804-812.
- Bordone, L. and Campbell, C. (2002) DNA ligase III is degraded by calpain during cell death induced by DNA damaging agents. *J Biol Chem*, **6**, 6.
- Breen, A.P. and Murphy, J.A. (1995) Reactions of oxyl radicals with DNA. *Free Radic Biol Med*, **18**, 1033-1077.
- Burgers, P.M., Koonin, E.V., Bruford, E., Blanco, L., Burtis, K.C., Christman, M.F., Copeland, W.C., Friedberg, E.C., Hanaoka, F., Hinkle, D.C., Lawrence, C.W., Nakanishi, M., Ohmori, H., Prakash, L., Prakash, S., Reynaud, C.A., Sugino, A., Todo, T., Wang, Z., Weill, J.C. and Woodgate, R. (2001) Eukaryotic DNA polymerases: proposal for a revised nomenclature. *J Biol Chem*, **276**, 43487-43490.
- Bürkle, A. (2001) Physiology and pathophysiology of poly(ADP-ribosyl)ation. *Bioessays*, **23**, 795-806.
- Caldecott, K.W. (2001) Mammalian DNA single-strand break repair: an X-ra(y)ted affair. *Bioessays*, **23**, 447-455.

- Caldecott, K.W. (2003) XRCC1 and DNA strand break repair. *DNA Repair (Amst)*, **2**, 955-969.
- Caldecott, K.W., Aoufouchi, S., Johnson, P. and Shall, S. (1996) XRCC1 polypeptide interacts with DNA polymerase beta and possibly poly (ADP-ribose) polymerase, and DNA ligase III is a novel molecular 'nick-sensor' in vitro. *Nucleic Acids Res*, **24**, 4387-4394.
- Caldecott, K.W., McKeown, C.K., Tucker, J.D., Ljungquist, S. and Thompson, L.H. (1994) An interaction between the mammalian DNA repair protein XRCC1 and DNA ligase III. *Mol Cell Biol*, **14**, 68-76.
- Caldecott, K.W., Tucker, J.D., Stanker, L.H. and Thompson, L.H. (1995) Characterization of the XRCC1-DNA ligase III complex in vitro and its absence from mutant hamster cells. *Nucleic Acids Res*, **23**, 4836-4843.
- Cappelli, E., Taylor, R., Cevasco, M., Abbondandolo, A., Caldecott, K. and Frosina, G. (1997) Involvement of XRCC1 and DNA ligase III gene products in DNA base excision repair. *J Biol Chem*, **272**, 23970-23975.
- Carson, D.A., Seto, S., Wasson, D.B. and Carrera, C.J. (1986) DNA strand breaks, NAD metabolism, and programmed cell death. *Exp Cell Res*, **164**, 273-281.
- Chambon, P., Weill, J.D. and Mandel, P. (1963) Nicotinamide mononucleotide activation of new DNA-dependent polyadenylic acid synthesizing nuclear enzyme. *Biochem Biophys Res Commun*, **11**, 39-43.
- Chang, L.M. (1974) Purification and properties of low molecular weight DNA polymerase from mammalian cells. *Methods Enzymol*, **29**, 81-88.
- Chen, J., Tomkinson, A.E., Ramos, W., Mackey, Z.B., Danehower, S., Walter, C.A., Schultz, R.A., Besterman, J.M. and Husain, I. (1995) Mammalian DNA ligase III: molecular cloning, chromosomal localization, and expression in spermatocytes undergoing meiotic recombination. *Mol Cell Biol*, **15**, 5412-5422.
- Chen, U., Chen, S., Saha, P. and Dutta, A. (1996) p21Cip1/Waf1 disrupts the recruitment of human Fen1 by proliferating-cell nuclear antigen into the DNA replication complex. *Proc Natl Acad Sci U S A*, **93**, 11597-11602.
- Cherney, B.W., McBride, O.W., Chen, D.F., Alkhatib, H., Bhatia, K., Hensley, P. and Smulson, M.E. (1987) cDNA sequence, protein structure, and chromosomal location of the human gene for poly(ADP-ribose) polymerase. *Proc Natl Acad Sci U S A*, **84**, 8370-8374.
- Chiarugi, A. (2002) Poly(ADP-ribose) polymerase: killer or conspirator? The 'suicide hypothesis' revisited. *Trends Pharmacol Sci*, **23**, 122-129.
- Christmann, M., Tomicic, M.T., Roos, W.P. and Kaina, B. (2003) Mechanisms of human DNA repair: an update. *Toxicology*, **193**, 3-34.
- Cleaver, J.E., Milam, K.M. and Morgan, W.F. (1985) Do inhibitor studies demonstrate a role for poly(ADP-ribose) in DNA repair? *Radiat Res*, **101**, 16-28.
- Cook, B.D., Dynek, J.N., Chang, W., Shostak, G. and Smith, S. (2002) Role for the related poly(ADP-Ribose) polymerases tankyrase 1 and 2 at human telomeres. *Mol Cell Biol*, **22**, 332-342.
- D'Amours, D., Desnoyers, S., D'Silva, I. and Poirier, G.G. (1999) Poly(ADP-ribosylation) reactions in the regulation of nuclear functions. *Biochem J*, **342**, 249-268.
- Dantzer, F., de La Rubia, G., Menissier-De Murcia, J., Hostomsky, Z., de Murcia, G. and Schreiber, V. (2000) Base excision repair is impaired in mammalian cells lacking Poly(ADP-ribose) polymerase-1. *Biochemistry*, **39**, 7559-7569.

- Dantzer, F., Schreiber, V., Niedergang, C., Trucco, C., Flatter, E., De La Rubia, G., Oliver, J., Rolli, V., Menissier-de Murcia, J. and de Murcia, G. (1999) Involvement of poly(ADP-ribose) polymerase in base excision repair. *Biochimie*, **81**, 69-75.
- Davidovic, L., Vodenicharov, M., Affar, E.B. and Poirier, G.G. (2001) Importance of poly(ADP-ribose) glycohydrolase in the control of poly(ADP-ribose) metabolism. *Exp Cell Res*, **268**, 7-13.
- Demple, B., Herman, T. and Chen, D.S. (1991) Cloning and expression of APE, the cDNA encoding the major human apurinic endonuclease: definition of a family of DNA repair enzymes. *Proc Natl Acad Sci U S A*, **88**, 11450-11454.
- Dianov, G., Sedgwick, B., Daly, G., Olsson, M., Lovett, S. and Lindahl, T. (1994) Release of 5'-terminal deoxyribose-phosphate residues from incised abasic sites in DNA by the Escherichia coli RecJ protein. *Nucleic Acids Res*, **22**, 993-998.
- Dianov, G.L., Jensen, B.R., Kenny, M.K. and Bohr, V.A. (1999a) Replication protein A stimulates proliferating cell nuclear antigen-dependent repair of abasic sites in DNA by human cell extracts. *Biochemistry*, **38**, 11021-11025.
- Dianov, G.L., Prasad, R., Wilson, S.H. and Bohr, V.A. (1999b) Role of DNA polymerase beta in the excision step of long patch mammalian base excision repair. *J Biol Chem*, **274**, 13741-13743.
- Dianova, II, Bohr, V.A. and Dianov, G.L. (2001) Interaction of human AP endonuclease 1 with flap endonuclease 1 and proliferating cell nuclear antigen involved in long-patch base excision repair. *Biochemistry*, **40**, 12639-12644.
- Durkacz, B.W., Omidiji, O., Gray, D.A. and Shall, S. (1980) (ADP-ribose)n participates in DNA excision repair. *Nature*, **283**, 593-596.
- EI-Khamisy, S.F., Masutani, M., Suzuki, H. and Caldecott, K.W. (2003) A requirement for PARP-1 for the assembly or stability of XRCC1 nuclear foci at sites of oxidative DNA damage. *Nucleic Acids Res*, **31**, 5526-5533.
- Evans, A.R., Limp-Foster, M. and Kelley, M.R. (2000) Going APE over ref-1. *Mutat Res*, **461**, 83-108.
- Fortini, P., Parlanti, E., Sidorkina, O.M., Laval, J. and Dogliotti, E. (1999) The type of DNA glycosylase determines the base excision repair pathway in mammalian cells. *J Biol Chem*, **274**, 15230-15236.
- Fortini, P., Pascucci, B., Parlanti, E., D'Errico, M., Simonelli, V. and Dogliotti, E. (2003) 8-Oxoguanine DNA damage: at the crossroad of alternative repair pathways. *Mutat Res*, **531**, 127-139.
- Fortini, P., Pascucci, B., Parlanti, E., Sobol, R.W., Wilson, S.H. and Dogliotti, E. (1998) Different DNA polymerases are involved in the short- and long-patch base excision repair in mammalian cells. *Biochemistry*, **37**, 3575-3580.
- Frosina, G., Fortini, P., Rossi, O., Carrozzino, F., Abbondandolo, A. and Dogliotti, E. (1994) Repair of abasic sites by mammalian cell extracts. *Biochem J*, **304 (Pt 3)**, 699-705.
- Frosina, G., Fortini, P., Rossi, O., Carrozzino, F., Raspaglio, G., Cox, L.S., Lane, D.P., Abbondandolo, A. and Dogliotti, E. (1996) Two pathways for base excision repair in mammalian cells. *J Biol Chem*, **271**, 9573-9578.
- Frossi, B., Tell, G., Spessotto, P., Colombatti, A., Vitale, G. and Pucillo, C. (2002) H₂O₂ induces translocation of APE/Ref-1 to mitochondria in the Raji B-cell line. *J Cell Physiol*, **193**, 180-186.

- Frouin, I., Maga, G., Denegri, M., Riva, F., Savio, M., Spadari, S., Prosperi, E. and Scovassi, A.I. (2003) Human proliferating cell nuclear antigen, poly(ADP-ribose) polymerase-1, and p21waf1/cip1. A dynamic exchange of partners. *J Biol Chem*, **278**, 39265-39268.
- Goode, E.L., Ulrich, C.M. and Potter, J.D. (2002) Polymorphisms in DNA repair genes and associations with cancer risk. *Cancer Epidemiol Biomarkers Prev*, **11**, 1513-1530.
- Griesenbeck, J., Oei, S.L., Mayer-Kuckuk, P., Ziegler, M., Buchlow, G. and Schweiger, M. (1997) Protein-protein interaction of the human poly(ADP-ribosyl)transferase depends on the functional state of the enzyme. *Biochemistry*, **36**, 7297-7304.
- Gros, L., Saparbaev, M.K. and Laval, J. (2002) Enzymology of the repair of free radicals-induced DNA damage. *Oncogene*, **21**, 8905-8925.
- Hadi, M.Z. and Wilson, D.M., 3rd. (2000) Second human protein with homology to the Escherichia coli abasic endonuclease exonuclease III. *Environ Mol Mutagen*, **36**, 312-324.
- Hanawalt, P.C. (2002) Subpathways of nucleotide excision repair and their regulation. *Oncogene*, **21**, 8949-8956.
- Hardeland, U., Steinacher, R., Jiricny, J. and Schar, P. (2002) Modification of the human thymine-DNA glycosylase by ubiquitin-like proteins facilitates enzymatic turnover. *Embo J*, **21**, 1456-1464.
- Harrigan, J.A., Opresko, P.L., Von Kobbe, C., Kedar, P.S., Prasad, R., Wilson, S.H. and Bohr, V.A. (2003) The Werner syndrome protein stimulates DNA polymerase beta strand displacement synthesis via its helicase activity. *J Biol Chem*, **278**, 27.
- He, F., Yang, X.P., Srivastava, D.K. and Wilson, S.H. (2003) DNA polymerase beta gene expression: the promoter activator CREB-1 is upregulated in Chinese hamster ovary cells by DNA alkylating agent-induced stress. *Biol Chem*, **384**, 19-23.
- Hecht, N.B. (1975) The relationship between two murine DNA-dependent DNA polymerases from the cytosol and the low molecular weight DNA polymerase. *Biochim Biophys Acta*, **383**, 388-398.
- Henneke, G., Friedrich-Heineken, E. and Hubscher, U. (2003) Flap endonuclease 1: a novel tumour suppresser protein. *Trends Biochem Sci*, **28**, 384-390.
- Hill, J.W., Hazra, T.K., Izumi, T. and Mitra, S. (2001) Stimulation of human 8-oxoguanine-DNA glycosylase by AP-endonuclease: potential coordination of the initial steps in base excision repair. *Nucleic Acids Res*, **29**, 430-438.
- Hoeijmakers, J.H. (2001) Genome maintenance mechanisms for preventing cancer. *Nature*, **411**, 366-374.
- Horton, J.K., Baker, A., Vande Berg, B.J., Sobol, R.W. and Wilson, S.H. (2002) Involvement of DNA polymerase beta in protection against the cytotoxicity of oxidative DNA damage. *DNA Repair (Amst)*, **1**, 317-333.
- Horton, J.K., Prasad, R., Hou, E. and Wilson, S.H. (2000) Protection against methylation-induced cytotoxicity by DNA polymerase beta-dependent long patch base excision repair. *J Biol Chem*, **275**, 2211-2218.
- Hübscher, U., Kuenzle, C.C. and Spadari, S. (1979) Functional roles of DNA polymerases beta and gamma. *Proc Natl Acad Sci U S A*, **76**, 2316-2320.
- Hübscher, U., Nasheuer, H.P. and Syvaoja, J.E. (2000) Eukaryotic DNA polymerases, a growing family. *Trends Biochem Sci*, **25**, 143-147.

- Husain, I., Tomkinson, A.E., Burkhart, W.A., Moyer, M.B., Ramos, W., Mackey, Z.B., Besterman, J.M. and Chen, J. (1995) Purification and characterization of DNA ligase III from bovine testes. Homology with DNA ligase II and vaccinia DNA ligase. *J Biol Chem*, **270**, 9683-9690.
- Huyton, T., Bates, P.A., Zhang, X., Sternberg, M.J. and Freemont, P.S. (2000) The BRCA1 C-terminal domain: structure and function. *Mutat Res*, **460**, 319-332.
- Hwang, K.Y., Baek, K., Kim, H.Y. and Cho, Y. (1998) The crystal structure of flap endonuclease-1 from Methanococcus jannaschii. *Nat Struct Biol*, **5**, 707-713.
- Ichikawa, A., Negishi, M., Tomita, K. and Ikegami, S. (1980) Aphidicolin: a specific inhibitor of DNA synthesis in synchronous mastocytoma P-815 cells. *Jpn J Pharmacol*, **30**, 301-308.
- Iftner, T., Elbel, M., Schopp, B., Hiller, T., Loizou, J.I., Caldecott, K.W. and Stubenrauch, F. (2002) Interference of papillomavirus E6 protein with single-strand break repair by interaction with XRCC1. *Embo J*, **21**, 4741-4748.
- Ikejima, M., Noguchi, S., Yamashita, R., Ogura, T., Sugimura, T., Gill, D.M. and Miwa, M. (1990) The zinc fingers of human poly(ADP-ribose) polymerase are differentially required for the recognition of DNA breaks and nicks and the consequent enzyme activation. Other structures recognize intact DNA. *J Biol Chem*, **265**, 21907-21913.
- Izumi, T., Wiederhold, L.R., Roy, G., Roy, R., Jaiswal, A., Bhakat, K.K., Mitra, S. and Hazra, T.K. (2003) Mammalian DNA base excision repair proteins: their interactions and role in repair of oxidative DNA damage. *Toxicology*, **193**, 43-65.
- James, M.R. and Lehmann, A.R. (1982) Role of poly(adenosine diphosphate ribose) in deoxyribonucleic acid repair in human fibroblasts. *Biochemistry*, **21**, 4007-4013.
- Johansson, M. (1999) A human poly(ADP-ribose) polymerase gene family (ADPRTL): cDNA cloning of two novel poly(ADP-ribose) polymerase homologues. *Genomics*, **57**, 442-445.
- Kawamitsu, H., Hoshino, H., Okada, H., Miwa, M., Momoi, H. and Sugimura, T. (1984) Monoclonal antibodies to poly(adenosine diphosphate ribose) recognize different structures. *Biochemistry*, **23**, 3771-3777.
- Kedar, P.S., Kim, S.J., Robertson, A., Hou, E., Prasad, R., Horton, J.K., Lewis, M. and Wilson, S.H. (2002) Direct interaction between mammalian DNA polymerase beta and proliferating cell nuclear antigen. *J Biol Chem*, **12**, 12.
- Kenny, M.K., Mendez, F., Sandigursky, M., Kureekattil, R.P., Goldman, J.D., Franklin, W.A. and Bases, R. (2001) Heat shock protein 70 binds to human apurinic/apyrimidinic endonuclease and stimulates endonuclease activity at abasic sites. *J Biol Chem*, **276**, 9532-9536.
- Kickhoefer, V.A., Siva, A.C., Kedersha, N.L., Inman, E.M., Ruland, C., Streuli, M. and Rome, L.H. (1999) The 193-kD vault protein, VPARP, is a novel poly(ADP-ribose) polymerase. *J Cell Biol*, **146**, 917-928.
- Kim, K., Biade, S. and Matsumoto, Y. (1998) Involvement of flap endonuclease 1 in base excision DNA repair. *J Biol Chem*, **273**, 8842-8848.
- Klungland, A. and Lindahl, T. (1997) Second pathway for completion of human DNA base excision-repair: reconstitution with purified proteins and requirement for DNase IV (FEN1). *Embo J*, **16**, 3341-3348.

- Kodama, K., Barnes, D.E. and Lindahl, T. (1991) In vitro mutagenesis and functional expression in Escherichia coli of a cDNA encoding the catalytic domain of human DNA ligase I. *Nucleic Acids Res*, **19**, 6093-6099.
- Kraus, W.L. and Lis, J.T. (2003) PARP goes transcription. *Cell*, **113**, 677-683.
- Krokan, H.E., Drablos, F. and Slupphaug, G. (2002) Uracil in DNA--occurrence, consequences and repair. *Oncogene*, **21**, 8935-8948.
- Kubota, Y., Nash, R.A., Klungland, A., Schar, P., Barnes, D.E. and Lindahl, T. (1996) Reconstitution of DNA base excision-repair with purified human proteins: interaction between DNA polymerase beta and the XRCC1 protein. *Embo J*, **15**, 6662-6670.
- Kun, E., Kirsten, E., Mendeleyev, J. and Ordahl, C.P. (2004) Regulation of the Enzymatic Catalysis of Poly(ADP-ribose) Polymerase by dsDNA, Polyamines, Mg(2+), Ca(2+), Histones H(1) and H(3), and ATP. *Biochemistry*, **43**, 210-216.
- Lakshmipathy, U. and Campbell, C. (1999) The human DNA ligase III gene encodes nuclear and mitochondrial proteins. *Mol Cell Biol*, **19**, 3869-3876.
- Le Page, F., Schreiber, V., Dherin, C., De Murcia, G. and Boiteux, S. (2003) Poly(ADP-ribose) polymerase-1 (PARP-1) is required in murine cell lines for base excision repair of oxidative DNA damage in the absence of DNA polymerase beta. *J Biol Chem*, **278**, 18471-18477.
- Leppard, J.B., Dong, Z., Mackey, Z.B. and Tomkinson, A.E. (2003) Physical and functional interaction between DNA ligase IIIalpha and poly(ADP-Ribose) polymerase 1 in DNA single-strand break repair. *Mol Cell Biol*, **23**, 5919-5927.
- Lindahl, T., Gally, J.A. and Edelman, G.M. (1969) Deoxyribonuclease IV: a new exonuclease from mammalian tissues. *Proc Natl Acad Sci U S A*, **62**, 597-603.
- Lindahl, T., Satoh, M.S., Poirier, G.G. and Klungland, A. (1995) Post-translational modification of poly(ADP-ribose) polymerase induced by DNA strand breaks. *Trends Biochem Sci*, **20**, 405-411.
- Longley, M.J., Prasad, R., Srivastava, D.K., Wilson, S.H. and Copeland, W.C. (1998) Identification of 5'-deoxyribose phosphate lyase activity in human DNA polymerase gamma and its role in mitochondrial base excision repair in vitro. *Proc Natl Acad Sci U S A*, **95**, 12244-12248.
- Lyons, R.J., Deane, R., Lynch, D.K., Ye, Z.S., Sanderson, G.M., Eyre, H.J., Sutherland, G.R. and Daly, R.J. (2001) Identification of a novel human tankyrase through its interaction with the adaptor protein Grb14. *J Biol Chem*, **276**, 17172-17180.
- Mackey, Z.B., Niedergang, C., Murcia, J.M., Leppard, J., Au, K., Chen, J., de Murcia, G. and Tomkinson, A.E. (1999) DNA ligase III is recruited to DNA strand breaks by a zinc finger motif homologous to that of poly(ADP-ribose) polymerase. Identification of two functionally distinct DNA binding regions within DNA ligase III. *J Biol Chem*, **274**, 21679-21687.
- Mackey, Z.B., Ramos, W., Levin, D.S., Walter, C.A., McCarrey, J.R. and Tomkinson, A.E. (1997) An alternative splicing event which occurs in mouse pachytene spermatocytes generates a form of DNA ligase III with distinct biochemical properties that may function in meiotic recombination. *Mol Cell Biol*, **17**, 989-998.
- Maitra, M., Gudzelak, A., Li, S.X., Matsumoto, Y., Eckert, K.A., Jager, J. and Sweasy, J.B. (2002) Threonine 79 is a hinge residue that governs the fidelity of DNA polymerase beta by helping to position the DNA within the active site. *J Biol Chem*, **16**, 16.

- Marintchev, A., Mullen, M.A., Maciejewski, M.W., Pan, B., Gryk, M.R. and Mullen, G.P. (1999) Solution structure of the single-strand break repair protein XRCC1 N-terminal domain. *Nat Struct Biol*, **6**, 884-893.
- Marintchev, A., Robertson, A., Dimitriadis, E.K., Prasad, R., Wilson, S.H. and Mullen, G.P. (2000) Domain specific interaction in the XRCC1-DNA polymerase beta complex. *Nucleic Acids Res*, **28**, 2049-2059.
- Marsin, S., Vidal, A.E., Sossou, M., Menissier-de Murcia, J., Le Page, F., Boiteux, S., de Murcia, G. and Radicella, J.P. (2003) Role of XRCC1 in the coordination and stimulation of oxidative DNA damage repair initiated by the DNA glycosylase hOGG1. *J Biol Chem*, **278**, 44068-44074.
- Martin, I.V. and MacNeill, S.A. (2002) ATP-dependent DNA ligases. *Genome Biol*, **3**.
- Maruta, H., Matsumura, N. and Tanuma, S. (1997) Role of (ADP-ribose)n catabolism in DNA repair. *Biochem Biophys Res Commun*, **236**, 265-269.
- Masson, M., Niedergang, C., Schreiber, V., Muller, S., Menissier-de Murcia, J. and de Murcia, G. (1998) XRCC1 is specifically associated with poly(ADP-ribose) polymerase and negatively regulates its activity following DNA damage. *Mol Cell Biol*, **18**, 3563-3571.
- Matsumoto, Y. (2001) Molecular mechanism of PCNA-dependent base excision repair. *Prog Nucleic Acid Res Mol Biol*, **68**, 129-138.
- Matsumoto, Y., Kim, K. and Bogenhagen, D.F. (1994) Proliferating cell nuclear antigen-dependent abasic site repair in *Xenopus laevis* oocytes: an alternative pathway of base excision DNA repair. *Mol Cell Biol*, **14**, 6187-6197.
- Mendez, F., Kozin, E. and Bases, R. (2003) Heat shock protein 70 stimulation of the deoxyribonucleic acid base excision repair enzyme polymerase beta. *Cell Stress Chaperones*, **8**, 153-161.
- Menissier de Murcia, J., Ricoul, M., Tartier, L., Niedergang, C., Huber, A., Dantzer, F., Schreiber, V., Ame, J.C., Dierich, A., LeMeur, M., Sabatier, L., Chambon, P. and de Murcia, G. (2003) Functional interaction between PARP-1 and PARP-2 in chromosome stability and embryonic development in mouse. *Embo J*, **22**, 2255-2263.
- Mishra, O.P., Akhter, W., Ashraf, Q.M. and Delivoria-Papadopoulos, M. (2003) Hypoxia-induced modification of poly (ADP-ribose) polymerase and dna polymerase beta activity in cerebral cortical nuclei of newborn piglets: role of nitric oxide. *Neuroscience*, **119**, 1023-1032.
- Nakamura, J., Walker, V.E., Upton, P.B., Chiang, S.Y., Kow, Y.W. and Swenberg, J.A. (1998) Highly sensitive apurinic/apyrimidinic site assay can detect spontaneous and chemically induced depurination under physiological conditions. *Cancer Res*, **58**, 222-225.
- Nash, R.A., Caldecott, K.W., Barnes, D.E. and Lindahl, T. (1997) XRCC1 protein interacts with one of two distinct forms of DNA ligase III. *Biochemistry*, **36**, 5207-5211.
- Nowak, R., Kulik, J. and Siedlecki, J.A. (1987) The ability of DNA polymerase beta to synthesize DNA beyond the gap with displacement of the non-replicated strand. *Acta Biochim Pol*, **34**, 205-215.
- Odell, M., Malinina, L., Sriskanda, V., Teplova, M. and Shuman, S. (2003) Analysis of the DNA joining repertoire of Chlorella virus DNA ligase and a new crystal structure of the ligase-adenylate intermediate. *Nucleic Acids Res*, **31**, 5090-5100.
- Odell, M., Sriskanda, V., Shuman, S. and Nikolov, D.B. (2000) Crystal structure of eukaryotic DNA ligase-adenylate illuminates the mechanism of nick sensing and strand joining. *Mol Cell*, **6**, 1183-1193.

- Oei, S.L. (1999) Poly(ADP-ribosyl)ation. In Creighton, T.E. (ed.), *Encyclopedia of Molecular Biology*. John Wiley & Sons, New York, pp. 1890-1893.
- Oei, S.L., Griesenbeck, J., Buchlow, G., Jorcke, D., Mayer-Kuckuk, P., Wons, T. and Ziegler, M. (1996) NAD⁺ analogs substituted in the purine base as substrates for poly(ADP-ribosyl) transferase. *FEBS Lett.*, **397**, 17-21.
- Oei, S.L. and Ziegler, M. (2000) ATP for the DNA ligation step in base excision repair is generated from poly(ADP-ribose). *J Biol Chem.*, **275**, 23234-23239.
- Okano, S., Lan, L., Caldecott, K.W., Mori, T. and Yasui, A. (2003) Spatial and temporal cellular responses to single-strand breaks in human cells. *Mol Cell Biol.*, **23**, 3974-3981.
- Pascucci, B., Stucki, M., Jonsson, Z.O., Dogliotti, E. and Hubscher, U. (1999) Long patch base excision repair with purified human proteins. DNA ligase I as patch size mediator for DNA polymerases delta and epsilon. *J Biol Chem.*, **274**, 33696-33702.
- Patterson, T.A., Little, W., Cheng, X., Widen, S.G., Kumar, A., Beard, W.A. and Wilson, S.H. (2000) Molecular cloning and high-level expression of human polymerase beta cDNA and comparison of the purified recombinant human and rat enzymes. *Protein Expr Purif.*, **18**, 100-110.
- Pelletier, H., Sawaya, M.R., Wolfle, W., Wilson, S.H. and Kraut, J. (1996a) Crystal structures of human DNA polymerase beta complexed with DNA: implications for catalytic mechanism, processivity, and fidelity. *Biochemistry*, **35**, 12742-12761.
- Pelletier, H., Sawaya, M.R., Wolfle, W., Wilson, S.H. and Kraut, J. (1996b) A structural basis for metal ion mutagenicity and nucleotide selectivity in human DNA polymerase beta. *Biochemistry*, **35**, 12762-12777.
- Perez-Jannotti, R.M., Klein, S.M. and Bogenhagen, D.F. (2001) Two forms of mitochondrial DNA ligase III are produced in Xenopus laevis oocytes. *J Biol Chem.*, **11**, 11.
- Petermann, E., Ziegler, M. and Oei, S.L. (2003) ATP-dependent selection between single nucleotide and long patch base excision repair. *DNA Repair*, **2**, 1101-1114.
- Plo, I., Liao, Z.Y., Barcelo, J.M., Kohlhagen, G., Caldecott, K.W., Weinfeld, M. and Pommier, Y. (2003) Association of XRCC1 and tyrosyl DNA phosphodiesterase (Tdp1) for the repair of topoisomerase I-mediated DNA lesions. *DNA Repair (Amst)*, **2**, 1087-1100.
- Podlutzky, A.J., Dianova, II, Podust, V.N., Bohr, V.A. and Dianov, G.L. (2001a) Human DNA polymerase beta initiates DNA synthesis during long-patch repair of reduced AP sites in DNA. *Embo J.*, **20**, 1477-1482.
- Podlutzky, A.J., Dianova, II, Wilson, S.H., Bohr, V.A. and Dianov, G.L. (2001b) DNA synthesis and dRPase activities of polymerase beta are both essential for single-nucleotide patch base excision repair in mammalian cell extracts. *Biochemistry*, **40**, 809-813.
- Prasad, R., Beard, W.A., Strauss, P.R. and Wilson, S.H. (1998) Human DNA polymerase beta deoxyribose phosphate lyase. Substrate specificity and catalytic mechanism. *J Biol Chem.*, **273**, 15263-15270.
- Prasad, R., Beard, W.A. and Wilson, S.H. (1994) Studies of gapped DNA substrate binding by mammalian DNA polymerase beta. Dependence on 5'-phosphate group. *J Biol Chem.*, **269**, 18096-18101.
- Prasad, R., Dianov, G.L., Bohr, V.A. and Wilson, S.H. (2000) FEN1 stimulation of DNA polymerase beta mediates an excision step in mammalian long patch base excision repair. *J Biol Chem.*, **275**, 4460-4466.

- Prasad, R., Lavrik, O.I., Kim, S.J., Kedar, P., Yang, X.P., Vande Berg, B.J. and Wilson, S.H. (2001) DNA Polymerase beta -mediated Long Patch Base Excision Repair. POLY(ADP-RIBOSE) POLYMERASE-1 STIMULATES STRAND DISPLACEMENT DNA SYNTHESIS. *J Biol Chem*, **276**, 32411-32414.
- Prasad, R., Singhal, R.K., Srivastava, D.K., Molina, J.T., Tomkinson, A.E. and Wilson, S.H. (1996) Specific interaction of DNA polymerase beta and DNA ligase I in a multiprotein base excision repair complex from bovine testis. *J Biol Chem*, **271**, 16000-16007.
- Ranalli, T.A., Tom, S. and Bambara, R.A. (2002) AP endonuclease 1 coordinates flap endonuclease 1 and DNA ligase I activity in long patch base excision repair. *J Biol Chem*, **277**, 27.
- Rudolph, R., Böhm, G., Lilie, H. and Jaenicke, R. (1997) Folding proteins. In Creighton, T.E. (ed.), *Protein Function: A Practical Approach*, pp. 57-99.
- Sanderson, R.J. and Lindahl, T. (2002) Down-regulation of DNA repair synthesis at DNA single-strand interruptions in poly(ADP-ribose) polymerase-1 deficient murine cell extracts. *DNA Repair (Amst)*, **1**, 547-558.
- Satoh, M.S., Poirier, G.G. and Lindahl, T. (1993) NAD(+) -dependent repair of damaged DNA by human cell extracts. *J Biol Chem*, **268**, 5480-5487.
- Schreiber, V., Ame, J.C., Dolle, P., Schultz, I., Rinaldi, B., Fraulob, V., Menissier-De Murcia, J. and de Murcia, G. (2002) PARP-2 is required for efficient base excision DNA repair in association with PARP-1 and XRCC1. *J Biol Chem*, **10**, 10.
- Schultz, N., Lopez, E., Saleh-Gohari, N. and Helleday, T. (2003) Poly(ADP-ribose) polymerase (PARP-1) has a controlling role in homologous recombination. *Nucleic Acids Res*, **31**, 4959-4964.
- Seeberg, E., Eide, L. and Bjoras, M. (1995) The base excision repair pathway. *Trends Biochem Sci*, **20**, 391-397.
- Sekiguchi, J. and Shuman, S. (1997) Nick sensing by vaccinia virus DNA ligase requires a 5' phosphate at the nick and occupancy of the adenylate binding site on the enzyme. *J Virol*, **71**, 9679-9684.
- SenGupta, D.N., Zmudzka, B.Z., Kumar, P., Cobianchi, F., Skowronski, J. and Wilson, S.H. (1986) Sequence of human DNA polymerase beta mRNA obtained through cDNA cloning. *Biochem Biophys Res Commun*, **136**, 341-347.
- Servant, L., Cazaux, C., Bieth, A., Iwai, S., Hanaoka, F. and Hoffmann, J.S. (2002) A role for DNA polymerase beta in mutagenic UV lesion bypass. *J Biol Chem*, **277**, 50046-50053.
- Shall, S. (2002) Poly (ADP-ribosylation)--a common control process? *Bioessays*, **24**, 197-201.
- Shen, M.R., Zdzienicka, M.Z., Mohrenweiser, H., Thompson, L.H. and Thelen, M.P. (1998) Mutations in hamster single-strand break repair gene XRCC1 causing defective DNA repair. *Nucleic Acids Res*, **26**, 1032-1037.
- Siedlecki, J.A., Szyszko, J., Pietrzykowska, I. and Zmudzka, B. (1980) Evidence implying DNA polymerase beta function in excision repair. *Nucleic Acids Res*, **8**, 361-375.
- Singhal, R.K. and Wilson, S.H. (1993) Short gap-filling synthesis by DNA polymerase beta is processive. *J Biol Chem*, **268**, 15906-15911.
- Smith, S., Giriat, I., Schmitt, A. and de Lange, T. (1998) Tankyrase, a poly(ADP-ribose) polymerase at human telomeres. *Science*, **282**, 1484-1487.

- Sobol, R.W., Horton, J.K., Kuhn, R., Gu, H., Singhal, R.K., Prasad, R., Rajewsky, K. and Wilson, S.H. (1996) Requirement of mammalian DNA polymerase-beta in base-excision repair. *Nature*, **379**, 183-186.
- Sobol, R.W., Prasad, R., Evenski, A., Baker, A., Yang, X.P., Horton, J.K. and Wilson, S.H. (2000) The lyase activity of the DNA repair protein beta-polymerase protects from DNA-damage-induced cytotoxicity. *Nature*, **405**, 807-810.
- Sobol, R.W. and Wilson, S.H. (2001) Mammalian DNA beta-polymerase in base excision repair of alkylation damage. *Prog Nucleic Acid Res Mol Biol*, **68**, 57-74.
- Soldani, C. and Scovassi, A.I. (2002) Poly(ADP-ribose) polymerase-1 cleavage during apoptosis: an update. *Apoptosis*, **7**, 321-328.
- Sriskanda, V. and Shuman, S. (1998) Chlorella virus DNA ligase: nick recognition and mutational analysis. *Nucleic Acids Res*, **26**, 525-531.
- Subramanya, H.S., Doherty, A.J., Ashford, S.R. and Wigley, D.B. (1996) Crystal structure of an ATP-dependent DNA ligase from bacteriophage T7. *Cell*, **85**, 607-615.
- Sugimura, T., Fujimura, S., Hasegawa, S. and Kawamura, Y. (1967) Polymerization of the adenosine 5'-diphosphate ribose moiety of NAD by rat liver nuclear enzyme. *Biochim Biophys Acta*, **138**, 438-441.
- Takao, M., Aburatani, H., Kobayashi, K. and Yasui, A. (1998) Mitochondrial targeting of human DNA glycosylases for repair of oxidative DNA damage. *Nucleic Acids Res*, **26**, 2917-2922.
- Tartier, L., Spenlehauer, C., Newman, H.C., Folkard, M., Prise, K.M., Michael, B.D., Menissier-de Murcia, J. and de Murcia, G. (2003) Local DNA damage by proton microbeam irradiation induces poly(ADP-ribose) synthesis in mammalian cells. *Mutagenesis*, **18**, 411-416.
- Taylor, R.M., Thistlethwaite, A. and Caldecott, K.W. (2002) Central role for the XRCC1 BRCT I domain in mammalian DNA single-strand break repair. *Mol Cell Biol*, **22**, 2556-2563.
- Tell, G., Crivellato, E., Pines, A., Paron, I., Pucillo, C., Manzini, G., Bandiera, A., Kelley, M.R., Di Loreto, C. and Damante, G. (2001) Mitochondrial localization of APE/Ref-1 in thyroid cells. *Mutat Res*, **485**, 143-152.
- Teraoka, H., Sumikawa, T. and Tsukada, K. (1986) Purification of DNA ligase II from calf thymus and preparation of rabbit antibody against calf thymus DNA ligase II. *J Biol Chem*, **261**, 6888-6892.
- Thompson, L.H., Brookman, K.W., Dillehay, L.E., Carrano, A.V., Mazrimas, J.A., Mooney, C.L. and Minkler, J.L. (1982) A CHO-cell strain having hypersensitivity to mutagens, a defect in DNA strand-break repair, and an extraordinary baseline frequency of sister-chromatid exchange. *Mutat Res*, **95**, 427-440.
- Thornton, K.H., Krishnan, V.V., West, M.G., Popham, J., Ramirez, M., Thelen, M.P. and Cosman, M. (2001) Expression, purification, and biophysical characterization of the BRCT domain of human DNA ligase IIIalpha. *Protein Expr Purif*, **21**, 401-411.
- Timson, D.J., Singleton, M.R. and Wigley, D.B. (2000) DNA ligases in the repair and replication of DNA. *Mutat Res*, **460**, 301-318.
- Tomkinson, A.E. and Levin, D.S. (1997) Mammalian DNA ligases. *Bioessays*, **19**, 893-901.
- Trucco, C., Oliver, F.J., de Murcia, G. and Menissier-de Murcia, J. (1998) DNA repair defect in poly(ADP-ribose) polymerase-deficient cell lines. *Nucleic Acids Res*, **26**, 2644-2649.

- Tsoi, P.Y. and Yang, M. (2002) Kinetic study of various binding modes between human DNA polymerase beta and different DNA substrates by surface-plasmon-resonance biosensor. *Biochem J*, **361**, 317-325.
- Tsuchimoto, D., Sakai, Y., Sakumi, K., Nishioka, K., Sasaki, M., Fujiwara, T. and Nakabeppu, Y. (2001) Human APE2 protein is mostly localized in the nuclei and to some extent in the mitochondria, while nuclear APE2 is partly associated with proliferating cell nuclear antigen. *Nucleic Acids Res*, **29**, 2349-2360.
- van Zon, A., Mossink, M.H., Schoester, M., Houtsmuller, A.B., Scheffer, G.L., Scheper, R.J., Sonneveld, P. and Wiemer, E.A. (2003) The formation of vault-tubes: a dynamic interaction between vaults and vault PARP. *J Cell Sci*, **116**, 4391-4400.
- Vidal, A.E., Boiteux, S., Hickson, I.D. and Radicella, J.P. (2001) XRCC1 coordinates the initial and late stages of DNA abasic site repair through protein-protein interactions. *Embo J*, **20**, 6530-6539.
- Vodenicharov, M.D., Sallmann, F.R., Satoh, M.S. and Poirier, G.G. (2000) Base excision repair is efficient in cells lacking poly(ADP-ribose) polymerase 1. *Nucleic Acids Res*, **28**, 3887-3896.
- von Kobbe, C., Harrigan, J.A., May, A., Opresko, P.L., Dawut, L., Cheng, W.H. and Bohr, V.A. (2003) Central role for the Werner syndrome protein/poly(ADP-ribose) polymerase 1 complex in the poly(ADP-ribosyl)ation pathway after DNA damage. *Mol Cell Biol*, **23**, 8601-8613.
- Wei, Y.F., Robins, P., Carter, K., Caldecott, K., Pappin, D.J., Yu, G.L., Wang, R.P., Shell, B.K., Nash, R.A., Schar, P. and et al. (1995) Molecular cloning and expression of human cDNAs encoding a novel DNA ligase IV and DNA ligase III, an enzyme active in DNA repair and recombination. *Mol Cell Biol*, **15**, 3206-3216.
- Whitehouse, C.J., Taylor, R.M., Thistlethwaite, A., Zhang, H., Karimi-Busheri, F., Lasko, D.D., Weinfield, M. and Caldecott, K.W. (2001) XRCC1 stimulates human polynucleotide kinase activity at damaged DNA termini and accelerates DNA single-strand break repair. *Cell*, **104**, 107-117.
- Wieler, S., Gagne, J.P., Vaziri, H., Poirier, G.G. and Benchimol, S. (2003) Poly(ADP-ribose) polymerase-1 is a positive regulator of the p53-mediated G1 arrest response following ionizing radiation. *J Biol Chem*, **278**, 18914-18921.
- Young, L.C., Hays, J.B., Tron, V.A. and Andrew, S.E. (2003) DNA mismatch repair proteins: potential guardians against genomic instability and tumorigenesis induced by ultraviolet photoproducts. *J Invest Dermatol*, **121**, 435-440.
- Yu, S.W., Wang, H., Poitras, M.F., Coombs, C., Bowers, W.J., Federoff, H.J., Poirier, G.G., Dawson, T.M. and Dawson, V.L. (2002) Mediation of poly(ADP-ribose) polymerase-1-dependent cell death by apoptosis-inducing factor. *Science*, **297**, 259-263.
- Zahradka, P. and Ebisuzaki, K. (1982) A shuttle mechanism for DNA-protein interactions. The regulation of poly(ADP-ribose) polymerase. *Eur J Biochem*, **127**, 579-585.
- Zdzienicka, M.Z., van der Schans, G.P., Natarajan, A.T., Thompson, L.H., Neuteboom, I. and Simons, J.W. (1992) A Chinese hamster ovary cell mutant (EM-C11) with sensitivity to simple alkylating agents and a very high level of sister chromatid exchanges. *Mutagenesis*, **7**, 265-269.
- Ziegler, M. and Oei, S.L. (2001) A cellular survival switch: poly(ADP-ribosyl)ation stimulates DNA repair and silences transcription. *Bioessays*, **23**, 543-548.