

## 6 Literaturverzeichnis

- [Al-Hedaithy and Fotedar, 2002] Al-Hedaithy SSA and Fotedar R (2002). Recovery and studies on chlamydospore-negative *Candida albicans* isolated from clinical species. *Med. Mycol.* 40: 301–6.
- [Altamirano et al., 1992] Altamirano M, Plumbridge J, and Calcagno M (1992). Identification of two cysteine residues forming a pair of vicinal thiols in glucosamine-6-phosphate deaminase from *Escherichia coli* and a study of their functional role by site-directed mutagenesis. *Biochemistry*. 31(4): 1153–8.
- [Altschul et al., 1997] Altschul SF, Madden TL, Schäffer AA, Zhang J, Zhang Z, Miller W, and Lipman DJ (1997). Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.* 25: 3389–402.
- [Barnett et al., 2000] Barnett J, Payne R, and Yarrow D (2000). *Yeasts: Characteristics and identification*, chapter 7: Description of the species, pp. 130–2. Methods in Molecular Biology™. Cambridge University Press.
- [Biswas et al., 1979] Biswas M, Singh B, and Datta A (1979). Induction of N-acetylmannosamine catabolic pathway in yeast. *Biochim. Biophys. Acta* 585 (4): 535–42.
- [Cabot and Beckenbach, 1989] Cabot EL and Beckenbach AT (1989). Simultaneous editing of multiple nucleic acid and protein sequences with ESEE. *Computer Applications in the Biosciences*. 5(3): 233–4.
- [Calcagno et al., 1984] Calcagno M, Campos P, Mulliert G, and Suastegui J (1984). Purification, molecular and kinetic properties of glucosamine-6-phosphate isomerase (deaminase) from *Escherichia coli*. *Biochim. Biophys. Acta*. 787 (2): 165–73.
- [Calderone, 2002a] Calderone R (2002a). Introduction and Historical Perspectives. In *Candida and Candidiasis*, ed. Calderone, R; ASM Press, Washington, DC: pp. 3–13.
- [Calderone, 2002b] Calderone R (2002b). Taxonomy and Biology of *Candida*. In *Candida and Candidiasis*, ed. Calderone, R; ASM Press, Washington, DC: pp. 15–27.
- [Calderone and Fonzi, 2001] Calderone R and Fonzi W (2001). Virulence factors of *Candida albicans*. *Trends in Microbiology*. 9 (7): 327–35.
- [Cheng et al., 2005] Cheng MF, Yang YL, Yao TJ, Lin CY, Liu JS, Tang RB, Yu KW, Fan YH, Hsieh KS, Ho M, Lo HJ (2005). Risk factors for fatal candidemia caused by *Candida albicans* and non-albicans *Candida* species. *BMC Infect Dis.* 5(1):22.[Cobb and Clarkson, 1994] Cobb B and Clarkson J (1994). A simple procedure for optimising the polymerase chain reaction (PCR) using modified taguchi methods. *Nucleic Acids Res.* 22 (18): 3801–5.
- [Comb and Roseman, 1958] Comb D and Roseman S (1958). Glucosamine metabolism; iv. glucosamin-6-phosphat deaminase. *J. Biol. Chem.* 232: 807–27.
- [Corner et al., 1986] Corner B, Poulter R, Shepherd M, and Sullivan P (1986). A *Candida albicans* mutant impaired in the utilization of N-acetylglucosamine. *J. Gen. Microbiol.* 132 (Pt 1): 15–9.
- [Critchley and Douglas, 1987] Critchley IA and Douglas LJ (1987). Role of glycosides as epithelial cell receptors for *Candida albicans*. *J. Gen. Microbiol.* 133: 629–36.
- [Datta et al., 1989] Datta A, Ganeshan K, and Natarajan K (1989). Current trends in *Candida albicans* research. *Adv. Microb. Physiol.* 30: 53–88.

- [Forche et al., 1999] Forche A, Schönian G, Gräser Y, Vilgalys R, and Mitchell T (1999). Genetic structure of typical and atypical populations of *Candida albicans* from Africa. *Fungal Genet. Biol.* 28 (2): 107–25.
- [Fotedar and Al-Hedaithy, 2003] Fotedar R and Al-Hedaithy SSA (2003). Identification of chlamydospore-negative *Candida albicans* using CHROMagar Candida medium. *Mycoses*. 46: 96–103.
- [Gardes and Bruns, 1993] Gardes M and Bruns TD (1993). ITS primers with enhanced specificity for basidiomycetes—application to the identification of mycorrhizae and rusts. *Mol. Ecol.* 2 (2): 113–8.
- [Gopal et al., 1982] Gopal P, Sullivan P, and Shepherd M (1982). Enzymes of n-acetylglucosamine metabolism during germ-tube formation in *Candida albicans*. *J. Gen. Microbiol.* 128 (10): 2319–26.
- [Horjales et al., 1999] Horjales E, Altamirano MM, Calcagno ML, Garratt RC, and Oliva G (1999). The allosteric transition of glucosamine-6-phosphate deaminase: the structure of T state at 2.3 Å resolution. *Structure*. 7(5): 527–37.
- [Hube, 1998] Hube B (1998). Possible role of proteinases in *Candida albicans* infections. *Rev. Ibero. Micol.* 15: 68–71.
- [Hube and Naglik, 2002] Hube B and Naglik J (2002). Extracellular Hydrolases. In *Candida and Candidiasis*, ed. Calderone, R; ASM Press, Washington, DC: pp.107–22.
- [Kadosh and Johnson, 2005] Kadosh D and Johnson AD (2005). Induction of the *Candida albicans* filamentous growth program by relief of transcriptional repression: a genome-wide analysis. *Mol Biol Cell*. 16(6):2903-12.
- [Kumar et al., 2000] Kumar M, Jamaluddin M, Natarajan K, Kaur D, and Datta A (2000). The inducible n-acetylglucosamine catabolic pathway gene cluster in *Candida albicans*: discrete n-acetylglucosamine-inducible factors interact at the promoter of nag1. *Proc. Natl. Acad. Sci. U. S. A.* 97 (26): 14218–23.
- [Kurtzman and Fell 1998] Kurtzman, C. P., Fell, J. W. 1998. The Yeasts. A Taxonomic Study. Elsevier Science Ltd.
- [Liang and Pardee, 1997] Liang P and Pardee A (1997). *Differential Display Methods and Protocols*, chapter Differential Display, 3. Methods, pp. 5–6, Humana Press.
- [Lo et al., 1997] Lo HJ, Kohler JR, DiDomenico B, Loebenberg D, Cacciapouti A, and Fink FR (1997). Nonfilamentous *C. albicans* mutants are avirulent. *Cell*. 90: 939–49.
- [Magee and Chibana, 2002] Magee PT and Chibana C (2002). The genomes of *Candida albicans* and other *Candida* species. In *Candida and Candidiasis*, ed. Calderone, R; ASM Press, Washington, DC: pp. 293–304.
- [Maneu et al., 1996] Maneu V, Cervera AM, Martinez JP, and Gozalbo D (1996). Molecular cloning and characterization of a *Candida albicans* gene (EFB1) coding for the elongation factor EF-1β. *FEMS Microbiol. Lett.* 145: 157–62.[McCullough et al., 1996] McCullough M, Ross B, and Reade P (1996). *Candida albicans*: a review of its history, taxonomy, epidemiology, virulence attributes, and methods of strain differentiation. *Int. J. Oral Maxillofac. Surg.* 25 (2): 135–44.
- [McCollough et al., 1999] McCollough MJ, Clemons KV, and Stevens DA (1999). Molecular epidemiology of the global and temporal diversity of global *Candida albicans*. *Clin. Infect. Dis.* 29 (5): 1220–5.[Montero-Moran et al., 2001] Montero-Moran GM, Lara-Gonzalez S, Alvarez-Anorve LI, Plumbridge JA, and Calcagno ML (2001). On the multiple functional roles of the

active site histidine in catalysis and allosteric regulation of *Escherichia coli* glucosamine 6-phosphate deaminase. *Biochemistry*. 40(34): 10187–96.

[Mühlschlegel and Fonzi, 1997] Mühlschlegel FA and Fonzi WA (1997). *PHR2* of *Candida albicans* encodes a functional homolog of the pH-regulated gene *PHR1* with an inverted pattern of pH-dependent expression. *Mol. Cell Biol.* 17: 5960–7.[Naglik et al., 2003] Naglik RJ, Challacombe SJ, and Hube B (2003). *Candida albicans* Secreted Aspartyl Proteinases in Virulence and Pathogenesis. *Microbiol. Mol. Biol. Rev.* 67(3): 400–28.

[Natarajan and Datta, 1993] Natarajan K and Datta A (1993). Molecular cloning and analysis of the nag1 cDNA coding for glucosamine-6-phosphate deaminase from *Candida albicans*. *J. Biol. Chem.* 268 (13): 9206–14.

[Natarajan et al., 1984] Natarajan K, Rai Y, and Datta A (1984). Induction of N-acetyl-D-glucosamine catabolic enzymes and germinative response in *Candida albicans*. *Biochem. Int.* 9: 735–44.

[Odds, 1987] Odds F (1987). *Candida* infections: an overview. *Crit. Rev. Microbiol.* 15 (1): 1–5.

[Ohama et al., 1993] Ohama T, Suzuki T, Mori M, Osawa S, Ueda T, Watanabe K, and Nakase T (1993). Non-universal decoding of the leucine codon CUG in several *Candida* species. *Nucleic Acids Res.* 21(17): 4039–45.

[Okeke et al., 2000] Okeke C, Tsuboi R, Kawai M, Yamazaki M, Reangchainam S, and Ogawa H (2000). Reverse transcription – 3' rapid amplification of cDNA ends-nested PCR of ACT1 and SAP2 mRNA as a means of detecting viable *Candida albicans* in an *in vitro* cutaneous candidiasis model. *J. Invest. Dermatol.* 114 (1): 95–100.

[Oliva et al., 1995] Oliva G, Fontes MRM, Garratt RC, Altimirano MM, Calcagno ML, and Horjales E (1995). Structure and catalytic mechanism of glucosamine 6-phosphate deaminase from *Escherichia coli* at 2.1 Å resolution. *Structure*. 3(12): 1323–32.

[Pinto de Andrade et al., 2000] Pinto de Andrade M, Schönian G, Forche A, Rosado L, Costa I, Muller M, Presber W, Mitchell T, and Tietz H (2000). Assessment of genetic relatedness of vaginal isolates of *Candida albicans* from different geographical origins. *Int. J. Med. Microbiol.* 290 (1): 97–104.

[Rinaldi, 1993] Rinaldi M (1993). *Candidiasis: Pathogenesis, Diagnosis and Treatment*, chapter 1: Biology and Pathogenicity of *Candida* Species, pp. 1–20, Raven Press.

[Rüchel et al., 2002] Rüchel R, Kellner S, and Schaffrinski M (2002). Renewed increase of *Candida albicans* among yeast isolates from Göttingen university hospital. *Mycoses*. 43: 109–10.

[Sambrook et al., 1989] Sambrook J, Fritsch EF, and Maniatis T (1989). *Molecular Cloning: A Laboratory Manual*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY.

[Sanglard and Bille, 2002] Sanglard D and Bille J (2002). Current understanding of the modes of action of and resistance mechanisms to conventional and emerging antifungal agents for treatment of *Candida* infections. In *Candida* and Candidiasis, ed. Calderone, R; ASM Press, Washington, DC: pp. 349–83.

[Schaller et al., 1999] Schaller M, Korting HC, Schäfer W, Bastert J, Chen W, and Hube B (1999). Secreted aspartic proteinase (Sap) activity contributes to tissue damage in a model of human oral candidosis. *Mol. Microbiol.* 34(1): 169–80.

[Schönian et al., 1993] Schönian G, Meusel O, Tietz HJ, Meyer W, Gräser Y, Tausch I, Presber W, and Mitchell TG (1993). Identifizierung von klinischen *Candida albicans*-Stämmen durch DNA-Fingerprinting mittels Polymerase-Kettenreaktion. *Mycoses*. 36 (5-6): 171–9.

- [Schönian et al., 1996] Schönian G, Tietz HJ, Thanos M and Graser Y (1996). Application of molecularbiological techniques for diagnosis and epidemiology of fungal infections in humans. *Mycoses*. 39 (Suppl. 1): 73–80.
- [Shepherd et al., 1980] Shepherd M, Yin C, Ram S, and Sullivan P (1980). Germ tube induction in *Candida albicans*. *Can. J. Microbiol.* 26: 21–6.
- [Shepherd et al., 1985] Shepherd M, Poulter R, and Sullivan PA (1985). *Candida albicans*: biology, genetics and pathogenicity. *Annu. Rev. Microbiol.* 39: 579–614.
- [Singh and Datta, 1979a] Singh B and Datta A (1979a). Regulation of glucosamine-6-phosphate deaminase synthesis in yeast. *Biochim. Biophys. Acta*. 583 (1): 28–35.
- [Singh and Datta, 1979b] Singh B and Datta A (1979b). Regulation of glucosamine-6-phosphate deaminase uptake in yeast. *Biochim. Biophys. Acta*. 557 (1): 248–58.
- [Singh et al., 2001] Singh P, Ghosh S, and Datta A (2001). Attenuation of virulence and changes in morphology in *Candida albicans* by disruption of the n-acetylglucosamine catabolic pathway. *Infect. Immun.* 69(12): 7898–903.
- [Soll et al., 1989] Soll DR, Galask R, Isley S, Rao TVG, Stone D, Hicks J, Schmid J, Mac K, and Hanna C (1989). “Switching” of *Candida albicans* during successive episodes of recurrent vaginitis. *J. Clin. Microbiol.* 27: 681–90.
- [Sonneborn et al., 1999a] Sonneborn A, Bockmuhl DP, and Ernst JF (1999a). Chlamydospore formation in *Candida albicans* requires the Efg1p morphogenetic regulator. *Infect. Immun.* 67(10): 5514–7.
- [Sonneborn et al., 1999b] Sonneborn A, Tebarth B, and Ernst JF (1999b). Control of with-opaque phenotypic switching in *Candida albicans* by the Efg1p morphogenetic regulator. *Infect. Immun.* 67(10): 4655–60.
- [Stoldt et al., 1997] Stoldt VR, Sonneborn A, Leuker CE, and Ernst JF (1997). Efg1p, an essential regulator of morphogenesis of the human pathogen *Candida albicans*, is a member of a conserved class of bHLH proteins regulating morphogenetic processes in fungi. *EMBO J.* 16(8): 1982–91.
- [Sullivan and Coleman, 2002] Sullivan DJ and Coleman DC (2002). Molecular approaches to identification and typing of *Candida* species. In *Candida and Candidiasis*, ed. Calderone, R; ASM Press, Washington, DC: pp. 427–41.
- [Sullivan et al., 1995] Sullivan DJ, Westerneng TJ, Bennett DE, and Coleman DC (1995). *Candida dubliniensis* sp. Nov.: Phenotypic and molecular characterization of novel species associated with oral candidosis in HIV-infected individuals. *Microbiology*. 141: 1507–21.
- [Sullivan et al., 2002] Sullivan JM, Santos MAS, and Tuite MF (2002). Standard and Nonstandard mRNA Decoding in *Candida*. In *Candida and Candidiasis*, ed. Calderone, R; ASM Press, Washington, DC: pp. 279–92.
- [Sullivan and Shepherd, 1982] Sullivan P and Shepherd M (1982). Gratuitous induction by n-acetylmannosamine of germ tube formation and enzymes for n-acetylglucosamine utilization in *Candida albicans*. *J. Bacteriol.* 151 (3): 1118–22.
- [Swofford, 2000] Swofford, DL (2000). *PAUP. Phylogenetic Analysis Using Parsimony (and Other Methods)*. Version 4.0b8. Sinauer Associates, Sunderland, Massachusetts.
- [Theiß et al., 2002] Theiß S, Köhler GA, Kretschmar A, Nichterlein T, and Hacker J (2002). New molecular methods to study gene functions in *Candida* infections. *Mycosis*. 45: 345–50.

- [Tietz et al., 1995] Tietz H, Küssner A, Thanos M, Pinto De Andrade M, Presber W, and Schönian G (1995). Phenotypic and genotypic characterization of unusual vaginal isolates of *Candida albicans* from Africa. *J. Clin. Microbiol.* 33 (9): 2462–5.
- [Tietz et al., 2001] Tietz HJ, Hopp M, Schmalreck A, Sterry W, and Czaika V (2001). *Candida africana* sp. Nov., a new human pathogen or a variant of *Candida albicans*. *Mycosis*. 44: 437–45.
- [van Uden and Buckley, 1970] van Uden N and Buckley H (1970). *The Yeast: A taxonomic study*. Chapter IV: Discussion of the genera belonging to the ascomyceteas yeast; Genus 2: *Candida Berghout*, pp. 893–919. Elsevier, Amsterdam.
- [Vargas et al., 2000] Vargas K, Messer SA, Pfaller M, Lockhardt SR, Stapleton JT, Hellstein J, and Soll DR (2000). Elevated phenotypic switching and drug resistance of *Candida albicans* from human immunodeficiency virus-positive individuals prior to first thrush episodes. *J. Clin. Microbiol.* 38: 3595–607.
- [Vincent et al., 2005] Vincent F, Davies GJ, and Brannigan JA (2005). Structure and Kinetics of a Monomeric Glucosamine 6-Phosphate Deaminase. *J. Biol. Chem.* 278: 19649–55.
- [Wade, 1993] Wade J (1993). *Candidiasis: Pathogenesis, Diagnosis and Treatment*. Chapter 5: Epidemiology of *Candida*-Infections, pp. 85–107. Raven Press.
- [Wenning et al., 2002] Wenning M, Seiler H, and Scherer S (2002). Fourier-transform infrared microspectroscopy, a novel and rapid tool for identification of yeasts. *Appl. Environ. Microbiol.* 68(10): 4717–21.
- [White and Pasternak, 1975] White R and Pasternak C (1975). N-acetylglucosamine-6-phosphate deacetylase and glucosamine-6-phosphate deaminase from *Escherichia coli*. *Methods Enzymol.* 41: 497–502.
- [Yamada-Okabe and Yamada-Okabe, 2002] Yamada-Okabe T and Yamada-Okabe H (2002). Characterization of the CaNAG3, CaNAG4, and CaNAG6 genes of the pathogenic fungus *Candida albicans*: possible involvement of these genes in the susceptibilities of cytotoxic agents. *FEMS Microbiol. Lett.* 212(1): 15–21.
- [Yamada-Okabe et al., 2001] Yamada-Okabe T, Sakamori Y, Mio T, and Yamada-Okabe H (2001). Identification and characterization of the genes for N-acetylglucosamine kinase and N-acetylglucosamine-phosphate deacetylase in the pathogenic fungus *Candida albicans*. *Eur. J. Biochem.* 268 (8): 2498–505.
- [Yang, 2003] Yang YL (2003). Virulence factors of *Candida* species. *J. Microbiol. Immunol. Infect.* 36: 223–8.
- [www.ncbi.nlm.nih.gov/a] Taxonomy browser: The Genetic Codes. Compiled by Andrzej (Anjay) Elzanowski and Jim Ostell National Center for Biotechnology Information (NCBI), Bethesda, Maryland, U.S.A. (Last update of the Genetic Codes: at October 05, 2000. Accessed March 25, 2004, at <http://www.ncbi.nlm.nih.gov/Taxonomy/Utils/wprintgc.cgi?mode=c#SG12>).
- [www.ncbi.nih.gov/b] Genome Project (Accessed March 25, 2004, at [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=genomeprj&cmd=Retrieve&dopt=Overview&list\\_uids=9526](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=genomeprj&cmd=Retrieve&dopt=Overview&list_uids=9526)).