

8. Literaturhinweise

1. Ackermann H, Hertich I, Ziegler W, Bitzer M, Bien S (1996): Acquired dysfluencies following infarction of the left mesiofrontal cortex. *Aphasiology* 10: 409-417
2. Ackermann H, Wildgruber D, Grodd W, (1997): Neuroradiologische Aktivierungsstudien zur zerebralen Organisation sprachlicher Leistungen. *Fortschr. Neurol. Psychiatr.* 65
3. Aichner F, Wagner M, Kremser C, Felber S (1996): MR-imaging of non-Alzheimer's dementia. *J Neural Transm* 47: 143-153
4. al-Rodhan NR, Kelly PJ (1992): Pioneers of stereotactic neurosurgery. *Stereotact Funct Neurosurg* 58 (1-4):60-66
5. Ardekani BA, Kanno I (1998): Statistical methods for detecting activated regions in functional MRI of the brain. *Magn Reson Imaging*. 16 10: 1217-1225
6. Bandettini G, Wong G (1992): Time course EPI of human brain function during task activation. *Magn Reson Med* 25 (2): 390-397
7. Badecker,W, Caramazza A (1986): A final brief in the case against agrammatism. The role of the theory in the selection of data. *Cognition*, 24, 277-282
8. Basso A., Lecours AR, Moraschini S, Venier M (1985): Anatomoclinical correlations of the aphasias as defined through computerized tomography: exceptions. *Brain and Language* 26: 201-229
9. Bates E, MacWhinney B (1989): Functionalism and the Competition Model. The crosslinguistic study of sentence processing. Cambridge, 3-73
10. Bayer J, DeBleser R, Dronsek C (1978): Form und Funktion von Kasus bei Agrammatismus. *Linguistische Berichte Sonderheft 1: Grammatik und Kognition*, 81-117
11. Benabid AL, Pollak P, Hommel M, Gaio JM, de Rougemont J, Perret J (1989): Treatment of Parkinson tremor by chronic stimulation of the ventral intermediate nucleus of the thalamus. *Rev Neurol (Paris)* 145(4):320-323
12. Benabid AL, Pollak P, Gervason C (1991): Long-term suppression of tremor by chronic stimulation of the ventral intermediate thalamic nucleus. *Lancet* 337:403-406.
13. Benson RR, FitzGerald DB, LeSueur LL, Kennedy DN, Kwong KK, Buchbinder BR, Davis TL, Weisskoff RM, Talavage TM, Logan WJ, Cosgrove GR, Belliveau JW,

- Rosen BR (1999): Language dominance determined by whole brain functional MRI in patients with brain lesions. *Neurology* 52 4: 798-809
14. Bhatnagar SC, Mandybur Gt (2005): Effects of intralaminar thalamic stimulation on language functions. *Brain Lang* 92(1):1-11
 15. Binder JR, Frost JA, Hammeke TA, Rao SM, Cox RW (1996): Function of the left planum temporale in auditory and linguistic processing. *Brain* 119 4: 1239-1247
 16. Binder JR, Swanson SJ, Hammeke TA, Morris GL, Mueller WM, Fischer M, Benbadis S, Frost JA, Rao SM, Haughton VM (1996): Determination of language dominance using functional MRI: A comparison with the Wada test. *Neurology* 46 4: 978-984
 17. Biswal BB, Ulmer K (1999): Blind source separation of multiple signal sources of fMRI data sets using independent component analysis. *J Comput Assist Tomogr.* 23 2: 265-271.
 18. Blanken G (1990): Formal paraphasias: A single case study. *Brain and Language* 38:534-554
 19. Boecker H, Kleinschmidt A, Requardt M, Hanicke W, Merboldt KD, Frahm J (1994): Functional cooperativity of human cortical motor areas during self-paced simple finger movements. A high-resolution MRI study. *Brain* 117: 1231-1239
 20. Bookheimer SY (1996): Functional MRI Applications in Clinical Epilepsy. *Neuroimage* 4 3: 139-146
 21. Broca P (1861): Remarques sur le siège de la faculté du language articulé, survie d'une observation d'aphéme (perte de la patrole). *Bull Soc Anat Paris* 36 :330-357
 22. Broca P (1861): Nouvele observation d'aphemic produite par une lesion de la moitie posteriere des deuxieme et troisieme circonvolutions frontal gauches. *Bull Soc Anatom* 36 (VI):398-407
 23. Bub D, Kertesz A (1982): Evidence for lexicographic processing in a patient with preserved written over oral single word naming. *Brain* 105: 697-717
 24. Bucholz RD, Greco DJ (1996): Image-guided surgical techniques for infections and trauma of the central nervous system. *Neurosurg Clin N Am* 7 2 187-200
 25. Caplan LR (1993): Stroke neuroimaging. Evaluation of a recent stroke patient. *Neuroimaging* 3:48-54
 26. Caramazza A., Hillis A (1990): Where do semantic errors come from ? *Cortex* 26:95-122

27. Cohen JD, Perlstein WM, Braver TS, Nystrom LE, Noll DC, Jonides J, Smith EE (1997): Temporal dynamics of brain activation during a working memory task. *Nature* 10 386 6625 604- 608
28. Cuenod C (1995): Functional MRI during word generation. *Neurology* 45(10): 1821- 1827
29. Damasio GA (1992): Aphasia. *New England Journal of Medicine* 326:531-539
30. Damasio H, Kuljiis RO (1991): Magnetic resonance structure in vivo. *Cerebr. Cortex* 1:374-379
31. DeBleser R (1986): Localization of aphasia: science or fiction ? In: Denes et al. *Perspectives in Cognitive Neuropsychology*. New York
32. DeBleser R, Luzzatti C (1994): Morphological processing in Italian Agrammatic speakers implementation of inflectional morphology. *Brain and Language* 46: 21-40
33. Drevets WC (1998): Functional neuroimaging studies of depression: the anatomy of melancholia. *Annu Rev Med* 49: 341-361
34. Edelmann RR, Mattle HP, Atkinson DJ, Hill T, Finn JP, Mayman C, Ronthal M, Hoogewoud HM, Kleefield J (1990): Cerebral blood flow: Assessment with dynamic contrastenhanced T2* weighted MR-imaging at 1,5T. *Radiology* 176: 211-220.
35. Ellis A-W, Miller D, Sin G (1983): Wernicke's aphasia and normal language processing : A case study in cognitive neuropsychology. *Cognition* 15: 111-144
36. Engel S, Zhang X, Wandell B (1997). Colour tuning in human visual cortex measured with functional magnetic resonance imaging. *Nature* 388 6637: 68-71
37. Engel SA, Rumelhart DE, Wandell BA, Lee AT, Glover GH, Chichilnisky EJ, Shadlen MN (1994): fMRI of human visual cortex. *Nature* 369 6481: 525
38. Enislidis G, Wagner A, Ploder O, Ewers R (1997): Computed intraoperative navigation guidance – a preliminary report on a new technique. *British J on Oral and Maxillofacial Surgery* 35: 271-274
39. Evans AC, Beil C, Marret S, Thompson CJ, Hakim A (1988): Anatomical-functional correlations using an adjustable MRI-based region of interest atlas with positron emission tomography. *J Cereb Blood Flow Metabol* 8:513-530.
40. Evans AJ, Hedlund LW, Herfkens RJ, Utz JA, Fram EK, Blinder RA(1987): Evaluation of steady and pulsatile flow with dynamic MRI using limited flip angles and gradient refocused echoes. *Magn Reson Imaging* 5 6: 475-482

41. Fiez JA, Petersen SE, Cheney MK, Aichle ME (1992): Impaired non-motor learning and error detection associated with cerebellar damage. A single case study. *Brain* (115):155-178
42. Foley KT, Smith MM (1996): Image-guided spine surgery. *Neurosurg Clin N Am* 7 2: 171-186
43. Freedman M, Alexander MP, Neuser MA (1984): Anatomic basis of transcortical motor aphasia. *Neurology* 34(4):409-417
44. Friston KJ, Holmes AP, Worsley KJ, Poline JB, Frith CD, Frackowiak RSJ (1995): Statistical parametric maps in functional imaging: A general approach. *Human Brain Mapping* 2:189-210.
45. Fulbright RK, Skudlarski P, Lacadie CM, Warrenburg S, Bowers AA, Gore JC, Wexler BE (1998): Functional MR imaging of regional brain responses to pleasant and unpleasant odors. *AJNR Am J Neuroradiol* 19 9: 1721-1726
46. Fulton J (1928): *Brain* Boston
47. Graff-Radford NR., Eslinger PJ, Damasio AR, Yamada T (1984): Nonhemorrhagic infarction of the thalamus: behavioral, anatomic, and physiology correlates. *Neurology* 34(1): 14-23
48. Gravers RE (1997): The legacy of the Wernicke-Lichtheim model. *Hist. Neuroscience* 6: 3-20
49. Grodzinsky Y (1984): The syntactic characterization of agrammatism. *Cognition*, 16 : 99-120
50. Guiot G (1960) : The principles of stereotaxy. *Maroc Med*, Nov 39 ;1236-1238
51. Guyard H, Duval-Gombert A, Le Bot M-C (1990) : Grammatical gender in aphasia. In J.-L. Nespolous, P.Villiarrd (Esp.), *Morphology, Phonology and Aphasia*. New York
52. Hallett M, Sadato N, Honda M, Ishii K, Waldvogel D, Bushara K (2000) : Functional MRI of the sensorimotor system. *Aus Diagnostic Imaging, Funcional MRI*. Springer Verlag
53. Hammeke TA, Yetkin FZ, Mueller WM, Morris GL, Haughton VM, Rao SM, Binder JR (1994): Functional magnetic resonance imaging of somatosensory stimulation. *Neurosurgery* 35 4: 677- 681
54. Harris LJ (1991): Cerebral control for speech in right-handers and left-handers: an analysis of the views of Paul Broca. *Brain and Language* 40:1-50

55. Henschen SE (1922): Anusie (musikal. Aphasie). Deutsche Z. Nervenheilkunde 6: 1-64
56. Hier D, Mohr J (1977): Incongruous oral and written naming. Brain and Language 2: 115-126
57. Hoell T, Oltmanns F, Schilling A, Brock M (1997): Precise localisation of single-word retrieval in the left cerebral hemisphere. Lancet 11: 349(9045):104.
58. Hoell T, Oltmanns F, Schilling A, Schernick A, Brock M (1999): The value of 3D magnetic resonance imaging in the planning of neurosurgery. Front Radiat Ther Oncol., 33: 88-93
59. Houndsfield GN (1973): Computerized transverse axial scanning (tomography). 1. Description of system. Br J Radiol. 46 552: 1016-1022.
60. Ingvar D, Risberg C (1965): Influence of mental activity upon regional cerebral blood flow in man. A preliminary study. Acta Neurol Scand Suppl. 14: 183-186.
61. Ingvar D , Baldy-Moulinier M, Sulg I, Hormann S (1965): Regional cerebral blood flow related to EEG. Acta Neurol Scand Suppl. 14 :179-182.
62. Kertesz A (1994): Localisation and Neuroimaging in Neurophysiology. San Diego: Academic Press (Ed.)
63. Kety S (1963): The circulation and energy metabolism of the brain. Clin Neurosurg 9: 56-66.
64. Kim KH, Relkin NR, Lee KM, Hirsch J (1997): Distinct cortical areas associated with native and second languages. Nature 388 6638 171-4
65. Kleinschmidt P (1995): Functional MRI of human brain activation combining high spatial and temporal resolution by a Cine Flash technique. Magn Reson Med 376 (19): 603-397
66. Kleist K (1914). Aphasie und Geisteskrankheit. Münchner Medizinische Wochenschrift,61,8-12
67. Knopp MV, Essig M, Hawighorst H, Wenz F, Brix G, Schad LR, Bachert P, van Kaick G (1997): Functional neuroimaging in the assessment of CNS neoplasms. Eur Radiol 7 5 209- 215
68. Kussmaul A (1910): Die Störung der Sprache. Versuch einer Pathologie der Sprache. Leipzig
69. Kuzniecky RI(1996): Neuroimaging in pediatric epilepsy. Epilepsia 37 1: 10-21
70. Lauterbur PC (1980): Progress in n.m.r. zeugmatography imaging. Philos Trans R Soc Lond B Biol Sci 289 :483-487.

71. LeBihan D (1991): Molecular diffusion nuclear magnetic resonance imaging. *Magn. Reson. Q*; 7 :1- 30
72. Lesser R (1978) : Linguistic investigations of aphasia. London
73. Level WJM (1989): Speaking. Cambridge, Mass.
74. Mäkelä J, Kirveskari E, Seppä M, Hämäläinen M, Forss N, Avikainen S, Allonen O, Salenius S, Kovala T, Randell T, Jääskeläinen J, Hari R (2001) : Threedimensional integration of the brain anatomy and function to facilitate intraoperative navigation around the sensorimotor strip. *Human Brain Mapping*, 12: 180-192
75. Mansfield P (1991): Echo-planar Imaging: magnetic resonance in a fraction. *Science* 254: 43-50
76. Mattay VS, Callicott JH, Bertolino A, Santha AK, Van Horn JD, Tallent KA, Frank JA, Weinberger DR(1998): Hemispheric control of motor function: a whole brain echo planar fMRI study. *Psychiatry Res* 83 1: 7-22
77. Melzer A, Schmidt A, Kipfmüller K, Gronemeyer D, Seibel R (1997): Technology and principles of tomographic image-guided interventions and surgery. *Surg Endosc* 11 9 : 946-956
78. Metter EJ, Wasterlain CG, Kuhl DE, Hanson WR, Phelps ME (1981): FFDG positron emission computed tomography in a study of aphasia. *Ann. Neurol.* 10:173-183
79. Mitra PP, Pesaran B (1999): Analysis of dynamic brain imaging data. *Biophys J.* 76 2: 691-708.
80. Mohr JP (1975): Thalamic Hemorrhage and Aphasia. *Brain and Language* 2: 3-17
81. Moseley ME, Kucharzyk J, Mintorovitch J et al (1990): Diffusion weighted MR imaging of acute stroke: correlation with T2 weighted and magnetic susceptibility enhanced MRI. *Am J Neuroradiol* 11:423-429
82. Müller JL, Putzhammer A, Hajak G (2005): Functional magnetic resonance tomography of central motor areas in schizophrenic patients. *Psychiatr Prax* , Apr 32 Suppl 1:47-52
83. Ogawa S, Tank DW, Menon R. et al (1992): Intrinsic signal changes accompanying sensory stimulation: Functional brain mapping with magnetic resonance imaging. *Proc. Natl. Acad. Sci* 89:5951-5955
84. Ojemann G, Ojemann J, Lettich E, Berger M (1989): Cortical language localization in left dominant hemisphere: an electrical stimulation mapping investigation in 117 patients. *Journal of Neurosurgery* 71:316-326

85. Ojemann GA (1988): Effect of cortical and subcortical stimulation in human language and verbal memory. In: Plum F(ed). *Communication and the brain*. Language. New York 101-115
86. Ojemann GA, Johnson MD (2000): The role of human thalamus in language and memory: evidence from electrophysiological studies. *Brain and Cognition* 42: 218-230.
87. Penfield W , Roberts L (1959): *Speech and brain mechanisms*. Prinston: Prinston University Press
88. Perfect TJ, Hanley JR (1992): The tip-of-the-tongue phenomenom: Do experimenter-presented interlopers have any effect ? *Cognition* 45(1): 55-75
89. Petersson KM (1998). Comments on a Monte Carlo approach to the analysis of functional neuroimaging data. *Neuroimage* 8 2: 108-112
90. Phillips ML, Young AW, Senior C, Brammer M, Andrew C, Calder AJ, Bullmore ET, Perrett DI, Rowland D, Williams SC, Gray JA, David AS (1997): A specific neural substrate for perceiving facial expressions of disgust. *Nature* 389 6650: 495-498
91. Penfield W, Boldrey E (1937): Somatic and sensory representation in the cerebral cortex of man as studied by electrical stimulation. *Brain* 60:389-443.
92. Puce A , Constable RT, Luby ML, McCarthy G, Allison T (1995) : Functional magnetic resonance imaging of sensory and motor cortex : comparison with electrophysiological localisation. *J Neurosurg* 83(2): 262-270
93. Raichle KE (1981): Measurement of local cerebral blood flow and metabolism in man with positron emission tomography. *Fed Proc* 40 8: 2331-2334.
94. Rao SM, Binder JR, Hammeke TA, Bandettini PA, Bobholz JA, Frost JA, Myklebust BM, Jacobson RD, Hyde JS (1995): Somatotopic mapping of the human primary motor cortex with functional magnetic resonance imaging. *Neurology* 45 5: 919-924
95. Reppas JB, Niyogi S, Dale AM, Sereno MI, Tootell RB (1997): Representation of motion boundaries in retinotopic human visual cortical areas. *Nature* 388: 175-179
96. Reynolds A.F, Turner PT, Harris AB, Ojemann GA, Davis LE (1979): Left thalamic hemorrhage with dysphasia: a report of five cases. *Brain and Language* 7: 62-73.
97. Samuel M, Williams SC, Leigh PN, Simmons A, Chakraborti S, Andrew CM, Friston KJ, Goldstein LH, Brooks DJ (1998): Exploring the temporal nature of hemodynamic responses of cortical motor areas using functional MRI. *Neurology* 51 6: 1567-1575
98. Schad LR (2002) : *Funktionelle Magnetresonanztomographie (fMRT)* Teil 1: Grundlagen und Messtechniken. *Der Radiologe* 42: 659-669

99. Schad LR (2002) : Funktionelle Magnetresonanztomographie (fMRT) Teil 2 : Datenanalyse und Anwendungen. *Der Radiologe* 42: 756-764
100. Shallice T (1988): From neuropsychology to mental structure. Cambridge
101. Siegal T, Rubinstein R, Tzuk-Shina T, Gomori JM (1997): Utility of relative cerebral blood volume mapping derived from perfusion magnetic resonance imaging in the routine follow up of brain tumors. *J Neurosurg* 86 1: 22-7
102. Silveri MC, Leggio MG, Molinori M (1994): The cerebellum contributes to linguistic production: a case of agrammatic speech following a rough cerebellar lesion. *Neurology* (44):2047-2050
103. Skudlarski P, Constable RT, Gore JC (1999): ROC analysis of statistical methods used in functional MRI: individual subjects. *Neuroimage* 9 3: 311-329.
104. Sobel N, Prabhakaran V, Desmond JE, Glover GH, Goode RL, Sullivan EV, Gabrieli JD (1998): Sniffing and smelling: separate subsystems in the human olfactory cortex. *Nature* 392 6673: 282-286
105. Stoeter P (1995): Functional NMR tomography of the CNS: research or diagnostic routine? *Röfo Fortschr Geb Röntgenstr Neuen Bildgeb Verfahr.* 163 5: 369-71
106. Strenge H (1976): The dorsomedial envelope in the human thalamus. *Z Mikrosk Anat Forschung* 90: 893-907.
107. Talairach J, Tournoux P (1988) : Coplanar stereotaxis atlas of the human brain. Georg Thieme Verlag New York
108. Tan KK, Grzeszczuk R, Levin DN, Pelizzari CA, Chen GT, Erickson RK, Johnson D, Dohrmann GJ (1993): A frameless stereotactic approach to neurosurgical planning based on retrospective patient-image registration. Technical note. *J Neurosurg* 79 2 : 296-303
109. Villringer A, Heckeren HR, Wartenburger I, Schmidt H (2003) : A fMRI study of simple ethical decision-making. *Neuroreport* 14(9) :1215-1219
110. Von Stockert TR (1974): New concept for the comprehension of the cerebral speech disorders. *Nervenarzt* 45 (2):94-97
111. Wallesch CW, Hundsalz A (1994): Language function in delirium: a comparison of single word processing in acute confusional states and probable Alzheimer's disease. *Brain and Language* 46(4):592-606
112. Wallesch CW, Kornhuber HH, Brunner RJ, Kunz T, Hollerbach B, Suger G (1983): Lesions of the basal ganglia, thalamus, and deep white matter: differential effects on language functions. *Brain and Language* 20(2):286-304

113. Warach S, Wielopolski P, Edelmann RR (1993): Identification and Characterization of the Ischemic Penumbra of Acute Human Stroke using Echo Planar Diffusion and Perfusion Imaging: Proceedings of the 12th Annual Meeting of the Society of Magnetic Resonance in Medicine. Society of Magnetic Resonance in Medicine. Berkeley, Ca.
114. Weigl, E., Bierwisch M (1979): Neuropsychology and linguistics: Topics of common research. *Foundation of Language* 6:1-18
115. Weiller C, Ringelstein EB, Reiche W, Thron A, Buell U (1990): The large striatocapsular infarct. A clinical and pathophysiological entity. *Arch. Neurol.* 47 (19):1085-1091
116. Weiss T, Mitsch E, Laniado M, Sander B, Kornmesser W, Deimling M, Felix R (1987): Rapid nuclear magnetic resonance tomography. Initial results of studies using the new gradient echo sequence. *ROFO Fortschr Geb Rontgenstr Nuklearmed* 146 2: 214-22
117. Wernicke C (1874): Der aphasische Symptomenkomplex. *Universitätsschrift*. Breslau
118. Wulfeck B, Bates E (1991): Differential sensitivity to errors of agreement and word order in Broca's aphasia. *Journal of Cognitive Neuroscience* 3 (3): 258-272
119. Yetkin FZ, Swanson S, Fischer M, Akansel G, Morris G, Mueller W, Haughton V (1998): Functional MR of frontal lobe activation: comparison with Wada language results. *AJNR Am J Neuroradiol* 19 6: 1095-1098