

References

- Agrawal, R. K., Penczek, P., Grassucci, R. A., Burkhardt, N., Nierhaus, K. H., and Frank, J. (1999). Effect of buffer conditions on the position of tRNA on the 70S ribosome as visualized by cryo-electron microscopy. *J Biol Chem* 274, 8723-8729.
- Agrawal, R. K., Spahn, C. M. T., Penczek, P., Grassucci, R. A., Nierhaus, K. H., and Frank, J. (2000). Visualization of tRNA movements on the *Escherichia coli* 70S ribosome during the elongation cycle. *J. Cell. Biol.* 150, 447-459.
- Allen, D. W., and Zamecnik, P. C. (1962). The effect of puromycin on rabbit reticulocyte ribosomes. *Biochim. Biophys. Acta* 55, 865-874.
- Ban, N., Nissen, P., Hansen, J., Moore, P. B., and Steitz, T. A. (2000). The complete atomic structure of the large ribosomal subunit at 2.4 Å resolution. *Science* 289, 905-920.
- Bergemann, K., and Nierhaus, K. H. (1983). Spontaneous, elongation factor G independent translocation of *Escherichia coli* ribosomes. *J. Biol. Chem.* 258, 15105-15113.
- Berger, S. L. (1987). Quantifying 32P-labeled and unlabeled nucleic acids. *Methods Enzymol* 152, 49-54.
- Beyer, D., Skripkin, E., Wadzack, J., and Nierhaus, K. H. (1994). How the ribosome moves along the mRNA during protein synthesis. *J. Biol. Chem.* 269, 30713-30717.
- Biou, V., Shu, F., and Ramakrishnan, V. (1995). X-ray crystallography shows that translational initiation factor IF3 consists of two compact alpha/beta domains linked by an alpha-helix. *EMBO J* 14, 4056-4064.

Blaha, G., Stelzl, U., Spahn, C. M. T., Agrawal, R. K., Frank, J., and Nierhaus, K. H. (2000). Preparation of functional ribosomal complexes and the effect of buffer conditions on tRNA positions observed by cryoelectron microscopy. *Methods Enzymol.* 317, 292-309.

Bommer, U., Burkhardt, N., Jünemann, R., Spahn, C. M. T., Triana-Alonso, F. J., and Nierhaus, K. H. (1996). Ribosomes and polysomes. In Subcellular fractionation. A practical approach, J. Graham and D. Rickwoods, eds. (Oxford: IRL Press at Oxford University Press), pp. 271-301.

Bretscher, M. S. (1968). Translocation in protein synthesis: a hybrid structure model. *Nature* 218, 675-7.

Brodersen, D. E., Clemons, W. M., Carter, A. P., Morgan-Warren, R. J., Wimberly, B. T., and Ramakrishnan, V. (2000). The structural basis for the action of the antibiotics tetracycline, pactamycin, and hygromycin B on the 30S ribosomal subunit. *Cell* 103, 1143-1154.

Burkhardt, N., Jünemann, R., Spahn, C. M. T., and Nierhaus, K. H. (1998). Ribosomal tRNA Binding Sites: Three-Sites Models of Translation. *Crit. Rev. Biochem. Mol. Biol.* 33, 95-149.

Carter, A. P., Clemons, W. M., Jr., Brodersen, D. E., Morgan-Warren, R. J., Hartsch, T., Wimberly, B. T., and Ramakrishnan, V. (2001). Crystal structure of an initiation factor bound to the 30S ribosomal subunit. *Science* 291, 498-501.

Carter, A. P., Clemons, W. M., Brodersen, D. E., Morgan-Warren, R. J., Wimberly, B. T., and Ramakrishnan, V. (2000). Functional insights from the structure of the 30S ribosomal subunit and its interactions with antibiotics. *Nature* 407, 340-348.

Cate, J. H., Yusupov, M. M., Yusupova, G. Z., Earnest, T. N., and Noller, H. F. (1999). X-ray crystal structures of 70S ribosome functional complexes. *Science* 285, 2095-2104.

Chaconas, G., and Sande, J. H. v. d. (1980). 5' ^{32}P labelling of RNA and DNA restriction fragments. *Methods Enzymol.* 65, 75-88.

Chihade, J. W., and Schimmel, P. (1999). Assembly of a catalytic unit for RNA microhelix aminoacylation using nonspecific RNA binding domains. *Proc Natl Acad Sci U S A* 96, 12316-21.

Cobianchi, F., and Wilson, S. (1987). Enzymes for modifying and labeling DNA and RNA. *Meth. Enzymol.* 152, 94-110.

Corpet, F. (1988). Multiple sequence alignment with hierarchical clustering. *Nucl. Acids Res.* 16, 10881-10890.

Czworkowski, J., Wang, J., Seitz, T. A., and Moore, P. B. (1994). The crystal structure of elongation factor G complexed with GDP, at 2.7 Å resolution. *EMBO J.* 13, 3661-3668.

Dabrowski, M., Spahn, C. M. T., and Nierhaus, K. H. (1995). Interaction of tRNAs with the ribosome at the A and P sites. *EMBO J.* 14, 4872-4882.

Dabrowski, M., Spahn, C. M. T., Schäfer, M. A., Patzke, S., and Nierhaus, K. H. (1998). Contact patterns of tRNAs do not change during ribosomal translocation. *J. Biol. Chem.* 273, 32793-32800.

Diedrich, G., Spahn, C. M. T., Stelzl, U., Schäfer, M. A., Wooten, T., Bochariov, D. E., Cooperman, B. S., Traut, R. R., and Nierhaus, K. H. (2000). Ribosomal protein L2 is involved in the association of the ribosomal subunits, tRNA binding to A and P sites and peptidyl transfer. *EMBO J.* 19, 5241-5250.

Döring, T., Mitchell, P., Osswald, M., Bochkariov, D., and Brimacombe, R. (1994). The decoding region of 16S RNA; a cross-linking study of the ribosomal A, P and E sites using tRNA derivatized at position 32 in the anticodon loop. *Embo J.* 13, 2677-2685.

Durnoff, J. S., and Maitra, U. (1971). Isolation and properties of proteins factors involved in polypeptide chain initiation in *Escherichia coli*. *Meth. Enzymol.* 20, 248-261.

Frank, J., Zhu, J., Penczek, P., Li, Y. H., Srivastava, S., Verschoor, A., Radermacher, M., Grassucci, R., Lata, R. K., and Agrawal, R. K. (1995). A model of protein synthesis based on cryo-electron microscopy of the *E. coli* ribosome. *Nature* 376, 441-444.

Gabashvili, I. S., Agrawal, R. K., Spahn, C. M. T., Grassucci, R. A., Svergun, D. I., Frank, J., and Penczek, P. (2000). Solution structure of the *E. coli* 70S ribosome at 11.5 angstrom resolution. *Cell* 100, 537-549.

Gnirke, A. (1988). Funktionsuntersuchungen am *E.coli* Ribosom mit homo- und heteropolymerer mRNA: tRNA-Bindestellen der ribosomalen Untereinheiten und Test des allosterischen Dreistellenmodells. In Fachbereich Chemie (Berlin: FU Berlin).

Gnirke, A., and Nierhaus, K. H. (1989). Large-scale synthesis of the mRNA analogue C₁₇AUGA₄C₁₇. *Biochem. Int.* 18, 551-559.

Gnirke, A., and Nierhaus, K. H. (1986). tRNA binding sites on the subunits of *Escherichia coli* ribosomes. *J. Biol. Chem.* 261, 14506-14514.

Graifer, D. M., Nekhai, S. Y., Mundus, D. A., Fedorova, O. S., and Karpova, G. G. (1992). Interaction of Human and *Escherichia coli* tRNA(Phe) with Human 80S Ribosomes in the Presence of Oligo- and Polyuridylate Templates. *Biochim Biophys Acta* 1171, 56-64.

Grajevskaia, R. A., Ivanov, Y. V., and Saminsky, E. S. (1982). 70S ribosomes of *Escherichia coli* have an additional site for deacylated tRNA. Eur. J. Biochem. 128, 47-52.

Gross, M., Lehle, K., Jaenicke, R., and Nierhaus, K. H. (1993). Pressure-induced dissociation of ribosomes and elongation cycle intermediates. Stabilizing conditions and identification of the most sensitive functional state. Eur. J. Biochem. 218, 463 - 468.

Gualerzi, C. O., and Pon, C. L. (1990). Initiation of Messenger-RNA Translation in Prokaryotes. Biochemistry 29, 5881-5889.

Hapke, B., and Noll, H. (1976). Structural dynamics of bacterial ribosomes: IV. Classification of ribosomes by subunit interaction. J. Mol. Biol. 105, 97-109.

Harms, J., Schluenzen, F., Zarivach, R., Bashan, A., Gat, S., Agmon, I., Bartels, H., Franceschi, F., and Yonath, A. (2001). High resolution structure of the large ribosomal subunit from a mesophilic eubacterium. Cell 107, 679-688.

Hartz, D., Binkley, J., Hollingsworth, T., and Gold, L. (1990). Domains of Initiator Transfer RNA and Initiation Codon Crucial for Initiator Transfer RNA Selection by *Escherichia coli* IF3. Gene Dev 4, 1790-1800.

Hartz, D., McPheeters, D. S., and Gold, L. (1989). Selection of the initiator tRNA by *Escherichia coli* initiation factors. Genes Dev. 3, 1899-1912.

Hüttenhofer, A., and Noller, H. F. (1992). Hydroxyl radical cleavage of transfer RNA in the ribosomal P site. Proc. Natl. Acad. Sci. USA 89, 7851-7855.

Ikemura, T. (1981). Correlation between the abundance of *Escherichia coli* transfer RNAs and the occurrence of the respective codons in its protein genes. J. Mol. Biol. 146, 1-21.

Joseph, S., and Noller, H. F. (1998). EF-G-catalyzed translocation of anticodon stem-loop analogs of transfer RNA in the ribosome. EMBO J. 17, 3478-3483.

Joseph, S., and Noller, H. F. (1996). Mapping the rRNA neighborhood of the acceptor end of tRNA in the ribosome. EMBO J 15, 910-916.

Kim, S. H., Sussman, J. L., Suddath, F. L., Mcpherson, A., Wang, A. H. J., Seeman, N. C., and Rich, A. (1974). The general structure of tRNA molecules. Proc. Natl. Acad. Sci. USA 71, 4970-4974.

Kirillov, S. V., Makarov, E. M., and Semenkov, Y. P. (1983). Quantitative study of interaction of deacylated tRNA with *E. coli* ribosomes. Role of 50S subunits in formation of the E site. FEBS Lett. 157, 91-94.

Klenow, H., and Henningsen, I. (1970). Selective elimination of the exonuclease activity of the deoxiribonucleic acid polymerase from Escherichia coli B by limited proteolysis. Proc. Natl. Acad. Sci. USA 65, 168-175.

Martemyanov, K. A., and Gudkov, A. T. (1999). Domain IV of elongation factor G from *Thermus thermophilus* is strictly required for translocation. FEBS Lett. 452, 155-159.

Maxam, A. M., and Gilbert, W. (1977). A new method for sequencing DNA. Proc. Natl. Acad. Sci. U.S.A. 74, 560-564.

Melton, D. A., Krieg, P. A., Rebagliati, M. R., Maniatis, T., Zinn, K., and Green, M. R. (1984). Efficient in vitro synthesis of biologically active RNA and RNA hybridization probes from plasmids containing a bacteriophage SP6 promoter. Nucl. Acids Res. 12, 7035-7056.

Milligan, F., and Uhlenbeck, O. C. (1989). Synthesis of small RNAs using T7 RNA polymerase. Meth. Enzymol. 180, 51-62.

Moazed, D., and Noller, H. F. (1989). Interaction of tRNA with 23S rRNA in the ribosomal A, P, and E sites. *Cell* 57, 585-597.

Moazed, D., and Noller, H. F. (1989). Intermediate states in the movement of transfer RNA in the ribosome. *Nature* 342, 142-148.

Nierhaus, K. H. (1996). Protein synthesis - An elongation factor turn-on. *Nature* 379, 491-492.

Nierhaus, K. H. (1996). Translocation on ribosomes. In Ribosomal RNA and Group I Int, R. Green and R. Schroeder, eds. (909 Pine St, Georgetown, TX 78626: R G Landes Co), pp. 69-81.

Nierhaus, K. H., Spahn, C. M. T., Burkhardt, N., Dabrowski, M., Diedrich, G., Einfeldt, E., Kamp, D., Marquez, V., Patzke, S., Schäfer, M. A., Stelzl, U., Blaha, G., Willumeit, R., and Stuhrmann, H. B. (2000). Ribosomal elongation cycle. In The ribosome. structure, function, antibiotics, and cellular interactions, R. A. Garrett, S. R. Douthwaite, A. Liljas, A. T. Matheson, P. B. Moore and H. F. Noller, eds. (Washington D.C.: ASM Press), pp. 319-335.

Nissen, P., Hansen, J., Ban, N., Moore, P. B., and Steitz, T. A. (2000). The structural basis of ribosome activity in peptide bond synthesis. *Science* 289, 920-930.

Nissen, P., Kjeldgaard, M., Thirup, S., Polekhina, G., Reshetnikova, L., Clark, B. F. C., and Nyborg, J. (1995). Crystal structure of the ternary complex of Phe-tRNA^{Phe}, EF-Tu, and a GTP analog. *Science* 270, 1464-1472.

Noller, H. F., Moazed, D., Stern, S., Powers, T., Allen, P. N., Robertson, J. M., Weiser, B., and Triman, K. (1990). Structure of rRNA and its functional interactions in translation. In The ribosome: Structure, function and evolution, W. Hill, A. Dahlberg, R. A. garrett, P. B. Moore, D. Schlessinger and J. R. warner, eds. (Washington: American Society for Microbiology), pp. 73-92.

Ogle, J. M., Brodersen, D. E., Clemons Jr, W. M., Tarry, M. J., Carter, A. P., and Ramakrishnan, V. (2001). Recognition of cognate transfer RNA by the 30S ribosomal subunit. *Science* 292, 897-902.

Pioletti, M., Schlunzen, F., Harms, J., Zarivach, R., Gluhmann, M., Avila, H., Bashan, A., Bartels, H., Auerbach, T., Jacobi, C., Hartsch, T., Yonath, A., and Franceschi, F. (2001). Crystal structures of complexes of the small ribosomal subunit with tetracycline, edeine and IF3. *EMBO J.* 20, 1829-1839.

Quigley, G. J., Teeter, M. M., and Rich, A. (1978). Structural analysis of spermine and magnesium ion binding to yeast phenylalanine transfer RNA. *Proc. Natl. Acad. Sci. U S A* 75, 64-68.

Ramakrishnan, V. (2002). Ribosome structure and the mechanism of translation. *Cell* 108, 557-572.

Rheinberger, H. J., and Nierhaus, K. H. (1987). The ribosomal E site at low magnesium: coordinate inactivation of ribosomal functions at magnesium concentrations below 10 mM and its prevention by polyamines. *J. Biomol. Struct. Dyn.* 5, 435-46.

Rheinberger, H.-J., Geigenmüller, U., Wedde, M., and Nierhaus, K. H. (1988). Parameters for the preparation of *Escherichia coli* ribosomes and ribosomal subunits active in tRNA binding. *Methods Enzymol.* 164, 658-670.

Rheinberger, H.-J., and Nierhaus, K. H. (1983). Testing an alternative model for the ribosomal peptide elongation cycle. *Proc. Natl. Acad. Sci. USA* 80, 4213-4217.

Rheinberger, H.-J., Sternbach, H., and Nierhaus, K. H. (1981). Three tRNA binding sites on *Escherichia coli* ribosomes. *Proc. Natl. Acad. Sci. USA* 78, 5310-5314.

Risuleo, G., Gualerzi, C., and Pon, C. (1976). Specificity and properties of the destabilization, induced by initiation factor IF-3, of ternary complexes of the 30-S ribosomal subunit. *Eur J Biochem* 67, 603-13.

Robertus, J. D., Ladner, J. E., Finch, J. T., Rhodes, D., Brown, R. S., Clark, B. F., and Klug, A. (1974). Structure of yeast phenylalanine tRNA at 3 Å resolution. *Nature* 250, 546-51.

Rodnina, M. V., Savelsbergh, A., Katunin, V. I., and Wintermeyer, W. (1997). Hydrolysis of GTP by elongation factor G drives tRNA movement on the ribosome. *Nature* 385, 37-41.

Roll-Mecak, A., Cao, C., Dever, T. E., and Burley, S. K. (2000). X-ray structures of the universal translation initiation factor IF2/eIF5B: Conformational changes on GDP and GTP binding. *Cell* 103, 781-792.

Sardesai, N. Y., Green, R., and Schimmel, P. (1999). Efficient 50S ribosome-catalyzed peptide bond synthesis with an aminoacyl minihelix. *Biochemistry* 38, 12080-8.

Saruyama, H., and Nierhaus, K. H. (1986). Evidence that the three-site model for ribosomal elongation cycle is also valid in the archaebacterium *Halobacterium halobium*. *Mol. Gen. Genet.* 204, 221-228.

Schäfer, M. A. (1997). Funktionelle und strukturelle Analyse der tRNA-Wechselwirkung am Ribosom und seinen Untereinheiten. In Fachbereich Chemie (Berlin: TU Berlin).

Schäfer, M. A., Tastan, A. O., Patzke, S., Blaha, G., Spahn, C. M., Wilson, D. N., and Nierhaus, K. H. (2002). Codon-anticodon interaction at the P Site is a prerequisite for tRNA interaction with the small ribosomal subunit. *J. Biol. Chem.* 277, 19095-19105.

Schatz, D., Leberman, R., and Eckstein, F. (1991). Interaction of *Escherichia coli* tRNA^{Ser} with its cognate aminoacyl-tRNA synthetase as determined by footprinting with phosphorothioate-containing tRNA transcripts. Proc. Natl. Acad. Sci. USA 88, 6132-6136.

Schmeing, T. M., Seila, A. C., Hansen, J. L., Freeborn, B., Soukup, J. K., Scaringe, S. A., Strobel, S. A., Moore, P. B., and Steitz, T. A. (2002). A pre-translocational intermediate in protein synthesis observed in crystals of enzymatically active 50S subunits. Nat Struct Biol 9, 225-230.

Sette, M., vanTilborg, P., Spurio, R., Kaptein, R., Paci, M., Gualerzi, C. O., and Boelens, R. (1997). The structure of the translational initiation factor IF1 from E-coli contains an oligomer-binding motif. EMBO J 16, 1436-1443.

Smith, J. S., and Nikonowicz, E. P. (2000). Phosphorothioate substitution can substantially alter RNA conformation. Biochemistry 39, 5642-5652.

Stark, H., Mueller, F., Orlova, E. V., Schatz, M., Dube, P., Erdemir, T., Zemlin, F., Brimacombe, R., and Heel, M. v. (1995). The 70S *Escherichia coli* ribosome at 23 Å resolution: Fitting the ribosomal RNA. Structure 3, 815-821.

Stark, H., Rodnina, M. V., Rinkeappel, J., Brimacombe, R., Wintermeyer, W., and Vanheel, M. (1997). Visualization of Elongation Factor Tu On the Escherichia Coli Ribosome. Nature. 389, 403-406.

Steer, B. A., and Schimmel, P. (1999). Major anticodon-binding region missing from an archaeabacterial tRNA synthetase. J Biol Chem 274, 35601-6.

Subramanian, A. R. (1985). The ribosome: its evolutionary diversity and the functional role of one of its components. Essays Biochem.

Tissieres, A., Mitchell, H. K., and Tracy, U. M. (1974). Protein synthesis in salivary glands of *Drosophila melanogaster*: relation to chromosome puffs. J Mol Biol 84, 389-98.

Traut, R. R., and Monro, R. E. (1964). The puromycin reaction and its relation to protein synthesis. *J. Mol. Biol.* 10, 63-72.

Triana-Alonso, F. J., Chakraburty, K., and Nierhaus, K. H. (1995). The elongation factor 3 unique in higher fungi and essential for protein biosynthesis is an E site factor. *J. Biol. Chem.* 270, 20473-20478.

Triana-Alonso, F. J., Dabrowski, M., Wadzack, J., and Nierhaus, K. H. (1995). Self-coded 3'-extension of run-off transcripts produces aberrant products during *in vitro* transcription with T7 RNA polymerase. *J. Biol. Chem.* 270, 6298-6307.

VanLoock, M. S., Agrawal, R. K., Gabashvili, I. S., Qi, L., Frank, J., and Harvey, S. C. (2000). Movement of the decoding region of the 16 S ribosomal RNA accompanies tRNA translocation. *J. Mol. Biol.* 304, 507-515.

Wallace, R. B., and Miyada, C. G. (1987). Oligonucleotide probes for the screening of recombinant DNA libraries. *Meth. Enzymol.* 152, 432-442.

Watanabe, S. (1972). Interaction of siomycin with the acceptor site of *Escherichia coli* ribosomes. *J. Mol. Biol.* 67, 443-457.

Watson, J. D. (1964). The synthesis of proteins upon ribosomes. *Bull. Soc. Chim. Biol.* 46, 1399-1425.

Weitzmann, C. J., and Cooperman, B. S. (1990). Reconstitution of *Escherichia-Coli* 50s Ribosomal-Subunits Containing Puromycin-Modified L23 - Functional Consequences. *Biochemistry* 29, 3458-3465.

Willumeit, R., Forthmann, S., Beckmann, J., Diedrich, G., Ratering, R., Stuhrmann, H. B., and Nierhaus, K. H. (2001). Localization of the protein L2 in the 50S subunit and the 70S *E. coli* ribosome. *J. Mol. Biol.* 305, 167-177.

Woodwar, W. R., Wilairat, P., and Herbert, E. (1974). Preparation of reticulocyte aminoacyl-tRNA and the assay of codon recognition properties of isoacceptor tRNA's in a reticulocyte cell-free system. *Meth. Enzymol.* 30, 740-746.

Yang, W. K., and Novelli, G. D. (1971). Analysis of isoaccepting tRNA's in mammalian tissues and cells. *Meth. Enzymol.* 20, 44-55.

Yusupov, M. M., Yusupova, G. Z., Baucom, A., Lieberman, K., Earnest, T. N., Cate, J. H., and Noller, H. F. (2001). Crystal structure of the ribosome at 5.5 Å resolution. *Science* 292, 883-896.

Yusupova, G. Z., Yusupov, M. M., Cate, J. H., and Noller, H. F. (2001). The path of messenger RNA through the ribosome. *Cell* 106, 233-241.

Zaniewski, R., Petkaites, E., and Deutscher, M. P. (1984). A multiple mutant of *Escherichia coli* lacking the exoribonucleases RNase II, RNase D, and RNase BN. *J. Biol. Chem.* 259, 11651-11653.

Acknowledgements

I would like to express my special thank to my thesis advisor Prof. Knud H. Nierhaus, first of all for giving me the possibility to work in his group, then for his continues supervision and valuable criticisms throughout this work, for extending my scope and knowledge in different aspects.

I would like to thank Prof. Kimitsuna Watanabe for his understanding and his supports. I thank to his group members for their kindness.

I would like to thank all my friends in the group, who are more than colloquies for me. I thank to, Daniel, Detlev, Edda, Gregor, Handan, Madina, Masha, Olga, Oliver, Pasha, Sean, Sebastian, Ulrich, Viter, Witek. Yan, Yoshika.

I would like to thank Prof. Richard Brimacombe, and Dr. Francois Franceschi.

I thank to all other floor members, to Ante, Carola, Fontini, Horacio, Joerg, Jutta, Marta, Renate, Ushi, Uwe and Husamettin.

Silvia and Leonardo, Tanya and Pasha, Philipp, Evelyn, George, Prof. Kalpaxis, Alix, Gary, I am so much glad that you visited our laboratory and shared wonderful and special times and we could carry this beyond the laboratory.

I would like to thank Klaus. He is a great friend and without him, I could not find many answers to my questions in my mind. Also without him there would not be any Student Association.

I would like to thank all my friends in the Student Association who started and carried things altogether from the beginning. Special thanks to Marta, Nicole, Bogac, Stefanie, Jochen. I would like to thank to Prof. H.H. Ropers and Prof. M. Vingron for their support to the association.

I would like to thank Enzo for his delicious espressos and short but joyful chats.

I thank Gabi for her endless helps from the first moment that I arrived to the Institute. Thanks to librarians for their kindness during writing my thesis. I also would like to thank all workshop people.

I would like to thank all my friends from Albert Einstein Institute, in Golm. Golm is a special place even though it is in the mid of nowhere. It is special since it is keeping very nice people. I would like to thank Ryoji, Carlos and Manuela, Peter, Christiane, Hans, Ha-Young, Ada and Tom, Sascha and all the others.

I would like to thank great friend Ulla who always supported me in my difficult times. Thanks to Riccardo who shared his wonderful paintings and memories with me.

A very special thank is for my mother, Zumrut, for my brother, Zafer, for his wife, Ebru and for their child Cansu. I always feel their great support with me regardless of the distance. Thanks mother for your friendship which is more valuable than anything else.

Last but not least, I would like to thank Nigel for his wonderful love and his presence in my life and in my heart.

Curriculum Vitae

Personal Information

Name: Ayse Ozlem Tastan
 Nationality: Turkish
 Date and Place of Birth: 28.04.1969, Istanbul/Turkey
 Languages: Turkish (mother language), English (fluent), Japanese (intermediate), German (poor)

Educational Background

May 1999 - ... : **Ph.D.** in **Max-Planck Institute for Molecular Genetics, AG Ribosome**, Berlin, Germany
Supervisor: Prof. Knud H. Nierhaus

Sept. 1997-May 1999:
 Graduate student in **Chemistry and Biotechnology Engineering**
 Department, University of Tokyo, Tokyo, Japan (now quitted).
Supervisor: Prof. Kimitsuna Watanabe

Sept. 1993-March 1996:
M.Sc. in **Molecular Biology and Genetics** Department, Faculty of
 Science and Art, Bogazici University, Istanbul, Turkey.
Supervisor: Prof. A. Nazli Basak
Thesis Title: The Molecular Basis of Alpha-Thalassemia in Turkey:
 Establishment and Application of PCR-Based Methods

Sept. 1986-March 1993:
English Preparation School, and **B.Sc.** in **Physics** Departments,
 Faculty of Science and Art, Bogazici University, Istanbul, Turkey.
 1983-1986: Kucukcekmece Lisesi, Istanbul, Turkey.
 1980-1983: Basinkoy Ortaokulu, Istanbul, Turkey.
 1975-1980: Yesilyuva Ilkokulu, Istanbul, Turkey.

Professional Experience

1994-1997: **Research Assistant** in Molecular Biology and Genetics Department,
 Faculty of Science and Art, Bogazici University, Istanbul, Turkey.

1988-1993: **Student Assistant** in Physics Department, Faculty of Science and Art, Bogazici University, Istanbul, Turkey.

Research Experience

- Sept.-Dec. 1998: Visitor Researcher in Max-Planck Institute for Molecular Genetics, AG Ribosome, Berlin, Germany.
- June-Sept. 1997: Researcher in Inst. of Industrial Science, University of Tokyo, Hashimoto Laboratory, Tokyo, Japan.
- May-Sep. 1996: Visitor Researcher in MRC Molecular Haematology Unit, Oxford University, John Radcliff Hospital, Inst. of Molecular Medicine, Oxford, England.

Social Experiences

- April 2001-2002.: Cofounder and chairperson of the Student Association of Max-Planck Institute for Molecular Genetics (<http://www.molgen.mpg.de/~sta>)

Attended Projects

- May 1999-...: tRNA Contact Patterns at Different Ribosome Sites Under Various Conditions.
- Sept.1997-May1999: Peptidyl Transferase Activity, Chemistry and Biotechnology Engineering Department, University of Tokyo, Tokyo, Japan
- June-Sept. 1997: Nano manipulation of biological objects using Atomic Force Microscope, Inst. of Industrial Science, Hashimoto Laboratory, Univ. of Tokyo, Roppongi, 7-22-1, Minato-ku, 106-8558, Tokyo.
- May-Sep. 1996: Mouse Gene Cloning for Detecting the ATR-X Syndrome and Comparison of ATR-X Syndrome Gene Expressions of Human and Mouse, Oxford University, John Radcliff Hospital, Inst. of Molecular Medicine, England.
- 1994-1996: Diagnosis of Alpha-Thalassemia Determinants in the Turkish Population, Bogazici University, Istanbul.

Scholarships

- 1999-... : Deutsche Forschungsgemeinschaft (DFG), Max-Planck Institut fur Molekulare Genetik, AG Ribosomen, Berlin.
- 1998–1999: Monbusho Research Student Scholarship from Japanese Ministry of Education, Tokyo.
- May-Sep. 1996: British Council Research Scholarship for visiting MRC Molecular Haematology Unit, Oxford University, John Radcliff Hospital, Inst. of Molecular Medicine, England.
- 1988-1992: Turkish Government Education Scholarship during Physics Education, Istanbul.

Publication List

A. Thesis:

1. A.O. Tastan, "The Molecular Basis of Alpha-Thalassemia in Turkey: Establishment and Application of PCR-Based Methods," M.Sc. Thesis, Dept. of Molecular Biology and Genetics, Bogazici University, Istanbul, Turkey, Feb. 1996.

B. Journal Papers:

1. David J. Picketts, Ayse O. Tastan, Douglas R. Higgs, and Richard J. Gibbons, "Comparison of the human and murine ATRX gene identifies highly conserved, functionally important domains," *Mammalian Genome* 9, pp. 400-403, 1998.
 2. A.O. Tastan, D. Canatan, A.N. Basak, "A Search For The α -Thal-2 Determinants – α 3.7 and – α 4.2 in the Newborns From Antalya District of Turkey: Cord Blood Study Using The PCR Method," *Balkan Journal of Medical Genetics*, 2(1), pp. 23-25, 1999.
 3. A. Özlem Tastan, Markus A. Schäfer, Sebastian Patzke, Gregor Blaha, Christian M. T. Spahn, Daniel N. Wilson, and Knud H. Nierhaus "Codon-Anticodon Interaction at the P Site Is a Prerequisite for tRNA Interaction with the Small Ribosomal Subunit"
- J. Biol. Chem. 277: 19095-19105, 2002

C. Conference Posters:

1. Tadmouri, G.O., Tuzmen, S., Sengae, E., Tastan, A.O., and Basak, A.N., "Molecular and Population Genetic Analysis of Thalassemias and Sickle Cell Anemia in Turkey,"

- European Research Conferences on Inherited Disorders and Their Genes in Different European Populations, p. 35, Spain, Nov. 1995.
2. Tastan, A.O., Akar, N., Canatan, D., and Basak, A.N., "The Molecular Basis of Alpha-Thalassemia in Turkey: Establishment and Application of PCR-Based Methods," 24th National Haematology Congress, Istanbul, Turkey, April 1996.
 3. Tastan, A.O., Akar, N., Canatan, D., and Basak, A.N., "The Molecular Basis of Alpha-Thalassemia in Turkey: Establishment and Application of PCR-Based Methods," 26th Congress of the International Society of Haematology, p. 81, Singapore, Aug. 1996.
 4. Tastan, A.O., Canatan, D., and Basak, A.N., "Alpha-Thal-2 Incidence in the Antalya District of Turkey; Cord Blood Screening by PCR," 29th Annual Meeting of The European Society of Human Genetics, p. 171, Genova, Italy, May 1997.
 5. Tastan A.O., Schaefer M., Patzke S., Dabrowski M., Spahn C.M.T., Nierhaus K.H., "tRNA Protection Patterns with the Ribosome and the Ribosomal Subunits", The Ribosome: Structure, Function, Antibiotics and Cellular Interactions, p 75, Helsingor Conference, Denmark June 13th-17th 1999.
 6. Tastan A.O., Schaefer M., Patzke S., Spahn C.M.T., Nierhaus K.H., "tRNA Interactions with the ribosomal subunits within the 70S ribosome", 6th Annual Meeting of the RNA Society, p 521, Banff, Canada, May 29th-June3rd 2001.
 7. Tastan A.O., Patzke S., Nierhaus K.H., "Identification of tRNA-ribosome contacts during elongation cycle", 46th Annual Meeting of the Biophysical Society, p 521, San Francisco, USA, Feb 23th-27th 2002.

Talks

1. "Application of the phosphorothioate technique with ribosomal subunits and 70S in the PRE and POST state", **6th Workshop on Experimental Strategies for Ribosomal Research**, Schloss Ringberg, April 26-30, 1999
2. "Buffer dependence for tRNA folding", **7th Workshop on Experimental Strategies for Ribosomal Research**, Schloss Ringberg, April 16-20, 2001
3. "tRNA contacts with ribosome: new insights about the mechanism of protein synthesis", **Physics and Molecular Cell Biology Departments, The University of Arizona**, Tucson, Feb. 28, 2002