

## 10 Literatur

1. Aathithan S, Plant JC, Chaudry AN, French GL. Diagnosis of bacteriuria by detection of volatile organic compounds in urine using an automated headspace analyzer with multiple conducting polymer sensors. *J Clin Microbiol* 2001;39(7):2590-3.
2. Altman LC, Page RC, Ebersole JL, Vandesteene EG. Assessment of host defenses and serum antibodies to suspected periodontal pathogens in patients with various types of periodontitis. *J Periodont Res* 1982;17:495-7.
3. Aparicio R, Rocha SM, Delgadillo I, Morales MT. Detection of rancid defect in virgin olive oil by the electronic nose. *J Agric Food Chem* 2000;48:853-60.
4. Armitage GC. Development of a classification system for periodontal diseases and conditions. *Ann Periodontol* 1999;4:1-6.
5. Atkins PW. Einführung in die physikalische Chemie. 1. Auflage. Weinheim, New York, Basel, Cambridge: VCH Verlagsgesellschaft mbH, 1993.
6. Attström R, Van der Velden U. Summary of session 1. Proceedings of the 1st european workshop on periodontology. London: Quintessence, 1993. 120-6.
7. Awano S, Gohara K, Kurihara E, Ansai T, Takehara T. The relationship between the presence of periodontopathogenic bacteria in saliva and halitosis. *Int Dent J* 2002;52:212-6.
8. Awano S, Koshimune S, Kurihara E, et al. The assessment of methyl mercaptan, an important clinical marker for the diagnosis of oral malodor. *J Dent* 2004;32(7):555-9.
9. Bachinger T, Riese U, Eriksson RK, Mandenius CF. Gas sensor arrays for early detection of infection in mammalian cell culture. *Biosens Bioelectron* 2002;17(5):395-403.
10. Baehni P, Tsai CC, Mc Arthur WP, Hammond BF, Taichman NS. Interaction of inflammatory cells and oral microorganism. VIII. Detection of leukotoxic activity of a plaque-derived gram-negative microorganism. *Infect Immun* 1979;24:233-43.
11. Bischoff R. Neue Sensorik in der Medizin online Atem-/Luftüberwachung mit hochempfindlichen Sensoren. 2. Workshop: Qualitätssicherung in der Sensorik-Multigassensorik auf dem Weg in die Routine. Berlin: Bundesanstalt für Materialforschung und -prüfung, 2002. 205-21.
12. Bitter F. Einsatzgebiete von elektronischen Nasen in der Raumlufttechnik. 2. Workshop: Qualitätssicherung in der Sensorik-Multigassensorik auf dem Weg in die Routine. Berlin: Bundesanstalt für Materialforschung und -prüfung, 2002. 47-69.
13. Blix IJ, Preus HR, Olsen I. Invasive growth of *Actinobacillus actinomycetemcomitans* on solid medium (TSBV). *Acta Odontol Scand* 1990;48(5):313-8.

14. Blix IJ, Hars R, Preus HR, Helgeland K. Entrance of *Actinobacillus actinomycetemcomitans* into HEp-2 cells in vitro. J Periodontol 1992;63:723-8.
15. Blixt Y, Borch E. Using an electronic nose for determining the spoilage of vacuum-packaged beef. Int J Food Microbiol 1999;46(2):123-34.
16. Bretz WA, Loesche WJ. Characteristics of trypsin-like activity in subgingival plaque samples. J Dent Res 1987;66:1668-72.
17. Buchanan RE, Gibbons NE. Bergey's manual of determinative bacteriology. 8th ed. Baltimore: The Williams & Waverleypress, 1974.
18. Chen CKC, Wilson ME. *Eikenella corrodens* in human oral and non-oral infections: A review. J Periodontol 1992;63:941-53.
19. Cimander C, Carlsson M, Mandenius CF. Sensor fusion for on-line monitoring of yoghurt fermentation. J Biotechnol 2002a;99(3):237-48.
20. Cimander C, Bachinger T, Mandenius CF. Assessment of the performance of a fed-batch cultivation from the preculture quality using an electronic nose. Biotechnol Prog 2002b;18(2):380-6.
21. Claesson R, Edlund MB, Persson S, Carlsson J. Production of volatile sulfur compounds by various *Fusobacterium* species. Oral Microbiol Immunol 1990;5(3):137-42.
22. Dahlén G, Rosling B. Identification of bacterial markers by culture technique in evaluation of periodontal therapy. Int Dent J 1998;48:104-10.
23. Dahlén G, Wikström M, Egelberg J. Reproducibility of microbiological samples from periodontal pockets. J Clin Periodontol 1990;17:73-7.
24. Dahlén G, Wikström M, Renvert S. Treatment of periodontal disease based on microbiological diagnosis. A 5 year follow-up on individual patterns. J Periodontol 1996;67:879-87.
25. Dahlén G, Manji F, Baelum V, Fejerskov O. Putative periodontopathogens in "diseased" and "non-diseased" persons exhibiting poor oral hygiene. J Clin Periodontol 1992;19:35-42.
26. Degen S. Zuverlässige Bewertung von VOC-getragenen Emissionen mit einem Gassensorarray. 2. Workshop: Qualitätssicherung in der Sensorik-Multigassensorik auf dem Weg in die Routine. Berlin: Bundesanstalt für Materialforschung und-prüfung, 2002. 151-69.
27. Dewettinck T, Van Hege K, Verstraete W. The electronic nose as a rapid sensor for volatile compounds in treated domestic wastewater. Water Res 2001;35(10):2475-83.
28. Di Natale C, Martinelli E, D'Amico A. Counteraction of environmental disturbances of electronic nose data by independent component analysis. Sens Actuators B 2002;82:158-65.

29. Di Natale C, Mantini A, Macagnano A, Antuzzi D, Paolesse R, D'Amico A. Electronic nose analysis of urine samples containing blood. *Physiol Meas* 1999;20:377-84.
30. Di Natale C, Macagnano A, Paolesse R, Tarizzo E, Mantini A, D'Amico A. Human skin odor analysis by means of an electronic nose. *Sens Actuators B* 2000;65:216-9.
31. Dickinson TA, White J, Kauer JS, Walt DR. Current trends in 'artificial-nose' technology. *Trends Biotechnol* 1998;16(6):250-8.
32. Dutta R, Hines EL, Gardner JW, Boilot P. Bacteria classification using Cyranose 320 electronic nose. *Biomed Eng Online* 2002;1(1):1-7.
33. Dutta R, Kashwan KR, Bhuyan M, Hines EL, Gardner JW. Electronic nose based tea quality standardization. *Neural Netw* 2003;16(5-6):847-53.
34. Dzink JL, Socransky SS, Haffajee AD. The predominant cultivable microbiota of active and inactive lesions of destructive periodontal diseases. *J Clin Periodontol* 1988;15:316-23.
35. Dzink JL, Socransky SS, Ebersole JL, Frey DE. ELISA and conventional techniques for identification of black-pigmented *Bacteroides* isolated from periodontal pockets. *J Periodont Res* 1983;18:369-74.
36. Ebersole JL, Frey DE, Taubman MA, Smith DJ, Socransky SS, Tanner ACR. Serologic identification of oral *Bacteroides spp.* by enzyme-linked immunosorbant assay. *J Clin Microbiol* 1984;19:639-44.
37. Ebersole JL, Taubman MA, Smith DJ, Frey DE, Haffajee AD, Socransky SS. Human serum antibody responses to oral microorganism. IV. Correlation with homologous infection. *Oral Microbiol Immunol* 1987;2:53-9.
38. Ehrmann S. Gassensormikrosystem auf der Basis SiO<sub>2</sub>-beschichteter SnO<sub>2</sub>-Leitfähigkeitsdetektoren. Chem Diss. Karlsruhe, 1997.
39. Eick S, Pfister W. Comparison of microbial cultivation and a commercial nucleic acid based method for detection of periodontopathogenic species in subgingival plaque samples. *J Clin Periodontol* 2002;29:638-44.
40. French CK, Savitt ED, Simon SL. DNA probe detection of periodontal pathogens. *Oral Microbiol Immunol* 1986;1(58).
41. Gardner JW, Shin HW, Hines EL. An electronic nose system to diagnose illness. *Sens Actuators B* 2000;70:19-24.
42. Gardner JW, Craven M, Dow C, Hines EL. The prediction of bacteria type and culture growth phase by an electronic nose with a multi-layer perceptron network. *Meas Sci Technol* 1998;9:120-7.

43. Gibson TD, Prosser O, Hulbert JN, et al. Detection and simultaneous identification of microorganisms from headspace samples using an electronic nose. *Sens Actuators B* 1997;44:413-22.
44. Goldberg S, Kozlovsky A, Rosenberg M. Cadaverine as a putative component of oral malodor. *J Dent Res* 1994;73(6):1168-72.
45. Goschnick J. KAMINA-Entwicklung der Karlsruher Mikronase. Forschungszentrum Karlsruhe, Institut für Instrumentelle Analytik, 2003. (<http://www.ifia.fzk.de>)
46. Goschnick J, Walter T. ELMINA Elektronische Mikronasen für Überwachungs- und Regelaufgaben in Gebäuden und Produktionsanlagen. Wissenschaftlicher Bericht, FZKA 6893. Forschungszentrum Karlsruhe, 2003.
47. Greenman J. Microbial aetiology of halitosis. Dental plaque revisited-Oral biofilms in health and disease. Royal College of Physicians, London: BioLine, 1999. 419-43.
48. Greenstein G. Microbiologic assessments to enhance periodontal diagnosis. *J Periodontol* 1988;59:508-15.
49. Haffajee AD, Socransky SS. Microbial etiological agents of destructive periodontal diseases. *Periodontology* 2000 1994;5:78-111.
50. Haffajee AD, Socransky SS, Ebersole JL, Smith DJ. Clinical, microbiological and immunological features associated with the treatment of active periodontitis lesions. *J Clin Periodontol* 1984;11:600-18.
51. Henrion R, Henrion G. Multivariate Datenanalyse: Methodik und Anwendung in der Chemie und verwandten Gebieten. Berlin, Heidelberg, New York: Springer Verlag, 1994.
52. Holmberg M, Gustafsson F, Hörnsten EG, et al. Bacteria classification based on feature extraction from sensor data. *Biotechnology Techniques* 1998;12(4):319-24.
53. Hudon G, Guy C, Hermia J. Measurement of odor intensity by an electronic nose. *J Air Waste Manag Assoc* 2000;50(10):1750-8.
54. Irving JT, Socransky SS, Tanner AC. Histological changes in experimental periodontal disease in rats monoinfected with Gram-negative organisms. *J Periodont Res* 1978;13:326-32.
55. Jentzsch J, Knorr B, Kohblanck G, Schubert H. Kleine Enzyklopädie Technik. Leipzig: Bibliografisches Institut Leipzig, 1984: 469.
56. Johannsson A, Bergenholz A, Holm SE. Comparison between a quantitative kinetic and a cocultivation blood agar test method. *APMIS* 1994;102:810-916.
57. Jonsson A, Winquist F, Schnurer J, Sundgren H, Lundstrom I. Electronic nose for microbial quality classification of grains. *Int J Food Microbiol* 1997;35(2):187-93.

58. Kayser FH, Bienz KA, Eckert J, Zinkernagel RM. Medizinische Mikrobiologie. Stuttgart: Georg Thieme Verlag, 1998: 153-8.
59. Keshri G, Magan N. Detection and differentiation between mycotoxigenic and non-mycotoxigenic strains of two *Fusarium* spp. using volatile production profiles and hydrolytic enzymes. *J Appl Microbiol* 2000;89(5):825-33.
60. Kinane DF, Lindhe J. Pathogenesis of periodontitis. In: Karring T, Lang NP, Lindhe J (eds). Pathogenesis of periodontitis. 3rd ed. Kopenhagen: Munksgaard, 1997:189-225.
61. Kleinberg I, Westbay G. Salivary and metabolic factors involved in oral malodor formation. *J Periodontol* 1992;63(9):768-75.
62. Kleinberg I, Codipilly M. The biological basis of oral malodour formation. In: Rosenberg M (ed). The biological basis of oral malodour formation. Tel Aviv: Ramot Publishing, 1995:13-39.
63. Körber R, Goschnick J. Funktionsprinzip und Anwendungsmöglichkeiten von Multigassensorsystemen. 2. Workshop: Qualitätssicherung in der Sensorik-Multigassensorik auf dem Weg in die Routine. Berlin: Bundesanstalt für Materialforschung und -prüfung, 2002. 7-45.
64. Korel F, Bagdatlioglu N, Balaban MÖ, Hisil Y. Ground red peppers: capsaicinoids content, scoville scores, and discrimination by an electronic nose. *J Agric Food Chem* 2002;50:3257-61.
65. Koshimune S, Awano S, Gohara K, Kurihara E, Ansai T, Takehara T. Low salivary flow and volatile sulfur compounds in mouth air. *Oral Surg Oral Med Oral Pathol Radiol Endod* 2003;96(1):38-41.
66. Kostelc JG, Zelson PR, Preti G, Tonsetich J. Quantitative differences in volatiles from healthy mouths and mouths with periodontitis. *Clin Chem* 1981;27(6):842-5.
67. Kostelc JG, Preti G, Zelson PR, Stoller NH, Tonsetich J. Salivary volatiles as indicators of periodontitis. *J Periodontal Res* 1980;15(2):185-92.
68. Lai S, Deffenderfer O, Hanson W, Phillips M, Thaler E. Identification of upper respiratory bacterial pathogens with the electronic nose. *Laryngoscope* 2002;112(6):975-9.
69. Lang NP, Mombelli A, Attström R. Dental plaque and calculus. In: Karring T, Lang NP, Lindhe J (eds). Dental plaque and calculus. 3rd ed. Kopenhagen: Munksgaard, 1997:102-37.
70. Laughon BE, Syed SA, Loesche WJ. Rapid identification of *Bacteroides gingivalis*. *J Clin Microbiol* 1982;15(2):345-6.
71. Lee K. The relationship between volatile sulfur compounds and major halitosis-inducing factors. *J Periodontol* 2003;74(1):32-7.

72. Lehde M, Schütt T. Technologie und Produkte der Multigassensorik. 2. Workshop: Qualitätssicherung in der Sensorik-Multigassensorik auf dem Weg in die Routine. Berlin: Bundesanstalt für Materialforschung und -prüfung, 2002. 167-203.
73. Lidén H, Bachinger T, Gorton L, Mandenius C-F. On-line determination of non-volatile or low-concentration metabolites in yeast cultivation using an electronic nose. Analyst 2000;125:1123-8.
74. Listgarten MA. Pathogenesis of periodontitis. J Clin Periodontol 1986;13:418-25.
75. Loesche WJ, Syed SA, Laughon BE, Stoll J. The bacteriology of acute necrotizing ulcerative gingivitis. J Periodontol 1982;53(223-230).
76. Loesche WJ, Bretz WA, Lopatin D, et al. Multicenter clinical evaluation of chairside method for detecting certain periodontopathic bacteria in periodontal disease. J Periodontol 1990b;61:189-96.
77. Mandell RL. A longitudinal microbiological investigation of *Actinobacillus actinomycetemcomitans* and *Eikenella corrodens* in juvenile periodontitis. Infect Immun 1984;45:778-80.
78. Mandell RL, Socransky SS. A selective medium for *Actinobacillus actinomycetemcomitans* and the incidence of the organism in juvenile periodontitis. J Periodontol 1981;52:593-8.
79. Mandell RL, Ebersole JL, Socransky SS. Clinical immunologic and microbiologic features of active disease sites in juvenile periodontitis. J Clin Periodontol 1987;14:534-40.
80. Mandenius CF, Lid NH, Eklov T, Taherzadeh MJ, Lid NG. Predicting fermentability of wood hydrolyzates with responses from electronic noses. Biotechnol Prog 1999;15(4):617-21.
81. Mantini A, Di Natale C, Macagnano A, Paolesse R, Finazzi-Agro A, D'Amico A. Biomedical application of an electronic nose. Crit Rev Biomed Eng 2000;28(3 - 4):481-5.
82. Miyazaki H, Fujita C, Soh I, Takehara T. Relationship between volatile sulphur compounds and oral conditions in the general Japanese population. In: van Steenberghe D, Rosenberg M (eds). Relationship between volatile sulphur compounds and oral conditions in the general Japanese population. University of Leuven Press, 1996:165-79.
83. Mohamed E, Linder R, Perriello G, Di Daniele N, Poppl S, De Lorenzo A. Predicting Type 2 diabetes using an electronic nose-based artificial neural network analysis. Diabetes Nutr Metab 2002;15(4):215-21.
84. Mombelli A, Schmid B, Rutar A, Lang NP. Persistence patterns of *Porphyromonas gingivalis*, *Prevotella intermedia/nigrescens*, and *Actinobacillus actinomycetemcomitans* after mechanical therapy of periodontal disease. J Periodontol 2000;71(1):14-21.

85. Moore WEC, Moore LVH. The bacteria of periodontal diseases. *Peridontology* 2000 1994;5:66-77.
86. Moore WEC, Holdeman LV, Smibert RM, Hash DE, Burmeister JA, Ranney RR. Bacteriology of severe periodontitis in young adult humans. *Infect Immun* 1982;38(3):1137-48.
87. Morita M, Wang M-L. Relationship of sulcular sulfide level of severity of periodontal disease and BANA test. *J Periodontol* 2001a;72:74-8.
88. Morita M, Wang M-L. Relationship of sulcular sulfide level and oral malodor in subjects with periodontal disease. *J Periodontol* 2001b;72:79-84.
89. Muramatsu H, Kajiwara K, Tamiya E, Karube I. Piezoelectric immuno sensor for the detection of *Candida albicans* microbes. *Anal Chim Acta* 1986;188:257-61.
90. Murata T, Yamaga T, Miyazaki H, Yaegaki K. Classification and examination of halitosis. *Int Dentl J* 2002;52:181-6.
91. Ogawa S, Sugimoto I. Detecting odorous materials in water using quartz crystal microbalance. *Water Sci Technol* 2002;45(4-5):201-6.
92. Olsson J, Borjesson T, Lundstedt T, Schnurer J. Volatiles for mycological quality grading of barley grains: Determinations. *Int J Food Microbiol* 2000;59(3):167-78.
93. Olsson J, Borjesson T, Lundstedt T, Schnurer J. Detection and quantification of ochratoxin A and deoxynivalenol in barley. *Int J Food Microbiol* 2002;72(3):203-14.
94. Paulsson N, Winquist F. Analysis of breath alcohol with a multisensor array: instrumental setup. *Forensic Sci Int* 1999;105(2):95-114.
95. Pavlou A, Turner AP, Magan N. Recognition of anaerobic bacterial isolates in vitro using electronic nose. *Lett Appl Microbiol* 2002a;35(5):366-9.
96. Pavlou AK, Turner AP. Sniffing out the truth: clinical diagnosis using the electronic nose. *Clin Chem Lab Med* 2000;38(2):99-112.
97. Pavlou AK, Magan N, Sharp D, Brown J, Barr H, Turner AP. An intelligent rapid odour recognition model in discrimination of *Helicobacter pylori* and other gastroesophageal isolates in vitro. *Biosens Bioelectron* 2000;15(7-8):333-42.
98. Pavlou AK, Magan N, Mc Nulty C, et al. Use of an electronic nose system for diagnoses of urinary tract infections. *Biosens Bioelectron* 2002b;17(10):893-9.
99. Persaud K, Dodd G. Analysis of discrimination mechanism in the mammalian olfactory system using a model nose. *Nature* 1982;299:352-5.
100. Persson S. Hydrogen sulfide and methyl mercaptan in periodontal pockets. *Oral Microbiol Immunol* 1992;7(6):378-9.

101. Persson S, Claesson R, Carlsson J. The capacity of subgingival microbiotas to produce volatile sulfur compounds in human serum. *Oral Microbiol Immunol* 1989;4(3):169-72.
102. Persson S, Edlund MB, Claesson R, Carlsson J. The formation of hydrogen sulfide and methyl mercaptan by oral bacteria. *Oral Microbiol Immunol* 1990;5(4):195-201.
103. Pinheiro C, Rodrigues C, Schafer T, Crespo J. Monitoring the aroma production during wine-must fermentation with an electronic nose. *Biotechnol Bioeng* 2002;77(6):632-40.
104. Pirnazar P, Wolinsky L, Nachnani S, Haake S, Pilloni A, Bernard GW. Bacteriostatic effects of hyaluronic acid. *J Periodontol* 1999;70(4):370-4.
105. Quirynen M, Mongardini C, van Steenberghe D. The effect of a 1-stage full-mouth disinfection on oral malodor and microbial colonization of the tongue in periodontitis. A pilot study. *J Periodontol* 1998;69(3):374-82.
106. Rizzo AA. The possible role of hydrogen sulfide in human periodontal disease. 1. Hydrogen sulfide production in periodontal pockets. *Periodontics* 1967;5:233-6.
107. Rosenberg M, Mc Culloch CA. Measurement of oral malodor: Current methods and future prospects. *J Periodontol* 1992;63(9):776-82.
108. Savitt ED, Socransky SS. Distribution of certain subgingival microbiobial species in selected periodontal conditions. *J Periodont Res* 1984;19:111- 23.
109. Schaudinn C. Persönliche Gabe rasterelektronenmikroskopischer Aufnahmen parodontopathogener Kulturen. Berlin: Robert-Koch-Institut Berlin, 2003.
110. Schmidt RF, Thews G. Physiologie des Menschen. 25. Auflage. Berlin, Heidelberg: Springer-Verlag, 1993: 324-8.
111. Schulz D, Ahlers H, Fritze D, Reisch R, Ring W, Kiesewetter O. Technologische, konstruktive und applikative Gesichtspunkte bei Multigassensoren. 2. Workshop: Qualitätssicherung in der Sensorik-Multigassenorik auf dem Weg in die Routine. Berlin: Bundesanstalt für Materialforschung und -prüfung, 2002. 107-20.
112. Slots J. The predominant cultivable organisms in juvenile periodontitis. *J Dent Res* 1976;84(1):1-10.
113. Slots J, Reynolds H. Long wave UV light fluorescence for identification of black-pigmented *Bacteroides* spp. *J Clin Microbiol* 1982;1148-51.
114. Slots J, Genco RJ. Black-pigmented *Bacteroides* species, *Capnocytophaga* species and *Actinobacillus actinomycetemcomitans* in human periodontal disease: Virulence factors in colonization, survival and tissue destruction. *J Dent Res* 1984;63(3):412-21.
115. Slots J, Reynolds HS, Genco RJ. *Actinobacillus actinomycetemcomitans* in human periodontal disease: a cross-sectional microbiological investigation. *Infect Immun* 1980;29:1013-20.

116. Slots J, Mashimo P, Levine MJ, Genco RJ. Periodontal therapy in humans: I. Microbiological and clinical effects of a single course of periodontal scaling and root planing and of adjunctive tetracycline therapy. *J Periodontol* 1979;50(10):495-509.
117. Socolowsky S. Zur gaschromatographischen Direktanalyse von flüchtigen Fettsäuren und Milchsäure in der mikrobiologischen Diagnostik. *Z Gesamte Hyg* 1989;35(10):596-8.
118. Socransky S, Haffajee AD. The bacterial etiology of destructive periodontal disease: current concepts. *J Periodontol* 1992;63:322-31.
119. Socransky SS, Haffajee AD. Microbiology of periodontal disease. In: Lindhe J, Karring T, Lang NP (eds). *Microbiology of periodontal disease*. 3rd ed. Copenhagen: Munksgaard, 1997:138-75.
120. Socransky SS, Haffajee AD, Dzink JL. Relationship of subgingival microbial complexes to clinical features at the sampled sites. *J Clin Periodontol* 1988;15:440-4.
121. Socransky SS, Haffajee AD, Cugini MA, Smith C, Kent RLJ. Microbial complexes in subgingival plaque. *J Clin Periodontol* 1998;25:134-44.
122. Solis-Gaffar MC, Fischer T, Gaffar A. Instrumental evaluation of odor produced by specific oral microorganisms. *J Soc Cosmet Chem* 1979;30:241.
123. Stitt ZD, Goldsmith LA. Scratch and sniff. *Arch Dermatolog* 1995;131:997-9.
124. Suda R, Lai C-H, Hasegawa K. *Eikenella corrodens* in subgingival plaque: Relationship to age and periodontal condition. *J Periodontol* 2002;73(8):886-91.
125. Syed SA, Loesche WJ. Survival of human dental plaque flora in various transport media. *Appl Microbiol* 1972;24:120-7.
126. Tanner ACR, Dzink JL, Ebersole JL, Socransky SS. *Wolinella recta*, *Campylobacter concisus*, *Bacteroides gracilis* and *Eikenella corrodens* from periodontal lesions. *J Periodont Res* 1987;22:327-30.
127. Tanner ACR, Haffer C, Bratthall GT, Visconti RA, Socransky SS. A study of the bacteria associated with advancing periodontitis in man. *J Clin Periodontol* 1979;6:278-307.
128. Thaler E. Candidate's thesis: the diagnostic utility of an electronic nose. *Laryngoscope* 2002;112(9):1533-42.
129. Tonzetich J. Direct gas chromatographic analysis of sulphur compounds in mouth air in man. *Arch Oral Biol* 1971;16:587-97.
130. Tonzetich J. Production and origin of oral malodor: a review of mechanisms and methods of analysis. *J Periodontol* 1977;48(1):13-20.
131. Tonzetich J. Oral malodour: an indicator of health status and oral cleanliness. *Int Dent J* 1978;28:309-19.

132. Tonsetich J, McBride BC. Characterization of volatile sulphur production by pathogenic and non-pathogenic strains of oral *Bacteroides*. Arch Oral Biol 1981;26:963-9.
133. Walt DR, Dickinson T, White J, et al. Optical sensor arrays for odor recognition. Biosens Bioelectron 1998;13(6):697-9.
134. Walte A. Prozesskontrolle mit elektronischen Nasen. 2. Workshop: Qualitätssicherung in der Sensorik-Multigassensorik auf dem Weg in die Routine. Berlin: Bundesanstalt für Materialforschung und -prüfung, 2002. 223-6.
135. Williams RC, Paquette DW. Advances in periodontology diagnosis. In: Karring T, Lindhe J, Lang NP (eds). Advances in periodontology diagnosis. 3rd ed. Copenhagen: Munksgaard, 1997:396-419.
136. Willis CL, Gibson GR, Holt J, Allison C. Negative correlation between oral malodour and numbers and activities of sulphate-reducing bacteria in the human mouth. Arch Oral Biol 1999;44(8):665-70.
137. Wolff LF, Anderson L, Sandberg GP, Aepli DM, Shelburne C. Fluorescence immunoassay for detection periodontal bacterial pathogens in plaque. J Clin Microbiol 1991;16:45-51.
138. Wu TZ. A piezoelectric biosensor as an olfactory receptor for odour detection: Electronic nose. Biosens Bioelectron 1999;14(1):9-18.
139. Wyss C. Growth of *Porphyromonas gingivalis*, *Treponema denticola*, *T. pectinovorum*, *T. socranskii* and *T. vincentii* in a chemically defined medium. J Clin Microbiol 1992;30:2225-9.
140. Yaegaki K. Periodontal disease and precursors of oral malodorous components. J Dent Health 1989;39:733-41.
141. Yaegaki K, Sanada K. Biochemical and clinical factors influencing oral malodor in periodontal patients. J Periodontol 1992a;63(9):783-9.
142. Yaegaki K, Sanada K. Volatile sulfur compounds in mouth air from clinically healthy subjects and patients with periodontal disease. J Periodontal Res 1992b;27(4 Pt 1):233-8.
143. Yoshimura F, Nishikata M, Suzuki T, Hoover CJ, Newbrun E. Characterization of a trypsin-like protease from the bacterium *Bacteroides gingivalis* isolated from human dental plaque. Arch Oral Biolog 1984;29:559-64.
144. Yumoto H, Nakae H, Fujinaka K, Ebisu S, Matsuo T. Interleukin-6 (IL-6) and IL-8 are induced in human oral epithelial cells in response to exposure to periodontopathic *Eikenella corrodens*. Infect Immun 1999;67:384-94.
145. Zambon JJ, Reynolds HS, Chen P, Genco RJ. Rapid identification of periodontal pathogens in subgingival dental plaque. J Periodontol 1985;56(11 Suppl):32-40.
146. Zudock F. Katalytisch aktive CuO-Membran zur Selektivitätssteuerung von Metalloxid-Gassensoren. Chem Diss. Karlsruhe, 1998.