

8 Literaturverzeichnis

Aaltonen LA, Peltomaki P, Leach FS, Sistonen P, Pylkkanen L, Mecklin JP, Jarvinen H, Powell SM, Jen J, Hamilton SR, et al.: Clues to the pathogenesis of familial colorectal cancer. *Science*. 1993; *May 7*;260(5109)812-6.

Aaltonen LA, Peltomaki P, Mecklin JP, Jarvinen H, Jass JR, Green JS, Lynch HT, Watson P, Tallqvist G, Juhola M, et al.: Replication errors in benign and malignant tumors from hereditary nonpolyposis colorectal cancer patients. *Cancer Res*. 1994; *Apr 1*;54(7)1645-8.

Aaltonen LA, Salovaara R, Kristo P, Canzian F, Hemminki A, Peltomaki P, Chadwick RB, Kaariainen H, Eskelinen M, Jarvinen H, Mecklin JP, de la Chapelle A.: Incidence of hereditary nonpolyposis colorectal cancer and the feasibility of molecular screening for the disease. *N Engl J Med*. 1998; *May 21*;338(21)1481-7.

Aberle H, Bauer A, Stappert J, Kispert A, Kemler R.: beta-catenin is a target for the ubiquitin-proteasome pathway. *EMBO J*. 1997; *Jul 1*;16(13)3797-804.

Adachi Y, Yamamoto H, Itoh F, Hinoda Y, Okada Y, Imai K: Contribution of matrilysin (MMP-7) to the metastatic pathway of human colorectal cancers. *Gut*. 1999; *Aug*;45(2)252-8.

Akiyama Y, Sato H, Yamada T, Nagasaki H, Tsuchiya A, Abe R, Yuasa Y.: Germline mutation of the hMSH6/GTBP gene in an atypical hereditary nonpolyposis colorectal cancer kindred. *Cancer Res*. 1997; *Sep 15*;57(18)3920-3.

Alexander J, Watanabe T, Wu TT, Rashid A, Li S, Hamilton SR.: Histopathological identification of colon cancer with microsatellite instability. *Am J Pathol*. 2001; *Feb*;158(2)527-35.

Amit S, Hatzubai A, Birman Y, Andersen JS, Ben-Shushan E, Mann M, Ben-Neriah Y, Alkalay I.: Axin-mediated CKI phosphorylation of beta-catenin at Ser 45: a molecular switch for the Wnt pathway. *Genes Dev*. 2002; *May 1*;16(9)1066-76.

Aust DE, Terdiman JP, Willenbacher RF, Chew K, Ferrell L, Florendo C, Molinaro-Clark A, Baretton GB, Lohrs U, Waldman FM.: Altered distribution of beta-catenin, and its binding proteins E-cadherin and APC, in ulcerative colitis-related colorectal cancers. *Mod Pathol.* 2001; *Jan;14(1)*29-39.

Bailey T, Biddlestone L, Shepherd N, Barr H, Warner P, Jankowski J.: Altered cadherin and catenin complexes in the Barrett's esophagus-dysplasia-adenocarcinoma sequence: correlation with disease progression and dedifferentiation. *Am J Pathol.* 1998; *Jan;152(1)*, 135-44.

Bailey-Wilson JE, Elston RC, Schuelke GS, Kimberling W, Albano W, Lynch JF, Lynch HT.: Segregation analysis of hereditary nonpolyposis colorectal cancer. *Genet Epidemiol.* 1986; *3(1)*, 27-38.

Barth AI, Nathke IS, Nelson WJ.: Cadherins, catenins and APC protein: interplay between cytoskeletal complexes and signaling pathways. *Curr Opin Cell Biol.* 1997; *Oct;9(5)*, 683-90.

Behrens J, Jerchow BA, Wurtele M, Grimm J, Asbrand C, Wirtz R, Kuhl M, Wedlich D, Birchmeier W.: Functional interaction of an axin homolog, conductin, with beta-catenin, APC, and GSK3beta. *Science.* 1998; *Apr 24;280(5363)*, 596-9.

Behrens J, Vakaet L, Friis R, Winterhager E, Van Roy F, Mareel MM, Birchmeier W.: Loss of epithelial differentiation and gain of invasiveness correlates with tyrosine phosphorylation of the E-cadherin/beta-catenin complex in cells transformed with a temperature-sensitive v-SRC gene. *J Cell Biol.* 1993; *Feb;120(3)*, 757-66.

Behrens J, von Kries JP, Kuhl M, Bruhn L, Wedlich D, Grosschedl R, Birchmeier W.: Functional interaction of beta-catenin with the transcription factor LEF-1. *Nature.* 1996; *Aug 15;382(6592)*, 638-42.

Bhanot P, Brink M, Samos CH, Hsieh JC, Wang Y, Macke JP, Andrew D, Nathans J, Nusse R.: A new member of the frizzled family from *Drosophila* functions as a Wingless receptor. *Nature.* 1996; *Jul 18;382(6588)*, 225-30.

Bisgaard ML, Fenger K, Bulow S, Niebuhr E, Mohr J.: Familial adenomatous polyposis (FAP): frequency, penetrance, and mutation rate. *Hum Mutat.* 1994; *3(2)*, 121-5.

Bissell MJ, Weaver VM, Lelievre SA, Wang F, Petersen OW, Schmeichel KL.: Tissue structure, nuclear organization, and gene expression in normal and malignant breast. *Cancer Res.* 1999; *Apr 1;59(7 Suppl)*, 1757-1763s.

Brabletz T, Jung A, Hermann K, Gunther K, Hohenberger W, Kirchner T.: Nuclear overexpression of the oncoprotein beta-catenin in colorectal cancer is localized predominantly at the invasion front. *Pathol Res Pract.* 1998; *194(10)*, 701-4.

Brabletz T, Jung A, Reu S, Porzner M, Hlubek F, Kunz-Schughart LA, Knuechel R, Kirchner T.: Variable beta-catenin expression in colorectal cancers indicates tumor progression driven by the tumor environment. *Proc Natl Acad Sci U S A.* 2001; *Aug 28;98(18)*, 10356-61.

Bringuier PP, Giroldi LA, Umbas R, Shimazui T, Schalken JA.: Mechanisms associated with abnormal E-cadherin immunoreactivity in human bladder tumors. *Int J Cancer.* 1999; *Nov 26;83(5)*, 591-5.

Bronner CE, Baker SM, Morrison PT, Warren G, Smith LG, Lescoe MK, Kane M, Earabino C, Lipford J, Lindblom A, et al.: Mutation in the DNA mismatch repair gene homologue hMLH1 is associated with hereditary non-polyposis colon cancer. *Nature.* 1994; *Mar 17;368(6468)*, 258-61.

Calle EE, Miracle-McMahill HL, Thun MJ, Heath CW Jr.: Estrogen replacement therapy and risk of fatal colon cancer in a prospective cohort of postmenopausal women. *J Natl Cancer Inst.* 1995; *Apr 5;87(7)*, 517-23.

Cohen P, Frame S.: The renaissance of GSK3. *Nat Rev Mol Cell Biol.* 2001; *Oct;2(10)*, 769-76.

Cook D, Fry MJ, Hughes K, Sumathipala R, Woodgett JR, Dale TC.: Wingless inactivates glycogen synthase kinase-3 via an intracellular signalling pathway which involves a protein kinase C. *EMBO J.* 1996; *Sep 2;15(17)*, 4526-36.

Crawford HC, Fingleton BM, Rudolph-Owen LA, Goss KJ, Rubinfeld B, Polakis P, Matrisian LM.: The metalloproteinase matrilysin is a target of beta-catenin transactivation in intestinal tumors. *Oncogene.* 1999; *May 6;18(18)*, 2883-91.

Ding VW, Chen RH, McCormick F.: Differential regulation of glycogen synthase kinase 3beta by insulin and Wnt signaling. *J Biol Chem.* 2000; *Oct 20;275(42)*, 32475-81.

El-Hariry I, Jordinson M, Lemoine N, Pignatelli M.: Characterization of the E-cadherin-catenin complexes in pancreatic carcinoma cell lines. *J Pathol.* 1999; *Jun;188(2)*, 155-62.

Fernandez E, Gallus S, La Vecchia C, Talamini R, Negri E, Franceschi S.: Family history and environmental risk factors for colon cancer. *Cancer Epidemiol Biomarkers Prev.* 2004; *Apr;13(4)*, 658-61.

Fernandez E, La Vecchia C, D'Avanzo B, Franceschi S, Negri E, Parazzini F.: Oral contraceptives, hormone replacement therapy and the risk of colorectal cancer. *Br J Cancer.* 1996; *Jun;73(11)*, 1431-5.

Fishel R, Lescoe MK, Rao MR, Copeland NG, Jenkins NA, Garber J, Kane M, Kolodner R.: The human mutator gene homolog MSH2 and its association with hereditary nonpolyposis colon cancer. *Cell.* 1993; *Dec 3;75(5)*, 1027-38.

Furlan D, Tibiletti MG, Taborelli M, Albarello L, Cornaggia M, Capella C.: The value of microsatellite instability in the detection of HNPCC families and of sporadic colorectal cancers with special biological features: an investigation on a series of 100 consecutive cases. *Ann Oncol.* 1998; *Aug;9(8)*, 901-6.

Gafa R, Maestri I, Matteuzzi M, Santini A, Ferretti S, Cavazzini L, Lanza G.: Sporadic colorectal adenocarcinomas with high-frequency microsatellite instability. *Cancer.* 2000; *Nov 15;89(10)*, 2025-37.

Gerhardsson de Verdier M, Steineck G, Hagman U, Rieger A, Norell SE.: Physical activity and colon cancer: a case-referent study in Stockholm. *Int J Cancer.* 1990; *Dec 15;46(6)*, 985-9.

Ghadimi BM, Behrens J, Hoffmann I, Haensch W, Birchmeier W, Schlag PM.: Immunohistological analysis of E-cadherin, alpha-, beta- and gamma-catenin expression in colorectal cancer: implications for cell adhesion and signaling. *Eur J Cancer.* 1999; *Jan;35(1)*, 60-5.

Gryfe R, Kim H, Hsieh ET, Aronson MD, Holowaty EJ, Bull SB, Redston M, Gallinger S.: Tumor microsatellite instability and clinical outcome in young patients with colorectal cancer. *N Engl J Med.* 2000; Jan 13;342(2):69-77.

Halling KC, French AJ, McDonnell SK, Burgart LJ, Schaid DJ, Peterson BJ, Moon-Tasson L, Mahoney MR, Sargent DJ, O'Connell MJ, Witzig TE, Farr GH Jr, Goldberg RM, Thibodeau SN.: Microsatellite instability and 8p allelic imbalance in stage B2 and C colorectal cancers. *J Natl Cancer Inst.* 1999; Aug 4;91(15), 1295-303.

Hao X, Tomlinson I, Ilyas M, Palazzo JP, Talbot IC.: Reciprocity between membranous and nuclear expression of beta-catenin in colorectal tumours. *Virchows Arch.* 1997; Sep;431(3), 167-72.

Harwood AJ.: Regulation of GSK-3: a cellular multiprocessor. *Cell.* 2001; Jun 29;105(7), 821-4.

Hasegawa S, Koshikawa N, Momiyama N, Moriyama K, Ichikawa Y, Ishikawa T, Mitsuhashi M, Shimada H, Miyazaki K.: Matrilysin-specific antisense oligonucleotide inhibits liver metastasis of human colon cancer cells in a nude mouse model. *Int J Cancer.* 1998; Jun 10;76(6), 812-6.

He TC, Sparks AB, Rago C, Hermeking H, Zawel L, da Costa LT, Morin PJ, Vogelstein B, Kinzler KW.: Identification of c-MYC as a target of the APC pathway. *Science.* 1998; Sep 4;281(5382), 1509-12.

Hearne CM, Ghosh S, Todd JA.: Microsatellites for linkage analysis of genetic traits. *Trends Genet.* 1992; Aug;8(8), 288-94.

Herman JG, Umar A, Polyak K, Graff JR, Ahuja N, Issa JP, Markowitz S, Willson JK, Hamilton SR, Kinzler KW, Kane MF, Kolodner RD, Vogelstein B, Kunkel TA, Baylin SB.: Incidence and functional consequences of hMLH1 promoter hypermethylation in colorectal carcinoma. *Proc Natl Acad Sci U S A.* 1998; Jun 9;95(12), 6870-5.

Hiscox S, Jiang WG.: Expression of E-cadherin, alpha, beta and gamma-catenin in human colorectal cancer. *Anticancer Res.* 1997; Mar-Apr;7(2B), 1349-54.

Hiscox S, Jiang WG.: Association of the HGF/SF receptor, c-met, with the cell-surface adhesion molecule, E-cadherin, and catenins in human tumor cells. *Biochem Biophys Res Commun.* 1999; *Aug 2;261(2)*, 406-11.

Hugh TJ, Dillon SA, O'Dowd G, Getty B, Pignatelli M, Poston GJ, Kinsella AR.: beta-catenin expression in primary and metastatic colorectal carcinoma. *Int J Cancer.* 1999; *Aug 12;82(4)*, 504-11.

Ikeda S, Kishida S, Yamamoto H, Murai H, Koyama S, Kikuchi A.: Axin, a negative regulator of the Wnt signaling pathway, forms a complex with GSK-3beta and beta-catenin and promotes GSK-3beta-dependent phosphorylation of beta-catenin. *EMBO J.* 1998; *Mar 2;17(5)*, 1371-84.

Ikeguchi M, Makino M, Kaibara N.: Clinical significance of E-cadherin-catenin complex expression in metastatic foci of colorectal carcinoma. *J Surg Oncol.* 2001; *Jul;77(3)*, 201-7.

Ilyas M, Straub J, Tomlinson IP, Bodmer WF.: Genetic pathways in colorectal and other cancers. *Eur J Cancer.* 1999; *Dec;35(14)*, 1986-2002.

Ilyas M, Tomlinson IP, Rowan A, Pignatelli M, Bodmer WF.: Beta-catenin mutations in cell lines established from human colorectal cancers. *Proc Natl Acad Sci U S A.* 1997; *Sep 16;94(19)*, 10330-4.

Ionov Y, Peinado MA, Malkhosyan S, Shibata D, Perucho M.: Ubiquitous somatic mutations in simple repeated sequences reveal a new mechanism for colonic carcinogenesis. *Nature.* 1993; *Jun 10;363(6429)*, 558-61.

Iwamoto M, Ahnen DJ, Franklin WA, Maltzman TH.: Expression of beta-catenin and full-length APC protein in normal and neoplastic colonic tissues. *Carcinogenesis.* 2000; *Nov;21(11)*, 1935-40.

Iwao K, Nakamori S, Kameyama M, Imaoka S, Kinoshita M, Fukui T, Ishiguro S, Nakamura Y, Miyoshi Y.: Activation of the beta-catenin gene by interstitial deletions involving exon 3 in primary colorectal carcinomas without adenomatous polyposis coli mutations. *Cancer Res.* 1998; *Mar 1;58(5)*, 1021-6.

Jarvinen HJ: Epidemiology of familial adenomatous polyposis in Finland: impact of family screening on the colorectal cancer rate and survival. *Gut*. 1992; *Mar*;33(3), 357-60.

Jass JR, Biden KG, Cummings MC, Simms LA, Walsh M, Schoch E, Meltzer SJ, Wright C, Searle J, Young J, Leggett BA.: Characterisation of a subtype of colorectal cancer combining features of the suppressor and mild mutator pathways. *J Clin Pathol*. 1999; *Jun*;52(6), 455-60.

Jass JR, Do KA, Simms LA, Iino H, Wynter C, Pillay SP, Searle J, Radford-Smith G, Young J, Leggett B.: Morphology of sporadic colorectal cancer with DNA replication errors. *Gut*. 1998; *May*;42(5), 673-9.

Jawhari AU, Noda M, Pignatelli M, Farthing M.: Up-regulated cytoplasmic expression, with reduced membranous distribution, of the src substrate p120(ctn) in gastric carcinoma. *J Pathol*. 1999; *Oct*;189(2), 180-5.

Kemler R.: From cadherins to catenins: cytoplasmic protein interactions and regulation of cell adhesion. *Trends Genet*. 1993; *Sep*;9(9), 317-21.

Kim H, Jen J, Vogelstein B, Hamilton SR.: Clinical and pathological characteristics of sporadic colorectal carcinomas with DNA replication errors in microsatellite sequences. *Am J Pathol*. 1994; *Jul*;145(1), 148-56.

Kim IJ, Kang HC, Park JH, Shin Y, Ku JL, Lim SB, Park SY, Jung SY, Kim HK, Park JG.: Development and applications of a beta-catenin oligonucleotide microarray: beta-catenin mutations are dominantly found in the proximal colon cancers with microsatellite instability. *Clin Cancer Res*. 2003; *Aug 1*;9(8), 2920-5.

Kishida S, Yamamoto H, Hino S, Ikeda S, Kishida M, Kikuchi A.: DIX domains of Dvl and axin are necessary for protein interactions and their ability to regulate beta-catenin stability. *Mol Cell Biol*. 1999; *Jun*;19(6), 4414-22.

Kitaeva MN, Grogan L, Williams JP, Dimond E, Nakahara K, Hausner P, DeNobile JW, Soballe PW, Kirsch IR.: Mutations in beta-catenin are uncommon in colorectal cancer occurring in occasional replication error-positive tumors. *Cancer Res*. 1997; *Oct 15*;57(20), 4478-81.

Knudson AG Jr.: Mutation and cancer: statistical study of retinoblastoma. *Proc Natl Acad Sci USA*. 1971; *Apr*;68(4), 820-3.

Kobayashi M, Honma T, Matsuda Y, Suzuki Y, Narisawa R, Ajioka Y, Asakura H.: Nuclear translocation of beta-catenin in colorectal cancer. *Br J Cancer*. 2000; *May*;82(10), 1689-93.

Konishi M, Kikuchi-Yanoshita R, Tanaka K, Muraoka M, Onda A, Okumura Y, Kishi N, Iwama T, Mori T, Koike M, Ushio K, Chiba M, Nomizu S, Konishi F, Utsunomiya J, Miyaki M.: Molecular nature of colon tumors in hereditary nonpolyposis colon cancer, familial polyposis, and sporadic colon cancer. *Gastroenterology*. 1996; *Aug*;111(2), 307-17.

Korinek V, Barker N, Morin PJ, van Wichen D, de Weger R, Kinzler KW, Vogelstein B, Clevers H.: Constitutive transcriptional activation by a beta-catenin-Tcf complex in APC-/- colon carcinoma. *Science*. 1997; *Mar 21*;275(5307), 1784-7.

Krasnow RE, Wong LL, Adler PN.: Dishevelled is a component of the frizzled signaling pathway in *Drosophila*. *Development*. 1995; *Dec*;121(12), 4095-102.

Laghi L, Bianchi P, Malesci A.: Gender difference for promoter methylation pattern of hMLH1 and p16 in sporadic MSI colorectal cancer. *Gastroenterology*. 2003; *Apr*;124(4), 1165-6.

Lanza G, Gafa R, Maestri I, Santini A, Matteuzzi M, Cavazzini L.: Immunohistochemical pattern of MLH1/MSH2 expression is related to clinical and pathological features in colorectal adenocarcinomas with microsatellite instability. *Mod Pathol*. 2002; *Jul*;15(7), 741-9.

Leach FS, Nicolaidis NC, Papadopoulos N, Liu B, Jen J, Parsons R, Peltomaki P, Sistonen P, Aaltonen LA, Nystrom-Lahti M, et al.: Mutations of a mutS homolog in hereditary nonpolyposis colorectal cancer. *Cell*. 1993; *Dec 17*;75(6), 1215-25.

Lengauer C, Kinzler KW, Vogelstein B.: Genetic instability in colorectal cancers. *Nature*. 1997; *Apr 10*;386(6625), 623-7.

Lipkin SM, Wang V, Jacoby R, Banerjee-Basu S, Baxevanis AD, Lynch HT, Elliott RM, Collins FS.: MLH3: a DNA mismatch repair gene associated with mammalian microsatellite instability. *Nat Genet*. 2000; *Jan*;24(1), 27-35.

Litt M, Luty JA.: A hypervariable microsatellite revealed by in vitro amplification of a dinucleotide repeat within the cardiac muscle actin gene. *Am J Hum Genet.* 1989; *Mar*;44(3), 397-401.

Liu C, Li Y, Semenov M, Han C, Baeg GH, Tan Y, Zhang Z, Lin X, He X.: Control of beta-catenin phosphorylation/degradation by a dual-kinase mechanism. *Cell.* 2002; *Mar 22*;108(6), 837-47.

Liu D, el-Hariry I, Karayiannakis AJ, Wilding J, Chinery R, Kmiot W, McCrea PD, Gullick WJ, Pignatelli M.: Phosphorylation of beta-catenin and epidermal growth factor receptor by intestinal trefoil factor. *Lab Invest.* 1997; *Dec*;77(6), 557-63.

Lothe RA, Peltomaki P, Meling GI, Aaltonen LA, Nystrom-Lahti M, Pylkkanen L, Heimdal K, Andersen TI, Moller P, Rognum TO, et al.: Genomic instability in colorectal cancer: relationship to clinicopathological variables and family history. *Cancer Res.* 1993; *Dec 15*;53(24), 5849-52.

Lynch HT, Smyrk T.: Hereditary nonpolyposis colorectal cancer (Lynch syndrome). An updated review. *Cancer.* 1996; *Sep 15*;78(6), 1149-67.

Malkhosyan SR, Yamamoto H, Piao Z, Perucho M.: Late onset and high incidence of colon cancer of the mutator phenotype with hypermethylated hMLH1 gene in women. *Gastroenterology.* 2000; *Aug*;119(2), 598.

Markowitz S, Wang J, Myeroff L, Parsons R, Sun L, Lutterbaugh J, Fan RS, Zborowska E, Kinzler KW, Vogelstein B, et al.: Inactivation of the type II TGF-beta receptor in colon cancer cells with microsatellite instability. *Science.* 1995; *Jun 2*;268(5215), 1336-8.

McGivern A, Wynter CV, Whitehall VL, Kambara T, Spring KJ, Walsh MD, Barker MA, Arnold S, Simms LA, Leggett BA, Young J, Jass JR.: Promoter hypermethylation frequency and BRAF mutations distinguish hereditary non-polyposis colon cancer from sporadic MSI-H colon cancer. *Fam Cancer.* 2004; *3*(2), 101-7.

Mecklin JP, Jarvinen HJ, Hakkiluoto A, Hallikas H, Hiltunen KM, Harkonen N, Kellokumpu I, Laitinen S, Ovaska J, Tulikoura J, et al.: Frequency of hereditary nonpolyposis colorectal cancer. A prospective multicenter study in Finland. *Dis Colon Rectum.* 1995; *Jun*;38(6), 588-93.

Mecklin JP, Jarvinen HJ. (1): Clinical features of colorectal carcinoma in cancer family syndrome. *Dis Colon Rectum*. 1986; *Mar*;29(3), 160-4.

Mecklin JP, Sipponen P, Jarvinen HJ. (2): Histopathology of colorectal carcinomas and adenomas in cancer family syndrome. *Dis Colon Rectum*. 1986; *Dec*;29(12), 849-53.

Mirabelli-Primdahl L, Gryfe R, Kim H, Millar A, Luceri C, Dale D, Holowaty E, Bapat B, Gallinger S, Redston M.: Beta-catenin mutations are specific for colorectal carcinomas with microsatellite instability but occur in endometrial carcinomas irrespective of mutator pathway. *Cancer Res*. 1999; *Jul 15*;59(14), 3346-51.

Miyaki M, Iijima T, Kimura J, Yasuno M, Mori T, Hayashi Y, Koike M, Shitara N, Iwama T, Kuroki T.: Frequent mutation of beta-catenin and APC genes in primary colorectal tumors from patients with hereditary nonpolyposis colorectal cancer. *Cancer Res*. 1999; *Sep 15*;59(18), 4506-9.

Miyoshi Y, Nagase H, Ando H, Horii A, Ichii S, Nakatsuru S, Aoki T, Miki Y, Mori T, Nakamura Y.: Somatic mutations of the APC gene in colorectal tumors: mutation cluster region in the APC gene. *Hum Mol Genet*. 1992; *Jul*;1(4), 229-33.

Morin PJ, Sparks AB, Korinek V, Barker N, Clevers H, Vogelstein B, Kinzler KW.: Activation of beta-catenin-Tcf signaling in colon cancer by mutations in beta-catenin or APC. *Science*. 1997; *Mar 21*;275(5307), 1787-90.

Muller O, Nimmrich I, Finke U, Friedl W, Hoffmann I.: A beta-catenin mutation in a sporadic colorectal tumor of the RER phenotype and absence of beta-catenin germline mutations in FAP patients. *Genes Chromosomes Cancer*. 1998; *May*;22(1), 37-41.

Muller T, Choidas A, Reichmann E, Ullrich A.: Phosphorylation and free pool of beta-catenin are regulated by tyrosine kinases and tyrosine phosphatases during epithelial cell migration. *J Biol Chem*. 1999; *Apr 9*;274(15), 10173-83.

Munemitsu S, Albert I, Rubinfeld B, Polakis P.: Deletion of an amino-terminal sequence beta-catenin in vivo and promotes hyperphosphorylation of the adenomatous polyposis coli tumor suppressor protein. *Mol Cell Biol*. 1996; *Aug*;16(8), 4088-94.

Munemitsu S, Albert I, Souza B, Rubinfeld B, Polakis P.: Regulation of intracellular beta-catenin levels by the adenomatous polyposis coli (APC) tumor-suppressor protein. *Proc Natl Acad Sci U S A.* 1995; *Mar 28*;92(7), 3046-50.

Murata M, Iwao K, Miyoshi Y, Nagasawa Y, Yabu M, Himeno S, Imanishi K, Ohsawa M, Wada H, Tominaga S, Shimano T, Kobayashi T, Nakamura Y.: Activation of the beta-catenin gene by interstitial deletions involving exon 3 as an early event in colorectal tumorigenesis. *Cancer Lett.* 2000; *Oct 16*;159(1), 73-8.

N.Becker, J.Wahrendorf: Krebsatlas der Bundesrepublik Deutschland 1981-1990. Hrsg.: Deutsches Krebsforschungszentrum Heidelberg 3. Auflage. Springer-Verlag Berlin Heidelberg. 1998; ISBN-10: 3-540-62914-9.

Nagafuchi A, Takeichi M.: Transmembrane control of cadherin-mediated cell adhesion: a 94 kDa protein functionally associated with a specific region of the cytoplasmic domain of E-cadherin. *Cell Regul.* 1989; *Nov*;1(1), 37-44.

Nawrocki B, Polette M, Van Hengel J, Tournier JM, Van Roy F, Birembault P.: Cytoplasmic redistribution of E-cadherin-catenin adhesion complex is associated with down-regulated tyrosine phosphorylation of E-cadherin in human bronchopulmonary carcinomas. *Am J Pathol.* 1998; *Nov*;153(5), 1521-30.

Newcomb PA, Storer BE.: Postmenopausal hormone use and risk of large-bowel cancer. *J Natl Cancer Inst.* 1995; *Jul 19*;87(14), 1067-71.

Nicolaides NC, Papadopoulos N, Liu B, Wei YF, Carter KC, Ruben SM, Rosen CA, Haseltine WA, Fleischmann RD, Fraser CM, et al.: Mutations of two PMS homologues in hereditary nonpolyposis colon cancer. *Nature.* 1994; *Sep 1*;371(6492), 75-80.

Nollet F, Berx G, Molemans F, van Roy F.: Nollet F, Berx G, Molemans F, van Roy F.: *Genomics.* 1996; *Mar 15*;32(3), 413-24.

Noordermeer J, Klingensmith J, Perrimon N, Nusse R.: dishevelled and armadillo act in the wingless signalling pathway in *Drosophila*. *Nature.* 1994; *Jan 6*;367(6458), 80-3.

Norris AL, Bailey A, Askham J, Whitehouse A, Clissold PM, Markham AF, Meredith DM.: Characterization of the human beta-catenin gene. *Mamm Genome*. 1996; *Feb*;7(2), 160-2.

Olschwang S, Hamelin R, Laurent-Puig P, Thuille B, De Rycke Y, Li YJ, Muzeau F, Girodet J, Salmon RJ, Thomas G.: Alternative genetic pathways in colorectal carcinogenesis. *Proc Natl Acad Sci U S A*. 1997; *Oct 28*;94(22), 12122-7.

Ozawa M, Baribault H, Kemler R.: The cytoplasmic domain of the cell adhesion molecule uvomorulin associates with three independent proteins structurally related in different species. *EMBO J*. 1989; *Jun*;8(6), 1711-7.

Ozawa M, Kemler R.: Molecular organization of the uvomorulin-catenin complex. *J Cell Biol*. 1992; *Feb*;116(4), 989-96.

Papadopoulos N, Nicolaidis NC, Wei YF, Ruben SM, Carter KC, Rosen CA, Haseltine WA, Fleischmann RD, Fraser CM, Adams MD, et al.: Mutation of a mutL homolog in hereditary colon cancer. *Science*. 1994; *Mar 18*;263(5153), 1625-9.

Parc Y, Boisson C, Thomas G, Olschwang S.: Cancer risk in 348 French MSH2 or MLH1 gene carriers. *J Med Genet*. 2003; *Mar*;40(3), 208-13.

Peifer M, Sweeton D, Casey M, Wieschaus E.: wingless signal and Zeste-white 3 kinase trigger opposing changes in the intracellular distribution of Armadillo. *Development*. 1994; *Feb*;120(2), 369-80.

Ponz de Leon M.: Prevalence of hereditary nonpolyposis colorectal carcinoma (HNPCC). *Ann Med*. 1994; *Jun*;26(3), 209-14.

Rubinfeld B, Albert I, Porfiri E, Fiol C, Munemitsu S, Polakis P.: Binding of GSK3beta to the APC-beta-catenin complex and regulation of complex assembly. *Science*. 1996; *May 17*;272(5264), 1023-6.

Salahshor S, Kressner U, Pahlman L, Glimelius B, Lindmark G, Lindblom A.: Colorectal cancer with and without microsatellite instability involves different genes. *Genes Chromosomes Cancer*. 1999; *Nov*;26(3), 247-52.

Samowitz WS, Curtin K, Lin HH, Robertson MA, Schaffer D, Nichols M, Gruenthal K, Leppert MF, Slattery ML.: The colon cancer burden of genetically defined hereditary nonpolyposis colon cancer. *Gastroenterology*. 2001; *Oct*;121(4), 830-8.

Samowitz WS, Slattery ML, Kerber RA.: Microsatellite instability in human colonic cancer is not a useful clinical indicator of familial colorectal cancer. *Gastroenterology*. 1995; *Dec*;109(6), 1765-71.

Satoh S, Daigo Y, Furukawa Y, Kato T, Miwa N, Nishiwaki T, Kawasoe T, Ishiguro H, Fujita M, Tokino T, Sasaki Y, Imaoka S, Murata M, Shimano T, Yamaoka Y, Nakamura Y.: AXIN1 mutations in hepatocellular carcinomas, and growth suppression in cancer cells by virus-mediated transfer of AXIN1. *Nat Genet*. 2000; *Mar*;24(3), 245-50.

Semenov MV, Snyder M.: Human dishevelled genes constitute a DHR-containing multigene family. *Genomics*. 1997; *Jun 1*;42(2), 302-10.

Senba S, Konishi F, Okamoto T, Kashiwagi H, Kanazawa K, Miyaki M, Konishi M, Tsukamoto T.: Clinicopathologic and genetic features of nonfamilial colorectal carcinomas with DNA replication errors. *Cancer*. 1998; *Jan 15*;82(2), 279-85.

Senesse P, Boutron-Ruault MC, Faivre J, Chatelain N, Belghiti C, Meance S.: Foods as risk factors for colorectal adenomas: a case-control study in Burgundy (France). *Nutr Cancer*. 2002; *44*(1), 7-15.

Serini G, Trusolino L, Saggiorato E, Cremona O, De Rossi M, Angeli A, Orlandi F, Marchisio PC.: Changes in integrin and E-cadherin expression in neoplastic versus normal thyroid tissue. *J Natl Cancer Inst*. 1996; *Apr 3*;88(7), 442-9.

Shibamoto S, Hayakawa M, Takeuchi K, Hori T, Miyazawa K, Kitamura N, Johnson KR, Wheelock MJ, Matsuyoshi N, Takeichi M, et al.: Association of p120, a tyrosine kinase substrate, with E-cadherin/catenin complexes. *J Cell Biol*. 1995; *Mar*;128(5), 949-57.

Shimizu Y, Ikeda S, Fujimori M, Kodama S, Nakahara M, Okajima M, Asahara T.: Frequent alterations in the Wnt signaling pathway in colorectal cancer with microsatellite instability. *Genes Chromosomes Cancer*. 2002; *Jan*;33(1), 73-81.

Shitoh K, Furukawa T, Kojima M, Konishi F, Miyaki M, Tsukamoto T, Nagai H.: Frequent activation of the beta-catenin-Tcf signaling pathway in nonfamilial colorectal carcinomas with microsatellite instability. *Genes Chromosomes Cancer*. 2001; *Jan*;30(1), 32-7.

Shtutman M, Zhurinsky J, Simcha I, Albanese C, D'Amico M, Pestell R, Ben-Ze'ev A.: The cyclin D1 gene is a target of the beta-catenin/LEF-1 pathway. *Proc Natl Acad Sci U S A*. 1999; *May 11*;96(10), 5522-7.

Siegfried E, Chou TB, Perrimon N.: wingless signaling acts through zeste-white 3, the *Drosophila* homolog of glycogen synthase kinase-3, to regulate engrailed and establish cell fate. *Cell*. 1992; *Dec 24*;71(7), 1167-79.

Siegfried E, Wilder EL, Perrimon N.: Components of wingless signalling in *Drosophila*. *Nature*. 1994; *Jan 6*;367(6458), 76-80.

Soler C, Rousselle P, Damour O.: Cadherin mediated cell-cell adhesion is regulated by tyrosine phosphatases in human keratinocytes. *Cell Adhes Commun*. 1998; *Jan*;5(1), 13-25.

Sparks AB, Morin PJ, Vogelstein B, Kinzler KW.: Mutational analysis of the APC/beta-catenin/Tcf pathway in colorectal cancer. *Cancer Res*. 1998; *Mar 15*;58(6), 1130-4.

Steinmetz KA, Potter JD.: Vegetables, fruit, and cancer prevention: a review. *J Am Diet Assoc*. 1996; *Oct*;96(10), 1027-39.

Takayama T, Shiozaki H, Doki Y, Oka H, Inoue M, Yamamoto M, Tamura S, Shibamoto S, Ito F, Monden M.: Aberrant expression and phosphorylation of beta-catenin in human colorectal cancer. *Br J Cancer*. 1998; *Feb*;77(4), 605-13.

Takeichi M.: Cadherin cell adhesion receptors as a morphogenetic regulator. *Science*. 1991; *Mar 22*;251(5000), 1451-5.

Tetsu O, McCormick F.: Beta-catenin regulates expression of cyclin D1 in colon carcinoma cells. *Nature*. 1999; *Apr 1*;398(6726), 422-6.

Theisen H, Purcell J, Bennett M, Kansagara D, Syed A, Marsh JL.: dishevelled is required during wingless signaling to establish both cell polarity and cell identity. *Development*. 1994; *Feb*;120(2), 347-60.

Thibodeau SN, Bren G, Schaid D.: Microsatellite instability in cancer of the proximal colon. *Science*. 1993 May 7;260(5109), 816-9. 1993; *May 7*;260(5109), 816-9.

Toyota M, Ahuja N, Ohe-Toyota M, Herman JG, Baylin SB, Issa JP.: CpG island methylator phenotype in colorectal cancer. *Proc Natl Acad Sci U S A*. 1999; *Jul 20*;96(15), 8681-6.

Valizadeh A, Karayiannakis AJ, el-Hariry I, Kmiot W, Pignatelli M.: Expression of E-cadherin-associated molecules (alpha-, beta-, and gamma-catenins and p120) in colorectal polyps. *Am J Pathol*. 1997; *Jun*;150(6), 1977-84.

Vasen HF, Mecklin JP, Watson P, Utsunomiya J, Bertario L, Lynch P, Svendsen LB, Cristofaro G, Muller H, Khan PM, et al.: Surveillance in hereditary nonpolyposis colorectal cancer: an international cooperative study of 165 families. The International Collaborative Group on HNPCC. *Dis Colon Rectum*. 1993; *Jan*;36(1), 1-4.

Vasen HF, Taal BG, Nagengast FM, Griffioen G, Menko FH, Kleibeuker JH, Offerhaus GJ, Meera Khan P.: Hereditary nonpolyposis colorectal cancer: results of long-term surveillance in 50 families. *Eur J Cancer*. 1995; *Jul-Aug*;31A(7-8), 1145-8.

Vasen HF, Watson P, Mecklin JP, Lynch HT.: New clinical criteria for hereditary nonpolyposis colorectal cancer (HNPCC, Lynch syndrome) proposed by the International Collaborative group on HNPCC. *Gastroenterology*. 1999; *Jun*;116(6), 1453-6.

Vinson CR, Conover S, Adler PN.: A *Drosophila* tissue polarity locus encodes a protein containing seven potential transmembrane domains. *Nature*. 1989; *Mar 16*;338(6212), 263-4.

Wang Y, Macke JP, Abella BS, Andreasson K, Worley P, Gilbert DJ, Copeland NG, Jenkins NA, Nathans J.: A large family of putative transmembrane receptors homologous to the product of the *Drosophila* tissue polarity gene *frizzled*. *J Biol Chem*. 1996; *Feb 23*;271(8), 4468-76.

Ward R, Meagher A, Tomlinson I, O'Connor T, Norrie M, Wu R, Hawkins N.: Microsatellite instability and the clinicopathological features of sporadic colorectal cancer. *Gut*. 2001; *Jun*;48(6), 821-9.

Watson P, Lynch HT.: Extracolonic cancer in hereditary nonpolyposis colorectal cancer. *Cancer*. 1993; *Feb 1*;71(3), 677-85.

Weber JL, May PE.: Abundant class of human DNA polymorphisms which can be typed using the polymerase chain reaction. *Am J Hum Genet*. 1989; *Mar*;44(3), 388-96.

Weber JL, Wong C.: Mutation of human short tandem repeats. *Hum Mol Genet*. 1993; *Aug*;2(8), 1123-8.

Westlake PJ, Bryant HE, Huchcroft SA, Sutherland LR.: Frequency of hereditary nonpolyposis colorectal cancer in southern Alberta. *Dig Dis Sci*. 1991; *Oct*;36(10), 1441-7.

Whittemore AS, Wu-Williams AH, Lee M, Zheng S, Gallagher RP, Jiao DA, Zhou L, Wang XH, Chen K, Jung D, et al.: Diet, physical activity, and colorectal cancer among Chinese in North America and China. *J Natl Cancer Inst*. 1990; *Jun 6*;82(11), 915-26.

Wijnen J, de Leeuw W, Vasen H, van der Klift H, Moller P, Stormorken A, Meijers-Heijboer H, Lindhout D, Menko F, Vossen S, Moslein G, Tops C, Brocker-Vriends A, Wu Y, Hofstra R, Sijmons R, Cornelisse C, Morreau H, Fodde R.: Familial endometrial cancer in female carriers of MSH6 germline mutations. *Nat Genet*. 1999; *Oct*;23(2), 142-4.

Young J, Simms LA, Biden KG, Wynter C, Whitehall V, Karamatic R, George J, Goldblatt J, Walpole I, Robin SA, Borten MM, Stitz R, Searle J, McKeone D, Fraser L, Purdie DR, Podger K, Price R, Buttenshaw R, Walsh MD, Barker M, Leggett BA, Jass JR.: Features of colorectal cancers with high-level microsatellite instability occurring in familial and sporadic settings: parallel pathways of tumorigenesis. *Am J Pathol*. 2001; *Dec*;159(6), 2107-16.