

5 Literaturverzeichnis

1. McCormick, M.H., McGuire, J.M., Pittenger, G.E., Pittenger, R.C., & STARK, W.M. (1955) Vancomycin, a new antibiotic. I. Chemical and biologic properties. *Antibiot Annu*, **3**, 606-611.
2. Nicolaou, K.C. & Boddy, C.N. (2001) Behind enemy lines. *Sci Am*, **284**, 54-61.
3. Schlegel,H.G. (1992): *Allgemeine Mikrobiologie*. Thieme-Verlag, Stuttgart.
4. Levy, S.B. (1998) The challenge of antibiotic resistance. *Sci Am*, **278**, 46-53.
5. Davies, J. (1996) Bacteria on the rampage. *Nature*, **383**, 219-220.
6. Aarestrup, F.M., Seyfarth, A.M., Emborg, H.D., Pedersen, K., Hendriksen, R.S., & Bager, F. (2001) Effect of abolishment of the use of antimicrobial agents for growth promotion on occurrence of antimicrobial resistance in fecal enterococci from food animals in Denmark. *Antimicrob Agents Chemother*, **45**, 2054-2059.
7. Böttger,E.C. and Kern,P. (1999): Molekulare Mechanism und klinische Aspekte der Resistenz. In: *Immunsystem und Infektiologie*, edited by D.Ganten, et al, pp. 388-411. Springer-Verlag, Berlin.
8. Lee, K., Jang, S.J., Lee, H.J., Ryoo, N., Kim, M., Hong, S.G., & Chong, Y. (2004) Increasing prevalence of vancomycin-resistant Enterococcus faecium, expanded-spectrum cephalosporin-resistant Klebsiella pneumoniae, and imipenem-resistant Pseudomonas aeruginosa in Korea: KONSAR study in 2001. *J Korean Med Sci*, **19**, 8-14.
9. Lohner,K. (2001): *Development of Novel Antimicrobial Agents: Emerging Strategies*. Horizon Scientific Press, Graz.
10. Iwanaga, S. (2002) The molecular basis of innate immunity in the horseshoe crab. *Curr Opin Immunol*, **14**, 87-95.
11. Mitta, G., Hubert, F., Noel, T., & Roch, P. (1999) Myticin, a novel cysteine-rich antimicrobial peptide isolated from haemocytes and plasma of the mussel *Mytilus galloprovincialis*. *Eur J Biochem*, **265**, 71-78.
12. Hoffmann, J.A. & Hetru, C. (1992) Insect defensins: inducible antibacterial peptides. *Immunol Today*, **13**, 411-415.
13. Mignogna, G., Severini, C., Ersparmer, G.F., Siciliano, R., Kreil, G., & Barra, D. (1997) Tachykinins and other biologically active peptides from the skin of the Costa Rican phyllomedusid frog *Agalychnis callidryas*. *Peptides*, **18**, 367-372.
14. Diamond, G., Zasloff, M., Eck, H., Brasseur, M., Maloy, W.L., & Bevins, C.L. (1991) Tracheal antimicrobial peptide, a cysteine-rich peptide from mammalian tracheal mucosa: peptide isolation and cloning of a cDNA. *Proc Natl Acad Sci USA*, **88**, 3952-3956.
15. Haynes, R.J., Tighe, P.J., & Dua, H.S. (1999) Antimicrobial defensin peptides of the human ocular surface. *Br.J.Ophthalmol.*, **83**, 737-741.
16. Blanc, B. & Isliker, H. (1961) [Isolation and characterization of the red siderophilic protein from maternal milk: lactotransferrin]. *Bull.Soc.Chim.Biol.*, **43**, 929-943.
17. Shi, J., Zhang, G., Wu, H., Ross, C., Blecha, F., & Ganz, T. (1999) Porcine epithelial beta-defensin 1 is expressed in the dorsal tongue at antimicrobial concentrations. *Infect Immun*, **67**, 3121-3127.

18. Bals, R., Weiner, D.J., & Wilson, J.M. (1999) The innate immune system in cystic fibrosis lung disease. *J.Clin.Invest*, **103**, 303-307.
19. Park, C.B., Kim, H.S., & Kim, S.C. (1998) Mechanism of action of the antimicrobial peptide buforin II: buforin II kills microorganisms by penetrating the cell membrane and inhibiting cellular functions. *Biochem Biophys Res Commun*, **244**, 253-257.
20. Li, P., Chan, H.C., He, B., So, S.C., Chung, Y.W., Shang, Q., Zhang, Y.D., & Zhang, Y.L. (2001) An antimicrobial peptide gene found in the male reproductive system of rats. *Science*, **291**, 1783-1785.
21. Bateman, A., MacLeod, R.J., Lembessis, P., Hu, J., Esch, F., & Solomon, S. (1996) The isolation and characterization of a novel corticostatin/defensin-like peptide from the kidney. *J Biol Chem*, **271**, 10654-10659.
22. Masson, P.L., Heremans, J.F., & Schonne, E. (1969) Lactoferrin, an iron-binding protein in neutrophilic leukocytes. *J Exp Med*, **130**, 643-658.
23. Silphaduang, U. & Noga, E.J. (2001) Peptide antibiotics in mast cells of fish. *Nature*, **414**, 268-269.
24. Jones, D.E. & Bevins, C.L. (1993) Defensin-6 mRNA in human Paneth cells: implications for antimicrobial peptides in host defense of the human bowel. *FEBS Letters*, **315**, 187-192.
25. Patterson-Delafield, J., Szklarek, D., Martinez, R.J., & Lehrer, R.I. (1981) Microbicidal cationic proteins of rabbit alveolar macrophages: amino acid composition and functional attributes. *Infect Immun*, **31**, 723-731.
26. Selsted, M.E., Brown, D.M., DeLange, R.J., Harwig, S.S., & Lehrer, R.I. (1985) Primary structures of six antimicrobial peptides of rabbit peritoneal neutrophils. *J Biol Chem*, **260**, 4579-4584.
27. Boman, H.G. & Steiner, H. (1981) Humoral immunity in Cecropia pupae. *Curr Top Microbiol Immunol*, **94-95**, 75-91.
28. Steiner, H., Hultmark, D., Engstrom, A., Bennich, H., & Boman, H.G. (1981) Sequence and specificity of two antibacterial proteins involved in insect immunity. *Nature*, **292**, 246-248.
29. Hultmark, D., Engstrom, A., Bennich, H., Kapur, R., & Boman, H.G. (1982) Insect immunity: isolation and structure of cecropin D and four minor antibacterial components from Cecropia pupae. *Eur J Biochem*, **127**, 207-217.
30. Fennell, J.F., Shipman, W.H., & Cole, L.J. (1967) Antibacterial action of a bee venom fraction (melittin) against a penicillin-resistant staphylococcus and other microorganisms. *Res Dev Tech Rep*, 1-13.
31. Koczulla, A.R. & Bals, R. (2004) Antimicrobial peptides: current status and therapeutic potential. *Drugs*, **63**, 389-406.
32. Brogden, K.A., Ackermann, M., McCray, P.B.J., & Tack, B.F. (2003) Antimicrobial peptides in animals and their role in host defences. *Int J Antimicrob Agents*, **22**, 465-478.
33. Ganz, T. (2003) Defensins: antimicrobial peptides of innate immunity. *Nat Rev Immunol*, **3**, 710-720.
34. Garcia-Olmedo, F., Molina, A., Alamillo, J.M., & Rodriguez-Palenzuela, P. (1998) Plant defense peptides. *Biopolymers*, **47**, 479-491.
35. Vizioli, J. & Salzet, M. (2002) Antimicrobial peptides from animals: focus on invertebrates. *Trends Pharmacol Sci*, **23**, 494-496.

36. Ganz, T. (2002) Epithelia: not just physical barriers. *Proc Natl Acad Sci USA*, **99**, 3357-3358.
37. Hancock, R.E. (2001) Cationic peptides: effectors in innate immunity and novel antimicrobials. *Lancet*, **1**, 156-164.
38. Trenczek, T. (1998) Endogenous defense mechanism of insects. *Zoology*, **101**, 298-315.
39. Medzhitov, R. & Janeway, C.A.J. (1998) An ancient system of host defense. *Curr Opin Immunol*, **10**, 12-15.
40. Khush, R.S., Leulier, F., & Lemaitre, B. (2002) Immunology. Pathogen surveillance - the flies have it. *Science*, **296**, 273-275.
41. Kimbrell, D.A. & Beutler, B. (2001) The evolution and genetics of innate immunity. *Nat.Rev.Genet.*, **2**, 256-267.
42. Aderem, A. & Ulevitch, R.J. (2000) Toll-like receptors in the induction of the innate immune response. *Nature*, **406**, 782-787.
43. Leulier, F., Parquet, C., Pili-Floury, S., Ryu, J.H., Caroff, M., Lee, W.J., Mengin-Lecreulx, D., & Lemaitre, B. (2003) The Drosophila immune system detects bacteria through specific peptidoglycan recognition. *Nat.Immunol.*, **4**, 478-484.
44. Ganz,T. and Lohner,K. (2001): Antimicrobial Peptides in Innate Immunity. In: *Development of Novel Antimicrobial Agents: Emerging Strategies*, edited by K.Lohner, pp. 139-147. Horizon Scientific Press, Graz.
45. Wilson, C.L., Ouellette, A.J., Satchell, D.P., Ayabe, T., Lopez-Boado, Y.S., Stratman, J.L., Hultgren, S.J., Matrisian, L.M., & Parks, W.C. (1999) Regulation of intestinal alpha-defensin activation by the metalloproteinase matriLySIN in innate host defense. *Science*, **286**, 113-117.
46. Terry, A.S., Poulter, L., Williams, D.H., Nutkins, J.C., Giovannini, M.G., Moore, C.H., & Gibson, B.W. (1988) The cDNA sequence coding for prepro-PGS (prepro-magainins) and aspects of the processing of this prepro-polypeptide. *J Biol Chem*, **263**, 5745-5751.
47. Gallo, R.L. & Nizet, V. (2003) Endogenous production of antimicrobial peptides in innate immunity and human disease. *Curr Allergy Asthma Rep*, **3**, 402-409.
48. Hancock, R.E. (1997) Peptide antibiotics. *Lancet*, **349**, 418-422.
49. van't Hof, W., Veerman, E.C., Helmerhorst, E.J., & Amerongen, A.V. (2001) Antimicrobial peptides: properties and applicability. *Biol Chem*, **382**, 597-619.
50. Ferguson, A.D., Welte, W., Hofmann, E., Lindner, B., Holst, O., Coulton, J.W., & Diederichs, K. (2000) A conserved structural motif for lipopolysaccharide recognition by prokaryotic and eucaryotic proteins. *Structure Fold Des*, **8**, 585-592.
51. Rietschel,E.T., Brade,L., Lindner,B., and Zähringer,U. (1992): Biochemistry of Lipopolysaccharides. In: *Molecular Biochemistry and Cellular Biology*, edited by D.C.Morrison, et al, pp. 3-41. CRC Press, London.
52. Takayama,K. and Qureshi,N. (1992): Chemical Structure of Lipid A. In: *Molecular Biochemistry and Cellular Biology*, edited by D.C.Morrison, et al, pp. 43-65. CRC Press, London.
53. Takada,H. and Kotani,S. (1992): Structure-Function Relationships of Lipid A. In: *Molecular Biochemistry and Cellular Biology*, edited by D.C.Morrison, et al, pp. 107-134. CRC Press, London.
54. Beveridge, T.J. (1981) Ultrastructure, chemistry, and function of the bacterial wall. *Int Rev Cytol*, **72**, 229-317.

55. Casu, A., Pala, V., Monacelli, R., Ferro, M., & Nanni, G. (1968) Structure of membranes. I. Lipid composition of the erythrocyte membrane. *Ital J Biochem*, **17**, 77-89.
56. Verkleij, A.J., Zwaal, R.F., Roelofsen, B., Comfurius, P., Kastelijn, D., & van Deenen, L.L. (1973) The asymmetric distribution of phospholipids in the human red cell membrane. A combined study using phospholipases and freeze-etch electron microscopy. *Biochim Biophys Acta*, **323**, 178-193.
57. Allende, D. & McIntosh, T.J. (2003) Lipopolysaccharides in bacterial membranes act like cholesterol in eukaryotic plasma membranes in providing protection against melittin-induced bilayer lysis. *Biochemistry*, **42**, 1101-1108.
58. Benachir, T., Monette, M., Grenier, J., & Lafleur, M. (1997) Melittin-induced leakage from phosphatidylcholine vesicles is modulated by cholesterol: a property used for membrane targeting. *European Biophysics Journal*, **25**, 201-210.
59. Matsuzaki, K., Harada, M., Handa, T., Funakoshi, S., Fujii, N., Yajima, H., & Miyajima, K. (1989) Magainin 1-induced leakage of entrapped calcein out of negatively-charged lipid vesicles. *Biochim Biophys Acta*, **981**, 130-134.
60. Matsuzaki, K., Sugishita, K., & Miyajima, K. (1999) Interactions of an antimicrobial peptide, magainin 2, with lipopolysaccharide-containing liposomes as a model for outer membranes of gram-negative bacteria. *FEBS Letters*, **449**, 221-224.
61. Biggin, P.C. & Sansom, M.S. (1999) Interactions of alpha-helices with lipid bilayers: a review of simulation studies. *Biophys Chem*, **76**, 161-183.
62. Sansom, M.S. (1991): Peptide models of ion channels. In: *The Biophysics of Peptide Models of Ion Channels*, edited by D.Noble, et al, pp. 141-161. Pergamon Press, Oxford.
63. Pouny, Y., Rapaport, D., Mor, A., Nicolas, P., & Shai, Y. (1992) Interaction of antimicrobial dermaseptin and its fluorescently labeled analogues with phospholipid membranes. *Biochemistry*, **31**, 12416-12423.
64. Ehrenstein, G. & Lecar, H. (1977) Electrically gated ionic channels in lipid bilayers. *Q Rev Biophys*, **10**, 1-34.
65. Bechinger, B. (1999) The structure, dynamics and orientation of antimicrobial peptides in membranes by multidimensional solid-state NMR spectroscopy. *Biochim Biophys Acta*, **1462**, 157-183.
66. La Rocca, P., Biggin, P.C., Tielemans, D.P., & Sansom, M.S. (1999) Simulation studies of the interaction of antimicrobial peptides and lipid bilayers. *Biochim Biophys Acta*, **1462**, 185-200.
67. Bechinger, B. (1997) Structure and functions of channel-forming peptides: magainins, cecropins, melittin and alamethicin. *J.Membr.Biol*, **156**, 197-211.
68. Zasloff, M. (2002) Antimicrobial peptides of multicellular organisms. *Nature*, **415**, 389-395.
69. Shai, Y. (1999) Mechanism of the binding, insertion and destabilization of phospholipid bilayer membranes by alpha-helical antimicrobial and cell non-selective membrane-lytic peptides. *Biochim Biophys Acta*, **1462**, 55-70.
70. Heller, W.T., Waring, A.J., Lehrer, R.I., Harroun, T.A., Weiss, T.M., Yang, L., & Huang, H.W. (2000) Membrane thinning effect of the beta-sheet antimicrobial protegrin. *Biochemistry*, **39**, 139-145.
71. Matsuzaki, K. (1999) Why and how are peptide-lipid interactions utilized for self-defense? Magainins and tachyplesins as archetypes. *Biochim Biophys Acta*, **1462**, 1-10.

72. Shai, Y. (2000): Bacterial Membrane as a Target for a Novel Class of Diastereomeres of Cytolytic Peptides. In: *Membrane Structure in Disease and Drug Therapy*, edited by G. Zimmer, pp. 27-44. Marcel Dekker, Inc., New York.
73. Chen, F.Y., Lee, M.T., & Huang, H.W. (2003) Evidence for membrane thinning effect as the mechanism for peptide-induced pore formation. *Biophys J*, **84**, 3751-3758.
74. Piers, K.L. & Hancock, R.E. (1994) The interaction of a recombinant cecropin/melittin hybrid peptide with the outer membrane of *Pseudomonas aeruginosa*. *Mol Microbiol*, **12**, 951-958.
75. Falla, T.J., Karunaratne, D.N., & Hancock, R.E. (1996) Mode of action of the antimicrobial peptide indolicidin. *J Biol Chem*, **271**, 19298-19303.
76. Coughlin, R.T., Tonsager, S., & McGroarty, E.J. (1983) Quantitation of metal cations bound to membranes and extracted lipopolysaccharide of *Escherichia coli*. *Biochemistry*, **22**, 2002-2007.
77. Moore, R.A., Bates, N.C., & Hancock, R.E. (1986) Interaction of polycationic antibiotics with *Pseudomonas aeruginosa* lipopolysaccharide and lipid A studied by using dansyl-polymyxin. *Antimicrob Agents Chemother*, **29**, 496-500.
78. Peterson, A.A., Hancock, R.E., & McGroarty, E.J. (1985) Binding of polycationic antibiotics and polyamines to lipopolysaccharides of *Pseudomonas aeruginosa*. *J Bacteriol*, **164**, 1256-1261.
79. Nikaido, H. & Nakae, T. (1979) The outer membrane of Gram-negative bacteria. *Adv Microb Physiol*, **20**, 163-250.
80. Oehlke, J., Scheller, A., Wiesner, B., Krause, E., Beyermann, M., Klauschenz, E., Melzig, M., & Bienert, M. (1998) Cellular uptake of an alpha-helical amphipathic model peptide with the potential to deliver polar compounds into the cell interior non-endocytically. *Biochim Biophys Acta*, **1414**, 127-139.
81. Takeshima, K., Chikushi, A., Lee, K.K., Yonehara, S., & Matsuzaki, K. (2003) Translocation of analogues of the antimicrobial peptides magainin and buforin across human cell membranes. *J Biol Chem*, **278**, 1310-1315.
82. Vives, E. (2003) Cellular uptake [correction of utake] of the Tat peptide: an endocytosis mechanism following ionic interactions. *J Mol Recognit*, **16**, 265-271.
83. Derossi, D., Calvet, S., Trembleau, A., Brunissen, A., Chassaing, G., & Prochiantz, A. (1996) Cell internalization of the third helix of the Antennapedia homeodomain is receptor-independent. *J Biol Chem*, **271**, 18188-18193.
84. Futaki, S., Goto, S., & Sugiura, Y. (2003) Membrane permeability commonly shared among arginine-rich peptides. *J Mol Recognit*, **16**, 260-264.
85. Mann, D.A. & Frankel, A.D. (1991) Endocytosis and targeting of exogenous HIV-1 Tat protein. *EMBO J*, **10**, 1733-1739.
86. Astriab-Fisher, A., Sergueev, D., Fisher, M., Shaw, B.R., & Juliano, R.L. (2002) Conjugates of antisense oligonucleotides with the Tat and antennapedia cell-penetrating peptides: effects on cellular uptake, binding to target sequences, and biologic actions. *Pharm Res*, **19**, 744-754.
87. Lundberg, P. & Langel, U. (2003) A brief introduction to cell-penetrating peptides. *J Mol Recognit*, **16**, 227-233.
88. Wu, M., Maier, E., Benz, R., & Hancock, R.E. (1999) Mechanism of interaction of different classes of cationic antimicrobial peptides with planar bilayers and with the cytoplasmic membrane of *Escherichia coli*. *Biochemistry*, **38**, 7235-7242.

89. Matsuzaki, K., Sugishita, K., Ishibe, N., Ueha, M., Nakata, S., Miyajima, K., & Epand, R.M. (1998) Relationship of membrane curvature to the formation of pores by magainin 2. *Biochemistry*, **37**, 11856-11863.
90. Matsuzaki, K., Mitani, Y., Akada, K.Y., Murase, O., Yoneyama, S., Zasloff, M., & Miyajima, K. (1998) Mechanism of synergism between antimicrobial peptides magainin 2 and PGLa. *Biochemistry*, **37**, 15144-15153.
91. Patrzykat, A., Friedrich, C.L., Zhang, L., Mendoza, V., & Hancock, R.E. (2002) Sublethal concentrations of pleurocidin-derived antimicrobial peptides inhibit macromolecular synthesis in Escherichia coli. *Antimicrob Agents Chemother*, **46**, 605-614.
92. Oren, Z. & Shai, Y. (1998) Mode of action of linear amphipathic alpha-helical antimicrobial peptides. *Biopolymers*, **47**, 451-463.
93. Bellamy, W., Takase, M., Yamauchi, K., Wakabayashi, H., Kawase, K., & Tomita, M. (1992) Identification of the bactericidal domain of lactoferrin. *Biochim Biophys Acta*, **1121**, 130-136.
94. Tomita, M., Takase, M., Bellamy, W., & Shimamura, S. (1994) A review: the active peptide of lactoferrin. *Acta Paediatr Jpn*, **36**, 585-591.
95. Epand, R.M. & Vogel, H.J. (1999) Diversity of antimicrobial peptides and their mechanisms of action. *Biochim Biophys Acta*, **1462**, 11-28.
96. Schibli, D.J., Hwang, P.M., & Vogel, H.J. (1999) Structure of the antimicrobial peptide tritrypticin bound to micelles: a distinct membrane-bound peptide fold. *Biochemistry*, **38**, 16749-16755.
97. Tang, Y.Q., Yuan, J., Osapay, G., Osapay, K., Tran, D., Miller, C.J., Ouellette, A.J., & Selsted, M.E. (1999) A cyclic antimicrobial peptide produced in primate leukocytes by the ligation of two truncated alpha-defensins. *Science*, **286**, 498-502.
98. Miyata, T., Tokunaga, F., Yoneya, T., Yoshikawa, K., Iwanaga, S., Niwa, M., Takao, T., & Shimonishi, Y. (1989) Antimicrobial peptides, isolated from horseshoe crab hemocytes, tachyplesin II, and polyphemusins I and II: chemical structures and biological activity. *J Biochem*, **106**, 663-668.
99. Blondelle, S.E., Takahashi, E., Dinh, K.T., & Houghten, R.A. (1995) The antimicrobial activity of hexapeptides derived from synthetic combinatorial libraries. *J Appl Bacteriol*, **78**, 39-46.
100. Vogel, H.J., Schibli, D.J., Jing, W., Lohmeier-Vogel, E.M., Epand, R.F., & Epand, R.M. (2002) Towards a structure-function analysis of bovine lactoferricin and related tryptophan- and arginine-containing peptides. *Biochem Cell Biol*, **80**, 49-63.
101. Strom, M.B., Rekdal, O., & Svendsen, J.S. (2002) Antimicrobial activity of short arginine- and tryptophan-rich peptides. *J Pept Sci*, **8**, 431-437.
102. Strom, M.B., Haug, B.E., Skar, M.L., Stensen, W., Stiberg, T., & Svendsen, J.S. (2003) The pharmacophore of short cationic antibacterial peptides. *J Med Chem*, **46**, 1567-1570.
103. Groenink, J., Walgreen-Weterings, E., van't Hof, W., Veerman, E.C., & Nieuw Amerongen, A.V. (1999) Cationic amphipathic peptides, derived from bovine and human lactoferrins, with antimicrobial activity against oral pathogens. *FEMS Microbiol Lett*, **179**, 217-222.
104. Nakamura, T., Furunaka, H., Miyata, T., Tokunaga, F., Muta, T., Iwanaga, S., Niwa, M., Takao, T., & Shimonishi, Y. (1988) Tachyplesin, a class of antimicrobial peptide from the hemocytes of the horseshoe crab (*Tachypleus tridentatus*). Isolation and chemical structure. *J Biol Chem*, **263**, 16709-16713.
105. Harwig, S.S., Swiderek, K.M., Lee, T.D., & Lehrer, R.I. (1995) Determination of disulphide bridges in PG-2, an antimicrobial peptide from porcine leukocytes. *J Pept Sci*, **1**, 207-215.

106. Hirakura, Y., Kobayashi, S., & Matsuzaki, K. (2002) Specific interactions of the antimicrobial peptide cyclic beta-sheet tachyplesin I with lipopolysaccharides. *Biochim Biophys Acta*, **1562**, 32-36.
107. Oren, Z. & Shai, Y. (2000) Cyclization of a cytolytic amphipathic alpha-helical peptide and its diastereomer: effect on structure, interaction with model membranes, and biological function. *Biochemistry*, **39**, 6103-6114.
108. Thennarasu, S. & Nagaraj, R. (1999) Synthetic peptides corresponding to the beta-hairpin loop of rabbit defensin NP-2 show antimicrobial activity. *Biochem Biophys Res Commun*, **254**, 281-283.
109. Kang, J.H., Lee, M.K., Kim, K.L., & Hahn, K.S. (1996) Structure-biological activity relationships of 11-residue highly basic peptide segment of bovine lactoferrin. *Int.J.Pept.Protein Res.*, **48**, 357-363.
110. Trabi, M. & Craik, D.J. (2002) Circular proteins - no end in sight. *Trends Biochem Sci*, **27**, 132-138.
111. Hwang, P.M. & Vogel, H.J. (1998) Structure-function relationships of antimicrobial peptides. *Biochem Cell Biol*, **76**, 235-246.
112. Bienert,M., Henklein,P., Beyermann,M., and Carpino,L.A. (2001): Uronium / Guanidinium Salts. In: *Synthesis of Peptides and Peptidomimetics*, edited by A.Felix, et al, pp. 555-580. Thieme, Stuttgart.
113. Ehrlich, A., Heyne, H.U., Winter, R., Beyermann, M., Haber, H., Carpino, L.A., & Bienert, M. (1996) Cyclization of all-L-Pentapeptides by Means of 1-Hydroxy-7-azabenzotriazole-Derived Uronium and Phosphonium Reagents. *J Org Chem*, **61**, 8831-8838.
114. Ehrlich, A., Rothemund, S., Brudel, M., Beyermann, M., Carpino, L.A., & Bienert, M. (1993) Synthesis of Cyclic Peptides via Efficient New Coupling Reagents. *Tetrahedon Letters*, **34**, 4781-4784.
115. Kessler, H., Matter, H., Gemmecker, G., Diehl, H.J., Isernia, C., & Mronga, S. (1994) The pseudo-beta I-turn. A new structural motif with a cis peptide bond in cyclic hexapeptides. *Int.J.Pept.Protein Res.*, **43**, 47-61.
116. Haubner, R., Finsinger, D., & Kessler, H. (1997) Stereoisomeric Peptide Libraries and Peptidomimetics for Designing Selective Inhibitors of the $\alpha_V\beta_3$ Integrin for a New Cancer Therapy. *Angew Chem Int Ed Engl*, **36**, 1374-1389.
117. Dathe, M., Schumann, M., Wieprecht, T., Winkler, A., Beyermann, M., Krause, E., Matsuzaki, K., Murase, O., & Bienert, M. (1996) Peptide helicity and membrane surface charge modulate the balance of electrostatic and hydrophobic interactions with lipid bilayers and biological membranes. *Biochemistry*, **35**, 12612-12622.
118. Rothemund, S., Krause, E., Ehrlich, A., Bienert, M., Glusa, E., & Verhallen, P. (1994) Determination of peptide hydrophobicity parameters by reversed-phase high-performance liquid chromatography. *J Chromatogr A*, **661**, 77-82.
119. Haug, B.E., Skar, M.L., & Svendsen, J.S. (2001) Bulky aromatic amino acids increase the antibacterial activity of 15-residue bovine lactoferricin derivatives. *J Pept Sci*, **7**, 425-432.
120. Fauchere, J.L., Charton, M., Kier, L.B., Verloop, A., & Pliska, V. (1988) Amino acid side chain parameters for correlation studies in biology and pharmacology. *Int J.Pept.Protein Res.*, **32**, 269-278.
121. Fasman,G.D. (1996): *Circular Dichroism and the Conformational Analysis of Biomolecules*. Plenum Press, New York and London.

122. Woody,R.W. (1974): *Peptides, Polypeptides and Proteins*. John Wiley & Sons, New York.
123. Ladokhin, A.S., Selsted, M.E., & White, S.H. (1997) Bilayer interactions of indolicidin, a small antimicrobial peptide rich in tryptophan, proline, and basic amino acids. *Biophys J*, **72**, 794-805.
124. Wimley, W.C., Hristova, K., Ladokhin, A.S., Silvestro, L., Axelsen, P.H., & White, S.H. (1998) Folding of beta-sheet membrane proteins: a hydrophobic hexapeptide model. *J Mol Biol*, **277**, 1091-1110.
125. Weprech, T., Dathe, M., Beyermann, M., Krause, E., Maloy, W.L., MacDonald, D.L., & Bienert, M. (1997) Peptide hydrophobicity controls the activity and selectivity of magainin 2 amide in interaction with membranes. *Biochemistry*, **36**, 6124-6132.
126. Eisenberg, D. (1984) Three-dimensional structure of membrane and surface proteins. *Annu Rev Biochem*, **53**, 595-623.
127. Minick, D.J., Frenz, J.H., Patrick, M.A., & Brent, D.A. (1988) A comprehensive method for determining hydrophobicity constants by reversed-phase high-performance liquid chromatography. *J Med Chem*, **31**, 1923-1933.
128. Dearden, J.C. & Bresnen, G. (1988) The measurement of Partition Coefficients. *Quant Struct Act Relat*, **7**, 133-144.
129. Op den Kamp, J.A., Redai, I., & van Deenen, L.L. (1969) Phospholipid composition of *Bacillus subtilis*. *J Bacteriol*, **99**, 298-303.
130. Lopez, C.S., Heras, H., Ruzal, S.M., Sanchez-Rivas, C., & Rivas, E.A. (1998) Variations of the envelope composition of *Bacillus subtilis* during growth in hyperosmotic medium. *Curr Microbiol*, **36**, 55-61.
131. Ratledge,C. and Wilkinson,S.G. (1988): *Microbial Lipids*. Academic Press Limited, London.
132. Lohner, K., Latal, A., Degovics, G., & Garidel, P. (2001) Packing characteristics of a model system mimicking cytoplasmic bacterial membranes. *Chem Phys Lipids*, **111**, 177-192.
133. Ohvo-Rekila, H., Ramstedt, B., Leppimaki, P., & Slotte, J.P. (2002) Cholesterol interactions with phospholipids in membranes. *Prog Lipid Res*, **41**, 66-97.
134. Erich, T., Schellekens, J., Bouter, A., Van Kranen, J., Brouwer, E., & Verhoef, J. (1989) Binding characteristics and cross-reactivity of three different antilipid A monoclonal antibodies. *J Immunol*, **143**, 4053-4060.
135. de Kievit, T.R. & Lam, J.S. (1994) Monoclonal antibodies that distinguish inner core, outer core, and lipid A regions of *Pseudomonas aeruginosa* lipopolysaccharide. *J Bacteriol*, **176**, 7129-7139.
136. Takahashi, K., Fukada, M., Kawai, M., & Yokochi, T. (1992) Detection of lipopolysaccharide (LPS) and identification of its serotype by an enzyme-linked immunosorbent assay (ELISA) using poly-L-lysine. *J Immunol Methods*, **153**, 67-71.
137. Bantroch, S., Buhler, T., & Lam, J.S. (1994) Appropriate coating methods and other conditions for enzyme-linked immunosorbent assay of smooth, rough, and neutral lipopolysaccharides of *Pseudomonas aeruginosa*. *Clin Diagn Lab Immunol*, **1**, 55-62.
138. Peterfi, Z. & Kocsis, B. (2000) Comparison of blocking agents for an ELISA for LPS. *J Immunoassay*, **21**, 341-354.
139. Zhou, M., Diwu, Z., Panchuk-Voloshina, N., & Haugland, R.P. (1997) A stable nonfluorescent derivative of resorufin for the fluorometric determination of trace hydrogen peroxide:

- applications in detecting the activity of phagocyte NADPH oxidase and other oxidases. *Anal Biochem*, **253**, 162-168.
140. Kellogg, T.A., Lazaron, V., Wasiluk, K.R., & Dunn, D.L. (2001) Binding specificity of polymyxin B, BPI, LALF, and anti-deep core/lipid a monoclonal antibody to lipopolysaccharide partial structures. *Shock*, **15**, 124-129.
141. Kobayashi, S., Hirakura, Y., & Matsuzaki, K. (2001) Bacteria-selective synergism between the antimicrobial peptides alpha-helical magainin 2 and cyclic beta-sheet tachyplesin I: toward cocktail therapy. *Biochemistry*, **40**, 14330-14335.
142. Bailey, A.L. & Cullis, P.R. (1997) Membrane fusion with cationic liposomes: effects of target membrane lipid composition. *Biochemistry*, **36**, 1628-1634.
143. Matsuzaki, K., Fukui, M., Fujii, N., & Miyajima, K. (1991) Interactions of an antimicrobial peptide, tachyplesin I, with lipid membranes. *Biochim Biophys Acta*, **1070**, 259-264.
144. Zhang, L., Rozek, A., & Hancock, R.E. (2001) Interaction of cationic antimicrobial peptides with model membranes. *J Biol Chem*, **276**, 35714-35722.
145. Fidai, S., Farmer, S.W., & Hancock, R.E. (1997) Interaction of cationic peptides with bacterial membranes. *Methods Mol Biol*, **78**, 187-204.
146. Noda, K., Yamasaki, R., Hironaka, Y., & Kitagawa, A. (2001) Selection of peptides that bind to the core oligosaccharide of R-form LPS from a phage-displayed heptapeptide library. *FEMS Microbiol Lett*, **205**, 349-354.
147. Wiese, A., Munstermann, M., Gutsmann, T., Lindner, B., Kawahara, K., Zahringer, U., & Seydel, U. (1998) Molecular mechanisms of polymyxin B-membrane interactions: direct correlation between surface charge density and self-promoted transport. *J Membr Biol*, **162**, 127-138.
148. Angus, B.L., Carey, A.M., Caron, D.A., Kropinski, A.M., & Hancock, R.E. (1982) Outer membrane permeability in *Pseudomonas aeruginosa*: comparison of a wild-type with an antibiotic-supersusceptible mutant. *Antimicrob Agents Chemother*, **21**, 299-309.
149. Lehrer, R.I., Barton, A., & Ganz, T. (1988) Concurrent assessment of inner and outer membrane permeabilization and bacteriolysis in *E. coli* by multiple-wavelength spectrophotometry. *J Immunol Methods*, **108**, 153-158.
150. Eriksson, M., Nielsen, P.E., & Good, L. (2002) Cell permeabilization and uptake of antisense peptide-peptide nucleic acid (PNA) into *Escherichia coli*. *J Biol Chem*, **277**, 7144-7147.
151. Schindler, P.R. & Teuber, M. (1975) Action of polymyxin B on bacterial membranes: morphological changes in the cytoplasm and in the outer membrane of *Salmonella typhimurium* and *Escherichia coli* B. *Antimicrob Agents Chemother*, **8**, 95-104.
152. Dixon, R.A. & Chopra, I. (1986) Leakage of periplasmic proteins from *Escherichia coli* mediated by polymyxin B nonapeptide. *Antimicrob Agents Chemother*, **29**, 781-788.
153. Chan,W.C. and White,P.D. (2000): *Fmoc Solid Phase Peptide Synthesis*. University Press, Oxford.
154. Atherton,E. and Sheppard,R.C. (1989): *Solid phase peptide synthesis*. University Press, Oxford.
155. Kaiser, E., Colescott, R.L., Bossinger, C.D., & Cook, P.I. (1970) Color test for detection of free terminal amino groups in the solid-phase synthesis of peptides. *Anal Biochem*, **34**, 595-598.

156. Janek, K., Wenschuh, H., Bienert, M., & Krause, E. (2001) Phosphopeptide analysis by positive and negative ion matrix-assisted laser desorption/ionization mass spectrometry. *Rapid Commun Mass Spectrom*, **15**, 1593-1599.
157. Böttcher, C.J.F., van Gent, C.M., & Pries, C. (1961) A rapid and sensitive sub-micro phosphorus determination. *Anal Chim Acta*, 203-204.
158. Strom, M.B., Rekdal, O., & Svendsen, J.S. (2002) The effects of charge and lipophilicity on the antibacterial activity of undecapeptides derived from bovine lactoferricin. *J Pept Sci*, **8**, 36-43.
159. Oren, Z., Hong, J., & Shai, Y. (1997) A repertoire of novel antibacterial diastereomeric peptides with selective cytolytic activity. *J Biol Chem*, **272**, 14643-14649.
160. Jing, W., Hunter, H.N., Hagel, J., & Vogel, H.J. (2003) The structure of the antimicrobial peptide Ac-RRWWRF-NH₂ bound to micelles and its interactions with phospholipid bilayers. *J Pept Res*, **61**, 219-229.
161. Rhodes, J.B. & Williams-Ashman, H.G. (1964) Observations on Polymanines in Male Accessory Glands of Reproduction. *Med Exp Int J Exp Med*, **10**, 281-285.
162. Romeo, D., Skerlavaj, B., Bolognesi, M., & Gennaro, R. (1988) Structure and bactericidal activity of an antibiotic dodecapeptide purified from bovine neutrophils. *J Biol Chem*, **263**, 9573-9575.
163. Hong, S.Y., Oh, J.E., & Lee, K.H. (1999) Effect of D-amino acid substitution on the stability, the secondary structure, and the activity of membrane-active peptide. *Biochem Pharmacol*, **58**, 1775-1780.
164. Kondejewski, L.H., Farmer, S.W., Wishart, D.S., Kay, C.M., Hancock, R.E., & Hodges, R.S. (1996) Modulation of structure and antibacterial and hemolytic activity by ring size in cyclic gramicidin S analogs. *J Biol Chem*, **271**, 25261-25268.
165. Jelokhani-Niaraki, M., Prenner, E.J., Kay, C.M., McElhaney, R.N., Hodges, R.S., & Kondejewski, L.H. (2001) Conformation and other biophysical properties of cyclic antimicrobial peptides in aqueous solutions. *J Pept Res*, **58**, 293-306.
166. Dathe, M. (2000): Antibacterial and Hemolytic Activity of Amphipathic Helical Peptides. In: *Membrane Structure in Disease and Drug Therapy*, edited by G.Zimmer, pp. 1-26. Marcel Dekker, Inc., New York.
167. Kondejewski, L.H., Jelokhani-Niaraki, M., Farmer, S.W., Lix, B., Kay, C.M., Sykes, B.D., Hancock, R.E., & Hodges, R.S. (1999) Dissociation of antimicrobial and hemolytic activities in cyclic peptide diastereomers by systematic alterations in amphipathicity. *J Biol Chem*, **274**, 13181-13192.
168. Kondejewski, L.H., Lee, D.L., Jelokhani-Niaraki, M., Farmer, S.W., Hancock, R.E., & Hodges, R.S. (2002) Optimization of microbial specificity in cyclic peptides by modulation of hydrophobicity within a defined structural framework. *J Biol Chem*, **277**, 67-74.
169. Chou, K.C. (2000) Prediction of tight turns and their types in proteins. *Anal Biochem*, **286**, 1-16.
170. Xiong, H., Buckwalter, B.L., Shieh, H.M., & Hecht, M.H. (1995) Periodicity of polar and nonpolar amino acids is the major determinant of secondary structure in self-assembling oligomeric peptides. *Proc Natl Acad Sci USA*, **92**, 6349-6353.
171. Tsubery, H., Ofek, I., Cohen, S., & Fridkin, M. (2000) Structure-function studies of polymyxin B nonapeptide: implications to sensitization of gram-negative bacteria. *J Med Chem*, **43**, 3085-3092.

172. Zhang, L., Scott, M.G., Yan, H., Mayer, L.D., & Hancock, R.E. (2000) Interaction of polyphemusin I and structural analogs with bacterial membranes, lipopolysaccharide, and lipid monolayers. *Biochemistry*, **39**, 14504-14514.
173. Boggs, J.M. (1987) Lipid intermolecular hydrogen bonding: influence on structural organization and membrane function. *Biochim Biophys Acta*, **906**, 353-404.
174. Matsuzaki, K., Yoneyama, S., Fujii, N., Miyajima, K., Yamada, K., Kirino, Y., & Anzai, K. (1997) Membrane permeabilization mechanisms of a cyclic antimicrobial peptide, tachyplesin I, and its linear analog. *Biochemistry*, **36**, 9799-9806.
175. Cudic, M. & Otvos, L.J. (2002) Intracellular targets of antibacterial peptides. *Curr Drug Targets*, **3**, 101-106.
176. Wu, M. & Hancock, R.E. (1999) Interaction of the cyclic antimicrobial cationic peptide bactenecin with the outer and cytoplasmic membrane. *J Biol Chem*, **274**, 29-35.
177. Hancock, R.E. & Rozek, A. (2002) Role of membranes in the activities of antimicrobial cationic peptides. *FEMS Microbiol Lett*, **206**, 143-149.
178. Boman, H.G., Agerberth, B., & Boman, A. (1993) Mechanisms of action on Escherichia coli of cecropin P1 and PR-39, two antibacterial peptides from pig intestine. *Infect Immun*, **61**, 2978-2984.
179. Gallo, R.L., Murakami, M., Ohtake, T., & Zaiou, M. (2002) Biology and clinical relevance of naturally occurring antimicrobial peptides. *J Allergy Clin Immunol*, **110**, 823-831.
180. Hancock, R.E. & Scott, M.G. (2000) The role of antimicrobial peptides in animal defenses. *Proc Natl Acad Sci USA*, **97**, 8856-8861.
181. Peschel, A., Jack, R.W., Otto, M., Collins, L.V., Staubitz, P., Nicholson, G., Kalbacher, H., Nieuwenhuizen, W.F., Jung, G., Tarkowski, A., van Kessel, K.P., & van Strijp, J.A. (2001) Staphylococcus aureus resistance to human defensins and evasion of neutrophil killing via the novel virulence factor MprF is based on modification of membrane lipids with l-lysine. *J Exp Med*, **193**, 1067-1076.
182. Peschel, A. (2002) How do bacteria resist human antimicrobial peptides? *Trends Microbiol.*, **10**, 179-186.