

References

- Abel, R., Rybak, J. & Menzel, R. (2001) Structure and response patterns of olfactory interneurons in the honeybee, *Apis mellifera*. *J. Comp. Neurol.* **437**, 363-83.
- Baer, P.E. & Fuhrer, M.J. (1982) Cognitive factors in the concurrent differential conditioning of eyelid and skin conductance responses. *Mem. Cognit.* **10** (2), 135-140.
- Bitterman, M.E., Menzel, R., Fietz, A. & Schäfer, S. (1983) Classical conditioning of proboscis extension in honeybees (*Apis mellifera*). *J. Comp. Psychol.* **97**, 107-119.
- Chandra, S. & Smith, B.H. (1998) An analysis of synthetic processing of odor mixtures in the honeybee (*Apis mellifera*). *J. Exp. Biol.* **201**, 3113-3121.
- Connolly, J.B., Roberts, I.J.H., Armstrong, J.D., Kaiser, K., Forte, M., Tully, T. & O'Kane, C.J. (1996) Associative learning disrupted by impaired Gs signalling in *Drosophila* mushroom bodies. *Science* **274**, 2104-2107.
- de Belle, J.S. & Heisenberg, M. (1994) Associative odor learning in *Drosophila* abolished by chemical ablation of mushroom bodies. *Science* **263**, 692-695.
- Deisig, N., Lachnit, H., Giurfa, M. & Hellstern, F. (2001) Configural olfactory learning in honeybees: Negative and positive patterning discrimination. *Learn. Mem.* **8**, 70 – 78.
- Deisig, N., Lachnit, H., Sandoz, J.C., Lober, K. & Giurfa, M. (2003) A modified version of the unique cue theory accounts for olfactory compound processing in honeybees. *Learn. Mem.* **10**, 199-208.
- Durst, C., Eichmüller, S. & Menzel, R. (1994) Development and experience lead to increased volume of subcompartments of the honeybee mushroom body. *Behav. Neural Biol.* **62**, 259–263.
- Erber, J., Masuhr, T. & Menzel, R. (1980) Localization of short-term memory in the brain of the bee, *Apis mellifera*. *Physiol. Entomol.* **5**, 343-358.

- Fahrbach, S.E., Giray, T. & Robinson, G.E. (1995) Volume changes in the mushroom bodies of adult honey bee queens. *Neurobiol. Learn. & Mem.* **63**, 181–191.
- Giurfa, M., Eichmann, B. & Menzel, R. (1996) Symmetry perception in an insect. *Nature*, **382**, 458-461.
- Giurfa, M., Zhang, S.W., Jennett, A., Menzel, R. & Srinivasan, M.V. (2001) The concepts of sameness and difference in an insect. *Nature* **410**, 930-933.
- Grünbaum, L. & Müller, U. (1998) Induction of a specific olfactory memory leads to a long-lasting activation of Protein Kinase C in the antennal lobe of the Honeybee. *J. Neurosc.* **18** (11), 4384-4392.
- Hammer, M. (1993) An identified neuron mediates the unconditioned stimulus in associative learning in honeybees. *Nature* **366**, 59-63.
- Hammer, M. & Menzel, R. (1995) Learning and memory in the honeybee. *J. Neurosci.* **15**, 1617-1630.
- Hellstern, F., Wüstenberg, D., & Hammer, M. (1995) Contextual learning in honeybees under laboratory conditions. In Elsner, N. & Menzel, R. (eds), *Learning and memory, Proceedings of the 23rd Göttingen Neurobiology Conference. Vol. I*. Georg Thieme Verlag, Stuttgart, F 30.
- Heisenberg, M., Borst, A., Wagner, S. & Byers, D. (1985) Drosophila mushroom body mutants are deficient in olfactory learning. *J. Neurogenet.* **2**, 1-30.
- Joerges, J., Köttner, A., Galizia, C.G. & Menzel, R. (1997) Representation of odours and odour mixtures visualized in the honeybee brain. *Nature* **387**, 285-288.
- Kunze, J. & Gumbert, A. (2001) The combined effect of color and odor on flower choice behavior of bumble bees in flower mimicry systems. *Behav. Ecol.* **12**, 447-456.

- Kuwabara, M. (1957) Bildung eines bedingten Reflexes von Pavlovs Typus bei der Honigbiene, *Apis mellifera*. *J. Fac. Sci. Hokkaido Univ. Ser. VI Zool.* **13**, 458-464.
- Malun, D. (1998) Early development of mushroom bodies in the brain of the honeybee *Apis mellifera* as revealed by BrdU incorporation and ablation experiments. *Learn. Mem.* **5**, 90-101.
- Malun, D., Giurfa, M., Galizia, C.G., Plath, N., Brandt, R., Gerber, B. & Eisermann, B. (2002) Hydroxyurea-induced partial mushroom body ablation does not effect Acquisition and Retention of olfactory differential conditioning in honeybees. *J. Neurobiol.* **53**, 343-360.
- Mauelshagen, J. (1993) Neural correlates of olfactory learning in an identified neuron in the honeybee brain. *J. Neurophysiol.* **69**, 609-625.
- Menzel, R., Erber, J. & Masuhr, T. (1974) Learning and memory in the honeybee. In Barton-Browne, L. (ed) *Experimental analysis of insect behaviour*, pp. 195-217. Springer, Berlin, Germany.
- Menzel, R., Durst, C.D., Erber, J., Eichmüller, S., Hammer, M., Hildebrand, H., Mauelshagen, J., Müller, U., Rosenboom, H., Rybak, J., Schäfer, S. & Scheidler, A. (1994) The mushroom bodies in the honeybee: From molecules to behaviour. *Fortschritte der Zoologie* 39. In Schildberger, K., & Elsner, N. (eds) *Neural basis of behavioural adaptions*, pp. 81-102. Fischer, Stuttgart, Germany.
- Menzel, R. & Giurfa, M. (2001) The cognitive architecture of a mini-brain: the honeybee. *Trends Cogn. Sci.* **5**, 62-71.
- Mobbs, P.G. (1982) The brain of the honeybee *Apis mellifera*. I. The connections and spatial organization of the mushroom bodies. *Phil. Trans. R. Soc. Lond. B. Biol. Sci.* **298**, 309-354.
- Rescorla, R.A. and Wagner, A.R. 1972. A theory of Pavlovian conditioning: Variations in the effectiveness of reinforcement and nonreinforcement. In Black, A.H. & Prokasy W.F. (eds) *Classical conditioning 2: Current research and theory*, pp. 64-99, Appleton-Century-Crofts. New York, NY.

Sachse, S. & Galizia, C.G. (2002) Role of inhibition for temporal and spatial odor representation in olfactory output neurons: A calcium imaging study. *J. Neurophysiol.* **87**, 1106-1117.

Sandoz, J.C. & Menzel, R. (2001) Side-specificity of olfactory learning in the honeybee: generalization between odors and sides. *Learn. Mem.* **8**, 286-294.

Takeda, K. 1961. Classical conditioned response in the honey bee. *J. Insect physiol.* **6**: 168-179.