Acknowledgements

I would like to specifically thank Dr. Mary Rose Paradis and Professor W. Heuwieser for their support, encouragement and guidance. Dr. Paradis has been a true inspiration throughout my fellowship, residency and faculty position at Tufts University School of Veterinary Medicine. Her dedication and passion for neonatal foals have streamlined my research and clinical interests in the field of neonatal critical care. Without her continued support, the completion of this dissertation would not have been possible.

I would also like to sincerely thank Professor Heuwieser for his patience, professionalism and unfailing support, which enabled the collaboration between the Free University of Berlin (Germany) and Tufts University School of Veterinary Medicine (USA).

Special thanks also go to my colleagues and mentors, Drs. Melissa Mazan and Andrew Hoffman, who have been incredible teachers in the field of respiratory physiology and equine neonatology. Additionally, I would like to thank our technicians, especially Margaret Underwood and Beth Torello, for their unfailing support and assistance in the care of all neonatal foals, referred to TUSVM.

Furthermore, I remain very grateful to my colleagues Drs. Robert Brawer and Mauricio Solano, from the TUSVM department of Radiology, for all their hard work and assistance in reading and scoring neonatal thoracic radiographs. I would also like to thank Drs. Gary Patronek and William Rand for guiding me through the jungles of statistical analyses. Without their review and assistance this work would have not been possible.

Particular recognition and thanks go to the Dorothy Havemeyer Foundation, who has supported and funded this research project.