

**Femtosecond Analysis and Feedback Control  
of Molecular Processes in  
Organometallic and Alkaline Systems**

im  
Fachbereich Physik  
der  
Freien Universität Berlin

eingereichte Dissertation

vorgelegt von  
Cosmin Lupulescu

Berlin 2004

1. Gutachter: Prof. Dr. Ludger Wöste (Berlin)
  2. Gutachter: Prof. Dr. Jörn Manz (Berlin)
- Datum der Disputation: 14. Juli 2004

# Contents

<b>1</b>	<b>Introduction</b>	<b>7</b>
<b>2</b>	<b>Femtosecond Laser Pulses</b>	<b>13</b>
2.1	Generation of Femtosecond Laser Pulses . . . . .	13
2.1.1	The Ti:sapphire Oscillator . . . . .	13
2.1.2	The Ti:sapphire Amplifier . . . . .	19
2.1.3	Parametric Effects . . . . .	22
2.2	Diagnostic Techniques . . . . .	25
2.2.1	Auto-correlation . . . . .	25
2.2.2	Cross-correlation . . . . .	26
2.2.3	F.R.O.G. . . . .	27
2.2.4	XFROG/STRUT . . . . .	32
<b>3</b>	<b>Femtosecond Pulse Shaping with Liquid Crystal Modulators</b>	<b>35</b>
3.1	Shaped Femtosecond Laser Pulses . . . . .	35
3.1.1	Phase Modulation in Temporal Domain . . . . .	36
3.1.2	Phase Modulation in Spectral Domain . . . . .	38
3.2	The Pulse Shaper . . . . .	39
3.2.1	Liquid Crystals . . . . .	39
3.2.2	The SLM-256 . . . . .	41
3.2.3	The SLM-1280 . . . . .	42
3.2.4	The Pulse Shaping Apparatus . . . . .	44
3.2.5	Phase and Amplitude Modulation . . . . .	47
3.2.6	Calibration . . . . .	49
3.2.7	Limitations of the SLM . . . . .	51
3.3	Examples of Other Pulse Shaping Techniques . . . . .	52
<b>4</b>	<b>Experimental Details</b>	<b>55</b>
4.1	Molecular Beam Apparatus . . . . .	55
4.1.1	Description of the Vacuum Chambers . . . . .	56
4.1.2	Detection of the Ion Signal . . . . .	58

4.1.3	Production of a Cluster Beam . . . . .	60
4.2	The Laser Systems . . . . .	63
4.2.1	Femtosecond System – FS I . . . . .	64
4.2.2	Femtosecond System – FS II . . . . .	66
4.3	Acquisition of the Experimental Data . . . . .	71
<b>5</b>	<b>Theoretical Considerations</b>	<b>73</b>
5.1	Molecular Dynamics – A Short Introduction . . . . .	73
5.1.1	Wave Packets . . . . .	73
5.1.2	Laser–Molecule Interaction . . . . .	74
5.1.3	Generation of Wave Packets . . . . .	76
5.1.4	Monitoring Wave Packet Dynamics in Real-Time . . . . .	76
5.1.5	Femtosecond Pump–Probe Spectroscopy on $K_2$ . . . . .	80
5.1.6	Femtosecond Pump–Probe Spectroscopy on $Na_3$ . . . . .	82
5.2	Control of Molecular Reactions . . . . .	86
5.2.1	Temporal Control: The Tannor-Rice Scheme . . . . .	87
5.2.2	Phase Control: The Brumer-Shapiro Scheme . . . . .	88
5.2.3	Optimal Control . . . . .	90
5.2.4	Evolution Strategies . . . . .	93
<b>6</b>	<b>Analysis and Control of Ultrafast Processes in <math>CpMn(CO)_3</math></b>	<b>97</b>
6.1	Choice of the System . . . . .	98
6.2	Experimental Preparations . . . . .	100
6.3	Femtosecond Analysis of $CpMn(CO)_3^+$ . . . . .	102
6.3.1	Mass-spectrometric Studies . . . . .	103
6.3.2	Pump-Probe Spectroscopy with ca. 100 fs Pulses . . . . .	109
6.3.3	Pump-Probe Spectroscopy with ca. 40 fs Pulses at Low Pump Pulse Intensities . . . . .	112
6.3.4	Interpretation of the Optimal Pulse for $CpMn(CO)_3^+$ Ionization . . . . .	118
6.3.5	Pump-Probe Spectroscopy with ca. 40 fs Pulses at Higher Pump Pulse Intensities . . . . .	122
6.4	Control of $CpMn(CO)_2^+$ Ionization Process . . . . .	124
6.4.1	Free Phase Optimization of $CpMn(CO)_2^+$ Ion Yield . . . . .	125
6.4.2	Analysis of the Optimal Pulse Form . . . . .	126
6.5	Summary and Outlook . . . . .	129
<b>7</b>	<b>Femtosecond Time-Resolved Spectroscopy of <math>Na_2F</math></b>	<b>133</b>
7.1	Choice of the System . . . . .	134
7.2	Experimental Preparations . . . . .	135
7.3	Mass-spectrometric Studies . . . . .	137

7.4	Pump–Probe Experiments on Na <sub>2</sub> F . . . . .	139
7.5	Summary and Outlook . . . . .	143
<b>8</b>	<b>Frequency-Dependent Optimization of the NaK Ionization Process</b>	<b>145</b>
8.1	Choice of the System . . . . .	146
8.2	Generation of NaK Dimers in Molecular Beams . . . . .	149
8.3	Frequency-Dependent Optimization Factors . . . . .	149
8.4	Analysis of the Optimal Pulse Forms . . . . .	154
8.5	Summary and Outlook . . . . .	159
<b>9</b>	<b>Isotope Ratio Control of K<sub>2</sub><sup>+</sup></b>	<b>161</b>
9.1	Choice of the System . . . . .	162
9.2	Experimental Preparations . . . . .	164
9.3	Acquisition of the Experimental Data . . . . .	165
9.4	Two-Pulse Optimization of the <sup>39,39</sup> K <sub>2</sub> <sup>+</sup> / <sup>39,41</sup> K <sub>2</sub> <sup>+</sup> Ratio . . . . .	167
9.5	Single-Pulse Optimization of the <sup>39,39</sup> K <sub>2</sub> <sup>+</sup> / <sup>39,41</sup> K <sub>2</sub> <sup>+</sup> Ratio . . . . .	174
9.5.1	Phase and Amplitude Modulation at 833 nm . . . . .	174
9.5.2	Phase Modulation at 833 nm . . . . .	180
9.5.3	Amplitude Modulation at 833 nm . . . . .	184
9.5.4	Discussion . . . . .	190
9.5.5	Phase and Amplitude Modulation at 820 nm . . . . .	193
9.5.6	Phase and Amplitude Modulation at 810 nm . . . . .	199
9.6	Summary and Outlook . . . . .	204
<b>10</b>	<b>Concluding Remarks</b>	<b>209</b>
<b>11</b>	<b>Kurzzusammenfassung</b>	<b>213</b>
	<b>Bibliography</b>	<b>216</b>
<b>A</b>	<b>Alignment of the Pulse Shaping Apparatus</b>	<b>231</b>
<b>B</b>	<b>Phase-retrieval Software: FROGGUI</b>	<b>233</b>
	<b>Curriculum Vitae</b>	<b>235</b>
	<b>Acknowledgements</b>	<b>243</b>

