

## Literaturverzeichnis

- Amirayan-Chevillard, N., Tissot-Dupont, H., Capo, C., Brunet, C., Dignat-George, F., Obadia, Y., Gallais, H., and Mege, J. L. (2000): Impact of highly active anti-retroviral therapy (HAART) on cytokine production and monocyte subsets in HIV-infected patients. *Clin Exp Immunol* **120**, 107-12.
- Anton, P. A., Elliott, J., Poles, M. A., McGowan, I. M., Matud, J., Hultin, L. E., Grovit-Ferbas, K., Mackay, C. R., Chen, I. S. Y., and Giorgi, J. V. (2000): Enhanced levels of functional HIV-1 co-receptors on human mucosal T cells demonstrated using intestinal biopsy tissue. *Aids* **14**, 1761-5.
- Anton, P. A., Mitsuyasu, R. T., Deeks, S. G., Scadden, D. T., Wagner, B., Huang, C., Macken, C., Richman, D. D., Christopherson, C., Borellini, F., Lazar, R., and Hege, K. M. (2003): Multiple measures of HIV burden in blood and tissue are correlated with each other but not with clinical parameters in aviremic subjects. *Aids* **17**, 53-63.
- Anton, P. A., Poles, M. A., Elliott, J., Mao, S. H., McGowan, I., Lenz, H. J., and Chen, I. S. (2001): Sensitive and reproducible quantitation of mucosal HIV-1 RNA and DNA viral burden in patients with detectable and undetectable plasma viral HIV-1 RNA using endoscopic biopsies. *J Virol Methods* **95**, 65-79.
- Baier, M., and Kurth, R. (1997): Fighting HIV-1 with IL-16. *Nat Med* **3**, 605-6.
- Baier, M., Werner, A., Bannert, N., Metzner, K., and Kurth, R. (1995): HIV suppression by interleukin-16. *Nature* **378**, 563.
- Benito, J. M., Zabay, J. M., Gil, J., Bermejo, M., Escudero, A., Sanchez, E., and Fernandez-Cruz, E. (1997): Quantitative alterations of the functionally distinct subsets of CD4 and CD8 T lymphocytes in asymptomatic HIV infection: changes in the expression of CD45RO, CD45RA, CD11b, CD38, HLA-DR, and CD25 antigens. *J Acquir Immune Defic Syndr Hum Retrovirol* **14**, 128-35.
- Bustin, S. A., Gyselman, V. G., Williams, N. S., and Dorudi, S. (1999): Detection of cytokeratins 19/20 and guanylyl cyclase C in peripheral blood of colorectal cancer patients. *Br J Cancer* **79**, 1813-20.
- Cameron, D. W., Heath-Chiozzi, M., Danner, S., Cohen, C., Kravcik, S., Maurath, C., Sun, E., Henry, D., Rode, R., Potthoff, A., and Leonard, J. (1998): Randomised placebo-controlled trial of ritonavir in advanced HIV-1 disease. The Advanced HIV Disease Ritonavir Study Group. *Lancet* **351**, 543-9.
- Cardullo, R. A., Agrawal, S., Flores, C., Zamecnik, P. C., and Wolf, D. E. (1988): Detection of nucleic acid hybridization by nonradiative fluorescence resonance energy transfer. *Proc Natl Acad Sci U S A* **85**, 8790-4.
- CDC (1993): From the Centers for Disease Control and Prevention. 1993 revised classification system for HIV infection and expanded surveillance case definition for AIDS among adolescents and adults. *Jama* **269**, 729-30.
- Clayton, F., Snow, G., Reka, S., and Kotler, D. P. (1997): Selective depletion of rectal lamina propria rather than lymphoid aggregate CD4 lymphocytes in HIV infection. *Clin Exp Immunol* **107**, 288-92.
- Cocchi, F., DeVico, A. L., Garzino-Demo, A., Arya, S. K., Gallo, R. C., and Lusso, P. (1995): Identification of RANTES, MIP-1 alpha, and MIP-1 beta as the major HIV-suppressive factors produced by CD8+ T cells. *Science* **270**, 1811-5.
- Cohen, O. J., Kinter, A., and Fauci, A. S. (1997): Host factors in the pathogenesis of HIV disease. *Immunol Rev* **159**, 31-48.

- Colebunders, R., Lusakumuni, K., Nelson, A. M., Gigase, P., Lebughe, I., van Marck, E., Kapita, B., Francis, H., Salaun, J. J., Quinn, T. C., and et al. (1988): Persistent diarrhoea in Zairian AIDS patients: an endoscopic and histological study. *Gut* **29**, 1687-91.
- Dean, M., Carrington, M., Winkler, C., Huttley, G. A., Smith, M. W., Allikmets, R., Goedert, J. J., Buchbinder, S. P., Vittinghoff, E., Gomperts, E., Donfield, S., Vlahov, D., Kaslow, R., Saah, A., Rinaldo, C., Detels, R., and O'Brien, S. J. (1996): Genetic restriction of HIV-1 infection and progression to AIDS by a deletion allele of the CCR5 structural gene. Hemophilia Growth and Development Study, Multicenter AIDS Cohort Study, Multicenter Hemophilia Cohort Study, San Francisco City Cohort, ALIVE Study. *Science* **273**, 1856-62.
- Deng, H., Liu, R., Ellmeier, W., Choe, S., Unutmaz, D., Burkhardt, M., Di Marzio, P., Marmon, S., Sutton, R. E., Hill, C. M., Davis, C. B., Peiper, S. C., Schall, T. J., Littman, D. R., and Landau, N. R. (1996): Identification of a major co-receptor for primary isolates of HIV-1. *Nature* **381**, 661-6.
- Di Stefano, M., Favia, A., Monno, L., Lopalco, P., Caputi, O., Scardigno, A. C., Pastore, G., Fiore, J. R., and Angarano, G. (2001): Intracellular and cell-free (infectious) HIV-1 in rectal mucosa. *J Med Virol* **65**, 637-43.
- Embreton, J., Zupancic, M., Ribas, J. L., Burke, A., Racz, P., Tenner-Racz, K., and Haase, A. T. (1993): Massive covert infection of helper T lymphocytes and macrophages by HIV during the incubation period of AIDS. *Nature* **362**, 359-62.
- Erlich, H. A. (1989): Polymerase chain reaction. *J Clin Immunol* **9**, 437-47.
- Fackler, O. T., Schafer, M., Schmidt, W., Zippel, T., Heise, W., Schneider, T., Zeitz, M., Riecken, E. O., Mueller-Lantzsch, N., and Ullrich, R. (1998): HIV-1 p24 but not proviral load is increased in the intestinal mucosa compared with the peripheral blood in HIV-infected patients. *Aids* **12**, 139-46.
- Feng, Y., Broder, C. C., Kennedy, P. E., and Berger, E. A. (1996): HIV-1 entry cofactor: functional cDNA cloning of a seven-transmembrane, G protein-coupled receptor. *Science* **272**, 872-7.
- Gong, W., Howard, O. M., Turpin, J. A., Grimm, M. C., Ueda, H., Gray, P. W., Raport, C. J., Oppenheim, J. J., and Wang, J. M. (1998): Monocyte chemotactic protein-2 activates CCR5 and blocks CD4/CCR5-mediated HIV-1 entry/replication. *J Biol Chem* **273**, 4289-92.
- Guadalupe, M., Reay, E., Sankaran, S., Prindiville, T., Flamm, J., McNeil, A., and Dandekar, S. (2003): Severe CD4+ T-cell depletion in gut lymphoid tissue during primary human immunodeficiency virus type 1 infection and substantial delay in restoration following highly active antiretroviral therapy. *J Virol* **77**, 11708-17.
- Gulick, R. M., Mellors, J. W., Havlir, D., Eron, J. J., Gonzalez, C., McMahon, D., Richman, D. D., Valentine, F. T., Jonas, L., Meibohm, A., Emini, E. A., and Chodakewitz, J. A. (1997): Treatment with indinavir, zidovudine, and lamivudine in adults with human immunodeficiency virus infection and prior antiretroviral therapy. *N Engl J Med* **337**, 734-9.
- Hein, W. R. (1999): Organization of mucosal lymphoid tissue. *Curr Top Microbiol Immunol* **236**, 1-15.
- Hess, G. (1991): [Intestinal immune system]. *Zentralbl Hyg Umweltmed* **191**, 216-31.
- Huang, Y., Paxton, W. A., Wolinsky, S. M., Neumann, A. U., Zhang, L., He, T., Kang, S., Ceradini, D., Jin, Z., Yazdanbakhsh, K., Kunstman, K., Erickson, D., Dragon, E., Landau, N. R., Phair, J., Ho, D. D., and Koup, R. A. (1996): The role of a mutant CCR5 allele in HIV-1 transmission and disease progression. *Nat Med* **2**, 1240-3.
- Hunyady, B., Mezey, E., and Palkovits, M. (2000): Gastrointestinal immunology: cell types in the lamina propria--a morphological review. *Acta Physiol Hung* **87**, 305-28.

- Ibelgaufs, H. (2005): COPE; Cytokines Online Pathfinder Encyclopaedia; [www.copewithcytokines.de](http://www.copewithcytokines.de).
- Invitrogen (1997): Trizol Ragent Form No. 18057N.  
<http://www.invitrogen.com/content.cfm?pageid=469>.
- Jalkanen, S., Nash, G. S., De los Toyos, J., MacDermott, R. P., and Butcher, E. C. (1989): Human lamina propria lymphocytes bear homing receptors and bind selectively to mucosal lymphoid high endothelium. *Eur J Immunol* **19**, 63-8.
- James, S. P. (1991): Mucosal T-cell function. *Gastroenterol Clin North Am* **20**, 597-612.
- James, S. P. (1993): The gastrointestinal mucosal immune system. *Dig Dis* **11**, 146-56.
- Jung, R., Ahmad-Nejad, P., Wimmer, M., Gerhard, M., Wagener, C., and Neumaier, M. (1997): Quality management and influential factors for the detection of single metastatic cancer cells by reverse transcriptase polymerase chain reaction. *Eur J Clin Chem Clin Biochem* **35**, 3-10.
- Kampik, D., Schulte, R., and Autenrieth, I. B. (2000): Yersinia enterocolitica invasin protein triggers differential production of interleukin-1, interleukin-8, monocyte chemoattractant protein 1, granulocyte-macrophage colony-stimulating factor, and tumor necrosis factor alpha in epithelial cells: implications for understanding the early cytokine network in Yersinia infections. *Infect Immun* **68**, 2484-92.
- Kaup, F. J., Boga, J. A., Bruno, S. F., Didier, A., Hermann, K., Hofmann, P., Matz-Rensing, K., and Stahl-Hennig, C. (2001): Immunohistochemical detection of simian immunodeficiency virus (SIV) in rectal mucosa of experimentally infected rhesus macaques (*Macaca mulatta*). *Acta Histochem* **103**, 79-88.
- Kedzierska, K., and Crowe, S. (2001): Cytokines and HIV-1: interactions and clinical implications. *Antivir Chem Chemother* **12**, 133-50.
- Kewenig, S., Schneider, T., Hohloch, K., Lampe-Dreyer, K., Ullrich, R., Stolte, N., Stahl-Hennig, C., Kaup, F. J., Stallmach, A., and Zeitz, M. (1999): Rapid mucosal CD4(+) T-cell depletion and enteropathy in simian immunodeficiency virus-infected rhesus macaques. *Gastroenterology* **116**, 1115-23.
- Knippers, R. (2001): *Molekulare Genetik*. Thieme.
- Kotler, D. P., Reka, S., Borcich, A., and Cronin, W. J. (1991): Detection, localization, and quantitation of HIV-associated antigens in intestinal biopsies from patients with HIV. *Am J Pathol* **139**, 823-30.
- Kotler, D. P., Shimada, T., Snow, G., Winson, G., Chen, W., Zhao, M., Inada, Y., and Clayton, F. (1998): Effect of combination antiretroviral therapy upon rectal mucosal HIV RNA burden and mononuclear cell apoptosis. *Aids* **12**, 597-604.
- Kraehenbuhl, J. P., and Neutra, M. R. (1992): Molecular and cellular basis of immune protection of mucosal surfaces. *Physiol Rev* **72**, 853-79.
- Kreuzer, K. A., Lass, U., Bohn, A., Landt, O., and Schmidt, C. A. (1999): LightCycler technology for the quantitation of bcr/abl fusion transcripts. *Cancer Res* **59**, 3171-4.
- Kuper, C. F., Koornstra, P. J., Hameleers, D. M., Biewenga, J., Spit, B. J., Duijvestijn, A. M., van Breda Vriesman, P. J., and Sminia, T. (1992): The role of nasopharyngeal lymphoid tissue. *Immunol Today* **13**, 219-24.
- Kwok, S., and Higuchi, R. (1989): Avoiding false positives with PCR. *Nature* **339**, 237-8.
- Lapenta, C., Boirivant, M., Marini, M., Santini, S. M., Logozzi, M., Viora, M., Belardelli, F., and Fais, S. (1999): Human intestinal lamina propria lymphocytes are naturally permissive to HIV-1 infection. *Eur J Immunol* **29**, 1202-8.

- Lederman, M. M., Connick, E., Landay, A., Kuritzkes, D. R., Spritzler, J., St Clair, M., Kotzin, B. L., Fox, L., Chiozzi, M. H., Leonard, J. M., Rousseau, F., Wade, M., Roe, J. D., Martinez, A., and Kessler, H. (1998): Immunologic responses associated with 12 weeks of combination antiretroviral therapy consisting of zidovudine, lamivudine, and ritonavir: results of AIDS Clinical Trials Group Protocol 315. *J Infect Dis* **178**, 70-9.
- Lim, S. G., Condez, A., Lee, C. A., Johnson, M. A., Elia, C., and Poulter, L. W. (1993): Loss of mucosal CD4 lymphocytes is an early feature of HIV infection. *Clin Exp Immunol* **92**, 448-54.
- Linz, U., and Degenhardt, H. (1990): Die Polymerasekettenreaktion Ein Überblick. *Naturwissenschaften* **77**, 515-530.
- Liu, R., Paxton, W. A., Choe, S., Ceradini, D., Martin, S. R., Horuk, R., MacDonald, M. E., Stuhlmann, H., Koup, R. A., and Landau, N. R. (1996): Homozygous defect in HIV-1 coreceptor accounts for resistance of some multiply-exposed individuals to HIV-1 infection. *Cell* **86**, 367-77.
- MacDonald, T. T. (1999): Effector and regulatory lymphoid cells and cytokines in mucosal sites. *Curr Top Microbiol Immunol* **236**, 113-35.
- McGowan, I., Radford-Smith, G., and Jewell, D. P. (1994): Cytokine gene expression in HIV-infected intestinal mucosa. *Aids* **8**, 1569-75.
- Miao, Y., Hayes, P., Gotch, F., Barrett, M., Francis, N., and Gazzard, B. (2002): Elevated mucosal addressin cell adhesion molecule-1 expression in acquired immunodeficiency syndrome is maintained during antiretroviral therapy by intestinal pathogens and coincides with increased duodenal CD4 T cell densities. *J Infect Dis* **185**(8), 1043-50.
- Morrison, T. B., Weis, J. J., and Wittwer, C. T. (1998): Quantification of low-copy transcripts by continuous SYBR Green I monitoring during amplification. *Biotechniques* **24**, 954-8, 960, 962.
- NCBI (1998): Primer Database of the National Center for Biotechnology Information; <http://www.ncbi.nlm.nih.gov>.
- Neutra, M. R., Pringault, E., and Kraehenbuhl, J. P. (1996): Antigen sampling across epithelial barriers and induction of mucosal immune responses. *Annu Rev Immunol* **14**, 275-300.
- Olsson, J., Poles, M., Spetz, A. L., Elliott, J., Hultin, L., Giorgi, J., Andersson, J., and Anton, P. (2000): Human immunodeficiency virus type 1 infection is associated with significant mucosal inflammation characterized by increased expression of CCR5, CXCR4, and beta-chemokines. *J Infect Dis* **182**, 1625-35.
- Pabst, R. (1987): The anatomical basis for the immune function of the gut. *Anat Embryol* **176**, 135-44.
- Pabst, R., and Rosenberg, Y. J. (1998): Interpreting data on lymphocyte subsets in the blood of HIV patients - organ distribution, proliferation and migration kinetics are critical factors. *Pathobiology* **66**, 117-22.
- Palella, F. J., Jr., Delaney, K. M., Moorman, A. C., Loveless, M. O., Fuhrer, J., Satten, G. A., Aschman, D. J., and Holmberg, S. D. (1998): Declining morbidity and mortality among patients with advanced human immunodeficiency virus infection. HIV Outpatient Study Investigators. *N Engl J Med* **338**, 853-60.
- Pantaleo, G., Graziosi, C., Butini, L., Pizzo, P. A., Schnittman, S. M., Kotler, D. P., and Fauci, A. S. (1991): Lymphoid organs function as major reservoirs for human immunodeficiency virus. *Proc Natl Acad Sci U S A* **88**, 9838-42.
- Pantaleo, G., Graziosi, C., Demarest, J. F., Butini, L., Montroni, M., Fox, C. H., Orenstein, J. M., Kotler, D. P., and Fauci, A. S. (1993): HIV infection is active and progressive in lymphoid tissue during the clinically latent stage of disease. *Nature* **362**, 355-8.

- Patterson, B. K., Czerniewski, M., Andersson, J., Sullivan, Y., Su, F., Jiyamapa, D., Burki, Z., and Landay, A. (1999): Regulation of CCR5 and CXCR4 expression by type 1 and type 2 cytokines: CCR5 expression is downregulated by IL-10 in CD4-positive lymphocytes. *Clin Immunol* **91**, 254-62.
- Perry, M., and Whyte, A. (1998): Immunology of the tonsils. *Immunol Today* **19**, 414-21.
- Qiao, L., Schurmann, G., Betzler, M., and Meuer, S. C. (1991): Activation and signaling status of human lamina propria T lymphocytes. *Gastroenterology* **101**, 1529-36.
- Quiding-Jarbrink, M., Ahlstedt, I., Lindholm, C., Johansson, E. L., and Lonroth, H. (2001): Homing commitment of lymphocytes activated in the human gastric and intestinal mucosa. *Gut* **49**, 519-25.
- Reka, S., Garro, M. L., and Kotler, D. P. (1994): Variation in the expression of human immunodeficiency virus RNA and cytokine mRNA in rectal mucosa during the progression of infection. *Lymphokine Cytokine Res* **13**, 391-8.
- Riecken, E. O., Zeitz, M., and Ullrich, R. (1990): Non-opportunistic causes of diarrhoea in HIV infection. *Baillieres Clin Gastroenterol* **4**, 385-403.
- Ririe, K. M., Rasmussen, R. P., and Wittwer, C. T. (1997): Product differentiation by analysis of DNA melting curves during the polymerase chain reaction. *Anal Biochem* **245**, 154-60.
- Roitt (2001): *Immunology*.
- Rollins, B. J. (1997): Chemokines. *Blood* **90**, 909-28.
- Sambrook (1987): *Maniatis*.
- Scheibner, H., Frey, H. R., Eicken, K., Meyer, H., and Greiser-Wilke, I. (2000): [Detection of the genome of bovine viral diarrhea virus (BVDV) using the polymerase chain reaction after reverse transcription (RT-PCR): comparison of methods for the isolation of ribonucleic acid (RNA) from clinical samples]. *Dtsch Tierarztl Wochenschr* **107**, 431-7.
- Schieferdecker, H. L., Ullrich, R., Hirseland, H., and Zeitz, M. (1992): T cell differentiation antigens on lymphocytes in the human intestinal lamina propria. *J Immunol* **149**, 2816-22.
- Schmidt, W., Wahnschaffe, U., Schafer, M., Zippel, T., Arvand, M., Meyerhans, A., Riecken, E. O., and Ullrich, R. (2001): Rapid increase of mucosal CD4 T cells followed by clearance of intestinal cryptosporidiosis in an AIDS patient receiving highly active antiretroviral therapy. *Gastroenterology* **120**, 984-7.
- Schneider, T., Jahn, H. U., Schmidt, W., Riecken, E. O., Zeitz, M., and Ullrich, R. (1995): Loss of CD4 T lymphocytes in patients infected with human immunodeficiency virus type 1 is more pronounced in the duodenal mucosa than in the peripheral blood. Berlin Diarrhea/Wasting Syndrome Study Group. *Gut* **37**, 524-9.
- Schneider, T., Ullrich, R., and Zeitz, M. (1997): Immunopathology of human immunodeficiency virus infection in the gastrointestinal tract. *Springer Semin Immunopathol* **18**, 515-33.
- Schulzke, J., and Riecken, E. (1989): [Principles of epithelial transport mechanisms: importance for pathophysiologic understanding, differential diagnosis and treatment of diarrheal diseases]. *Z Gastroenterol* **27**, 693-700.
- Shen, A., Zink, M. C., Mankowski, J. L., Chadwick, K., Margolick, J. B., Carruth, L. M., Li, M., Clements, J. E., and Siliciano, R. F. (2003): Resting CD4+ T lymphocytes but not thymocytes provide a latent viral reservoir in a simian immunodeficiency virus-Macaca nemestrina model of human immunodeficiency virus type 1-infected patients on highly active antiretroviral therapy. *J Virol* **77**, 4938-49.
- Smith, P. D., Fox, C. H., Masur, H., Winter, H. S., and Alling, D. W. (1994): Quantitative analysis of mononuclear cells expressing human immunodeficiency virus type 1 RNA in esophageal mucosa. *J Exp Med* **180**, 1541-6.

- Sousa, A. E., Chaves, A. F., Doroana, M., Antunes, F., and Victorino, R. M. (2000): Bulk cytokine production versus frequency of cytokine-producing cells in HIV1 infection before and during HAART. *Clin Immunol* **97**, 162-70.
- Stockmann, M., Schmitz, H., Fromm, M., Schmidt, W., Pauli, G., Scholz, P., Riecken, E., and Schulzke, J. (2000): Mechanisms of epithelial barrier impairment in HIV infection. *Ann NY Acad Sci* **915**, 293-303.
- Strober, S. (1986): Total lymphoid irradiation: basic and clinical studies in transplantation immunity. *Prog Clin Biol Res* **224**, 251-62.
- Stylianou, E., Aukrust, P., Bendtzen, K., Muller, F., and Froland, S. S. (2000): Interferons and interferon (IFN)-inducible protein 10 during highly active anti-retroviral therapy (HAART)-possible immunosuppressive role of IFN-alpha in HIV infection. *Clin Exp Immunol* **119**, 479-85.
- Talal, A. H., Monard, S., Vesanan, M., Zheng, Z., Hurley, A., Cao, Y., Fang, F., Smiley, L., Johnson, J., Kost, R., and Markowitz, M. H. (2001): Virologic and immunologic effect of antiretroviral therapy on HIV-1 in gut-associated lymphoid tissue. *J Acquir Immune Defic Syndr* **26**, 1-7.
- Ullrich, R., Heise, W., Bergs, C., L'Age, M., Riecken, E. O., and Zeitz, M. (1992): Gastrointestinal symptoms in patients infected with human immunodeficiency virus: relevance of infective agents isolated from gastrointestinal tract. *Gut* **33**, 1080-4.
- Vandesompele, J., De Preter, K., Pattyn, F., Poppe, B., Van Roy, N., De Paepe, A., and Speleman, F. (2002): Accurate normalization of real-time quantitative RT-PCR data by geometric averaging of multiple internal control genes. *Genome Biol* **3**, RESEARCH0034.
- Veazey, R. S., Marx, P. A., and Lackner, A. A. (2001): The mucosal immune system: primary target for HIV infection and AIDS. *Trends Immunol* **22**, 626-33.
- Wittwer, C. T., Herrmann, M. G., Moss, A. A., and Rasmussen, R. P. (1997a): Continuous fluorescence monitoring of rapid cycle DNA amplification. *Biotechniques* **22**, 130-1, 134-8.
- Wittwer, C. T., Ririe, K. M., Andrew, R. V., David, D. A., Gundry, R. A., and Balis, U. J. (1997b): The LightCycler: a microvolume multisample fluorimeter with rapid temperature control. *Biotechniques* **22**, 176-81.
- Zeitz, M., Greene, W. C., Peffer, N. J., and James, S. P. (1988): Lymphocytes isolated from the intestinal lamina propria of normal nonhuman primates have increased expression of genes associated with T-cell activation. *Gastroenterology* **94**, 647-55.
- Zeitz, M., Schieferdecker, H. L., James, S. P., and Riecken, E. O. (1990): Special functional features of T-lymphocyte subpopulations in the effector compartment of the intestinal mucosa and their relation to mucosal transformation. *Digestion* **46**, 280-9.
- Zeitz, M., Ullrich, R., Schneider, T., Kewenig, S., Hohloch, K., and Riecken, E. O. (1998): HIV/SIV enteropathy. *Ann NY Acad Sci* **859**, 139-48.
- Zeitz, M., Ullrich, R., Schneider, T., Schieferdecker, H. L., and Riecken, E. O. (1994): Cell differentiation and proliferation in the gastrointestinal tract with respect to the local immune system. *Ann NY Acad Sci* **733**, 75-86.