

6 Referenzen

- Alle, H. and J. R. Geiger (2006). "Combined analog and action potential coding in hippocampal mossy fibers." *Science* 311(5765): 1290-3.
- Altman, J. and G. D. Das (1965). "Autoradiographic and histological evidence of postnatal hippocampal neurogenesis in rats." *J Comp Neurol* 124(3): 319-35.
- Andersen, P., T. V. Bliss, et al. (1971). "Unit analysis of hippocampal population spikes." *Exp Brain Res* 13(2): 208-21.
- Bagri, A., H. J. Cheng, et al. (2003). "Stereotyped pruning of long hippocampal axon branches triggered by retraction inducers of the semaphorin family." *Cell* 113(3): 285-99.
- Barnea, A. and F. Nottebohm (1994). "Seasonal recruitment of hippocampal neurons in adult free-ranging black-capped chickadees." *Proc Natl Acad Sci U S A* 91(23): 11217-21.
- Ben-Ari, Y. (2001). "Cell death and synaptic reorganizations produced by seizures." *Epilepsia* 42(Suppl 3): 5-7.
- Bengzon, J., Z. Kokaia, et al. (1997). "Apoptosis and proliferation of dentate gyrus neurons after single and intermittent limbic seizures." *Proc. Natl. Acad. Sci. USA* 94: 10432-10437.
- Blackstad, T. W., K. Brink, et al. (1970). "Distribution of hippocampal mossy fibers in the rat. An experimental study with silver impregnation methods." *J Comp Neurol* 138(4): 433-49.
- Bliss, T. V. and T. Lomo (1973). "Long-lasting potentiation of synaptic transmission in the dentate area of the anaesthetized rabbit following stimulation of the perforant path." *J Physiol* 232(2): 331-56.
- Brandt, M. D., S. Jessberger, et al. (2003). "Transient calretinin expression defines early postmitotic step of neuronal differentiation in adult hippocampal neurogenesis of mice." *Mol Cell Neurosci* 24(3): 603-13.
- Brezun, J. M. and A. Daszuta (1999). "Depletion in serotonin decreases neurogenesis in the dentate gyrus and the subventricular zone of adult rats." *Neuroscience* 89(4): 999-1002.

- Brezun, J. M. and A. Daszuta (2000). "Serotonin may stimulate granule cell proliferation in the adult hippocampus, as observed in rats grafted with foetal raphe neurons." *Eur. J. Neurosci.* 12: 391-396.
- Buckmaster, P. S. and F. E. Dudek (1997). "Neuron loss, granule cell axon reorganization, and functional changes in the dentate gyrus of epileptic kainate-treated rats." *J Comp Neurol* 385(3): 385-404.
- Buckmaster, P. S., B. W. Strowbridge, et al. (1993). "A comparison of rat hippocampal mossy cells and CA3c pyramidal cells." *J Neurophysiol* 70(4): 1281-99.
- Buckmaster, P. S., G. F. Zhang, et al. (2002). "Axon sprouting in a model of temporal lobe epilepsy creates a predominantly excitatory feedback circuit." *J Neurosci* 22(15): 6650-8.
- Cameron, H. A. and R. D. McKay (1999). "Restoring production of hippocampal neurons in old age." *Nat Neurosci* 2(10): 894-7.
- Cameron, H. A. and R. D. McKay (2001). "Adult neurogenesis produces a large pool of new granule cells in the dentate gyrus." *J Comp Neurol* 435(4): 406-17.
- Chedotal, A., J. A. Del Rio, et al. (1998). "Semaphorins III and IV repel hippocampal axons via two distinct receptors." *Development* 125(21): 4313-23.
- Chen, H., A. Bagri, et al. (2000). "Neuropilin-2 regulates the development of selective cranial and sensory nerves and hippocampal mossy fiber projections." *Neuron* 25(1): 43-56.
- Chicurel, M. E. and K. M. Harris (1992). "Three-dimensional analysis of the structure and composition of CA3 branched dendritic spines and their synaptic relationships with mossy fiber boutons in the rat hippocampus." *J Comp Neurol* 325(2): 169-82.
- Claiborne, B. J., D. G. Amaral, et al. (1986). "A light and electron microscopic analysis of the mossy fibers of the rat dentate gyrus." *J Comp Neurol* 246(4): 435-58.

- Crusio, W. E. and H. Schwegler (1987). "Hippocampal mossy fiber distribution covaries with open-field habituation in the mouse." *Behav Brain Res* 26(2-3): 153-8.
- Crusio, W. E., H. Schwegler, et al. (1993). "Covariations between hippocampal mossy fibres and working and reference memory in spatial and non-spatial radial maze tasks in mice." *Eur J Neurosci* 5(10): 1413-20.
- Crusio, W. E., H. Schwegler, et al. (1987). "Radial-maze performance and structural variation of the hippocampus in mice: a correlation with mossy fibre distribution." *Brain Res* 425(1): 182-5.
- Deisseroth, K. and R. C. Malenka (2005). "GABA excitation in the adult brain: a mechanism for excitation- neurogenesis coupling." *Neuron* 47(6): 775-7.
- Deisseroth, K., S. Singla, et al. (2004). "Excitation-neurogenesis coupling in adult neural stem/progenitor cells." *Neuron* 42(4): 535-52.
- Dudek, F. E. and M. Spitz (1997). "Hypothetical mechanisms for the cellular and neurophysiologic basis of secondary epileptogenesis: proposed role of synaptic reorganization." *J Clin Neurophysiol* 14(2): 90-101.
- Enoki, R., T. Kiuchi, et al. (2004). "NMDA receptor-mediated depolarizing after-potentials in the basal dendrites of CA1 pyramidal neurons." *Neurosci Res* 48(3): 325-33.
- Eriksson, P. S., E. Perfilieva, et al. (1998). "Neurogenesis in the adult human hippocampus." *Nat Med* 4(11): 1313-7.
- Esposito, M. S., V. C. Piatti, et al. (2005). "Neuronal differentiation in the adult hippocampus recapitulates embryonic development." *J Neurosci* 25(44): 10074-86.
- Gall, C. (1984). "Ontogeny of dynorphin-like immunoreactivity in the hippocampal formation of the rat." *Brain Res* 307(1-2): 327-31.
- Gall, C., N. Brecha, et al. (1981). "Localization of enkephalin-like immunoreactivity to identified axonal and neuronal populations of the rat hippocampus." *J Comp Neurol* 198(2): 335-50.
- Ge, S., E. L. Goh, et al. (2005). "GABA regulates synaptic integration of newly generated neurons in the adult brain." *Nature*.

- Gonzales, R. B., C. J. DeLeon Galvan, et al. (2001). "Distribution of thorny excrescences on CA3 pyramidal neurons in the rat hippocampus." *J Comp Neurol* 430(3): 357-68.
- Gould, E., A. J. Reeves, et al. (1999). "Hippocampal neurogenesis in adult Old World primates." *Proc Natl Acad Sci U S A* 96(9): 5263-7.
- Gould, E. and P. Tanapat (1999). "Stress and hippocampal neurogenesis." *Biol Psychiatry* 46(11): 1472-9.
- Gould, E., P. Tanapat, et al. (1998). "Proliferation of granule cell precursors in the dentate gyrus of adult monkeys is diminished by stress." *Proc. Natl. Acad. Sci. USA* 95: 3168-3171.
- Gray, W. P. and L. E. Sundstrom (1998). "Kainic acid increases the proliferation of granule cell progenitors in the dentate gyrus of the adult rat." *Brain Res* 790(1-2): 52-9.
- Hastings, N. B. and E. Gould (1999). "Rapid extension of axons into the CA3 region by adult-generated granule cells." *J Comp Neurol* 413(1): 146-54.
- Helmstaedter, C. (2002). "Effects of chronic epilepsy on declarative memory systems." *Prog Brain Res* 135: 439-53.
- Henn, F. A. and B. Vollmayr (2004). "Neurogenesis and depression: etiology or epiphenomenon?" *Biol Psychiatry* 56(3): 146-50.
- Hinds, J. W. (1968). "Autoradiographic study of histogenesis in the mouse olfactory bulb. I. Time of origin of neurons and neuroglia." *J Comp Neurol* 134(3): 287-304.
- Hinds, J. W. (1968). "Autoradiographic study of histogenesis in the mouse olfactory bulb. II. Cell proliferation and migration." *J Comp Neurol* 134(3): 305-22.
- Jessberger, S., B. Romer, et al. (2005). "Seizures induce proliferation and dispersion of doublecortin-positive hippocampal progenitor cells." *Exp Neurol* 196(2): 342-51.
- Jin, K., M. Minami, et al. (2001). "Neurogenesis in dentate subgranular zone and rostral subventricular zone after focal cerebral ischemia in the rat." *Proc Natl Acad Sci U S A* 98(8): 4710-5.

- Jones, S. P., O. Rahimi, et al. (2003). "Maturation of granule cell dendrites after mossy fiber arrival in hippocampal field CA3." *Hippocampus* 13(3): 413-27.
- Kaplan, M. S. and J. W. Hinds (1977). "Neurogenesis in the adult rat: electron microscopic analysis of light radioautographs." *Science* 197(4308): 1092-4.
- Kempermann, G., E. J. Chesler, et al. (2006). "Natural variation and genetic covariance in adult hippocampal neurogenesis." *Proc Natl Acad Sci U S A* 103(3): 780-5.
- Kempermann, G. and F. H. Gage (2002). "Genetic determinants of adult hippocampal neurogenesis correlate with acquisition, but not probe trial performance, in the water maze task." *Eur J Neurosci* 16(1): 129-36.
- Kempermann, G., D. Gast, et al. (2002). "Neuroplasticity in old age: sustained fivefold induction of hippocampal neurogenesis by long-term environmental enrichment." *Ann Neurol* 52(2): 135-43.
- Kempermann, G. and G. Kronenberg (2003). "Depressed new neurons--adult hippocampal neurogenesis and a cellular plasticity hypothesis of major depression." *Biol Psychiatry* 54(5): 499-503.
- Kempermann, G., H. G. Kuhn, et al. (1997). "More hippocampal neurons in adult mice living in an enriched environment." *Nature* 386(6624): 493-5.
- Kempermann, G., H. G. Kuhn, et al. (1998). "Experience-induced neurogenesis in the senescent dentate gyrus." *J Neurosci* 18(9): 3206-12.
- Kornack, D. R. and P. Rakic (1999). "Continuation of neurogenesis in the hippocampus of the macaque monkey." *Proc. Natl. Acad. Sci. USA* 96: 5768-5773.
- Kornack, D. R. and P. Rakic (2001). "Cell proliferation without neurogenesis in adult primate neocortex." *Science* 294(5549): 2127-30.
- Kotti, T., P. J. Riekkinen, Sr., et al. (1997). "Characterization of target cells for aberrant mossy fiber collaterals in the dentate gyrus of epileptic rat." *Exp Neurol* 146(2): 323-30.

- Kronenberg, G., A. Bick-Sander, et al. (2005). "Physical exercise prevents age-related decline in precursor cell activity in the mouse dentate gyrus." *Neurobiol Aging*.
- Kronenberg, G., K. Reuter, et al. (2003). "Subpopulations of proliferating cells of the adult hippocampus respond differently to physiologic neurogenic stimuli." *J Comp Neurol* 467(4): 455-63.
- Kuhn, H. G., H. Dickinson-Anson, et al. (1996). "Neurogenesis in the dentate gyrus of the adult rat: age-related decrease of neuronal progenitor proliferation." *J Neurosci* 16(6): 2027-33.
- Lee, D. W., L. E. Miyasato, et al. (1998). "Neurobiological bases of spatial learning in the natural environment: neurogenesis and growth in the avian and mammalian hippocampus." *Neuroreport* 9(7): R15-27.
- Lipp, H. P., H. Schwegler, et al. (1989). "Using genetically-defined rodent strains for the identification of hippocampal traits relevant for two-way avoidance behavior: a non-invasive approach." *Experientia* 45(9): 845-59.
- Lipp, H. P., H. Schwegler, et al. (1988). "Infrapyramidal mossy fibers and two-way avoidance learning: developmental modification of hippocampal circuitry and adult behavior of rats and mice." *J Neurosci* 8(6): 1905-21.
- Liu, X. B., L. K. Low, et al. (2005). "Stereotyped axon pruning via plexin signaling is associated with synaptic complex elimination in the hippocampus." *J Neurosci* 25(40): 9124-34.
- Maguire, E. A., R. S. Frackowiak, et al. (1997). "Recalling routes around london: activation of the right hippocampus in taxi drivers." *J Neurosci* 17(18): 7103-10.
- Maguire, E. A., D. G. Gadian, et al. (2000). "Navigation-related structural change in the hippocampi of taxi drivers." *Proc Natl Acad Sci U S A* 97(8): 4398-403.
- Malberg, J. E. (2004). "Implications of adult hippocampal neurogenesis in antidepressant action." *J Psychiatry Neurosci* 29(3): 196-205.

- Malberg, J. E., A. J. Eisch, et al. (2000). "Chronic antidepressant treatment increases neurogenesis in adult rat hippocampus." *J Neurosci* 20(24): 9104-10.
- Markakis, E. A. and F. H. Gage (1999). "Adult-generated neurons in the dentate gyrus send axonal projections to field CA3 and are surrounded by synaptic vesicles." *J Comp Neurol* 406(4): 449-60.
- McKhann, G. M., 2nd, H. J. Wenzel, et al. (2003). "Mouse strain differences in kainic acid sensitivity, seizure behavior, mortality, and hippocampal pathology." *Neuroscience* 122(2): 551-61.
- Megias, M., Z. Emri, et al. (2001). "Total number and distribution of inhibitory and excitatory synapses on hippocampal CA1 pyramidal cells." *Neuroscience* 102(3): 527-40.
- Morris, R. (1984). "Developments of a water-maze procedure for studying spatial learning in the rat." *J Neurosci Methods* 11(1): 47-60.
- Morris, R. G., E. Anderson, et al. (1986). "Selective impairment of learning and blockade of long-term potentiation by an N-methyl-D-aspartate receptor antagonist, AP5." *Nature* 319(6056): 774-6.
- Morris, R. G., P. Garrud, et al. (1982). "Place navigation impaired in rats with hippocampal lesions." *Nature* 297(5868): 681-3.
- Mullen, R. J., C. R. Buck, et al. (1992). "NeuN, a neuronal specific nuclear protein in vertebrates." *Development* 116(1): 201-11.
- Nadler, J. V. and G. J. Cuthbertson (1980). "Kainic acid neurotoxicity toward hippocampal formation: dependence on specific excitatory pathways." *Brain Res* 195(1): 47-56.
- Nakagawa, E., Y. Aimi, et al. (2000). "Enhancement of progenitor cell division in the dentate gyrus triggered by initial limbic seizures in rat models of epilepsy." *Epilepsia* 41(1): 10-8.
- Nilsson, M., E. Perfilieva, et al. (1999). "Enriched environment increases neurogenesis in the adult rat dentate gyrus and improves spatial memory." *J Neurobiol* 39(4): 569-78.
- Nottebohm, F. (1989). "From bird song to neurogenesis." *Sci Am* 260(2): 74-9.

- Nottebohm, F. (2002). "Neuronal replacement in adult brain." *Brain Res Bull* 57(6): 737-49.
- Nottebohm, F., A. Alvarez-Buylla, et al. (1990). "Song learning in birds: the relation between perception and production." *Philos Trans R Soc Lond B Biol Sci* 329(1253): 115-24.
- Nowakowski, R. S., S. B. Lewin, et al. (1989). "Bromodeoxyuridine immunohistochemical determination of the lengths of the cell cycle and the DNA-synthetic phase for an anatomically defined population." *J. Neurocytol.* 18(3): 311-8.
- O'Keefe, J. (1976). "Place units in the hippocampus of the freely moving rat." *Exp Neurol* 51(1): 78-109.
- Okazaki, M. M., P. Molnar, et al. (1999). "Recurrent mossy fiber pathway in rat dentate gyrus: synaptic currents evoked in presence and absence of seizure-induced growth." *J Neurophysiol* 81(4): 1645-60.
- Overstreet, L. S., S. T. Hentges, et al. (2004). "A transgenic marker for newly born granule cells in dentate gyrus." *J Neurosci* 24(13): 3251-9.
- Overstreet Wadiche, L., D. A. Bromberg, et al. (2005). "GABAergic signaling to newborn neurons in dentate gyrus." *J Neurophysiol* 94(6): 4528-32.
- Overstreet-Wadiche, L. S., A. L. Bensen, et al. (2006). "Delayed development of adult-generated granule cells in dentate gyrus." *J Neurosci* 26(8): 2326-34.
- Overstreet-Wadiche, L. S. and G. L. Westbrook (2006). "Functional maturation of adult-generated granule cells." *Hippocampus* 16(3): 208-15.
- Palmer, T. D., A. R. Willhoite, et al. (2000). "Vascular niche for adult hippocampal neurogenesis." *J Comp Neurol* 425(4): 479-94.
- Parent, J. M. (2002). "The role of seizure-induced neurogenesis in epileptogenesis and brain repair." *Epilepsy Res* 50(1-2): 179-89.
- Parent, J. M., S. Janumpalli, et al. (1998). "Increased dentate granule cell neurogenesis following amygdala kindling in the adult rat." *Neurosci Lett* 247(1): 9-12.

- Parent, J. M., T. W. Yu, et al. (1997). "Dentate granule cell neurogenesis is increased by seizures and contributes to aberrant network reorganization in the adult rat hippocampus." *J Neurosci* 17(10): 3727-38.
- Pleasure, S. J., A. E. Collins, et al. (2000). "Unique expression patterns of cell fate molecules delineate sequential stages of dentate gyrus development." *J Neurosci* 20(16): 6095-105.
- Pleskacheva, M. G., D. P. Wolfer, et al. (2000). "Hippocampal mossy fibers and swimming navigation learning in two vole species occupying different habitats." *Hippocampus* 10(1): 17-30.
- Pyapali, G. K., A. Sik, et al. (1998). "Dendritic properties of hippocampal CA1 pyramidal neurons in the rat: intracellular staining in vivo and in vitro." *J Comp Neurol* 391(3): 335-52.
- Represa, A. and Y. Ben-Ari (1992). "Kindling is associated with the formation of novel mossy fibre synapses in the CA3 region." *Exp Brain Res* 92(1): 69-78.
- Ribak, C. E., L. Seress, et al. (1985). "The development, ultrastructure and synaptic connections of the mossy cells of the dentate gyrus." *J Neurocytol* 14(5): 835-57.
- Rosenzweig, M. R. (1966). "Environmental complexity, cerebral change, and behavior." *Am. Psychol.* 21(4): 321-32.
- Rosenzweig, M. R. and E. L. Bennett (1996). "Psychobiology of plasticity: effects of training and experience on brain and behavior." *Behav. Brain Res.* 78(1): 57-65.
- Santarelli, L., M. Saxe, et al. (2003). "Requirement of hippocampal neurogenesis for the behavioral effects of antidepressants." *Science* 301(5634): 805-9.
- Scharff, C., J. R. Kirn, et al. (2000). "Targeted neuronal death affects neuronal replacement and vocal behavior in adult songbirds [see comments]." *Neuron* 25(2): 481-92.
- Scharfman, H. E. (2004). "Functional implications of seizure-induced neurogenesis." *Adv Exp Med Biol* 548: 192-212.

- Scharfman, H. E., J. H. Goodman, et al. (2000). "Granule-like neurons at the hilar/CA3 border after status epilepticus and their synchrony with area CA3 pyramidal cells: functional implications of seizure-induced neurogenesis." *J Neurosci* 20(16): 6144-58.
- Scharfman, H. E., D. D. Kunkel, et al. (1990). "Synaptic connections of dentate granule cells and hilar neurons: results of paired intracellular recordings and intracellular horseradish peroxidase injections." *Neuroscience* 37(3): 693-707.
- Scharfman, H. E., A. L. Sollas, et al. (2003). "Electrophysiological evidence of monosynaptic excitatory transmission between granule cells after seizure-induced mossy fiber sprouting." *J Neurophysiol* 90(4): 2536-47.
- Schmidt-Hieber, C., P. Jonas, et al. (2004). "Enhanced synaptic plasticity in newly generated granule cells of the adult hippocampus." *Nature* 429(6988): 184-7.
- Schopke, R., D. P. Wolfer, et al. (1991). "Swimming navigation and structural variations of the infrapyramidal mossy fibers in the hippocampus of the mouse." *Hippocampus* 1(3): 315-28.
- Schwegler, H. and W. E. Crusio (1995). "Correlations between radial-maze learning and structural variations of septum and hippocampus in rodents." *Behav Brain Res* 67(1): 29-41.
- Schwegler, H., W. E. Crusio, et al. (1990). "Hippocampal mossy fibers and radial-maze learning in the mouse: a correlation with spatial working memory but not with non-spatial reference memory." *Neuroscience* 34(2): 293-8.
- Scott, B. W., S. Wang, et al. (1998). "Kindling-induced neurogenesis in the dentate gyrus of the rat." *Neurosci Lett* 248(2): 73-6.
- Scoville, W. B. and B. Milner (1957). "Loss of recent memory after bilateral hippocampal lesions." *J Neurochem* 20(1): 11-21.
- Seki, T. and Y. Arai (1991). "The persistent expression of a highly polysialylated NCAM in the dentate gyrus of the adult rat." *Neurosci. Res.* 12: 503-513.

- Seki, T. and Y. Arai (1993). "Highly polysialylated neural cell adhesion molecule (NCAM-H) is expressed by newly generated granule cells in the dentate gyrus of the adult rat." *J Neurosci* 13(6): 2351-8.
- Seri, B., J. M. Garcia-Verdugo, et al. (2001). "Astrocytes give rise to new neurons in the adult mammalian hippocampus." *J Neurosci* 21(18): 7153-60.
- Seroogy, K. B., L. Seress, et al. (1983). "Ultrastructure of commissural neurons of the hilar region in the hippocampal dentate gyrus." *Exp Neurol* 82(3): 594-608.
- Silver, L. M. (1995). *Mouse genetics*. New York, Oxford University Press.
- Sloviter, R. S. (1994). "The functional organization of the hippocampal dentate gyrus and its relevance to the pathogenesis of temporal lobe epilepsy." *Ann Neurol* 35(6): 640-54.
- Sloviter, R. S., M. A. Dichter, et al. (1996). "Basal expression and induction of glutamate decarboxylase and GABA in excitatory granule cells of the rat and monkey hippocampal dentate gyrus." *J Comp Neurol* 373(4): 593-618.
- Smulders, T. V., A. D. Sasson, et al. (1995). "Seasonal variation in hippocampal volume in a food-storing bird, the black-capped chickadee." *J Neurobiol* 27(1): 15-25.
- Stanfield, B. B. and J. E. Trice (1988). "Evidence that granule cells generated in the dentate gyrus of adult rats extend axonal projections." *Exp Brain Res* 72(2): 399-406.
- Storm-Mathisen, J. and F. Fonnum (1972). "Localization of transmitter candidates in the hippocampal region." *Prog Brain Res* 36: 41-58.
- Tanapat, P., L. A. Galea, et al. (1998). "Stress inhibits the proliferation of granule cell precursors in the developing dentate gyrus." *Int J Dev Neurosci* 16(3-4): 235-9.
- Taylor, B. A. (1989). Recombinant inbred strains. Genetic variants and strains of laboratory mice.: 773 - 789.
- Tessier-Lavigne, M. and C. S. Goodman (1996). "The molecular biology of axon guidance." *Science* 274(5290): 1123-33.

- Tozuka, Y., S. Fukuda, et al. (2005). "GABAergic excitation promotes neuronal differentiation in adult hippocampal progenitor cells." *Neuron* 47(6): 803-15.
- van Daal, J. H., B. G. Jenks, et al. (1991). "A genetic-correlational study of hippocampal neurochemical variation and variation in exploratory activities of mice." *Behav Brain Res* 43(1): 65-72.
- van Praag, H., B. R. Christie, et al. (1999). "Running enhances neurogenesis, learning, and long-term potentiation in mice." *Proc Natl Acad Sci U S A* 96(23): 13427-31.
- van Praag, H., G. Kempermann, et al. (1999). "Running increases cell proliferation and neurogenesis in the adult mouse dentate gyrus." *Nat Neurosci* 2(3): 266-70.
- van Praag, H., A. F. Schinder, et al. (2002). "Functional neurogenesis in the adult hippocampus." *Nature* 415(6875): 1030-4.
- Wang, L. P., G. Kempermann, et al. (2005). "A subpopulation of precursor cells in the mouse dentate gyrus receives synaptic GABAergic input." *Mol Cell Neurosci* 29(2): 181-9.
- Wiskott, L., M. J. Rasch, et al. (2006). "A functional hypothesis for adult hippocampal neurogenesis: avoidance of catastrophic interference in the dentate gyrus." *Hippocampus* 16(3): 329-43.
- Wuarin, J. P. and F. E. Dudek (1996). "Electrographic seizures and new recurrent excitatory circuits in the dentate gyrus of hippocampal slices from kainate-treated epileptic rats." *J Neurosci* 16(14): 4438-48.
- Zhang, R., L. Zhang, et al. (2001). "A nitric oxide donor induces neurogenesis and reduces functional deficits after stroke in rats." *Ann Neurol* 50(5): 602-11.