

F. LITERATURVERZEICHNIS

- (1) Andrew, M., Carter, C., O'Broovich, H., Heigenhauser, G.
Increase in factor VIII complex and fibrinolytic activity are dependent on exercise intensity.
J. Appl. Physiol. 60: 1917-22 (1986)
- (2) Arai, M., Yorifuji, H., Ikematsu, S., et al.
Influences of strenuous exercise on blood coagulation and fibrinolytic system.
Thromb. Res. 57: 465-471 (1990)
- (3) Astrup, T.
Fibrinolysis in the organism.
Blood 11: 781-806 (1956)
- (4) Astrup, T.
The biological significance of fibrinolysis.
Lancet II: 565-568 (1956)
- (5) Astrup, T.
The haemostatic balance.
Thromb. Diath. Haemorrh. 2: 347-356 (1958)
- (6) Baader, E.W. (Hrsg.)
Handbuch der gesamten Arbeitsmedizin
Urban und Schwarzenberg, Berlin Band 1 (1961)
- (7) Bain, B., Forster, T.
A sex difference in the bleeding time
Thromb. Haemost. 43:131-132 (1980)
- (8) Bartsch, P., Haeberli, A., Straub, P.W.
Blood coagulation after long distance running: antithrombin III prevents fibrin formation.
Thromb. Hemost. 63: 430-434 (1990)
- (9) Bartsch, P., Welsch, B., Albert, M., Friedman, B., Levi, M., Kruithof, E.K.O.
Balanced activation of coagulation and fibrinolysis after a 2-h triathlon.
Med. Sci. Sports Exerc. 27: 1465-1470 (1995)

-
- (10) Biggs, R., Macfarlane, R.G., Pilling, J.
Observations on fibrinolysis. Experimental activity produced by exercise or adrenaline
Lancet I: 402-405 (1947)
- (11) Boman, K., Hellstein, G., Bruce, A., Hallmans, G., Nilsson, T.K.
Endurance physical activity, diet and fibrinolysis
Atherosclerosis 106: 65-74 (1994)
- (12) Bortz, J.,
Statistik für Sozialwissenschaftler
Berlin, Heidelberg: 36-42 (1993)
- (13) Bortz, J., Lienert, G., Boehnke, K.
Verteilungsfreie Methoden in der Biostatistik
Berlin, Heidelberg: 259-267 (1990)
- (14) Britten, M.B., Schächinger, V.
Bedeutung der Endothelfunktion für ischämische Manifestationen der koronaren Atherosklerose
Herz 23: 97-105 (1998)
- (15) Brodgen, R.N., Speight, T.M., Avery, G.S.
Streptokinase: a review of its clinical pharmacology mechanism of action and therapeutic uses.
Drugs 5: 357–445 (1973)
- (16) Brommer, E.J.P., Barrett-Bergshoeff, M.M., Allen, R.A., Schicht, I., Bertina, R.M., Schalekamp, M.A.D.H.
The use of desmopressin (DDAVP) as a test of the fibrinolytic capacity of patients – analysis of responders and non-responders
Thromb. Haemost. 48: 156 161 (1982)
- (17) Brosius, G., Brosius, F.
SPSS. Base system and professional statistics
Bonn, Albany: 657 (1996)
- (18) Brown, L.F., Berse, B., Jackman, R.W., Tognazzi, K. et al.
Expression of vascular permeability factor (vascular endothelial growth factor) and its receptors in adenocarcinomas of the gastrointestinal tract
Cancer Res. 53:4727-4735 (1993)

-
- (19) Brown, L.F., Berse, B., Jackman, R.W., Tognazzi, K. et al.
Increased expression of vascular permeability factor (vascular endothelial growth factor) and its receptors in kidney and bladder carcinomas
Am. J. Pathol. 143:1255-1262 (1993)
- (20) Brown, L., Berse, B., Jackman, R., Tognazzi, K. et al.
Expression of vascular permeability factor (vascular endothelial growth factor) and its receptors in breast cancer
Hum. Pathol. 26:86-91 (1995)
- (21) Budzynski, A.Z. et al.
Antigenic markers on fragment DD, a unique plasmonic derivative of human crosslinked fibrin.
Blood 54: 794 (1979)
- (22) Cadroy, Y., Daviaud, P., Saivin, S., Sie, P., Boneu, B.
Distribution of 16 hemostatic laboratory variables assayed in 100 blood donors
Nouveau Rev. Fr. Hematol. 32: 259-264 (1990)
- (23) Carson, S.D., Johnson, D.R.
Consecutive enzyme cascade: complement activation at the cell surface triggers increased tissue factor activity
Blood 76(2):361-367 (1990)
- (24) Cash, J.D., Woodfield, D.G., Allan, A.G.E.
Adrenergic mechanisms in the systemic plasminogen activator response to adrenaline in man
Brit. J. Haematol. 18: 487-494 (1970)
- (25) Chandler, W. L., Veith, R. C. et al.
Fibrinolytic response during exercise and epinephrine infusion in the same subjects
JACC Vol.19(7): 1412-1420 (1992)
- (26) Clauß, G., Finze, F.-R., Partzsch, L.
Statistik für Soziologen, Pädagogen, Sozialwissenschaftler und Mediziner
Thun, Frankfurt am Main: 41 (1995)

-
- (27) Cohen, R.J., Epstein, S.E., Cohen, S.L., Dennis, L.H.
Alterations in blood fibrinolysis and blood coagulation induced by exercise
and the role of beta-adrenergic receptor stimulation.
Lancet II: 1264-1266 (1968)
- (28) Collen, D.
On the regulation and control of fibrinolysis.
Thromb. Haemost. 43: 77-89 (1980)
- (29) Collen, D., Semeraro, N., Tricot, J.P., Vermeylen, J.
Turnover of fibrinogen, plasminogen and prothrombin during exercise in
man
J. Appl. Physiol. 42: 865-873 (1977)
- (30) Crowell, J.W., Houston, B.
Effect of acidity on blood coagulation
Am. J. Physiol. 201: 379-382 (1961)
- (31) Davie, E.W., Ratnoff O.D.
Waterfall sequence for intrinsic blood clotting.
Science 145: 1310-1312 (1964)
- (32) Davis, G.L., Abidgaard, C.F., Bernauer, E.M., Britton, M.
Fibrinolytic and hemostatic changes during and after maximal exercise in
males
J. Appl. Physiol. 40: 287-292 (1976)
- (33) Deetjen, C., Herold, M., Villiger, B., Frey, W. et al.
Time course of neopterin and cytokines after an ultramarathon run at
moderate altitude (abstract)
Pteridines 8:29 (1997)
- (34) De Wood, M.A., Spores, J., Notske, R., Mouser, L.T., Burroughs, R.,
Golden, M.S., Lang, H.T.
Prevalence of total coronary occlusion during the early hours of transmural
myocardial infarction.
New Engl. J. Med. 303: 897-902 (1980)
- (35) Diem, C., Mörl, H., Schettler, G.
Beeinflussung von Blutgerinnung und Fibrinolyse durch körperliche
Aktivität
Klin. Wschr. 62: 299-302 (1984)

-
- (36) Diethorn, M.L., Weld, L.M.
Physiologic mechanisms of hemostasis and fibrinolysis
J. Cardiovasc. Nurs. 4(1):1-10 (1989)
- (37) Egeberg, O.
The effect of exercise on the blood clotting system.
Scand. J. clin. Lab. Invest. 15: 8-13 (1963)
- (38) El-Sayed, M.S.
Effects of high and low intensity aerobic conditioning programs on blood
fibrinolysis and lipid profile
Blood Coagul. Fibrinol. 7: 484-490 (1996)
- (39) El-Sayed, M.S., Lin, X., Rattu, A.J.M.
Blood coagulation and fibrinolysis at rest and in response to maximal
exercise before and after a physical conditioning programme.
Blood Coagul. Fibrinol. 6: 747-752 (1996)
- (40) Ernst, E.
Plasma fibrinogen. An independent cardiovascular risk factor.
Int. J. Med. 227: 365-372 (1990)
- (41) Ernst, E., Sturmvoll, M., Magyarcosi, I.
"Sportanämie" – Wohin verschwinden die Erythrozyten?
Dtsch Zeitschr Sportmedizin 39: 476-480 (1988)
- (42) Estelles, A., Aznar, J., Tormo, G., Sapena, P., Tormo, V., Espana, F.
Influence of a rehabilitation sports programme on the fibrinolytic activity of
patients after myocardial infarction.
Thromb. Res. 55:203-212 (1989)
- (43) Ferguson, E.W., Barr, C.F., Bernier, L.L.
Fibrinogenolysis and fibrinolysis with strenuous exercise
J. appl. Physiol. 47: 1157-1161 (1979)
- (44) Ferguson, E.W., Bernier, L.L., Banta, G.R., Yu-Yahiro, J., Schoomaker,
E.B.
Effects of exercise and conditioning on clotting and fibrinolytic activity in
men.
J. Appl. Physiol. 62: 1416-1421 (1987)

-
- (45) Gaehtgens, P.
Physiologie des Blutes
In: Deetjen/Speckmann
Physiologie
Urban & Schwarzenberg Verlag 261-290 (1992)
- (46) Gaffney, P.J.
Fibrinolysis.
In: Bloom, A.L., Thomas, D.P. (eds);
Haemostasis and Thrombosis. Churchill Livingstone Edinburgh London
Melbourne New York: pp. 223-244 (1987)
- (47) Gaffney, P.J., Edgell, T.A., Whitton, C.M.
The haemostatic balance – Astrup revisited
Haemostasis 29: 58-71 (1999)
- (48) Gaffney, P.J., Longstaff, C.
An overview of fibrinolysis.
In: Bloom, A.L., Forbes, C.D., Duncan, T.P., Tuddenham, E.G.D. (eds)
Haemostasis and Thrombosis. Churchill Livingstone, Edinburgh Volume I,
Third Edition 549 – 573 (1994)
- (49) Giansante, C., Fiotti, N., Cattin, L. et al.
Fibrinogen, D-Dimer and Thrombin-Antithrombin complexes in a random
population sample: relationships with other cardiovascular risks factors
Thromb. Haemost. 71(5): 581-6 (1994)
- (50) Guggenmoos-Holzmänn, I., Wernecke, K.-D.
Medizinische Statistik
Berlin, Wien: 56-60, 96 (1995)
- (51) Gunga, H.C., Kirsch, K., Röcker, L., Behn, C. et al.
Vascular endothelial growth factor in exercising humans under different
environmental conditions
Eur. J. Appl. Physiol. 79(6): 484-490 (1999)
- (52) Handa, K., Terao, Y., Mori, T., et al.
Different coagulability and fibrinolytic activity during exercise depending on
exercise intensities
Thromb. Res. 66: 613-616 (1992)

-
- (53) Hansen, J. B., Wilsgard, L., Olsen, J. O., Osterud, B.
Formation and persistence of procoagulant and fibrinolytic activities in circulation after strenuous physical exercise.
Thromb. Hemost. 64: 385-389 (1990)
- (54) Hecker, H.
Auswahl, Anwendung und Interpretation statistischer Tests. Medizinische Hochschule Hannover. Institut für Biometrie. (1997)
<http://www.mh-hannover.de/institut/biometrie/Scripte/Tests/swtest7.html>
- (55) Hecker, H.
Multiples Testen in klinischen Studien – Grundlagen und Anwendungen. Sommersemester 1974. Medizinische Hochschule Hannover. Institut für Biometrie.
<http://www.mh-hannover.de/institut/biometrie/Scripte/Multest/multest5.pdf>
- (56) Hedlin, A.M., Milojewic, S., Korey, A.;
Hemostatic changes induced by exercise during oral contraceptive use.
Can. J. Physiol. Pharmacol. 56: 316-320 (1978)
- (57) Hedlin, A.M., Milojewic, S., Korey, A.;
Plasminogen activator levels in plasma and urine during exercise and oral contraceptive use.
Thromb. Haemost. 39: 743-750 (1978)
- (58) Hedner, U., Nilsson, I.M.
Acquired anticoagulants against factors XI and XII in patients with severe thrombotic disease
16th Internat. Congr. of Haematol., Kyoto/Japan, abstract 8-88: 341 (1976)
- (59) Heits, F.H., Katschinski, D.M., Wiedemann, G.J. et al.
Serum vascular endothelial growth factor (VEGF), a prognostic indicator in sarcoma and carcinoma patients
Int. J. Oncol. 10:333-337 (1997)
- (60) Herren, T., Bartsch, P., Haeberli, A., Straub, P.W.
Increased thrombin-antithrombin III complexes after 1h of physical exercise.
J. Appl. Physiol. 73: 2499-2504 (1992)

-
- (61) Hoylaerts, M., Rijken, D.C., Lijnen, H.R., Collen, D.
Kinetics of the activation of plasminogen by human tissue plasminogen activator.
J. Biol. Chem. 257: 2912 – 2919 (1982)
- (62) Huisveld, I.D., Hospers, A.J.H., Bernink, M.J.E., Erich, B.M., Bouma, B.
The effect of oral contraceptives and exercise on hemostatic and fibrinolytic mechanisms in trained women
Int. J. Sports. Med. 4: 97-103 (1983)
- (63) Huisveld, I.A., Kluft, C., Hospers, A.J.H., Bernink, M.J.E. et al.;
The effect of exercise and oral contraceptive agents on fibrinolytic potential in trained females.
J. Appl. Physiol. 56: 906-913 (1984)
- (64) Iatridis, S.G., Ferguson, J.H.
Effect of physical exercise on blood clotting and fibrinolysis
J. appl. Physiol. 18: 337-344 (1963)
- (65) Jaffe, E.A.
Endothelial Cells
In: Gallin, J.I., Goldstein, M., Snyderman, R. (eds)
Inflammation: basic principles and clinical correlates
New York, Raven Press. 559-576 (1988)
- (66) Jelkmann, W.
Pitfalls in the measurement of circulating vascular endothelial growth factor
Clinical Chemistry 47:4 617-623 (2001)
- (67) Jespersen J., Munkvad, S., Gram J.
Fibrinolyse und Blutgerinnung bei ischämischer Herzerkrankung.
Risikofaktoren und ihre Beziehung zur metabolischen Dysfunktion der Intima der Arterien
Hämostaseologie 11: 189-199 (1991)
- (68) Juhan-Vague, I., Valadier, J., Alessi, M.C., Aillaud, M.F., Ansaldi, J., Philip-
Joet, C., Holvoet, P., Serradimigni, A., Collen, D.
Deficient t-PA release and elevated PA inhibitor levels in Patients with spontaneous or recurrent deep venous thrombosis
Thromb. Haemost. 57: 67-72 (1987)

-
- (69) Keber, D.
On the use of different correction factors for hemoconcentration
Thromb Haemostas 49(3):238 (1983)
- (70) Ketelhut, R.G., Ketelhut, K., Badtke, G. et al.
Fibrinmonomere - Ein früher Indikator kardiovaskulärer Gefährdung bei sportlicher Aktivität.
Dtsch. Z. Sportmed. 46(10):559-564 (1995)
- (71) Kienast, J., Leppelmann, M., van de Loo, J.
Hämostasefaktoren und koronare Herzkrankheit. Fibrinogen, Faktor VII und Plasminogenaktivator-Inhibitor.
Hämostaseologie 11: 172-188 (1991)
- (72) Kleihauer, E., Kohne, E., Rasche, H. (Hrsg.)
Die Hämostase
Medizinische Verlagsgesellschaft, Marburg/Lahn (1981)
- (73) Knudsen, B.S., Harpel, P.C., Nachmann, R.L.
Plasminogen activator inhibitor is associated with the extracellular matrix of cultured bovine smooth muscle cells.
J. of Clin. Invest. 4: 1082-1089 (1987)
- (74) Leschke, M., Strauer, B.E.
Hyperlipoproteinämie und Hyperfibrinogenämie
Hämostaseologie 12:11-16 (1992)
- (75) Lill, H.
Biochemische und physiologische Grundlagen zum Gewebe-Plasminogenaktivator (t-PA)
Z. ges. inn. Med. 42: 478-486 (1987)
- (76) MacCallum, P.K., Cooper, J.A., Howarth, D.J. et al.
Sex differences in the determinants of fibrinolytic activity
Thromb. Haemost. 79:587-590 (1998)
- (77) Mandalaki, T., Dessypris, A., Louizou, C., Bossinakou, I., Panayotopoulou, C., Antonopoulou, A.
Marathon run I. Effects on blood coagulation and fibrinolysis.
Thrombos. and Haemost. 37: 444-450 (1977)

-
- (78) Margaglione, M., Cappucci, G., d'Addeda, M. et al.
PAI-1 plasma levels in a general population without clinical evidence of atherosclerosis
Arterioscler. Thromb. Vasc. Biol. 18: 562-567 (1998)
- (79) Markwardt, F., Klöcking, H.P.
Studies on the release of plasminogen activator
Thromb. Res. 8: 217-223 (1976)
- (80) Meade, T.W.
Gerinnungsfaktoren und ischämische Herzkrankheit. Eine Zusammenfassung der Zusammenhänge und ihrer Bedeutung.
Hämostaseologie 11:167-171 (1991)
- (81) Meyer zum Gottesberge, M., Fuchs, S., Kleyn, M.
Die Ermittlung des Trainingsfaktors bei der Herzfunktionsprüfung durch die Harnkreatininausscheidung und die Blutgerinnungszeit.
Z. klin. Med. 143: 388-395 (1943)
- (82) Minchenko, A., Bauer, T., Salceda, S., Caro, J.
Hypoxic stimulation of vascular endothelial growth factor expression in vivo and in vitro
Lab. Invest. 71:374-379 (1994)
- (83) Mittleman, M.A., Maclure, M., Tofler, G.H., Sherwood, J.B., Goldberg, R.J., Muller, J.E.
Triggering of acute myocardial infarction by heavy exertion – Protection against triggering by regular exertion.
New Engl. J. Med. 329: 1677-1683 (1993)
- (84) Möckel, M., Ulrich, N.-V., Röcker, L. et al.
Exhaustive cycle exercise induces P-Selectin expression, coagulation, and fibrinolysis activation in ultraendurance athletes.
Thromb. Res. 94:263-269 (1999)
- (85) Molz, A.B., Heyduck, B., Lill, H., Spanuth, E., Röcker, L.
The effect of different exercise intensities on the fibrinolytic system.
Eur. J. Appl. Physiol. 67: 298-304 (1993)

-
- (86) Muhlfelder, T.W., Niemetz, J., Kreutzer, D., Beebe, D. et al.
C5 chemotactic fragment induces leukocyte production of tissue factor activity
J. Clin. Invest. 63:147-150 (1979)
- (87) Niewiarowski, S., Proo-Wartelle, D.
Role of the contact factor (Hageman factor) in fibrinolysis.
Thromb. Diath. Haemorrh. 3: 593-603 (1959)
- (88) Nilsson, I.M., Pandolfi, M.
Fibrinolytic response of the vascular wall
Thromb. Diath. Haemorrh. 40: 231-242 (1970)
- (89) Österud, B., Eskeland, T.
The mandatory role of complement in the endotoxin-induced synthesis of tissue thromboplastin in blood monocytes
FEBS Lett 149(1):75-79 (1982)
- (90) Österud, B., Olsen, J.O., Wilsgard, L.
Effect of strenuous exercise on blood monocytes and their relation to coagulation
Med. Sci. Sports. Exerc. 21(4):374-378 (1989)
- (91) Ogston, D.
Contact activation of coagulation
In Poller, L. (ed): Recent Advances in Blood Coagulation
Ed. 2. New York, Churchill Livingstone (1981)
- (92) Plate, K.H., Breier, G., Weich, H.A., Risau, W.
Vascular endothelial growth factor is a potential tumor angiogenesis factor in human gliomas in vivo
Nature 359:845-848 (1992)
- (93) Ponjee, G.A.E., Janssen, G.M.E., Wersch, W.J.
Prolonged exercise and blood coagulation: a 9 month prospective study
Blood Coagul. Fibrinol. 4:21-25 (1993)
- (94) Prisco, D., Paniccia, R., Bandinelli, B. et al.
Evaluation of clotting and fibrinolytic activation after protracted exercise
Thromb. Res. 89: 73-78 (1998)

-
- (95) Prowse, C.V., Cash, J.D.
Physiologic and pharmacologic enhancement of fibrinolysis
Sem. In Thromb. and Haemost. 10: 51-60 (1984)
- (96) Pugh, L.G.C.E., Corbett, J.L., Johnson, R.H.
Rectal temperatures, weight losses and sweat rates in marathon running.
J. Appl. Physiol. 23: 347-352 (1967)
- (97) Rankinen, T., Vaisanen, S., Penttila, I., Rauramaa, R.
Acute dynamic exercise increases fibrinolytic activity
Thromb. Haemost. 73:281-286 (1995)
- (98) Robertson, B.R., Pandolfi, M., Nilsson, I.M.
"Fibrinolytic capacity" in healthy volunteers as estimated from effect of
venous occlusion of the arms
Acta Chir. Scand. 21: 1-8 (1972)
- (99) Röcker, L., Drygas, W.K., Heyduck B.
Blood platelet activation and increase in thrombin activity following a
marathon race.
Europ. J. appl. Physiol. 55: 374-380 (1986)
- (100) Röcker, L., Kirsch, K., Agraval, B.
Long-term observation on plasma antidiuretic hormone levels during and
after heat stress
Eur. J. Appl. Physiol. 40: 59-62 (1982)
- (101) Röcker, L., Kirsch, K., Heyduck, B., Altenkirch, H-U.
Influence of prolonged physical exercise on plasma volume, plasma
proteins, electrolytes and fluid-regulating hormones.
Int. J. Sports Med. 10: 270-274 (1989)
- (102) Röcker, L., Kirsch, K., Stoboy, H.
The influence of heat stress on plasma volume and intravascular proteins
in sedentary females.
Eur. J. Appl. Physiol. 36: 187-192 (1977)
- (103) Röcker, L., Röcker, C.
„Sportanämie“ – Wieviel Blut kostet ein Marathonlauf?
J. Lab. Med. 23(1):6-10 (1999)

-
- (104) Röcker, L., Schmidt, H.M., Junge, B., Hoffmeister, H.
Orthostasebedingte Fehler bei Laboratoriumsbefunden.
Med. Lab. 28: 267-275 (1975)
- (105) Röcker, L., Stiege-Quast, B., Schwandt, H.-J., Quast, J.
Der Einfluß körperlicher Aktivität auf das plasmatische Gerinnungssystem
In: I.-W. Franz, H. Mellerowicz, W. Noack
Training und Sport zur Prävention und Rehabilitation in der technisierten
Umwelt
Springer Verlag Berlin Heidelberg 332-338 (1985)
- (106) Röcker, L., Taenzer, M., Drygas, W.K., Lill, H., Heyduck, B., Altenkirch,
H.U.
Effect of prolonged physical exercise on the fibrinolytic system.
Eur. J. Appl. Physiol. 60: 478-481 (1990)
- (107) Rosing, D.R., Brakman, P., Redwood, D. R., Goldstein, R.E.
Blood fibrinolytic activity in man
Circ. Res. 27: 171-183 (1970)
- (108) Sachs, L.
Angewandte Statistik.
Springer Verlag Berlin, Heidelberg, New York (1984)
- (109) Scharrer, I.
Klinische Relevanz der Plasminogenaktivator-Inhibitor-Bestimmung.
In: Heimbürger, N. (Hrsg.)
Gerinnung und Fibrinolyse
Die Medizinische Verlagsgesellschaft: 14-21 (1989)
- (110) Scheele, K., Klaus, E.J., Walter, K.-H., Burgdörfer, H.;
Über das Verhalten der Blutgerinnung, der Fibrinolyse und der
Transaminasen unter Ovulationshemmern bei und nach dosierter
körperlicher Belastung.
Med. Welt 23 Heft 33/34: 1118-1120 (1972)
- (111) Schobersberger, W., Hobisch-Hagen, P., Fries, D. et al.
Increase in immune activation, vascular endothelial growth factor and
erythropoietin after an ultramarathon run at moderate altitude
Immunobiology 201(5):611-620 (2000)

-
- (112) Schobersberger, W., Wirleitner, B., Puschendorf, B. et al.
Influence of an ultramarathon race at moderate altitude on coagulation and fibrinolysis
Fibrinolysis 10:37-42 (1996)
- (113) Senger, D.R., Galli, S.J., Dvorak, A.M., et al.
Tumor cells secrete a vascular permeability factor that promotes accumulation of ascites fluid
Science 219:983-985 (1983)
- (114) Sherry, S., Fletcher, A.P., Alkjaersig, N.
Fibrinolysis and fibrinolytic activity in man
Physiol. Rev. 39: 343-382 (1959)
- (115) Sprengers, E.D., Kluft, C.
Plasminogen activator inhibitors.
Blood 69: 381-387 (1987)
- (116) Stein, I., Neeman, M., Shweiki, D., Itin, A., Keshet, E.
Stabilization of vascular endothelial growth factor mRNA by hypoxia and hypoglycemia and coregulation with other ischemia-induced genes
Mol. Cel. Biol. 15:5363-5368 (1995)
- (117) Stötzer K.-E., Amiral J., Spanuth, E.
Neue Methoden zur spezifischen Bestimmung von Fibrinospaltprodukten (D-Dimere).
Lab. Med. 12: 51-59 (1988)
- (118) Stratton, J.R., Chandler, W.L., Schwartz, R.S. et al.
Effects of physical conditioning on fibrinolytic variables and fibrinogen in young and old healthy adults.
Circulation 83: 1692-97 (1991)
- (119) Strauss, M.B., Davis, R.K., Rosenbaum, J.D., Rossmeisl, E.C.
"Water diuresis" produced during recumbency by the intravenous infusion of isotonic saline solution
J. Clin. Invest. 30: 862-868 (1951)
- (120) Suzuki, T., Yamauchi, K., Yamada, Y. et al.
Blood coagulability and fibrinolytic activity before and after physical training during the recovery phase of acute myocardial infarction.
Clin. Cardiol. 15: 358-364 (1992)

-
- (121) Szymanski, L.M., Pate, R.R.
Effects of exercise intensity, duration and time of day on fibrinolytic activity in physically active men
Med. Sci. Sports Exerc. 26:1102-8 (1994)
- (122) Szymanski, L.M., Pate, R.R., Durstine, J.L.
Effects of maximal exercise and venous occlusion on fibrinolytic activity in physically active and inactive men
J. Appl. Physiol. 77:2305-2310 (1994)
- (123) Tanaka, K., Matura, Y.
Marathon performance anaerobic threshold and onset of blood lactate accumulation.
J. Appl. Physiol. 57: 640-643 (1984)
- (124) Thomas, L.
Labor und Diagnose.
Medizinische Verlagsgesellschaft, Marburg/Lahn: S. 998-1000 (1984)
- (125) Titani, K., Walsh, K.A.
Human von Willebrand factor: The molecular glue of platelet plugs.
Trends in Biochemical Sciences 13: 94-97 (1988)
- (126) Todd, A.S.
The histological localisation of fibrinolysis activation.
Journal of Pathology and Bacteriology 78: 281 – 283 (1959)
- (127) Transwell, P., Krause, J.
Die molekularbiologischen Eigenschaften des Gewebetyp-Plasminogenaktivators und seiner Varianten.
Haemostaseologie 9: 114 – 121 (1989)
- (128) Turksoy, R.N., Phillips, L.L., Southam, A.L.;
Influence of ovarian function on the fibrinolytic enzyme system.
I. Ovulatory and anovulatory cycles
Am. J. Obstet. Gynec. 82: 1211 (1961)
- (129) Watts, E. J.
Hemostatic changes in long-distance runners and their relevance to the prevention of ischemic heart disease.
Blood Coagul. Fibrinol. 2: 221-225 (1991)

-
- (130) Weidner, N., Carroll, P.R., Flax, J., Blumenfeld, W., Folkman, J.
Tumor angiogenesis correlates with metastasis in invasive prostate carcinoma
Am. J: Pathol. 143:401-409
- (131) Willich, S.N., Lewis, M., Lowel, H., Arntz, H.-R., Schubert, F., Schröder, R.
Physical exertion as a trigger of acute myocardial infarction
New Engl. J. Med. 329: 1684-1690 (1993)
- (132) Winckelmann, G., Meyer, G., Roskam, H.
Der Einfluß einer körperlichen Belastung auf Blutgerinnung und Fibrinolyse
Klin. Wschr. 46: 712-716 (1968)
- (133) Winther, O.
Exercise and blood fibrinolysis.
Lancet II: 1195-1196 (1966)
- (134) Yoshimura, H., Inoue, T., Yamada, T., Shiraki, K.
Anemia during hard physical training (sports anemia) and the causal mechanism with special reference to protein nutrition
Wld Rev Nutr Diet 35: 1-86 (1980)
- (135) Zimmerman, T.S., Meyer, D.
Structure and function of factor VIII and von Willebrand factor.
In : Bloom A.L., Thomas D.P. (eds) Haemostasis and Thrombosis.
Churchill Livingstone, Edinburgh, p 131-147 (1987)