

5. Literatur

- Aguilar-Bryan, L. and Bryan, J. (1999) Molecular biology of adenosine triphosphate-sensitive potassium channels. *Endocr Rev*, **20**, 101-135.
- Ahmmmed, G.U., Mehta, D., Vogel, S., Holinstat, M., Paria, B.C., Tiruppathi, C. and Malik, A.B. (2004) Protein kinase Calpha phosphorylates the TRPC1 channel and regulates store-operated Ca^{2+} entry in endothelial cells. *J Biol Chem*, **279**, 20941-20949.
- Ahren, B. (2000) Autonomic regulation of islet hormone secretion-- implications for health and disease. *Diabetologia*, **43**, 393-410.
- Albert, A.P. and Large, W.A. (2006) Signal transduction pathways and gating mechanisms of native TRP-like cation channels in vascular myocytes. *J Physiol*, **570**, 45-51.
- Arbuzova, A., Schmitz, A.A. and Vergeres, G. (2002) Cross-talk unfolded: MARCKS proteins. *Biochem J*, **362**, 1-12.
- Arkhammar, P., Juntti-Berggren, L., Larsson, O., Welsh, M., Nanberg, E., Sjoholm, A., Kohler, M. and Berggren, P.O. (1994) Protein kinase C modulates the insulin secretory process by maintaining a proper function of the beta-cell voltage-activated Ca^{2+} channels. *J Biol Chem*, **269**, 2743-2749.
- Bandyopadhyay, G., Standaert, M.L., Sajan, M.P., Kanoh, Y., Miura, A., Braun, U., Kruse, F., Leitges, M. and Farese, R.V. (2004) Protein kinase C-lambda knockout in embryonic stem cells and adipocytes impairs insulin-stimulated glucose transport. *Mol Endocrinol*, **18**, 373-383.
- Berridge, M.J., Lipp, P. and Bootman, M.D. (2000) The versatility and universality of calcium signalling. *Nat Rev Mol Cell Biol*, **1**, 11-21.
- Biden, T.J., Peter-Riesch, B., Schlegel, W. and Wollheim, C.B. (1987) Ca^{2+} -mediated generation of inositol 1,4,5-triphosphate and inositol 1,3,4,5-

- tetrakisphosphate in pancreatic islets. Studies with K⁺, glucose, and carbamylcholine. *J Biol Chem*, **262**, 3567-3571.
- Blondel, O., Moody, M.M., Depaoli, A.M., Sharp, A.H., Ross, C.A., Swift, H. and Bell, G.I. (1994) Localization of inositol trisphosphate receptor subtype 3 to insulin and somatostatin secretory granules and regulation of expression in islets and insulinoma cells. *Proc Natl Acad Sci U S A*, **91**, 7777-7781.
- Bloom, S.R. and Edwards, A.V. (1981) Pancreatic endocrine responses to stimulation of the peripheral ends of the vagus nerves in conscious calves. *J Physiol*, **315**, 31-41.
- Blumenstein, Y., Kanevsky, N., Sahar, G., Barzilai, R., Ivanina, T. and Dascal, N. (2002) A novel long N-terminal isoform of human L-type Ca²⁺ channel is up-regulated by protein kinase C. *J Biol Chem*, **277**, 3419-3423.
- Boitard, C. (2002) Insulinsecretion in Type 2 Diabetes: Clinical Aspects. *Diabetes Metab (Paris)*, **28**, 4S33-38.
- Byrne, M.M., Gliem, K., Wank, U., Arnold, R., Katschinski, M., Polonsky, K.S. and Goke, B. (1998) Glucagon-like peptide 1 improves the ability of the beta-cell to sense and respond to glucose in subjects with impaired glucose tolerance. *Diabetes*, **47**, 1259-1265.
- Calle, R., Ganesan, S., Smallwood, J.I. and Rasmussen, H. (1992) Glucose-induced phosphorylation of myristoylated alanine-rich C kinase substrate (MARCKS) in isolated rat pancreatic islets. *J Biol Chem*, **267**, 18723-18727.
- Chen, L., Koh, D.S. and Hille, B. (2003) Dynamics of calcium clearance in mouse pancreatic beta-cells. *Diabetes*, **52**, 1723-1731.
- Davalli, A.M., Biancardi, E., Pollo, A., Socci, C., Pontiroli, A.E., Pozza, G., Clementi, F., Sher, E. and Carbone, E. (1996) Dihydropyridine-sensitive and -insensitive voltage-operated calcium channels

- participate in the control of glucose-induced insulin release from human pancreatic beta cells. *J Endocrinol*, **150**, 195-203.
- Deeney, J.T., Prentki, M. and Corkey, B.E. (2000) Metabolic control of beta-cell function. *Semin Cell Dev Biol*, **11**, 267-275.
- Dorn, G.W., 2nd and Mochly-Rosen, D. (2002) Intracellular transport mechanisms of signal transducers. *Annu Rev Physiol*, **64**, 407-429.
- Easom, R.A., Hughes, J.H., Landt, M., Wolf, B.A., Turk, J. and McDaniel, M.L. (1989) Comparison of effects of phorbol esters and glucose on protein kinase C activation and insulin secretion in pancreatic islets. *Biochem J*, **264**, 27-33.
- Efrat, S. (2004) Regulation of insulin secretion: insights from engineered beta-cell lines. *Ann N Y Acad Sci*, **1014**, 88-96.
- Fahrmann, M., Kaufhold, M., Pfeiffer, A.F. and Seidler, U. (2003) Protein kinase C-alpha attenuates cholinergically stimulated gastric acid secretion of rabbit parietal cells. *Br J Pharmacol*, **139**, 545-554.
- Farese, R.V. (2002) Function and dysfunction of aPKC isoforms for glucose transport in insulin-sensitive and insulin-resistant states. *Am J Physiol Endocrinol Metab*, **283**, E1-11.
- Fehmann, H.C. and Habener, J.F. (1992) Insulinotropic hormone glucagon-like peptide-1(7-37) stimulation of proinsulin gene expression and proinsulin biosynthesis in insulinoma beta TC-1 cells. *Endocrinology*, **130**, 159-166.
- Gagerman, E., Sehlin, J. and Taljedal, I.B. (1980) Effects of acetylcholine on ion fluxes and chlorotetracycline fluorescence in pancreatic islets. *J Physiol*, **300**, 505-513.
- Gilon, P. and Henquin, J.C. (2001) Mechanisms and physiological significance of the cholinergic control of pancreatic beta-cell function. *Endocr Rev*, **22**, 565-604.

- Godfrey, D.A. and Matschinsky, F.M. (1975) Enzymes of the cholinergic system in islets of Langerhans. *J Histochem Cytochem*, **23**, 645-651.
- Gromada, J. and Dissing, S. (1996) Membrane potential and cytosolic free calcium levels modulate acetylcholine-induced inositol phosphate production in insulin-secreting BTC3 cells. *Biochim Biophys Acta*, **1310**, 145-148.
- Gromada, J., Holst, J.J. and Rorsman, P. (1998) Cellular regulation of islet hormone secretion by the incretin hormone glucagon-like peptide 1. *Pflugers Arch*, **435**, 583-594.
- Grupe, A., Hultgren, B., Ryan, A., Ma, Y.H., Bauer, M. and Stewart, T.A. (1995) Transgenic knockouts reveal a critical requirement for pancreatic beta cell glucokinase in maintaining glucose homeostasis. *Cell*, **83**, 69-78.
- Grynkiewicz, G., Poenie, M. and Tsien, R.Y. (1985) A new generation of Ca^{2+} indicators with greatly improved fluorescence properties. *J Biol Chem*, **260**, 3440-3450.
- Hansotia, T. and Drucker, D.J. (2005) GIP and GLP-1 as incretin hormones: Lessons from single and double incretin receptor knockout mice. *Regul Pept*, **128**, 125-134.
- Hartwig, J.H., Thelen, M., Rosen, A., Janmey, P.A., Laird, A.C. and Aderem, A. (1992) MARCKS is an actin filament crosslinking protein regulated by protein kinase C and calcium-calmodulin. *Nature*, **356**, 618-622.
- Hashimoto, N., Kido, Y., Uchida, T., Matsuda, T., Suzuki, K., Inoue, H., Matsumoto, M., Ogawa, W., Maeda, S., Fujihara, H., Ueta, Y., Uchiyama, Y., Akimoto, K., Ohno, S., Noda, T. and Kasuga, M. (2005) PKC λ regulates glucose-induced insulin secretion through modulation of gene expression in pancreatic beta cells. *J Clin Invest*, **115**, 138-145.
- Havel, P.J., Dunning, B.E., Verchere, C.B., Baskin, D.G., O'Dorisio, T. and Taborsky, G.J., Jr. (1997) Evidence that vasoactive intestinal

- polypeptide is a parasympathetic neurotransmitter in the endocrine pancreas in dogs. *Regul Pept*, **71**, 163-170.
- Hayashi, H. and Miyata, H. (1994) Fluorescence imaging of intracellular Ca^{2+} . *J Pharmacol Toxicol Methods*, **31**, 1-10.
- Haynes, J.M., Iannazzo, L. and Majewski, H. (2002) Phorbol ester-induced contractility and Ca^{2+} influx in human cultured prostatic stromal cells. *Biochem Pharmacol*, **64**, 385-392.
- Hellman, B. and Gylfe, E. (1986) Mobilization of different intracellular calcium pools after activation of muscarinic receptors in pancreatic beta-cells. *Pharmacology*, **32**, 257-267.
- Henquin, J.C., Garcia, M.C., Bozem, M., Hermans, M.P. and Nenquin, M. (1988) Muscarinic control of pancreatic B cell function involves sodium-dependent depolarization and calcium influx. *Endocrinology*, **122**, 2134-2142.
- Henquin, J.C., Ravier, M.A., Nenquin, M., Jonas, J.C. and Gilon, P. (2003) Hierarchy of the beta-cell signals controlling insulin secretion. *Eur J Clin Invest*, **33**, 742-750.
- Hodgkin, M.N., Pettitt, T.R., Martin, A., Michell, R.H., Pemberton, A.J. and Wakelam, M.J. (1998) Diacylglycerols and phosphatidates: which molecular species are intracellular messengers? *Trends Biochem Sci*, **23**, 200-204.
- Holst, J.J. and Gromada, J. (2004) Role of incretin hormones in the regulation of insulin secretion in diabetic and nondiabetic humans. *Am J Physiol Endocrinol Metab*, **287**, E199-206.
- Holz, G.G. (2004) Epac: A new cAMP-binding protein in support of glucagon-like peptide-1 receptor-mediated signal transduction in the pancreatic beta-cell. *Diabetes*, **53**, 5-13.

- Holz, G.G.t., Kuhtreiber, W.M. and Habener, J.F. (1993) Pancreatic beta-cells are rendered glucose-competent by the insulinotropic hormone glucagon-like peptide-1(7-37). *Nature*, **361**, 362-365.
- Huang, L., Wolska, B.M., Montgomery, D.E., Burkart, E.M., Buttrick, P.M. and Solaro, R.J. (2001) Increased contractility and altered Ca(2+) transients of mouse heart myocytes conditionally expressing PKC β . *Am J Physiol Cell Physiol*, **280**, C1114-1120.
- Idris, I., Gray, S. and Donnelly, R. (2001) Protein kinase C activation: isozyme-specific effects on metabolism and cardiovascular complications in diabetes. *Diabetologia*, **44**, 659-673.
- Inoue, M., Kishimoto, A., Takai, Y. and Nishizuka, Y. (1977) Studies on a cyclic nucleotide-independent protein kinase and its proenzyme in mammalian tissues. II. Proenzyme and its activation by calcium-dependent protease from rat brain. *J Biol Chem*, **252**, 7610-7616.
- Ionescu, E. and Jeanrenaud, B. (1988) Effect of electrical stimulation of the vagus nerve on insulinemia and glycemia in Acomys cahirinus mice. *Endocrinology*, **123**, 885-890.
- Irvine, R.F. and Schell, M.J. (2001) Back in the water: the return of the inositol phosphates. *Nat Rev Mol Cell Biol*, **2**, 327-338.
- Jones, P.M. and Persaud, S.J. (1998) Protein kinases, protein phosphorylation, and the regulation of insulin secretion from pancreatic beta-cells. *Endocr Rev*, **19**, 429-461.
- Kaneto, H., Suzuma, K., Sharma, A., Bonner-Weir, S., King, G.L. and Weir, G.C. (2002) Involvement of protein kinase C beta 2 in c-myc induction by high glucose in pancreatic beta-cells. *J Biol Chem*, **277**, 3680-3685.
- Kemp, D.M. and Habener, J.F. (2001) Insulinotropic hormone glucagon-like peptide 1 (GLP-1) activation of insulin gene promoter inhibited by p38 mitogen-activated protein kinase. *Endocrinology*, **142**, 1179-1187.

- Kim, M.J., Lee, K.H., Min, D.S., Yoon, S.H., Hahn, S.J., Kim, M.S. and Jo, Y.H. (2001a) Distributional patterns of phospholipase C isozymes in rat pancreas. *Pancreas*, **22**, 47-52.
- Kim, M.J., Lee, Y.S., Lee, K.H., Min, D.S., Yoon, S.H., Hahn, S.J., Kim, M.S. and Jo, Y.H. (2001b) Site-specific localization of protein kinase C isoforms in rat pancreas. *Pancreatology*, **1**, 36-42.
- Knudsen, P., Kofod, H., Lernmark, A. and Hedeskov, C.J. (1983) L-leucine methyl ester stimulates insulin secretion and islet glutamate dehydrogenase. *Am J Physiol*, **245**, E338-346.
- Knuhtsen, S., Holst, J.J., Jensen, S.L., Knigge, U. and Nielsen, O.V. (1985) Gastrin-releasing peptide: effect on exocrine secretion and release from isolated perfused porcine pancreas. *Am J Physiol*, **248**, G281-286.
- Konrad, R.J., Major, C.D. and Wolf, B.A. (1994) Diacylglycerol hydrolysis to arachidonic acid is necessary for insulin secretion from isolated pancreatic islets: sequential actions of diacylglycerol and monoacylglycerol lipases. *Biochemistry*, **33**, 13284-13294.
- Leitges, M., Plomann, M., Standaert, M.L., Bandyopadhyay, G., Sajan, M.P., Kanoh, Y. and Farese, R.V. (2002) Knockout of PKC alpha enhances insulin signaling through PI3K. *Mol Endocrinol*, **16**, 847-858.
- Leitges, M., Schmedt, C., Guinamard, R., Davoust, J., Schaal, S., Stabel, S. and Tarakhovsky, A. (1996) Immunodeficiency in protein kinase cbeta-deficient mice. *Science*, **273**, 788-791.
- Levy, J. (1999) Abnormal cell calcium homeostasis in type 2 diabetes mellitus: a new look on old disease. *Endocrine*, **10**, 1-6.
- Liles, W.C., Hunter, D.D., Meier, K.E. and M., N.N. (1986) Activation of Protein Kinase C induces rapid internalization and subsequent degradation of muscarinic acetylcholine receptors in neuroblastoma cells. *J Biol Chem*, **261**, 5307-5313.

- Liu, H.P., Tay, S.S., Leong, S. and Schemann, M. (1998) Colocalization of ChAT, DbetaH and NADPH-d in the pancreatic neurons of the newborn guinea pig. *Cell Tissue Res*, **294**, 227-231.
- Liu, M., Albert, A.P. and Large, W.A. (2005) Facilitatory effect of Ins(1,4,5)P₃ on store-operated Ca²⁺-permeable cation channels in rabbit portal vein myocytes. *J Physiol*, **566**, 161-171.
- Liu, W.S. and Heckman, C.A. (1998) The sevenfold way of PKC regulation. *Cell Signal*, **10**, 529-542.
- Liu, Y., Su, W., Thompson, E.A., Leitges, M., Murray, N.R. and Fields, A.P. (2004) Protein kinase C β II regulates its own expression in rat intestinal epithelial cells and the colonic epithelium in vivo. *J Biol Chem*.
- Liu, Y.J., Cheng, H., Drought, H., MacDonald, M.J., Sharp, G.W. and Straub, S.G. (2003) Activation of the KATP channel-independent signaling pathway by the nonhydrolyzable analog of leucine, BCH. *Am J Physiol Endocrinol Metab*, **285**, E380-389.
- Love, J.A., Richards, N.W., Owyang, C. and Dawson, D.C. (1998) Muscarinic modulation of voltage-dependent Ca²⁺ channels in insulin-secreting HIT-T15 cells. *Am J Physiol*, **274**, G397-405.
- Love, J.A. and Szebeni, K. (1999) Morphology and histochemistry of the rabbit pancreatic innervation. *Pancreas*, **18**, 53-64.
- Ma, R., Kudlacek, P.E. and Sansom, S.C. (2002) Protein kinase C α participates in activation of store-operated Ca²⁺ channels in human glomerular mesangial cells. *Am J Physiol Cell Physiol*, **283**, C1390-1398.
- Margaroli, A., Milani, D., Meldolesi, J. and Pozzan, T. (1987) Fura-2 measurement of cytosolic free Ca²⁺ in monolayers and suspensions of various types of animal cells. *J Cell Biol*, **105**, 2145-2155.

Matschinsky, F.M. (2002) Regulation of pancreatic beta-cell glucokinase: from basics to therapeutics. *Diabetes*, **51 Suppl 3**, S394-404.

McCarty, M.F. (2006) PKC-mediated modulation of L-type calcium channels may contribute to fat-induced insulin resistance. *Med Hypotheses*, **66**, 824-831.

Mears, D. (2004) Regulation of insulin secretion in islets of Langerhans by Ca²⁺ channels. *J Membr Biol*, **200**, 57-66.

Mears, D. and Zimliki, C.L. (2004) Muscarinic agonists activate Ca²⁺ store-operated and -independent ionic currents in insulin-secreting HIT-T15 cells and mouse pancreatic beta-cells. *J Membr Biol*, **197**, 59-70.

Menne, J., Park, J.K., Boehne, M., Elger, M., Lindschau, C., Kirsch, T., Meier, M., Gueler, F., Fiebeler, A., Bahlmann, F.H., Leitges, M. and Haller, H. (2004) Diminished loss of proteoglycans and lack of albuminuria in protein kinase C-alpha-deficient diabetic mice. *Diabetes*, **53**, 2101-2109.

Miura, Y., Henquin, J.C. and Gilon, P. (1997) Emptying of intracellular Ca²⁺ stores stimulates Ca²⁺ entry in mouse pancreatic beta-cells by both direct and indirect mechanisms. *J Physiol*, **503 (Pt 2)**, 387-398.

Mochly-Rosen, D. (1995) Localization of protein kinases by anchoring proteins: a theme in signal transduction. *Science*, **268**, 247-251.

Moens, K., Heimberg, H., Flamez, D., Huypens, P., Quartier, E., Ling, Z., Pipeleers, D., Gremlich, S., Thorens, B. and Schuit, F. (1996) Expression and functional activity of glucagon, glucagon-like peptide I, and glucose-dependent insulinotropic peptide receptors in rat pancreatic islet cells. *Diabetes*, **45**, 257-261.

Morisset, J., Geoffrion, L., Larose, L., Lanoe, J. and Poirier, G.G. (1981) Distribution of muscarinic receptors in the digestive tract organs. *Pharmacology*, **22**, 189-195.

- Nechushtan, H., Leitges, M., Cohen, C., Kay, G. and Razin, E. (2000) Inhibition of degranulation and interleukin-6 production in mast cells derived from mice deficient in protein kinase C β . *Blood*, **95**, 1752-1757.
- Nesher, R., Anteby, E., Yedovizky, M., Warwar, N., Kaiser, N. and Cerasi, E. (2002) Beta-cell protein kinases and the dynamics of the insulin response to glucose. *Diabetes*, **51 Suppl 1**, S68-73.
- Newton, A.C. (2001) Protein kinase C: structural and spatial regulation by phosphorylation, cofactors, and macromolecular interactions. *Chem Rev*, **101**, 2353-2364.
- Nie, Y., Nakashima, M., Brubaker, P.L., Li, Q.L., Perfetti, R., Jansen, E., Zambre, Y., Pipeleers, D. and Friedman, T.C. (2000) Regulation of pancreatic PC1 and PC2 associated with increased glucagon-like peptide 1 in diabetic rats. *J Clin Invest*, **105**, 955-965.
- Ohmori, S., Sakai, N., Shirai, Y., Yamamoto, H., Miyamoto, E., Shimizu, N. and Saito, N. (2000) Importance of protein kinase C targeting for the phosphorylation of its substrate, myristoylated alanine-rich C-kinase substrate. *J Biol Chem*, **275**, 26449-26457.
- Ohno, S. and Nishizuka, Y. (2002) Protein kinase C isotypes and their specific functions: prologue. *J Biochem (Tokyo)*, **132**, 509-511.
- Ono, Y., Fujii, T., Ogita, K., Kikkawa, U., Igarashi, K. and Nishizuka, Y. (1987a) Identification of three additional members of rat protein kinase C family: delta-, epsilon- and zeta-subspecies. *FEBS Lett*, **226**, 125-128.
- Ono, Y., Kikkawa, U., Ogita, K., Fujii, T., Kurokawa, T., Asaoka, Y., Sekiguchi, K., Ase, K., Igarashi, K. and Nishizuka, Y. (1987b) Expression and properties of two types of protein kinase C: alternative splicing from a single gene. *Science*, **236**, 1116-1120.
- Parekh, A.B. and Penner, R. (1997) Store depletion and calcium influx. *Physiol Rev*, **77**, 901-930.

- Pereverzev, A., Mikhna, M., Vajna, R., Gissel, C., Henry, M., Weiergraber, M., Hescheler, J., Smyth, N. and Schneider, T. (2002) Disturbances in glucose-tolerance, insulin-release, and stress-induced hyperglycemia upon disruption of the Ca(v)2.3 (alpha 1E) subunit of voltage-gated Ca(2+) channels. *Mol Endocrinol*, **16**, 884-895.
- Pinton, P., Tsuboi, T., Ainscow, E.K., Pozzan, T., Rizzuto, R. and Rutter, G.A. (2002) Dynamics of glucose-induced membrane recruitment of protein kinase C beta II in living pancreatic islet beta-cells. *J Biol Chem*, **277**, 37702-37710.
- Prentki, M. and Matschinsky, F.M. (1987) Ca²⁺, cAMP, and phospholipid-derived messengers in coupling mechanisms of insulin secretion. *Physiol Rev*, **67**, 1185-1248.
- Prentki, M. and Wollheim, C.B. (1984) Cytosolic free Ca²⁺ in insulin secreting cells and its regulation by isolated organelles. *Experientia*, **40**, 1052-1060.
- Putney, J.W., Jr. and Bird, G.S. (1993) The signal for capacitative calcium entry. *Cell*, **75**, 199-201.
- Qian, F., Huang, P., Ma, L., Kuznetsov, A., Tamarina, N. and Philipson, L.H. (2002) TRP genes: candidates for nonselective cation channels and store-operated channels in insulin-secreting cells. *Diabetes*, **51 Suppl 1**, S183-189.
- Ravier, M.A., Sehlin, J. and Henquin, J.C. (2002) Disorganization of cytoplasmic Ca²⁺ oscillations and pulsatile insulin secretion in islets from ob/ob mice. *Diabetologia*, **45**, 1154-1163.
- Rocca, A.S. and Brubaker, P.L. (1999) Role of the vagus nerve in mediating proximal nutrient-induced glucagon-like peptide-1 secretion. *Endocrinology*, **140**, 1687-1694.
- Roman, B.B., Geenen, D.L., Leitges, M. and Buttrick, P.M. (2001) PKC-beta is not necessary for cardiac hypertrophy. *Am J Physiol Heart Circ Physiol*, **280**, H2264-2270.

- Ross, C.A., Meldolesi, J., Milner, T.A., Satoh, T., Supattapone, S. and Snyder, S.H. (1989) Inositol 1,4,5-trisphosphate receptor localized to endoplasmic reticulum in cerebellar Purkinje neurons. *Nature*, **339**, 468-470.
- Schaefer, M., Mischak, H., Schnell, S., Giese, A., Iakubov, R., Riepenhausen, G. and Schöfl, C. (2004) Mechanisms of arginine-vasopressin-induced Ca^{2+} oscillations in beta-cells (HIT-T15): a role for oscillating protein kinase C. *Endocrinology*, **145**, 4635-4644.
- Schöfl, C., Borger, J., Lange, S., von zur Muhlen, A. and Brabant, G. (2000a) Energetic requirement of carbachol-induced Ca^{2+} signaling in single mouse beta-cells. *Endocrinology*, **141**, 4065-4071.
- Schöfl, C., Borger, J., Mader, T., Waring, M., von zur Muhlen, A. and Brabant, G. (2000b) Tolbutamide and diazoxide modulate phospholipase C-linked Ca^{2+} signaling and insulin secretion in beta-cells. *Am J Physiol Endocrinol Metab*, **278**, E639-647.
- Schöfl, C., Rossig, L., Leitolf, H., Mader, T., von zur Muhlen, A. and Brabant, G. (1996) Generation of repetitive Ca^{2+} transients by bombesin requires intracellular release and influx of Ca^{2+} through voltage-dependent and voltage independent channels in single HIT cells. *Cell Calcium*, **19**, 485-493.
- Schöfl, C., Schulte, P., Rossig, L., von zur Muhlen, A. and Brabant, G. (1995) Vasopressin induces frequency-modulated repetitive calcium transients in single insulin-secreting hit cells. *Mol Cell Endocrinol*, **108**, 185-192.
- Schulla, V., Renstrom, E., Feil, R., Feil, S., Franklin, I., Gjinovci, A., Jing, X.J., Laux, D., Lundquist, I., Magnuson, M.A., Obermuller, S., Olofsson, C.S., Salehi, A., Wendt, A., Klugbauer, N., Wollheim, C.B., Rorsman, P. and Hofmann, F. (2003) Impaired insulin secretion and glucose tolerance in beta cell-selective $\text{Ca}(\text{v})1.2$ Ca^{2+} channel null mice. *Embo J*, **22**, 3844-3854.

- Seino, S. (1999) ATP-sensitive potassium channels: a model of heteromultimeric potassium channel/receptor assemblies. *Annu Rev Physiol*, **61**, 337-362.
- Sha, L., Miller, S.M. and Szurszewski, J.H. (1995) Nitric oxide is a neuromodulator in cat pancreatic ganglia: histochemical and electrophysiological study. *Neurosci Lett*, **192**, 77-80.
- Shears, S.B. (1998) The versatility of inositol phosphates as cellular signals. *Biochim Biophys Acta*, **1436**, 49-67.
- Sheikh, S.P., Holst, J.J., Skak-Nielsen, T., Knigge, U., Warberg, J., Theodorsson-Norheim, E., Hokfelt, T., Lundberg, J.M. and Schwartz, T.W. (1988) Release of NPY in pig pancreas: dual parasympathetic and sympathetic regulation. *Am J Physiol*, **255**, G46-54.
- Sher, E., Giovannini, F., Codignola, A., Passafaro, M., Giorgi-Rossi, P., Volsen, S., Craig, P., Davalli, A. and Carrera, P. (2003) Voltage-operated calcium channel heterogeneity in pancreatic beta cells: physiopathological implications. *J Bioenerg Biomembr*, **35**, 687-696.
- Shirai, Y. and Saito, N. (2002) Activation mechanisms of protein kinase C: maturation, catalytic activation, and targeting. *J Biochem (Tokyo)*, **132**, 663-668.
- Skoglund, G., Hussain, M.A. and Holz, G.G. (2000) Glucagon-like peptide 1 stimulates insulin gene promoter activity by protein kinase A-independent activation of the rat insulin I gene cAMP response element. *Diabetes*, **49**, 1156-1164.
- Skyler, J.S. (2004) Diabetes mellitus: pathogenesis and treatment strategies. *J Med Chem*, **47**, 4113-4117.
- Srivastava, M., Atwater, I., Glasman, M., Leighton, X., Goping, G., Caohuy, H., Miller, G., Pichel, J., Westphal, H., Mears, D., Rojas, E. and Pollard, H.B. (1999) Defects in inositol 1,4,5-trisphosphate receptor expression, Ca^{2+} signaling, and insulin secretion in the anx7(+/-) knockout mouse. *Proc Natl Acad Sci U S A*, **96**, 13783-13788.

- Suzuki, A., Akimoto, K. and Ohno, S. (2003) Protein kinase C lambda/ iota (PKC λ /iota): a PKC isotype essential for the development of multicellular organisms. *J Biochem (Tokyo)*, **133**, 9-16.
- Takemura, H., Hughes, A.R., Thastrup, O. and Putney, J.W., Jr. (1989) Activation of calcium entry by the tumor promoter thapsigargin in parotid acinar cells. Evidence that an intracellular calcium pool and not an inositol phosphate regulates calcium fluxes at the plasma membrane. *J Biol Chem*, **264**, 12266-12271.
- Tang, S.H. and Sharp, G.W. (1998) Atypical protein kinase C isozyme zeta mediates carbachol-stimulated insulin secretion in RINm5F cells. *Diabetes*, **47**, 905-912.
- Tanigawa, K., Kuzuya, H., Imura, H., Taniguchi, H., Baba, S., Takai, Y. and Nishizuka, Y. (1982) Calcium-activated, phospholipid-dependent protein kinase in rat pancreas islets of langerhans. Its possible role in glucose-induced insulin release. *FEBS Lett*, **138**, 183-186.
- Thastrup, O., Cullen, P.J., Drobak, B.K., Hanley, M.R. and Dawson, A.P. (1990) Thapsigargin, a tumor promoter, discharges intracellular Ca^{2+} stores by specific inhibition of the endoplasmic reticulum Ca^{2+} -ATPase. *Proc Natl Acad Sci U S A*, **87**, 2466-2470.
- Tian, Y.M., Urquidi, V. and Ashcroft, S.J. (1996) Protein kinase C in beta-cells: expression of multiple isoforms and involvement in cholinergic stimulation of insulin secretion. *Mol Cell Endocrinol*, **119**, 185-193.
- Treiman, M., Caspersen, C. and Christensen, S.B. (1998) A tool coming of age: thapsigargin as an inhibitor of sarco-endoplasmic reticulum Ca^{2+} -ATPases. *Trends Pharmacol Sci*, **19**, 131-135.
- Tsien, R.Y., Rink, T.J. and Poenie, M. (1985) Measurement of cytosolic free Ca^{2+} in individual small cells using fluorescence microscopy with dual excitation wavelengths. *Cell Calcium*, **6**, 145-157.
- Usachev, Y.M., DeMarco, S.J., Campbell, C., Strehler, E.E. and Thayer, S.A. (2002) Bradykinin and ATP accelerate Ca^{2+} efflux from rat

- sensory neurons via protein kinase C and the plasma membrane Ca^{2+} pump isoform 4. *Neuron*, **33**, 113-122.
- Verchere, C.B., Kowalyk, S., Koerker, D.J., Baskin, D.G. and Taborsky, G.J., Jr. (1996) Evidence that galanin is a parasympathetic, rather than a sympathetic, neurotransmitter in the baboon pancreas. *Regul Pept*, **67**, 93-101.
- Verspohl, E.J. (2002) [What are the costs of type-2 diabetes? Pharmacoeconomics]. *Pharm Unserer Zeit*, **31**, 308-311.
- Wang, X., Zhang, J., Berkowski, S.M., Knowleg, H., Chandramouly, A.B., Downens, M. and Prystowsky, M.B. (2004) Protein kinase C-mediated phosphorylation of Kvbeta2 in adult rat brain. *Neurochem Res*, **29**, 1879-1886.
- Wheeler, M.B., Gelling, R.W., McIntosh, C.H., Georgiou, J., Brown, J.C. and Pederson, R.A. (1995) Functional expression of the rat pancreatic islet glucose-dependent insulinotropic polypeptide receptor: ligand binding and intracellular signaling properties. *Endocrinology*, **136**, 4629-4639.
- Wieczorek, G., Pospischil, A. and Perentes, E. (1998) A comparative immunohistochemical study of pancreatic islets in laboratory animals (rats, dogs, minipigs, nonhuman primates). *Exp Toxicol Pathol*, **50**, 151-172.
- Wollheim, C.B. and Pralong, W.F. (1990) Cytoplasmic calcium ions and other signalling events in insulin secretion. *Biochem Soc Trans*, **18**, 111-114.
- Worley, J.F., McIntyre, M.S., Spencer, B., Mertz, R.J., Roe, M.W. and Dukes, I.D. (1994) Endoplasmic reticulum calcium store regulates membrane potential in mouse islet B-cells. *J Biol Chem*, **269**, 14359-14362.
- Yaney, G.C., Fairbanks, J.M., Deeney, J.T., Korchak, H.M., Tornheim, K. and Corkey, B.E. (2002) Potentiation of insulin secretion by phorbol

- esters is mediated by PKC-alpha and nPKC isoforms. *Am J Physiol Endocrinol Metab*, **283**, E880-888.
- Yang, S.N. and Berggren, P.O. (2005) Beta-cell CaV channel regulation in physiology and pathophysiology. *Am J Physiol Endocrinol Metab*, **288**, E16-28.
- Yao, L., Huang, D.Y., Pfaff, I.L., Nie, X., Leitges, M. and Vallon, V. (2004) Evidence for a role of protein kinase C-alpha in urine concentration. *Am J Physiol Renal Physiol*, **287**, F299-304.
- Yasuda, K., Okamoto, Y., Nunoi, K., Adachi, T., Shihara, N., Tamon, A., Suzuki, N., Mukai, E., Fujimoto, S., Oku, A., Tsuda, K. and Seino, Y. (2002) Normalization of cytoplasmic calcium response in pancreatic beta-cells of spontaneously diabetic GK rat by the treatment with T-1095, a specific inhibitor of renal Na⁺ glucose co-transporters. *Horm Metab Res*, **34**, 217-221.
- Yedovitzky, M., Mochly-Rosen, D., Johnson, J.A., Gray, M.O., Ron, D., Abramovitch, E., Cerasi, E. and Nesher, R. (1997) Translocation inhibitors define specificity of protein kinase C isoenzymes in pancreatic beta-cells. *J Biol Chem*, **272**, 1417-1420.
- Young, S.H., Wu, S.V. and Rozengurt, E. (2002) Ca²⁺-stimulated Ca²⁺ oscillations produced by the Ca²⁺-sensing receptor require negative feedback by protein kinase C. *J Biol Chem*, **277**, 46871-46876.
- Zamponi, G.W., Bourinet, E., Nelson, D., Nargeot, J. and Snutch, T.P. (1997) Crosstalk between G proteins and protein kinase C mediated by the calcium channel alpha1 subunit. *Nature*, **385**, 442-446.
- Zawalich, W., Brown, C. and Rasmussen, H. (1983) Insulin secretion: combined effects of phorbol ester and A23187. *Biochem Biophys Res Commun*, **117**, 448-455.
- Zawalich, W.S., Bonnet-Eymard, M., Zawalich, K.C. and Yaney, G.C. (1998) Chronic exposure to TPA depletes PKC alpha and augments Ca-

dependent insulin secretion from cultured rat islets. *Am J Physiol*, **274**, C1388-1396.

Zawalich, W.S., Zawalich, K.C., Tesz, G.J., Taketo, M.M., Sterpka, J., Philbrick, W. and Matsui, M. (2004) Effects of muscarinic receptor type 3 knockout on mouse islet secretory responses. *Biochem Biophys Res Commun*, **315**, 872-876.

Zhang, H., Nagasawa, M., Yamada, S., Mogami, H., Suzuki, Y. and Kojima, I. (2004) Bimodal Role of Conventional Protein Kinase C in Insulin Secretion from Rat Pancreatic Beta Cells. *J Physiol*, **15**, 133-147.

Zhang, Z.H., Johnson, J.A., Chen, L., El-Sherif, N., Mochly-Rosen, D. and Boutjdir, M. (1997) C2 region-derived peptides of beta-protein kinase C regulate cardiac Ca²⁺ channels. *Circ Res*, **80**, 720-729.

Zimmet, P., Alberti, K.G. and Shaw, J. (2001) Global and societal implications of the diabetes epidemic. *Nature*, **414**, 782-787.