

9. Literaturverzeichnis

Acker L, Schormüller J: Kohlenhydratreiche Lebensmittel, Handbuch der Lebensmittelchemie; Springer, 1967, pp 680.

Angmar MB: Studies on the distribution and ultrastructure of the main components in human dental enamel, Dr. odonto. Thesis, 1970.

Arends J, Christofferson J, Schuthof J, Smits MT: Influence of xylitol on demineralization of enamel. *Caries Res* 1984;18:296-301.

Arends J, Smits MT, Ruben JL: Combined effect of xylitol and fluorid on enamel demineralization *in vitro*. *Caries Res* 1990;24:256-257.

Ben-Aryeh H, Gutman D, Szargel R, Laufer D: Effects of irradiation on saliva in cancer patients. *Int J Oral Surg* 1975;4:205-210.

Bork K, Hoede G, Kortting G, Burgdorf W, Yong S: Diseases of the oral mucosa and the lips. Saunders, 1996.

Bornstein M, Filippi, A., Buser, D.: Früh- und Spätfolgen im intraoralen Bereich nach Strahltherapie. *Schweiz Monatsschr Zahnmed* 2001;111:61-68.

Borsboom P, Arends J, van der Mei HC: Enamel lesion formation with and without fluorid in solution. *Caries Res* 1985;19:396-402.

Brown LR, Dreizen S, Handler S, Johnstone D: The effect of irradiation induced xerostomia on human oral microflora. *J Dent Res* 1975;11:50-54.

Brudevold F, Gron P, Mc Cann HG: Physico-chemical aspects of the enamel saliva system. *Adv Fluoride Res* 1965;3:63-65.

Christersson CE, Lindh L, Arnebrant T: Film-forming properties and viscosities of saliva substitutes and human whole saliva. *Eur J Oral Sci* 2000;108:418-425.

Corfield AP, Schauer R: Sialic Acids. Springer, 1982.

Davies A: Saliva substitutes or stimulants. *Palliat Med* 1997;11:254-255.

Davies AN: A comparison of artificial saliva and chewing gum in the management of xerostomia in patients with advanced cancer. *Palliat Med* 2000;14:197-203.

Davies AN, Daniels C, Pugh R, Sharma K: A comparison of artificial saliva and pilocarpine in the management of xerostomia in patients with advanced cancer. *Palliat Med* 1998;12:105-111.

Deetjen P, Speckmann E: Physiologie. Urban&Schwarzenberg, 1996.

Dreizen S, Brown LR, Handler S, Levy BM: Radiation-induced xerostomia in cancer patients. Effect on salivary and serum electrolytes. *Cancer* 1976;38:273-278.

Esser M, Tinschert J, Marx R: Materialkennwert der Zahnhartsubstanz des Rindes im Vergleich zur humanen Zahnhartsubstanz. *Dtsch Zahnärztl Z* 1998;53:7.

Frank RM, Herdly J, Phillippe E: Acquired dental defects and salivary gland lesions after irradiation for carcinoma. *J Am Dent Assoc* 1965;70:83.

Gelhard TB, Fidler V, s'Gravenmade EJ, Vissink A: Remineralization of softened human enamel in mucin- or CMC-containing artificial salivas. *J Oral Pathol* 1983;12:336-341.

Gottschalk A: Glycoproteins, Vol. 2. Elsevier, 1972.

Guchelaar HJ, Vermes A, Meerwaldt JH: Radiation-induced xerostomia: pathophysiology, clinical course and supportive treatment. *Support Care Cancer* 1997;5:281-288.

Guijarro B, Lopez Sanchez AF, Hernandez Vallejo G: Treatment of xerostomia. A review. *Med Oral* 2001;6:7-18.

Hatton MN, Levine MJ, Margarone JE, Aguirre A: Lubrication and viscosity features of human saliva and commercially available saliva substitutes. *J Oral Maxillofac Surg* 1987;45:496-499.

Hellwig E, Klimek J, Attin T: Einführung in die Zahnerhaltung, Vol. 2. Urabn&Schwarzenberg, 1999.

Herod EL: The use of milk as a saliva substitute. *J Public Health Dent* 1994;54:184-189.

Imfeld T: Oligosialie und Xerostomie I: Basis Beispiele, epidemiology, etiology, pathology. *Schweiz Monatsschr Zahnmed* 1984a;94:741-754.

Imfeld T: Oligosialie und Xerostomie II: Diagnose, Prophylaxe und Behandlung. *Schweiz Monatsschr Zahnmed* 1984b;94:1083-1096.

Itthagaran A, Wei SH: Chewing gum and saliva in oral health. *J Clin Dent* 1997;8:159-162.

Jones IL, Leaver AG: Studies on the minor components of the organic matrix of human dentine. *Arch Oral Biol* 1974;19:371-80.

- Jongebloed WL, s'-Gravenmade EJ, Retief DH: Radiation caries: A review and SEM study. *Am J Dent* 1988;1:139-146.
- Joyston-Bechal S, Kidd EA: The effect of three commercially available saliva substitutes on enamel in vitro. *Br Dent J* 1987;163:187-190.
- Keene HJ, Daly T, Brown LR, Dreizen Sr, Drane JB, Horton IM: Dental caries and streptococcus mutans prevalence in cancer patients with irradiation-induced xerostomia: 1 - 13 years after radiotherapy. *Caries Res* 1981;15:27.
- Kielbassa AM, Meyer-Lueckel H: Die Auswirkungen von Speichelersatzmitteln und Mundspülösungen auf Dentin. *Schweiz Monatsschr Zahnmed* 2001;111:1060-1066.
- Kielbassa AM, Rowbotham F, Hellwig E, Schade-Brittinger C: The effect of oral hygiene on the onset of initial caries lesions in enamel irradiated for tumor therapy: An in situ study. *Dtsch Zahnärztl Z* 1997;52:735-740.
- Kielbassa AM, Shohadai SP: Die Auswirkungen von Speichelersatzmitteln auf die Läsionstiefe von demineralisiertem Schmelz. *Dtsch Zahnärztl Z* 1999;54:757-763.
- Kielbassa AM, Shohadai SP, Schulte-Monting J: Effect of saliva substitutes on mineral content of demineralized and sound dental enamel. *Support Care Cancer* 2001;9:40-47.
- Larson MJ, Bruun C: Caries chemistry and fluoride mechanisms of action.; in O. Fejerskov, (ed), *Textbook of clinical cariology*; Munksgaard, 1994, pp 231-257.
- Leonhardt H: Histologie, Zytologie und Mikroanatomie des Menschen, Vol. 8. Auflage. Thieme, 1990.
- Levine MJ, Aguirre A, Hatton MN, Tabak LA: Artificial salivas: present and future. *J Dent Res* 1987;66:693-698.
- Marks NJ, Roberts B: A proposed new method for the treatment of dry mouth. *Ann R Coll Surg Engl* 1983;65:191-193.
- Mason D, Chisholm D: Salivary glands in health and disease, Vol. 2. Saunders, 1975.
- Matzker J, Schreiber J: Synthetischer Speichel zur Therapie der Hyposalivation, insbesondere der radiogenen Sialadenitis. *Z Laryngol Rhinol Otol* 1972;51:422-428.

- Meurman JHR, I.; Kari, K.; Laakso, T.; Murtomaa, H.: Salivary pH and glucose after consuming various beverages, including sugar-containing drinks. *Caries Res* 1987;21:353-359.
- Meyer-Lueckel H, Schulte-Monting J, Kielbassa AM: The effect of commercially available saliva substitutes on pre-demineralized bovine dentin *in vitro*. *Oral Diseases* 2002;36:170-173.
- Mira J, Wescott WB, Starke EN, Shannon IL: Some factors influencing salivary function when treating with radiotherapy. *Int J Radiat Oncol Biol Phys* 1981;71:41.
- Münzel M: Die Biochemie der menschlichen Speicheldrüsensekrete. *Arch Oral Biol* 1981;21:233-237.
- Nieuw Amerongen AV, Oderkerk CH, Driessen AA: Role of mucins from human whole saliva in the protection of tooth enamel against demineralization *in vitro*. *Caries Res* 1987;21:297-309.
- Olsson H, Axell T: Objective and subjective efficacy of saliva substitutes containing mucin and carboxymethylcellulose. *Scand J Dent Res* 1991;99:316-319.
- Rauch S: Die Speicheldrüsen des Menschen. Anatomie, Physiologie und klinische Pathologie. Thieme, 1959.
- Reeh ES, Douglas WH, Levine MJ: Lubrication of saliva substitutes at enamel-to-enamel contacts in an artificial mouth. *J Prosthet Dent* 1996;75:649-656.
- Remick R, Blasberg B, Patterson B, Carmichael R, Miles J: Clinical aspects of xerostomia. *J Clin Psychiatry* 1983;44:63-65.
- Rieke JW, Hafermann MD, Johnson JT, LeVeque FG, Iwamoto R, Steiger BW, Muscoplat C, Gallagher SC: Oral pilocarpine for radiation-induced xerostomia: integrated efficacy and safety results from two prospective randomized clinical trials. *Int J Radiat Oncol Biol Phys* 1995;31:661-669.
- Roberts B: A study of the viscosity of saliva at different shear rates in dentate and edentulous patients. *J Dent* 1977;5:303-309.
- Schemel W, Hummel K, Krekeler G: Härteprüfung an Schmelz, Dentin und Zement rezenter menschlicher Zähne. *Schweiz Monatsschr Zahnmed* 1984;10.
- Schroeder HE: Orale Strukturbiologie, Vol. 4. Thieme, 1992.
- Seifert G, Miehlke A, Haubrich J, Chilla R: Speicheldrüsenkrankheiten, Vol. 1. Thieme, 1984.

- s'Gravenmade EJ, Vissink A: Mucin-containing lozenges in the treatment of intraoral problems associated with Sjögren's syndrome-A double-blind crossover study in 42 patients. *Oral Surg Oral Med Oral Pathol* 1993;75:466-471.
- Shannon IL, Edmonds EJ: Effect of fluoride concentration on rehardening of enamel by a saliva substitute. *Int Dent J* 1978;28:421-426.
- Shannon IL, McCrary BR, Starcke EN: A saliva substitute for use by xerostomic patients undergoing radiotherapy to the head and neck. *Oral Surg Oral Med Oral Pathol* 1977;44:656-661.
- Sreebny LM: Recognition and treatment of salivary induced conditions. *Int Dent J* 1989;39:197-204.
- Sreebny LM: Xerostomia: Diagnosis, management and clinical complications; in W. M. Edgar, D. M. O'Mullane, (eds), *Saliva and oral health*; Thanet Press, 1996, pp 43-66.
- Sreebny LM, Schwartz SS: A reference guide to drugs and dry mouth. *Gerodontology* 1986;5:75-99.
- Tenovuo J, Rekola M: Some effects of sugar-flavored acid beverages on the biochemistry of human whole saliva and dental plaque. *Acta Odontol Scand* 1977;35:317-330.
- Van der Reijden WA, Buijs MJ, Damen JJ, Veerman EC, Ten Cate JM, Nieuw Amerongen AV: Influence of polymers for use in saliva substitutes on de- and remineralization of enamel in vitro. *Caries Res* 1997;31:216-223.
- Van der Reijden WA, Van der Kwaak H, Vissink A, Veerman EC, Nieuw Amerongen AV: Treatment of xerostomia with polymer-based saliva substitutes in patients with Sjogren's syndrome. *Arthritis Rheum* 1996;39:57-63.
- Van der Reijden WA, Veerman EC, Nieuw Amerongen AV: Rheological properties of commercially available polysaccharides with potential use in saliva substitutes. *Biorheology* 1994;31:631-642.
- Van der Reijden WA, Vissink A, Veerman EC, Nieuw Amerongen AV: Treatment of oral dryness related complaints (xerostomia) in Sjogren's syndrome. *Ann Rheum Dis* 1999;58:465-474.
- Visch LL, s'Gravenmade EJ, Schaub RM, Van Putten WL, Vissink A: A double-blind crossover trial of CMC- and mucin-containing saliva substitutes. *Int J Oral Maxillofac Surg* 1986;15:395-400.
- Vissink A, De Jong HP, Busscher HJ, Arends J, s'Gravenmade EJ: Wetting properties of human saliva and saliva substitutes. *J Dent Res* 1986;65:1121-1124.

- Vissink A, s'Gravenmade EJ, Gelhard TB, Panders AK, Franken MH: Rehardening properties of mucin- or CMC-containing saliva substitutes on softened human enamel. Effects of sorbitol, xylitol and increasing viscosity. *Caries Res* 1985;19:212-218.
- Vissink A, s'Gravenmade EJ, Panders AK, Vermey A: Treatment of hyposalivation. *Ear Nose Throat J* 1988;67:179-185.
- Vissink A, s'Gravenmade EJ, Panders AK, Vermey A, Petersen JK, Visch LL, Schaub RM: A clinical comparison between commercially available mucin- and CMC- containing saliva substitutes. *Int J Oral Surg* 1983;12:232-238.
- Vissink A, Waterman HA, s'Gravenmade EJ, Panders AK, Vermey A: Rheological properties of saliva substitutes containing mucin, carboxymethylcellulose or polyethylenoxide. *J Oral Pathol* 1984;13:22-28.
- Wescott WB, Starcke EN, Shannon IL: Chemical protection against postirradiation dental caries. *Oral Surg Oral Med Oral Pathol* 1975;40:709-719.
- Willich N, Gundacker K, Zwingers T, Rohloff R: The development of radiation caries after high-dose irradiation. *Strahlenther Onkol* 1988;164:466-473.
- Zimmermann JS, Wilhelm R, Niehoff P, Schneider R, Kovacs G, Kimmig B: Prophylaxe und Therapie akuter Strahlenfolgen an Haut und Schleimhaut. *Strahlenther Onkol* 1998;174:142-148.