

# Bibliography

- [1] P.A.M. Dirac. Quantum mechanics of many-electron systems. *Proc. Royal Soc. (London)*, A123:714–733, 1929.
- [2] H. Melville. In *Oxford Faraday Discussion on the ‘Labile Molecule’*, 1947.
- [3] M. Dantus, M.J. Rosker, and A.H. Zewail. Real-time femtosecond probing of “transition states” in chemical reactions. *J. Chem. Phys.*, 87:2395–2397, 1987.
- [4] J. Manz. Molecular wavepacket dynamics: theory for experiments 1926–1996. In V. Sundström, editor, *Femtochemistry and Femtobiology: Ultrafast Reaction Dynamics at Atomic-Scale Resolution, Nobel Symposium 101*, pages 80–318. Imperial College Press, London, 1996.
- [5] J. Manz and L. Wöste, editors. *Femtosecond Chemistry*. VCH Verlagsgesellschaft, Weinheim, 1995.
- [6] A. Zewail, editor. *The Chemical Bond. Structure and Dynamics*. Academic Press, Boston, 1992.
- [7] M. Chergui, editor. *Femtochemistry — Ultrafast Chemical and Physical Processes in Molecular Systems*. World Scientific, Singapore, 1996.
- [8] M.V. Korolkov, J. Manz, and G.K. Paramonov. Theory of laser control of vibrational transitions and chemical reactions by ultrashort infrared laser pulses. *Adv. Chem. Phys.*, 101, 1997. in press.
- [9] R.E. Wyatt and J.Z.H. Zhang, editors. *Dynamics of Molecules and Chemical Reactions*, New York, 1996. Marcel Dekker.

- [10] J. Jortner and R.S. Berry. Radiationless transitions and molecular quantum beats. *J. Chem. Phys.*, 48:2757–2766, 1968.
- [11] N. Bloembergen and A.H. Zewail. Energy redistribution in isolated molecules and the question of mode-selective laser chemistry revisited. *J. Phys. Chem.*, 88:5459–5465, 1984.
- [12] G.G. Balint-Kurti and M. Shapiro. Quantum theory of molecular photodissociation. In K.P. Lawley, editor, *Photodissociation and Photoionization*, page 403. J. Wiley & Sons Ltd., 1985.
- [13] R. Schinke. *Photodissociation Dynamics*. Cambridge University Press, Cambridge, 1993.
- [14] M.V. Korol'kov, J. Manz, and G.K. Paramonov. Theory of ultrafast laser control for state-selective dynamics of diatomic molecules in the ground electronic state: vibrational excitation, dissociation, spatial squeezing, and association. *Chem. Phys.*, 217:341–374, 1997.
- [15] G.K. Paramonov and V.A. Savva. Resonance effects in molecule vibrational excitation by picosecond laser pulses. *Phys. Letters A*, 97:340–342, 1983.
- [16] G.K. Paramonov and V.A. Savva. The effect of state-selective vibrational excitation of an isolated molecule by a picosecond pulse of IR laser radiation. *Izv. Akad. Nauk SSSR, Ser. Fiz.*, 48:449–452, 1984. (in Russian).
- [17] T. Joseph and J. Manz. Mode selective dissociation of vibrationally excited ABA molecular resonances stimulated by a picosecond infrared laser pulse. *Molec. Phys.*, 58:1149–1169, 1986.
- [18] J.E. Combariza, B. Just, J. Manz, and G.K. Paramonov. Isomerizations controlled by ultrashort infrared laser pulses: model simulations for the inversion of ligands (H) in the double-well potential of an organometallic compound, [(C<sub>2</sub>H<sub>5</sub>)(CO)<sub>2</sub>FePH<sub>2</sub>]. *J. Phys. Chem.*, 95:10351–10359, 1991.
- [19] B. Just, J. Manz, and G.K. Paramonov. Series of ultrashort infrared laser pulses with analytical shapes for selective vibrational excitation. Model simu-

- lations for OH ( $v = 0$ )  $\rightarrow$  OH( $v = 10$ ). *Chem. Phys. Letters*, 193:429–434, 1992.
- [20] M.V. Korolkov, G.K. Paramonov, and B. Schmidt. State-selective control for vibrational excitation and dissociation of diatomic molecules with shaped ultrashort infrared laser pulses. *J. Chem. Phys.*, 105:1862–1879, 1996.
- [21] M.V. Korolkov, J. Manz, and G.K. Paramonov. Theory of ultrafast laser control of isomerization reactions in an environment: picosecond Cope rearrangement of substituted semibullvalenes. *J. Chem. Phys.*, 105:10874–10889, 1996.
- [22] D.J. Tannor, S.A. Rice, and P.M. Weber. Picosecond CARS as a probe of ground electronic state intramolecular vibrational energy redistribution. *J. Chem. Phys.*, 83:6158–6164, 1985.
- [23] D.J. Tannor, R. Kosloff, and S.A. Rice. Coherent pulse sequence induced control of selectivity of reactions: Exact quantum mechanical calculations. *J. Chem. Phys.*, 85:5805–5820, 1986.
- [24] P. Moulton. Ti-doped sapphire: a tunable solid-state laser. *Opt. News*, 8:9–21, 1982.
- [25] D. Spence, P. Kean, and W. Sibbett. 60-fsec pulse generation from a self-modelocked Ti:sapphire laser. *Opt. Lett.*, 16:42–49, 1991.
- [26] J.G.B. Beumee and H. Rabitz. Robust optimal control theory for selective vibrational excitation in molecules. *J. Chem. Phys.*, 97:1353–1364, 1992.
- [27] J. Dai and J.Z.H. Zhang. Quantum adsorption dynamics of a diatomic molecule on surface: Four-dimensional fixed-site model for H<sub>2</sub> on Cu(111). *J. Chem. Phys.*, 102:6280–6289, 1995.
- [28] J.-Y. Fang and H. Guo. Four-dimensional quantum dynamics of the CH<sub>3</sub>I/MgO photodissociation. *Chem. Phys. Lett.*, 235:341–346, 1995.
- [29] U. Manthe and A.D. Hammerich. Wavepacket dynamics in five dimensions. Photodissociation of methyl iodide. *Chem. Phys. Lett.*, 211:7–13, 1993.

- [30] A. Gross and M. Scheffler. Six-dimensional quantum dynamics of adsorption and desorption of  $\text{H}_2$  at Pd(100). *Phys. Rev. Letters*, 75:2718, 1995.
- [31] G.A. Worth, H.-D. Meyer, and L.S. Cederbaum. The effect of a model environment on the  $S_2$  absorption spectrum of pyrazine: a wavepacket study treating all 24 vibrational modes. *J. Chem. Phys.*, 105:4412–4426, 1996.
- [32] P. Bado, P.H. Berens, J.P. Bergsma, M.H. Coladonato, C.G. Dupuy, P.M. Edelsten, J.D. Kahn, K.R. Wilson, and D.R. Fredkin. Molecular dynamics of chemical reactions in solution. *Laser Chemistry*, 3:231–247, 1983.
- [33] R.M. Whitnell and K.R. Wilson. Computational molecular dynamics of chemical reactions in solutions. In K.B. Lipkowitz and D.B. Boyd, editors, *Reviews in Computational Chemistry, Vol. IV*, pages 67–148, New York, 1993. VCH Publishers, Inc.
- [34] E. Wigner. Über nicht kombinierende Terme in der neueren Quantentheorie. Erster Teil. *Z. Phys.*, 40:492–500, 1927.
- [35] G. Stock and W. Domcke. Model studies on the time-resolved measurement of excited-state vibrational dynamics and vibronic coupling. *Chem. Phys.*, 124:227–238, 1988.
- [36] V.A. Apkarian, C.J. Bardeen, J. Che, P. Cong, B. Kohler, J.L. Krause, C.C. Martens, M. Messina, K.R. Wilson, V.V. Yakovlev, and R. Zadoyan. Quantum control from the gas to condensed phase. In J. Fujimoto, W. Zinth, P.F. Barbara, and W.H. Knox, editors, *Ultrafast Phenomena X*, Berlin, 1996. Springer-Verlag. to appear.
- [37] J. Che, M. Messina, K.R. Wilson, V.A. Apkarian, Z. Li, C.C. Martens, R. Zadoyan, and Y. Yan. Semiclassical dynamics and quantum control in condensed phases: Application to  $\text{I}_2$  in a solid argon matrix. *J. Phys. Chem.*, 100:7873–7883, 1996.
- [38] A. Garcia-Vela and R.B. Gerber. Hybrid quantum/semiclassical wave packet method for molecular dynamics: application to photolysis of Ar...HCl. *J. Chem. Phys.*, 98:427–436, 1993.

- [39] R.B. Gerber, A.B. McCoy, and A. Garcia-Vela. Dynamics of photoinduced reactions in van der waals and in hydrogen-bonded clusters. In Manz and Wöste [5], pages 499–531.
- [40] E. Fredj, R.B. Gerber, and M.A. Ratner. Semiclassical molecular dynamics simulations of low-temperature clusters: applications to  $(\text{Ar})_{13}$ ;  $(\text{Ne})_{13}$ ;  $(\text{H}_2\text{O})_n$ ,  $n = 2, 3, 5$ . *J. Chem. Phys.*, 1996. in press.
- [41] E.B. Wilson Jr., J.C. Decius, and P.C. Cross. *Molecular vibrations: the theory of infrared and Raman vibrational spectra*. Dover Publications, Inc., New York, 1955.
- [42] M. Weissbluth. *Atoms and molecules*. Academic Press, New York, 1978.
- [43] M. Child and L. Halonen. Overtone frequencies and intensities in the local mode picture. *Adv. Chem. Phys.*, 57:1–58, 1984.
- [44] J.C. Light, I.P. Hamilton, and J.V. Lill. Generalized discrete variable approximation in quantum mechanics. *J. Chem. Phys.*, 83:1400–1409, 1985.
- [45] J.V. Lill, G.A. Parker, and J.C. Light. Discrete variable representations and sudden models in quantum scattering theory. *Chem. Phys. Lett.*, 89:483–489, 1982.
- [46] J.P. Dahl and M. Springborg. The Morse oscillator in position space, momentum space, and phase space. *J. Chem. Phys.*, 88:4535–4547, 1988.
- [47] N. Balakrishnan, C. Kalyanaraman, and N. Sathyamurthy. Time-dependent quantum mechanical approach to reactive scattering and related processes. *Phys. Rep.*, 280:79–144, 1997.
- [48] G.G. Balint-Kurti, R.N. Dixon, and C.C. Marston. Time-dependent quantum dynamics of molecular photofragmentation processes. *J. Chem. Soc. Faraday Trans.*, 86:1741–1749, 1990.
- [49] M.V. Korolkov, J. Manz, G.K. Paramonov, and B. Schmidt. Vibrationally state-selective photoassociation by infrared sub-picosecond laser pulses: model simulations for  $\text{O} + \text{H} \rightarrow \text{OH}(v)$ . *Chem. Phys. Lett.*, 260:604–610, 1996.

- [50] B. Reischl. Quantum dynamical three-dimensional ab initio approach to a femtosecond pump-probe ionization spectrum of  $\text{Na}_3(\text{B})$  at low laser field intensities. *Chem. Phys. Lett.*, 239:173–180, 1995.
- [51] S. Schulz and R. de Vivie-Riedle. A practical approach to multivariate interpolation. *Computers in Physics*, 11:647–659, 1997.
- [52] E.A. McCullough, Jr. and R.E. Wyatt. Quantum dynamics of the collinear ( $\text{H}, \text{H}_2$ ) reaction. *J. Chem. Phys.*, 51:1253–1255, 1969.
- [53] A. Askar and A.S. Cakmak. Explicit integration method for the time-dependent Schrödinger equation for collision problems. *J. Chem. Phys.*, 68:2794–2798, 1978.
- [54] M.D. Feit, J.A. Fleck Jr., and A. Steiger. Solution of the Schrödinger equation by a spectral method. *J. Comp. Phys.*, 47:412–433, 1982.
- [55] M.D. Feit and J.A. Fleck Jr. Solution of the Schrödinger equation by a spectral method. II. Vibrational energy levels of triatomic molecules. *J. Chem. Phys.*, 78:301–308, 1983.
- [56] D. Kosloff and R. Kosloff. A Fourier method solution for the time dependent Schrödinger equation as a tool in molecular dynamics. *J. Comp. Phys.*, 52:35–53, 1983.
- [57] M. Feit and J. Fleck. Light propagation in graded-index optical fibers. *Appl. Opt.*, 17:3990–3998, 1978.
- [58] G.K. Paramonov. Private communication, 1999.
- [59] D. Hoffmann, O. Sharafeddin, R. Judson, and D. Kouri. Time-dependent treatment of scattering: integral equation approaches using the time-dependent amplitude density. *J. Chem. Phys.*, 92:4167–4177, 1990.
- [60] D. Kouri and D. Hoffmann. Time-dependent integral equation approach to quantum dynamics of systems with time-dependent potentials. *Chem. Phys. Lett.*, 186:91–99, 1991.

- [61] H. Tal-Ezer and R. Kosloff. An accurate and efficient scheme for propagating the time dependent Schrödinger equation. *J. Chem. Phys.*, 81:3967–3971, 1984.
- [62] H. Tal-Ezer, R. Kosloff, and C. Cerjan. Low-order polynomial approximation of propagators for the time-dependent Schrödinger equation. *J. Comp. Phys.*, 100:179, 1992.
- [63] U. Peskin and N. Moiseyev. The solution of the time-dependent Schrödinger equation by the  $(t, t')$  method: Theory, computational algorithm and applications. *J. Chem. Phys.*, 99:4590–4596, 1993.
- [64] U. Peskin, R. Kosloff, and N. Moiseyev. The solution of the time-dependent Schrödinger equation by the  $(t, t')$  method: The use of global polynomial propagators for time-dependent hamiltonians. *J. Chem. Phys.*, 100:8849–8855, 1994.
- [65] R.H. Bisseling, R. Kosloff, and J. Manz. Dynamics of hyperspherical and local mode resonance decay studied by time dependent wave packet propagation. *J. Chem. Phys.*, 83:993–1004, 1985.
- [66] D. Neuhauser and M. Baer. The time-dependent Schrödinger equation: Application of absorbing boundary conditions. *J. Chem. Phys.*, 90:4351–4355, 1989.
- [67] E.J. Heller. The semiclassical way to molecular spectroscopy. *Acc. Chem. Res.*, 14:368–375, 1981.
- [68] E.J. Heller, R.L. Sundberg, and D.J. Tannor. Simple aspects of Raman scattering. *J. Phys. Chem.*, 86:1822–1833, 1982.
- [69] U. Manthe, H.-D. Meyer, and L.S. Cederbaum. Wave-packet dynamics within the multiconfiguration Hartree framework: General aspects and applications to NOCl. *J. Chem. Phys.*, 97:3199–3213, 1992.
- [70] R. de Vivie-Riedle, J. Gaus, V. Bonačić-Koutecký, J. Manz, B. Reischl, S. Rutz, E. Schreiber, and L. Wöste. Pulse width controlled molecular dy-

- namics: Symmetric stretch versus pseudorotations in  $\text{Na}_3(\text{B})$ . In Chergui [7], pages 319–326.
- [71] H. Flöthmann, C. Beck, R. Schinke, C. Woywood, and W. Domcke. Photodissociation of the ozone in the Chappuis band. II. time-dependent wave-packet calculations and interpretation of diffuse vibrational structures. *J. Chem. Phys.*, 107:7296–7313, 1997.
- [72] C.C. Marston and G.G. Balint-Kurti. The Fourier grid Hamiltonian method for bound state eigenvalues and eigenfunctions. *J. Chem. Phys.*, 91:3571–3576, 1989.
- [73] H. Lehr and C. Chatzidimitrou-Dreismann. Complex scaling in two dimensions: first results. *Chem. Phys. Lett.*, 186:511–516, 1991.
- [74] H. Tal-Ezer and R. Kosloff. A direct relaxation method for calculating eigenfunctions and eigenvalues of the Schrödinger equation. *Chem. Phys. Lett.*, 127:223–230, 1986.
- [75] K. Sundermann. *Parallele Algorithmen zur Quantendynamik und optimalen Laserpulskontrolle chemischer Reaktionen*. PhD thesis, Freie Universität Berlin, Fachbereich Chemie, 1998.
- [76] A. Ellis, E. Robles, and T. Miller. Dispersed fluorescence spectroscopic study of the ground electronic state of silver trimer. *Chem. Phys. Lett.*, 201:132–140, 1993.
- [77] H. Handschuh, C.-Y. Cha, P. Bechthold, G. Ganteför, and W. Eberhardt. Electronic shells or molecular orbitals: photoelectron spectra of  $\text{Ag}_n^-$  clusters. *J. Chem. Phys.*, 102:6406–6422, 1995.
- [78] T. Okazaki, Y. Saito, A. Kasuya, and Y. Nishina. Optical emission spectra of  $\text{Ag}_3$  molecules in the gas evaporation technique. *J. Chem. Phys.*, 104:812–814, 1996.
- [79] V. Bonačić-Koutecký, L. Češpiva, P. Fantucci, and J. Koutecký. Effective core potential-configuration interaction study of electronic structure and geometry

- of small neutral and cationic  $\text{Ag}_n$  clusters: predictions and interpretation of measured properties. *J. Chem. Phys.*, 98:7981–7994, 1993.
- [80] V. Bonačić-Koutecký, L. Češpiva, P. Fantucci, J. Pittner, and J. Koutecký. Effective core potential-configuration interaction study of electronic structure and geometry of small anionic  $\text{Ag}_n$  clusters: predictions and interpretation of photodetachment spectra. *J. Chem. Phys.*, 100:490–506, 1994.
- [81] J. Zhao, X. Chen, and G. Wang. A modified Hückel calculation on the structures and ionization potentials of Ag clusters. *Phys. Stat. Solidi B*, 188:719–722, 1995.
- [82] T. Leisner, Ch. Rosche, S. Wolf, F. Granzer, and L. Wöste. The catalytic role of small coinage-metal clusters in photography. *Surface Review Lett.*, 3:1105–1108, 1996.
- [83] E. Schreiber, S. Rutz, S. Wolf, T. Leisner, and L. Wöste. Ultrafast relaxation phenomena and chemical behavior of metal clusters. In T. Kondow, K. Kaya, and A. Terasaki, editors, *Structure and dynamics of clusters, Vol. 16 of Frontiers Science Series*, pages 199–208. Universal Academy Press, Inc., Tokyo, 1996.
- [84] S. Wolf, G. Sommerer, S. Rutz, E. Schreiber, T. Leisner, L. Wöste, and R.S. Berry. Spectroscopy of size-selected neutral clusters: Femtosecond evolution of neutral silver trimers. *Phys. Rev. Lett.*, 74:4177–4180, 1995.
- [85] T. Leisner, S. Rutz, S. Vajda, S. Wolf, E. Schreiber, and L. Wöste. Spectroscopy of mass-selected neutral clusters: femtosecond dynamics of the ground state of  $\text{Ag}_n$ . In A. Tramer, editor, *Fast Elementary Processes in Chemical and Biological Systems, Vol. 364 AIP Conference Proceedings*, pages 603–620. AIP Press, Woodbury, New York, 1996.
- [86] M.J. Rosker, M. Dantus, and A.H. Zewail. Femtosecond real-time probing of reactions. I. The technique. *J. Chem. Phys.*, 89:6113–6127, 1988.

- [87] M. Dantus, M.J. Rosker, and A.H. Zewail. Femtosecond real-time probing of reactions. II. The dissociation of reaction of ICN. *J. Chem. Phys.*, 89:6128–6140, 1988.
- [88] L.R. Khundkar and A.H. Zewail. Ultrafast molecular reactions dynamics in real-time: progress over a decade. *Annu. Rev. Phys. Chem.*, 41:15–60, 1990.
- [89] R. Metz, S. Bradforth, and D. Neumark. Transition state spectroscopy of bimolecular reactions using negative ion photodetachment. *Adv. Chem. Phys.*, 81:1–20, 1992.
- [90] D.M. Neumark. Transition-state spectroscopy via negative ion photodetachment. *Acc. Chem. Res.*, 26:33–39, 1993.
- [91] D.W. Boo, Y. Ozaki, L. Andersen, and W. Lineberger. Femtosecond dynamics of linear Ag<sub>3</sub>. *J. Phys. Chem.*, 101:6688–6696, 1997.
- [92] T. Leisner, S. Vajda, S. Wolf, L. Wöste, and R.S. Berry. The relaxation from linear to triangular Ag<sub>3</sub> probed by femtosecond resonant two-photon ionization. *J. Chem. Phys.*, 111:1017–1021, 1999.
- [93] E. Schreiber. *Femtosecond real-time spectroscopy of small molecules and clusters*, volume 143 of *Springer Tracts in Modern Physics*. Springer-Verlag, Berlin, 1998.
- [94] H. Hess, S. Kwiet, L. Socaciu, S. Wolf, T. Leisner, and L. Wöste. The influence of the anion temperature on the fs-dynamics in a NeNePo experiment. *Chem. Phys. Lett.*, in press, 1999.
- [95] H. Jeschke, M. Garcia, and K. Bennemann. Theory for the ultrafast structural response of optically excited small clusters: time dependence of the ionization potential. *Phys. Rev. A*, 54:R4601–R4604, 1996.
- [96] H. Jeschke, M. Garcia, and K.-H. Bennemann. Analysis of the ultrafast dynamics of the silver trimer upon photodetachment. *J. Phys. B.: At. Mol. Opt. Phys.*, 29:L545–L549, 1996.

- [97] M. Hartmann, J. Pittner, V. Bonačić-Koutecký, A. Heidenreich, and J. Jortner. Theoretical exploration of femtosecond multi-state nuclear dynamics of small clusters. *J. Chem. Phys.*, 108:3096–3113, 1998.
- [98] M. Hartmann, A. Heidenreich, J. Pittner, V. Bonačić-Koutecký, and J. Jortner. Ultrafast dynamics of small clusters on the time scale of nuclear motion. *J. Phys. Chem. A.*, 102:4069–4074, 1998.
- [99] I. Andrianov, V. Bonačić-Koutecký, M. Hartmann, J. Manz, J. Pittner, and K. Sundermann. *Ab initio* three-dimensional quantum dynamics of Ag<sub>3</sub> clusters in NeNePo process. *Chem. Phys. Lett.*, 318:256–262, 2000.
- [100] J. Pittner. Private communication, 1997.
- [101] M. Hartmann and V. Bonačić-Koutecký. Private communication.
- [102] O. Rubner, C. Meier, , and V. Engel. The calculation of time-resolved negative-ion-to-neutral-to-positive-ion spectra with an application to iron-carbonyl. *J. Chem. Phys.*, 107:1066–1072, 1997.
- [103] M.V. Korolkov and G.K. Paramonov. Vibrationally state-selective electronic excitation of diatomic molecules by ultrashort laser pulses. *Phys. Rev. A.*, 57:4998–5001, 1998.
- [104] I.S. Averbukh and N.F. Perelman. Fractional revivals: Universality in the long-term evolution of quantum wave packets beyond the correspondence principle dynamics. *Phys. Lett. A*, 139:449–453, 1989.
- [105] B.M. Garraway and K.-A. Suominen. Wave-packet dynamics: new physics and chemistry in femto-time. *Rep. Prog. Phys.*, 58:365–419, 1995.
- [106] M.J.J. Vrakking, D.M. Villeneuve, and A. Stolow. Observation of fractional revivals of a molecular wave packet. *Phys. Rev. A*, 54:1–4, 1996.
- [107] J. Heufelder, H. Ruppe, S. Rutz, E. Schreiber, and L. Wöste. Fractional revivals of vibrational wave packets in the NaK A<sup>1</sup>Σ<sup>+</sup> state. *Chem. Phys. Lett.*, 269:1–8, 1997.

- [108] S. Rutz and E. Schreiber. Fractional revivals of wave packets in the  $A^1\Sigma_u^+$  state of  $K_2$ . a comparison of two different pump and probe cycles by spectrograms. *Chem. Phys. Lett.*, 269:9–16, 1997.
- [109] H. Hess. *Femtosekunden-Spektroskopie an kalten Metallclustern*. PhD thesis, Freie Universität Berlin, Fachbereich Physik, 1999.
- [110] M. Oppel and G.K. Paramonov. Picosecond laser control of bond-selective dissociation and clockwise and anticlockwise rotation of the dissociation fragments: applications to a three-dimensional model of  $HONO_2$  in the ground electronic state. *Chem. Phys.*, 250:131, 1999.
- [111] G.D. Carney, L.L. Sprandel, and C.W. Kern. Variational approaches to vibration-rotation spectroscopy for polyatomic molecules. *Adv. Chem. Phys.*, 37:305–379, 1978.
- [112] S. Carter and N.C. Handy. A variational method for the calculation of vibrational levels of any triatomic molecule. *Mol. Phys.*, 47:1445–1455, 1982.
- [113] S. Carter and N.C. Handy. An efficient procedure for the calculation of the vibrational energy levels of any triatomic molecule. *Mol. Phys.*, 57:175–185, 1986.
- [114] B.K. Dey, A. Askar, and H. Rabitz. Multidimensional wave packet dynamics within the fluid dynamical formulation of the Schrödinger equation. *J. Chem. Phys.*, 109:8770–8782, 1998.
- [115] U. Manthe, H.-D. Meyer, and L.S. Cederbaum. Multiconfigurational time-dependent Hartree study of complex dynamics: Photodissociation of  $NO_2$ . *J. Chem. Phys.*, 97:9062–9071, 1992.
- [116] I. Andrianov and G.K. Paramonov. A three-dimensional model of vibrating  $HONO_2$  molecule: derivation of the hamiltonian with examples of dynamics. *Mol. Phys.*, 1999. submitted.
- [117] M. Oppel and G.K. Paramonov. Infrared laser pulse control of bond and state selective excitation, dissociation and space quantization: application to

- a three-dimensional model of HONO<sub>2</sub> in the ground electronic state. *Appl. Opt. B.*, 1999. submitted.
- [118] H. Goldstein. *Klassische Mechanik*. Akademische Verlagsgesellschaft, Frankfurt am Main, 1963.
- [119] P.R. Fleming, M. Li, and T.R. Rizzo. Infrared spectroscopy of vibrationally excited HONO<sub>2</sub>: shedding light on the dark states of intramolecular vibrational redistribution. *J. Chem. Phys.*, 94:2425–2437, 1991.
- [120] M. Oppel and G.K. Paramonov. Ultrafast laser control of vibrational dynamics for a two-dimensional model of HONO<sub>2</sub> in the ground electronic state: separation of conformers, control of the bond length, selective preparation of the discrete and the continuum states. *Chem. Phys.*, 232:111–130, 1998.
- [121] M. Kaluza, J.T. Muckerman, P. Gross, and H. Rabitz. Optimally controlled five-laser infrared multiphoton dissociation of HF. *J. Chem. Phys.*, 100:4211–4228, 1994.
- [122] J. Manz and G.K. Paramonov. Laser control scheme for state-selective vibrational excitation of the HOD molecule. *J. Phys. Chem.*, 97:12625–12633, 1993.
- [123] W. Gabriel and P. Rosmus. Selective mode excitations in the electronic ground states of H<sub>2</sub>O, HDO, SiH<sub>2</sub> and NH<sub>2</sub>. *J. Phys. Chem.*, 97:12644–12649, 1993.
- [124] K.K. Lehmann, G. Scoles, and B.H. Pate. Intramolecular dynamics from eigenstate-resolved infrared spectra. *Annu. Rev. Phys. Chem.*, 45:241–274, 1994.
- [125] G.K. Paramonov. Selective preparation of the zeroth-order vibrational states in the HOD molecule by ultrashort infrared laser pulses. *Chem. Phys. Lett.*, 250:505–514, 1996.
- [126] C. Leichtle, I.Sh. Averbukh, and W.P. Schleich. Multi-level quantum beats: An analytical approach. *Phys. Rev. A*, 54:5299–5312, 1996.

- [127] P.M. Felker and A.H. Zewail. Dynamics of intramolecular vibrational energy redistribution (IVR). I. Coherence effects. *J. Chem. Phys.*, 82:2961–2974, 1985.
- [128] P.M. Felker and A.H. Zewail. Dynamics of intramolecular vibrational-energy redistribution (IVR). II. Excess energy dependence. *J. Chem. Phys.*, 82:2975–2993, 1985.
- [129] P.M. Felker and A.H. Zewail. Dynamics of intramolecular vibrational-energy redistribution (IVR). III. Role of molecular rotations. *J. Chem. Phys.*, 82:2994–3002, 1985.
- [130] P.M. Felker and A.H. Zewail. Dynamics of intramolecular vibrational-energy redistribution (IVR). IV. Excess energy dependence, *t*-stilbene. *J. Chem. Phys.*, 82:3003–3010, 1985.
- [131] E.D. Potter, J.L. Herek, S. Pedersen, Q. Liu, and A.H. Zewail. Femtosecond laser control of a chemical reaction. *Nature*, 355:66–68, 1992.
- [132] G.K. Paramonov. Laser control of state-selective ultrafast excitation of molecular vibrations. In Manz and Wöste [5], pages 671–712.
- [133] M. Holthaus and B. Just. Generalized  $\pi$ -pulses. *Phys. Rev. A*, 49:1950–1960, 1994.
- [134] J.S. Melinger, D. McMorro, C. Hillegas, and W.S. Warren. Selective excitation of vibrational overtones in anharmonic ladder with frequency- and amplitude-modulated laser pulses. *Phys. Rev. A*, 51:3366–3369, 1995.
- [135] M.V. Korolkov, Y.A. Logvin, and G.K. Paramonov. Laser control of ultrafast state-selective preparation of OH at high vibrational levels. *J. Phys. Chem.*, 100:8070–8078, 1996.
- [136] M.V. Korolkov and G.K. Paramonov. State-selective vibrational excitation of diatomic molecules coupled to a quasis resonant environment: Markov approximation and non-Markov approach. *Phys. Rev. A*, 55:589–604, 1997.

- [137] M.V. Korolkov and G.K. Paramonov. Ultrafast laser-pulse control for selective excitation of high vibrational states and dissociation of diatomic molecules in and environment. *Phys. Rev. A*, 56:3860–3869, 1997.
- [138] S. Chelkowski and A.D. Bandrauk. Control of molecular vibrational excitation and dissociation by chirped intense infrared laser pulses. Rotational effects. *J. Chem. Phys.*, 99:4279–4287, 1993.
- [139] S. Schieman, A. Kuhn, S. Steuerwald, and K. Bergmann. Efficient coherent population transfer in NO molecules using pulsed lasers. *Phys. Rev. Lett.*, 71:3637–3640, 1993.
- [140] S. Guérin. Complete dissociation by chirped laser pulses designed by adiabatic Floquet analysis. *Phys. Rev. A*, 56:1458–1462, 1997.
- [141] I. Andrianov and G.K. Paramonov. Selective preparation of the vibrational-rotational states and dissociation of diatomic molecules by picosecond infrared laser pulses: modeling for HF in the ground electronic state. *Phys. Rev. A*, 59:2134–2138, 1998.
- [142] F.Gögtas, G.G. Balint-Kurti, and A.R. Offer. Quantum mechanical three-dimensional wavepacket study of the  $\text{Li}+\text{HF} \rightarrow \text{LiF}+\text{H}$  reaction. *J. Chem. Phys.*, 104:7927–7939, 1996.
- [143] M. Shapiro and P. Brumer. Laser control of product quantum state populations in unimolecular reactions. *J. Chem. Phys.*, 84:4103–4104, 1984.
- [144] P.M. Felker and A.H. Zewail. Direct picosecond time resolution of dissipative intramolecular vibrational-energy redistribution (IVR) in isolated molecules. *Chem. Phys. Lett.*, 108:303–310, 1984.
- [145] F. Glotin, R. Chaput, D. Jaroszynski, R. Prazeres, and J.M. Ortega. Infrared subpicosecond laser pulses with a free-electron laser. *Phys. Rev. Lett.*, 71:2587–2590, 1993.
- [146] F. Seifert, V. Petrov, and M. Woerner. Solid-state laser system for the generation of midinfrared femtosecond pulses tunable from 3.3 to 10  $\mu\text{m}$ . *Optics Lett.*, 19:2009–2011, 1994.

- [147] B. Podolsky. Quantum-mechanically correct form of Hamiltonian functions to conservative systems. *Phys. Rev.*, 32:812–819, 1928.
- [148] J. Jortner. Dynamics in large molecules, clusters, condensed phase and biomolecules. In Chergui [7], pages 15–24.
- [149] W.F. van Gunsteren, F.J. Luque, D. Timms, and A.E. Torda. Molecular mechanics in biology: from structure to function, taking account of solvation. *Annu. Rev. Biophys. Biomol. Struct.*, 23:847–863, 1994.
- [150] M. Karplus and G.A. Petsko. Molecular dynamics simulations in biology. *Nature*, 347:631–639, 1990.
- [151] J.C. Polanyi. Some concepts in reaction dynamics (Nobel lecture). *Science*, 236:680–690, 1987.
- [152] L. Zhu, J.T. Sage, and P.M. Champion. Observation of coherent reaction dynamics in heme proteins. *Science*, 266:629–632, 1994.
- [153] W. Zinth, J. Dobler, K. Dressler, and W. Kaiser. *Ultrafast Phenomena VI*, chapter Femtosecond excited-state reaction dynamics of retinal-containing photosystems, pages 581–583. Springer Series in Chemical Physics. Springer Verlag, Berlin, 1988.
- [154] S. Mukamel O. Kühn. Probing the two exciton manifold of light-harvesting antenna complexes using femtosecond four-wave mixing. *J. Phys. Chem. B.*, 101:809–821, 1997.
- [155] A.T. Maynard, R.E. Wyatt, and C. Iung. A quantum dynamical study of CH overtones in fluoroform. I. A nine-dimensional *ab initio* surface, vibrational spectra and dynamics. *J. Chem. Phys.*, 103:8372–8390, 1995.
- [156] P. Nettesheim, F. Bornemann, B. Schmidt, and C. Schütte. An explicit and symplectic integrator for quantum-classical molecular dynamics. *Chem. Phys. Lett.*, 256:581–588, 1996.
- [157] A. Assion, T. Baumert, M. Bergt, T. Brixner, B. Kiefer, V. Seyfried, M. Strehle, and G. Gerber. Control of chemical reactions by feedback-optimized phase-shaped femtosecond laser pulses. *Science*, 282:919–922, 1998.

- [158] L.G. Valiant. A bridging model for parallel computation. *Communications of the ACM*, 8:103–111, 1990.
- [159] R.H. Bisseling and W.F. McColl. Scientific computing on bulk synchronous parallel architectures, Vol. I. In B. Pehrson and I. Simon, editors, *Proc. IFIP 13th World Computer Congress*, pages 509–514, North-Holland, 1994.
- [160] R. Bisseling. Basic techniques for numerical linear algebra on bulk synchronous parallel computers. In L. Vulkov, J. Wasniewski, and P. Yalamov, editors, *Proc. First Workshop on Numerical Analysis and Applications, Rousse, Bulgaria 1996, Lecture Notes in Computer Science*, pages 45–57, Berlin, 1996. volume 1196, Springer-Verlag.
- [161] S.E. Choi and J.C. Light. Use of the discrete variable representation in the quantum dynamics by a wave packet propagation: Predissociation of  $\text{NaI}(^1\Sigma_0^+) \rightarrow \text{NaI}(0^+) \rightarrow \text{Na}(^2S) + \text{I}(^2P)$ . *J. Chem. Phys.*, 90:2593–2604, 1989.
- [162] D.T. Colbert and W.H. Miller. A novel discrete variable representation for quantum mechanical reactive scattering via the S-matrix Kohn method. *J. Chem. Phys.*, 96:1982–1991, 1992.
- [163] P.R. Bunker. *Molecular symmetry and spectroscopy*. Academic Press, New York, 1979.
- [164] C.J.H. Schutte. *The theory of molecular spectroscopy*, volume I. North Holland, Amsterdam, 1976.
- [165] A.E. Janza. Modellrechnungen zur modenselektiven Molekulardynamik, durchgeführt an einem  $\text{H}_2\text{O}$ -Modellmolekül, welches die Biegeschwingung berücksichtigt. Master's thesis, Universität Würzburg, 1989.
- [166] P. Jensen. The nonrigid bender Hamiltonian for calculating the rotation-vibration energy levels of a triatomic molecule. *Comp. Phys. Rep.*, 1:1–55, 1983.