

VII Referenzen

Amassian VE, Stewart M, Quirk GJ, Rosenthal JL:

Physiological basis of motor effects of a transient stimulus to cerebral cortex.
1987, Neurosurgery 20, S 74-93

Armand J, Kuypers HGJM:

Cells of origin of crossed and uncrossed corticospinal fibers in the cat.
1980, Exp. Brain Res. 40, S. 23-34

Asanuma H, Stoney SD Jr, Abzug C:

Relationship between afferent input and motor outflow in cat motosensory cortex.
1968, J. Neurophysiol. 31, S. 670-681

Baldissera F, Hultborn H, Illert M:

Integration in spinal neuronal systems.
1981, Handbook of physiology-the nervous system II, Kapitel 12, S. 509-595
 (Edts. J. M. Brookhart and V. B. Mountcastle; American physiological society, Bethesda, Maryland)

Baldissera F, Pierrot-Deseilligny E:

Facilitation of transmission in the pathway of non-monosynaptic Ia excitation to wrist flexor motoneurones at the onset of voluntary movement in man.
1989, Experimental brain research, 74, S. 437-439

Barker AT, Jalinous R, Freeston IL:

Non-invasive magnetic stimulation of human motor cortex.
1985, Lancet, May 11;1(8437):1106-7.

Bentivoglio M, Rustioni A:

Corticospinal neurons with branching axons to the dorsal column nuclei in the monkey.
1986, J. Comp. Neurol. 253, S. 260-276

Bishop PO, Jeremy D, Lance JW:

Properties of pyramidal tract.
1953, J. Neurophysiol. 16, S. 537-550

Bodian, D:

Origin of specific types in the motoneuron neuropil of the monkey.
1975, J. Comp. Neurol. 159, S. 225-244

Brink E, Jankowska E, McCrea DA, Skoog B:

Inhibitory interactions between interneurones in reflex pathways from group Ia and Ib afferents in the cat.

1983, J. Physiol. 343, S. 361-373

Brodmann, K:

Beiträge zur histologischen Lokalisation der Grosshirnrinde. Fünfte Mitteilung:
Über den allgemeinen Bauplan des Cortex pallii bei den Mammaliern und
zwei homologe Rindenfelder im besonderen.

1906, J. Psychol. Neurol., 25, S. 275-400

Brown AG:

Organization in the spinal cord.

1981, Springer Berlin

Buller NP, Garnett R, Stephens JA:

The reflex responses of single motor units in human hand muscles following muscle afferent stimulation.

1980, J. Physiol. 303, S. 337-349

Burke D, Hicks RG, Stephen JP:

Corticospinal volleys evoked by anodal and cathodal stimulation of the human motor cortex.

1990, Journal of Physiology, 425, S. 283-299

Burke RE:

Motor units: anatomy, physiology, and functional organisation.

1981, Handbook of physiology-the nervous system II, Kapitel 10, S. 345-421
(Edts. J. M. Brookhart and V. B. Mountcastle; American physiological society,
Bethesda, Maryland)

Buyx EJ, Lemon RN, Mantel GW, Muir RB:

Selective facilitation of different hand muscles by single corticospinal neurones in the conscious monkey.

1986, J. Physiol. 381, S. 529-549

Calancie B, Nordin M, Wallin U, Hagbarth KE:

Motor-unit responses in human wrist flexor and extensor muscles to transcranial cortical stimuli.

1987, Journal of Neurophysiology, 58, S. 1168-1185

Campbell AW:

Histological studies on the localization of cerebral function.

1905, Cambridge University Press

Cavallari P, Edgley SA, Jankowska E:

Post-synaptic actions of midlumbar interneurones on motorneurones of hind-limb muscles in the cat.

1987, J. Physiol. 389, S. 675-699

Chan CY, Nicholson C:

Modulation by applied electrical fields of purkinje and stellate cells activity in the isolated turtle cerebellum.

1986, Journal of Physiology. 371, 1986, S. 89-114

Cheney PD, Fetz EE, Palmer SS:

Patterns of facilitation and suppression of antagonist forelimb muscles from motor cortex sites in the awake monkey.

1985, J. Neurophysiol. 53, S. 805-820

Cheney PD, Fetz EE:

Corticomotoneuronal cells contribute to long-latency stretch reflexes in the rhesus monkey.

1984, J. Physiol. 349, S. 249-272

Clough JF, Phillips CG, Sheridan JD:

The short latency projections from the baboon's motor cortex to fusimotor neurones of the forearm and hand.

1971, J. Physiol. 216, S. 257-279

Cowan JM, Day BL, Marsden C, Rothwell JC:

The effect of percutaneous motor cortex stimulation on H reflexes in muscles of the arm and leg in intact man.

1986, J. Physiol. 377, S. 333-347

Cragg BG:

The density of synapses and neurons in normal, mentally defective and ageing human brains.

1975, Brain 98, S. 81-90

Crone C, Hultborn H, Mazieres L, Morin C, Nielsen J, Pierrot-Deseilligny E:

Sensitivity of monosynaptic test reflexes to facilitation and inhibition as a function of the test reflex size: a study in man and the cat.

1990, Exp. Brain Res. 81, S. 35-45

Day BL, Thompson PD, Dick JP, Nakashima K, Marsden CD:

Different sites of action of electrical and magnetic stimulation of the human brain.

1987a, Neurosci Lett. 75, S. 101-106

Day BL, Rothwell JC, Thompson PD, Dick JP, Cowan JM, Berardelli A, Marsden CD:

Motor cortex stimulation in intact man 2. Multiple descending volleys.

1987b, Brain, 110, 1191-1209

Day BL, Dressler D, Maertens de Noordhout A, Marsden CD, Nakashima K, Rothwell JC, Thompson PD:

Electric and magnetic Stimulation of human motor cortex: surface EMG and single motor unit responses.

1989, J. Physiol. 412, S. 449-473

Devanne H, Lavoie BA, Capaday C:

Input-output properties and gain changes in the human corticospinal pathway.

1997, Exp. Brain Res. 114, S. 329-338

Dum RP, Strick PL:

The origin of corticospinal projections from the premotor areas in the frontal lobe.

1991, J. Neurosci. 11, S. 667-689

Duus P:

Kapitel 1: Sensibles System.

1995, Neurologisch-topische Diagnostik, S. 1-39

Eccles JC, Fatt P, Koketsu K:

Cholinergic and inhibitory synapses in a pathway from motor-axon collaterals to motoneurones.

1954, J. Physiol. 126, S. 524-562

Evarts EV, Fromm C, Kroller J, Jennings VA:

Motor cortex control of finely graded forces.

1983, J. Neurophysiol. 49, S. 1199-1215

Fetz EE, Baker M:

Response properties of precentral neurons in awake monkeys.

1969, The Physiologist 12, S. 223

Fetz EE, Cheney PD:

Postspike facilitation of forelimb muscle activity by primate corticomotoneuronal cells.

1980, J. Neurophysiol. 44, S. 751-772

Fetz EE, Finocchio DV, Baker MA, Soso MJ:

Sensory and motor responses of precentral cortex cells during comparable

passive and active joint movements.

1980, J. Neurophysiol. 43, S. 1070-1089

Fetz EE, Toyama K, Smith W:

Synaptic interactions between cortical neurons.

1990, Cerebral Cortex, Vol. 9, S. 1-47

Flament D, Hall EJ, Lemon RN:

The development of cortico-motoneuronal projections investigated using magnetic brain stimulation in the infant macaque.

1992, J. Physiology, 447, S. 755-768

Fritz N, Illert M, Kolb FP, Lemon RN, Muir RB, van der Burg J, Wiedemann E, Yamaguchi T:

The cortico-motoneuronal input to hand and forearm motoneurones in the anaesthetized monkey.

1985, J. Physiol. 366, S. 20

Fyffe REW:

Spatial distribution of recurrent inhibitory synapses on spinal motoneurons in the cat.

1991, J. Neurophysiol. 65, S. 1134-1149

Garnett R, Stephens JA:

The reflex responses of single motor units in human first dorsal interosseous muscle following cutaneous afferent stimulation.

1980, J. Physiol. 303, S. 351-364

Ghosh S, Fyffe RE, Porter R:

Morphology of neurons in area 4 of the cat's cortex studied with intracellular injection of HRP.

1988, J. Comp. Neurol. 269, S. 290-312

Ghosh S, Porter R:

Corticocortical synaptic influences on morphologically identified pyramidal neurones in the motor cortex of the monkey.

1988, J. Physiol. 400, S. 617-629

Goldman-Rakic PS, Selemon LD:

Topography of projections in non human primates and implications for functional parcellation of the neostriatum.

1986, Cerebral Cortex Vol. 5, S. 447-466

Gould HJ 3rd, Cusick CG, Pons TP, Kaas JH:

The relationship of corpus callosum connections to electrical stimulation maps

of motor, supplementary motor, and the frontal eye fields in owl monkeys.
1986, J. Comp. Neurol. 247, S. 297-325

Grigg P, Preston JB:

Baboon flexor and extensor fusimotor neurons and their modulation by motor cortex.
1971, J. Neurophysiol. 34, S. 428-436

ter Haar Romeny BM, van der Gon JJ, Gielen CC:

Relation between location of a motor unit in the human biceps brachii and its critical firing levels for different tasks.
1984, Exp. Neurol. 85, S. 631-650

Hermann J, Dvorak J, Rathmer L, Theiler R, Peuschel K, Zenker W, Lumenta CB:

Conduction velocities of pyramidal tract fibres and lumbar motor nerve roots: normal values.
1991, Zent. Bl. Neurochir. 52, 1991, S.197-199

Hess CW, Ludin HP:

Die transkraniale Kortexstimulation mit Magnetfeldimpulsen: Methodische und physiologische Grundlagen.
1988, Z. EEG-EMG 19, S. 209-215

Hess CW, Mills KR, Murray NM:

Characteristics of electrical discharges by transcranial cortex stimulation activated motor units of the hand muscles of the human.
1988, Z. EEG-EMG 19, S. 216-221

Hongo T, Lundberg A, Phillips CG, Thompson RF:

The pattern of monosynaptic Ia-connections to hindlimb motor nuclei in the baboon: a comparison with the cat.
1984, Proc. Roy. Soc. Lond., Ser. B. 221, S. 261-289

Hultborn H, Udo M:

Convergence in the reciprocal Ia inhibitory pathway of excitation from descending pathways and inhibition from motor axon collaterals.

1972, Acta. Physiol. Scand. 84, S. 95-108

Humphrey DR:

Representations of movements and muscles within the primate precentral cortex: historical and current perspectives.

1986, Fed. Proc. 45, S. 2687-2699

Humphrey DR, Corrie WS:

Properties of pyramidal tract neuron system within a functionally defined subregion of primate motor cortex.

1978, J. Neurophysiol. 41, S. 216-243

Huntley GW, Jones EG:

Relationship of intrinsic connections to forelimb movement representation in monkey motor cortex: A correlative anatomic and physiological study.

1991, J. Neurophysiol. 66, S. 390-413

Illert M, Lundberg A, Tanaka R:

Integration in descending motor pathways controlling the forelimb in the cat.
2. Convergence on neurones mediating disynaptic corticomotoneuronal excitation.

1976, Exp. Brain Res. 26, S. 521-540

Illis L :

Spinal cord synapses in the cat.

1964, Brain 87, S 543-554.

Jankowska E, Padel Y, Tanaka R:

The mode of activation of pyramidal tract cells by intracortical stimuli.

1975a, J. Physiol. 249, S. 617-636

Jankowska E, Padel Y, Tanaka R:

Projections of pyramidal tract cells to alpha- motoneurones innervating hind-limb muscles in the monkey.

1975b, J. Physiol. 249, S. 637-667

Jankowska E, Padel Y, Tanaka R:

Disynaptic inhibition of spinal motoneurones from the motor cortex in the monkey.

1976, J. Physiol 258, S. 467-487

Jankowska E, Roberts WJ:

Synaptic actions of single interneurones mediating reciprocal Ia inhibition of motoneurons.

1972, J. Physiol. 222, S. 623-642

Jenny AB, Inukai J:

Principles of motor organization of the monkey cervical spinal cord.

1983, J. Neurosci. 3, S. 567-575

Jones EG, Wise SP:

Size, laminar and columnar distribution of efferent cells in the sensory-motor

cortex of monkeys.

1977, J. Comp. Neurol. 175, S. 391-437

Jones EG:

Laminar distribution of cortical efferent cells.

1984, Cerebral Cortex Vol. 1, S. 521-553

Jones EG , Burton H, Porter R :

Commissural and cortico-cortical columns in the somatic sensory cortex of primates.

1975, Science 190, S. 572-574

Jones EG, Porter R:

What is Area 3a ?

1980, Brain Res. Reviews 2, S. 1-43

Kang Y, Endo K, Araki T:

Excitatory synaptic actions between pairs of neighboring pyramidal tract cells in the motor cortex.

1988, J. Neurophysiol. 59, S. 636-647

Kang Y, Endo K, Araki T:

Differential connections by intracortical axon collaterals among pyramidal tract cells in the cat motor cortex.

1991, J. Physiol. 435, S. 243-256

Kernell D, Wu CP:

Responses of the pyramidal tract to stimulation of the baboon's motor cortex.

1967, J. Physiol. 191, S. 653-672

van Keulen LCM:

Autogenetic recurrent inhibition of individual spinal motoneurones in the cat.

1979, Neurosci. Lett. 21, S. 297-300

Koeze TH:

The independence of corticomotoneuronal and fusimotor pathways in the production of muscle contraction by cortex stimulation.

1968, J. Physiol. 197, S. 87-105

Kozhanov VM, Shapovalov AI:

Synaptic organization of supraspinal control over propriospinal ventral horn interneurons in cat and monkey spinal cord.

1977, Nejrofiziologija 9, S. 177-184

Kuypers HGJM:

Anatomy of the descending pathways.

1981, Handbook of physiology- The nervous system II, Kapitel 13, S. 597-666
(Edts. J. M. Brookhart and V. B. Mountcastle; American physiological society, Bethesda, Maryland)

Kuypers HGJM, Brinkman J:

Precentral projections to different parts of the spinal intermediate zone in the rhesus monkey.

1970, Brai Res. 24, S. 29-48

Kuypers HGJM:

Subcortical projections in the rhesus monkey.

1959, J. comp. Neurology. S. 101-137

Kwan HC, MacKay WA, Murphy JT, Wong YC:

Spatial Organization of precentral cortex in awake primates. II. Motor outputs.

1978, J. Neurophysiol. 41, S. 1120-1131

Landgren S, Phillips CG, Porter R:

Cortical fields of the origin of the monosynaptic pyramidal pathways to some alpha motoneurones of the baboon's hand and forearm.

1962, J. Physiol. 161, S. 112-125

Lassek AM:

The human pyramidal tract: basic considerations of corticospinal neurons.

1948, Res. Publ. Ass. Nerv. Ment. Dis. 27, S. 106-128

Lawrence DG, Porter R, Redman SJ:

Corticomotoneuronal synapses in the monkey: light microscopic localization upon motoneurones of intrinsic muscles of the hand.

1985, J. Comp. Neurol. 232, S. 499-510

Lemon RN:

Functional properties of monkey motor cortex neurones receiving afferent input from the hand and fingers.

1981a, J. Physiol. 311, S. 497-519

Lemon RN:

Variety of functional organization within the monkey motor cortex.

1981b, J. Physiol. 311, S. 521-540

Lemon RN:

Mapping the output functions of the motor cortex.

1990, Signal and sense: local and global order in perceptual maps, S. 315-356

Lemon RN, Hanby JA, Porter R:

Relationship between the activity of precentral neurones during active and passive movements in conscious monkeys.

1976, Proc. R. Soc. Lond., Ser. B. 194, S. 341-373

Lemon RN, Muir RB, Mantel GW:

The effects upon the activity of hand and forearm muscles of intracortical stimulation in the vicinity of corticomotor neurones in the conscious monkey.

1987, Exp. Brain Res. 66, S. 621-637

Lemon RN, Mantel GW, Rea PA:

Recording and identification of single motor units in the free-to-move primate hand.

1990, Exp. Brain Res. 81, S. 95-106

Lemon RN:

The cortico-motor substrate for skilled movements of the primate hand

1991, Tutorials on motor neuroscience (eds. G. E. Stelmach and J. Requin) S. 477-495, Kluwer Academic Publishers, Holland.

Lemon RN, Werner W, Bennett KMB, Flament DA:

The proportion of slow and fast pyramidal tract neurones producing post-spike facilitation of hand muscles in the conscious monkey.

1993, J. Physiol., 459, 1993, S. 166

Lemon RN, Porter R:

Afferent input to movement-related precentral neurones in conscious monkeys.

1976, Proc. R. Soc. Lond. Ser. B. 194, 313-339

Leyton SSF, Sherrington CS:

Observations on the excitable cortex of the chimpanzee, orangutan and gorilla.

1917, Q. J. Exp. Physiol. 11, S. 135-222

Llinás R:

The intrinsic electrophysiological properties of mammalian neurons: insights into central nervous system function.

1988, Science 242, S. 1654-1666

MacLean JB, Leffman H:

Supraspinal control of Renshaw cells.

1967, Exp. Neurol. 18, S. 94-104

Malmgren K, Pierrot-Deseilligny E:

Evidence for non-monosynaptic Ia excitation of human wrist flexor motoneurones in man, possibly via propriospinal neurones.

1988a, J. Physiol. 405, S. 747-764

Malmgren K, Pierrot-Deseilligny E:

Inhibition of neurones transmitting non-monosynaptic Ia excitation to human wrist flexor motoneurones.

1988b, J. Physiol. 405, S. 765-783

Marsden CD, Merton PA, Morton HB:

Servo action in human voluntary movement.

1972, Nature 238, S. 140-143

Matthews PBC:

Muscle spindles: their messages and their fusimotor supply

1981, Handbook of physiology-the nervous system II, Kapitel 6, S.189-228

(Edts. J. M. Brookhart and V. B. Mountcastle; American physiological society, Bethesda, Maryland)

Matthews PBC:

Evidence from the use of vibration that the human long-latency reflex depends upon secondary spindle afferents.

1984, J. Physiol. 348, S. 383-415

Matsunami K, Hamada I:

Precentral neuron activity associated with ipsilateral forelimb movements in monkeys.

1978, J. Physiol. 74, S. 319-322

Mediratta NK, Nicoll JAR:

Conduction velocities of corticospinal axons in the rat studied by recording cortical antidromic responses.

1983, J. Physiol. 336, S. 545-561

Merton PA, Hill DK, Morton HB, Marsden CD:

Scope of a technique for electrical stimulation of human brain, spinal cord, and muscle.

1982, Lancet ii, S. 597-600

Merton PA, Morton HB:

Stimulation of the cerebral cortex in the intact human subject.

1980, Nature, May 22; 285(5762), S. 227

Meyer BU:

Die Magnetstimulation des Nervensystems.

1992 Berlin

Meyer BU, Britton TC, Kloten H, Steinmetz H, Benecke R:

Coil placement in magnetic brain stimulation related to skull and brain anatomy.

1991, *Electroenceph. clin. Neurophysiol.* 81, S. 38-46

Meyer G:

Forms and spatial arrangement of neurons in the primary motor cortex of man.

1987, *J. Comp. Neurol.* 262, S. 402-428

Mills KR, Murray NM, Hess CW:

Magnetic and electrical transcranial brain stimulation: physiological mechanisms and clinical applications.

1987, *Neurosurgery*, 20, 1987, S. 164-168

Murray EA, Coulter JD:

Organisation of corticospinal neurons in the monkey.

1981, *J. Comp. Neurol.* 195, S. 339-365

Nathan PW, Smith MC:

Long descending tracts in man. I. Review of present knowledge.

1955, *Brain* 78, S. 248-303

Nielsen J, Petersen N, Deuschl G, Ballegaard M:

Task-related changes in the effect of magnetic brain stimulation on spinal neurones in man.

1993, *J. Physiol.* 471, S. 223-243

Oshima T:

Studies of pyramidal tract cells.

1969, Basic mechanisms of the epilepsies, Edts. Jasper, H. H.; Ward, A. A.; Pope, A.; S. 253-261

Palmer SS, Fetz EE:

Effects of single intracortical microstimuli in motor cortex on activity of identified forearm motor units in behaving monkey.

1985, *J. Neurophysiol.* 54, S. 1194-1212

Palmer E, Ashby P:

Corticospinal projections to upper limb motoneurons in humans.

1992, *J. Physiol.* 448, S. 397-412

Penfield W, Boldrey E:

Somatic motor and sensory representation in the cerebral cortex of man as studied by electrical stimulation.

1937, Brain 60, S. 389-443

Phillips CG, Porter R:

The pyramidal projections to motoneurones of some muscle groups of the baboons forelimb.

1964, Prog. Brain Res. 12, S. 222-245

Phillips CG, Porter R:

Corticospinal neurones: their role in movement.

1977, Academic Press London.

Pierrot-Deseilligny E:

Peripheral and descending control of neurones mediating non-monosynaptic Ia-excitation to motoneurones: a presumed propriospinal system in man.

1989, Prog. Brain Res. 80, S. 305-314

Preston JB, Whitlock DG:

Precentral facilitation and inhibition of spinal motoneurons.

1960, J. Neurophysio. 23, S. 154-170

Preston JB, Whitlock DG:

A comparison of motor cortex effects on slow and fast muscle innervations in the monkey.

1963, Experimental Neurology

Preston JB:

The motor cortex-pyramidal system: Patterns of facilitation and inhibition on motoneurons innervating limb musculature of cat and baboon and their possible adaptive significance.

1967, Neurophysiological basis of normal and abnormal motor activities (Eds. M. D. Yahr and D. P. Purpura), S. 61-72. Raven, New York

Ranck JB jr. :

Which elements are excited in electrical stimulation of mammalian central nervous system: a review.

1975, Brain Research, 98, 1975, S. 417-440

Redman SJ, Walmsley B:

Amplitude fluctuations in synaptic potentials evoked in cat spinal motoneurons at identified group Ia synapses.

1983, J. physiol. 343, S. 135-145

Rockel AJ, Hiorns RW, Powell TP:

The basic uniformity in structure of the neocortex.

1980, Brain 103, S. 221-244

Rosén I, Asanuma H:

Peripheral afferent inputs to forelimb area of the monkey motor cortex: Input-output relations.

1972, Exp. Brain Res. 14, S. 257-273

Roth BJ, Saypol JM, Hallett M, Cohen LG:

A theoretical calculation of the electric field induced in the cortex during magnetic stimulation.

1991, Electroenceph. clin. Neurophysiol. 81, S. 47-56

Rothwell JC, Gandevia SC, Burke D:

Activation of fusimotor neurons by motor cortical stimulation in human subjects.

1990, J. Physiol. 431, S. 743-756

Rothwell JC, Thompson PD, Day BL, Boyd S, Marsden CD:

Stimulation of the human motor cortex through the scalp.

1991, Exp. Physiol. 76, S. 159-200

Shapovalov AI:

Neuronal organization and synaptic mechanisms of supraspinal motor control in vertebrates.

1975, Rev. Physiol. Biochem. Exp. Pharmacol. 72, S. 1-54

Shinoda Y, Zarzecki P, Asanuma H:

Spinal branching of pyramidal tract neurons in the monkey.

1979, Exp. Brain Res. 34, S. 59-72

Sloper JJ, Hiorns RW, Powell TP:

A qualitative and quantitative electron microscopic study of the neurons in the primate motor and somatic sensory cortices.

1979, Phil. Trans. R. Soc. Lond. 285, S. 141-171

Sloper JJ, Powell TPS:

An experimental electron microscopic study of afferent connections to the primate motor and somatic sensory cortices.

1979, Phil. Trans. R. Soc. Lond. 285, S. 199-226

Sterling P, Kuypers HGJM:

Anatomical organization of the branchial spinal cord of the cat. II. The

motoneuron plexus.

1967, Brain Res. 4, S. 16-32

Stewart DH, Preston JB:

Functional coupling between the pyramidal tract and segmental motoneurons in the cat and primate.

1967, J. Neurophysiology

Strick PL, Preston JB:

Multiple representation in the primate motor cortex.

1978, Brain Res. 154, S. 366-370

Tan U, Marangoz C, Senyuva F:

Antidromic response latency distribution of cat pyramidal tract cells: three groups with respective extracellular spike properties.

1979; Exp. Neurol. 65, S. 573-586

Tranchina D, Nicholson C:

A model for the polarization of neurons by extrinsically applied electric fields.

1986, J. Biophys. 50, 1986, S. 1139-1156

Towe AL:

Relative numbers of pyramidal tract neurons in mammals of different sizes.

1973, Brain Behav. Evol. 7, S. 1-17

Toyoshima K, Sakai H:

Exact cortical extend of the origin of the corticospinal tract (CST) and the quantitative contribution to the CST in different cytoarchitectonic areas. A study with horseradish peroxidase in the monkey.

1982, J. Hirnforsch. 23, S. 257-269

Uemura K, Preston JB:

Comparison of motor cortex influences upon various hind-limb motoneurons in pyramidal cats and primates.

1965, J. Neurophysiology

v. d. Linden C, Bruggemann R:

Multiple descending corticospinal volleys demonstrated by changes of the wrist flexor H-reflex to magnetic motor cortex stimulation in intact human subjects.

1993, Muscle & Nerve, 165, S. 374-378

Verhaart WJC:

The pyramidal tract in primates.

1970, Advance in primatology S. 83-108

Vogt C, Vogt O:

Allgemeinere Ergebnisse unserer Hirnforschung.

1919, J. Psychol. Neurol., 25, S. 277-462

Weil A, Lassek A:

The quantitative distribution of the pyramidal tract in man.

1929, Arch. Neurol. Psychiat. 22, S. 495-510

Wiesendanger M:

The pyramidal tract. Recent investigations on its morphology and function.

1969, Ergeb. Physiol. 61, S. 73-136

Wong YC, Kwan HC, MacKay WA, Murphy JT:

Spatial organisation of precentral cortex in awake primates. I. Somatosensory inputs.

1978, J. Neurophysiol. 41, S. 1107-1118

Yamamoto T, Samejima A, Oka H:

The mode of synaptic activation of pyramidal neurons in the cat primary somatosensory cortex: an intracellular HRP study.

1990, Exp. Brain Res. 80, S. 12-22

Erklärung an Eides Statt

„Ich, Volker Kunzmann, erkläre, dass ich die vorgelegte Dissertationsschrift mit dem Thema: „Elektrophysiologischer Nachweis langsam leitender Pyramidenbahnenfasern“ selbst verfasst und keine anderen als die angegebenen Quellen und Hilfsmittel benutzt, ohne die (unzulässige) Hilfe Dritter verfasst und auch in Teilen keine Kopien anderer Arbeiten dargestellt habe.“

Berlin, den 12.03.2008 Volker Kunzmann

Mein Lebenslauf wird aus Datenschutzgründen in der elektrischen Version meiner Dissertation nicht veröffentlicht.

Volker Kunzmann