

10. Literatur

1. Wechsler RL, Wechsler L. The first application of transhepatic cholangiography to the localization of liver or biliary tract pathology: Hanoi, 1937. *Am J Dig Dis* 1975; 20(7):699-700
2. McCune WS, Shorb PE, Moscovitz H. Endoscopic cannulation of the ampulla of Vater: a preliminary report. *Ann Surg* 1968; 167(5):752-756
3. Demling L, Koch H, Classen M, Belohlavek D, Schaffner O, Schwamberger K, Stolte M. [Endoscopic papillotomy and removal of gall-stones: animal experiments and first clinical results (author's transl)]. *Dtsch Med Wochenschr* 1974; 99(45):2255-2257
4. Martinez-Noguera A, Montserrat E, Torrubia S, Monill JM, Estrada P. Ultrasound of the pancreas: update and controversies. *Eur Radiol* 2001; 11(9):1594-1606
5. Gandolfi L, Torresan F, Solmi L, Puccetti A. The role of ultrasound in biliary and pancreatic diseases. *Eur J Ultrasound* 2003; 16(3):141-159
6. Raut CP, Grau AM, Staerckel GA, Kaw M, Tamm EP, Wolff RA, Vauthey JN, Lee JE, Pisters PW, Evans DB. Diagnostic accuracy of endoscopic ultrasound-guided fine-needle aspiration in patients with presumed pancreatic cancer. *J Gastrointest Surg* 2003; 7(1):118-126; discussion 127-118
7. Copel L, Sosna J, Weeks D, Kruskal JB, Raptopoulos V. Use of Three-Dimensional CT in the Abdomen: A Useful Preoperative Planning Tool. *Surg Technol Int* 2003; 11:71-78
8. Squillaci E, Fanucci E, Sciuto F, Masala S, Sodani G, Cariani M, Simonetti G. Vascular involvement in pancreatic neoplasm: a comparison between spiral CT and DSA. *Dig Dis Sci* 2003; 48(3):449-458

9. Fenchel S, Boll DT, Fleiter TR, Brambs HJ, Merkle EM. Multislice helical CT of the pancreas and spleen. *Eur J Radiol* 2003; 45 Suppl 1:S59-72
10. Fayad LM, Kowalski T, Mitchell DG. MR cholangiopancreatography: evaluation of common pancreatic diseases. *Radiol Clin North Am* 2003; 41(1):97-114
11. Lopez Hanninen E, Amthauer H, Hosten N, Ricke J, Bohmig M, Langrehr J, Hintze R, Neuhaus P, Wiedenmann B, Rosewicz S, Felix R. Prospective evaluation of pancreatic tumors: accuracy of MR imaging with MR cholangiopancreatography and MR angiography. *Radiology* 2002; 224(1):34-41
12. Smedby O, Riesenfeld V, Karlson B, Jacobson G, Lofberg A, Lindgren PG, Ahlstrom H. Magnetic resonance angiography in the resectability assessment of suspected pancreatic tumours. *Eur Radiol* 1997; 7(5):649-653
13. Klatskin G. Adenocarcinoma of the hepatic duct at its bifurcation within the porta hepatis. *New England Journal* 1965; 38(2):241-247
14. Tannapfel A, Wittekind C. [Anatomy and pathology of intrahepatic and extrahepatic bile duct tumors]. *Pathologe* 2001; 22(2):114-123
15. Sobin LH, Wittekind C. UICC TNM Classification of Malignant Tumors. Wiley-Liss. New York.
16. Mir-Madjlessi SH, Farmer RG, Sivak MV, Jr. Bile duct carcinoma in patients with ulcerative colitis. Relationship to sclerosing cholangitis: report of six cases and review of the literature. *Dig Dis Sci* 1987; 32(2):145-154
17. Harbison J, Reynolds JV, Sheahan K, Gibney RG, Hyland JM. Evidence for the polyp-cancer sequence in gallbladder cancer. *Ir Med J* 1997; 90(3):98
18. Bismuth H, Nakache R, Diamond T. Management strategies in resection for hilar cholangiocarcinoma. *Ann Surg* 1992; 215(1):31-38

19. Nesbit GM, Johnson CD, James EM, MacCarty RL, Nagorney DM, Bender CE. Cholangiocarcinoma: diagnosis and evaluation of resectability by CT and sonography as procedures complementary to cholangiography. *AJR Am J Roentgenol* 1988; 151(5):933-938
20. Bloom CM, Langer B, Wilson SR. Role of US in the detection, characterization, and staging of cholangiocarcinoma. *Radiographics* 1999; 19(5):1199-1218
21. Liu CL, Lo CM, Lai EC, Fan ST. Endoscopic retrograde cholangiopancreatography and endoscopic endoprosthesis insertion in patients with Klatskin tumors. *Arch Surg* 1998; 133(3):293-296
22. Fulcher AS, Turner MA. HASTE MR cholangiography in the evaluation of hilar cholangiocarcinoma. *AJR Am J Roentgenol* 1997; 169(6):1501-1505
23. Guthrie JA, Ward J, Robinson PJ. Hilar cholangiocarcinomas: T2-weighted spin-echo and gadolinium-enhanced FLASH MR imaging. *Radiology* 1996; 201(2):347-351
24. Vogt P, Raab R, Ringe B, Pichlmayr R. Resection of synchronous liver metastases from colorectal cancer. *World J Surg* 1991; 15(1):62-67
25. Fong Y, Cohen AM, Fortner JG, Enker WE, Turnbull AD, Coit DG, Marrero AM, Prasad M, Blumgart LH, Brennan MF. Liver resection for colorectal metastases. *J Clin Oncol* 1997; 15(3):938-946
26. Fong Y, Fortner J, Sun RL, Brennan MF, Blumgart LH. Clinical score for predicting recurrence after hepatic resection for metastatic colorectal cancer: analysis of 1001 consecutive cases. *Ann Surg* 1999; 230(3):309-318; discussion 318-321
27. Jonas S, Steinmuller T, Neuhaus P. [Surgical therapy of liver hilus tumors]. *Chirurg* 2001; 72(7):775-783

28. Harrison LE, Brennan MF, Newman E, Fortner JG, Picardo A, Blumgart LH, Fong Y. Hepatic resection for noncolorectal, nonneuroendocrine metastases: a fifteen-year experience with ninety-six patients. *Surgery* 1997; 121(6):625-632
29. Elias D, Roche A, Vavasseur D, Lasser P. [Induction of hypertrophy of a small left hepatic lobe by preoperative right portal embolization, preceding extended right hepatectomy]. *Ann Chir* 1992; 46(5):404-410
30. Azoulay D, Raccuia JS, Castaing D, Bismuth H. Right portal vein embolization in preparation for major hepatic resection. *J Am Coll Surg* 1995; 181(3):266-269
31. de Baere T, Dufaux J, Roche A, Counnord JL, Berthault MF, Denys A, Pappas P. Circulatory alterations induced by intra-arterial injection of iodized oil and emulsions of iodized oil and doxorubicin: experimental study. *Radiology* 1995; 194(1):165-170
32. Elias D, Debaere T, Roche A, Bonvallot S, Lasser P. Preoperative selective portal vein embolizations are an effective means of extending the indications of major hepatectomy in the normal and injured liver. *Hepatogastroenterology* 1998; 45(19):170-177
33. Longnecker DS. Pancreas. *Anderson's Pathology*. L. J. Damjanov I. 10th. Mosby-Year Book, 1996.
34. Luttges J, Kloppel G. Update on the pathology and genetics of exocrine pancreatic tumors with ductal phenotype: precursor lesions and new tumor entities. *Dig Dis* 2001; 19(1):15-23
35. Kloppel G, Luttges J. WHO-classification 2000: exocrine pancreatic tumors. *Verh Dtsch Ges Pathol* 2001; 85:219-228
36. Solcia E, Rindi G, Paolotti D, La Rosa S, Capella C, Fiocca R. Clinicopathological profile as a basis for classification of the endocrine tumours of the gastroenteropancreatic tract. *Ann Oncol* 1999; 10 Suppl 2:S9-15

37. Plockinger U, Wiedenmann B. Neuroendocrine tumors of the gastroentero-pancreatic system: the role of early diagnosis, genetic testing and preventive surgery. *Dig Dis* 2002; 20(1):49-60
38. Thompson LD, Becker RC, Przygodzki RM, Adair CF, Heffess CS. Mucinous cystic neoplasm (mucinous cystadenocarcinoma of low-grade malignant potential) of the pancreas: a clinicopathologic study of 130 cases. *Am J Surg Pathol* 1999; 23(1):1-16
39. Warshaw AL, Compton CC, Lewandrowski K, Cardenosa G, Mueller PR. Cystic tumors of the pancreas. New clinical, radiologic, and pathologic observations in 67 patients. *Ann Surg* 1990; 212(4):432-443; discussion 444-435
40. Sarr MG, Carpenter HA, Prabhakar LP, Orchard TF, Hughes S, van Heerden JA, DiMagno EP. Clinical and pathologic correlation of 84 mucinous cystic neoplasms of the pancreas: can one reliably differentiate benign from malignant (or premalignant) neoplasms? *Ann Surg* 2000; 231(2):205-212
41. Sarr MG, Murr M, Smyrk TC, Yeo CJ, Fernandez-del-Castillo C, Hawes RH, Freeny PC. Primary cystic neoplasms of the pancreas. Neoplastic disorders of emerging importance-current state-of-the-art and unanswered questions. *J Gastrointest Surg* 2003; 7(3):417-428
42. Yoshimi N, Sugie S, Tanaka T, Aijin W, Bunai Y, Tatematsu A, Okada T, Mori H. A rare case of serous cystadenocarcinoma of the pancreas. *Cancer* 1992; 69(10):2449-2453
43. Strobel O, Z'Graggen K, Schmitz-Winnenthal FH, Friess H, Kappeler A, Zimmermann A, Uhl W, Buchler MW. Risk of malignancy in serous cystic neoplasms of the pancreas. *Digestion* 2003; 68(1):24-33
44. Adsay NV, Longnecker DS, Klimstra DS. Pancreatic tumors with cystic dilatation of the ducts: intraductal papillary mucinous neoplasms and intraductal oncocytic papillary neoplasms. *Semin Diagn Pathol* 2000; 17(1):16-30

45. Goldsmith JD. Cystic neoplasms of the pancreas. *Am J Clin Pathol* 2003; 119 Suppl:S3-16
46. Zamboni G, Scarpa A, Bogina G, Iacono C, Bassi C, Talamini G, Sessa F, Capella C, Solcia E, Rickaert F, Mariuzzi GM, Kloppel G. Mucinous cystic tumors of the pancreas: clinicopathological features, prognosis, and relationship to other mucinous cystic tumors. *Am J Surg Pathol* 1999; 23(4):410-422
47. Chari ST, Raimondo M, Clain JE, Norton ID, Pearson RK, Petersen BT, Miller LJ, Sarr MG, DiMagno EP. Is benign pancreatic intraductal papillary tumor really benign? *Gastroenterology* 2000; 118(1):642
48. Iacobuzio-Donahue CA, Klimstra DS, Adsay NV, Wilentz RE, Argani P, Sohn TA, Yeo CJ, Cameron JL, Kern SE, Hruban RH. Dpc-4 protein is expressed in virtually all human intraductal papillary mucinous neoplasms of the pancreas: comparison with conventional ductal adenocarcinomas. *Am J Pathol* 2000; 157(3):755-761
49. Adsay NV, Klimstra DS, Compton CC. Cystic lesions of the pancreas. Introduction. *Semin Diagn Pathol* 2000; 17(1):1-6
50. Itai Y, Ohhashi K, Nagai H, Murakami Y, Kokubo T, Makita K, Ohtomo K. "Ductectatic" mucinous cystadenoma and cystadenocarcinoma of the pancreas. *Radiology* 1986; 161(3):697-700
51. Terris B, Ponsot P, Paye F, Hammel P, Sauvanet A, Molas G, Bernades P, Belghiti J, Ruszniewski P, Flejou JF. Intraductal papillary mucinous tumors of the pancreas confined to secondary ducts show less aggressive pathologic features as compared with those involving the main pancreatic duct. *Am J Surg Pathol* 2000; 24(10):1372-1377
52. Paye F, Sauvanet A, Terris B, Ponsot P, Vilgrain V, Hammel P, Bernades P, Ruszniewski P, Belghiti J. Intraductal papillary mucinous tumors of the pancreas: pancreatic resections guided by preoperative morphological assessment and intraoperative frozen section examination. *Surgery* 2000; 127(5):536-544

53. Longnecker DSK, Y. Konishi, Y. et al. Comparison of histologic type and stage of exocrine pancreatic neoplasms from surgical series in Europe, Japan, and the United States. *H. B. Beger, M.* 1996.
54. Ghadirian P, Lynch HT, Krewski D. Epidemiology of pancreatic cancer: an overview. *Cancer Detect Prev* 2003; 27(2):87-93
55. Simon B, Printz H. Epidemiological trends in pancreatic neoplasias. *Dig Dis* 2001; 19(1):6-14
56. Yeo TP, Hruban RH, Leach SD, Wilentz RE, Sohn TA, Kern SE, Iacobuzio-Donahue CA, Maitra A, Goggins M, Canto MI, Abrams RA, Laheru D, Jaffee EM, Hidalgo M, Yeo CJ. Pancreatic cancer. *Curr Probl Cancer* 2002; 26(4):176-275
57. Lee KK. Carcinoma of the Pancreas. *Curr Treat Options Gastroenterol* 1999; 2(3):227-237
58. Michaud DS. The epidemiology of pancreatic, gallbladder, and other biliary tract cancers. *Gastrointest Endosc* 2002; 56(6 Suppl):S195-200
59. Pour PM. Experimental pancreatic cancer. *Am J Surg Pathol* 1989; 13 Suppl 1:96-103
60. Pour PM, Rivenson A. Induction of a mixed ductal-squamous-islet cell carcinoma in a rat treated with a tobacco-specific carcinogen. *Am J Pathol* 1989; 134(3):627-631
61. Hoffmann D, Djordjevic MV, Rivenson A, Zang E, Desai D, Amin S. A study of tobacco carcinogenesis. II. Relative potencies of tobacco-specific N-nitrosamines as inducers of lung tumours in A/J mice. *Cancer Lett* 1993; 71(1-3):25-30
62. Silverman DT, Dunn JA, Hoover RN, Schiffman M, Lillemoe KD, Schoenberg JB, Brown LM, Greenberg RS, Hayes RB, Swanson GM, et al. Cigarette smoking and pancreas cancer: a case-control study based on direct interviews. *J Natl Cancer Inst* 1994; 86(20):1510-1516

63. Clary T, Ritz B. Pancreatic cancer mortality and organochlorine pesticide exposure in California, 1989-1996. *Am J Ind Med* 2003; 43(3):306-313
64. Anderson KE, Sinha R, Kulldorff M, Gross M, Lang NP, Barber C, Harnack L, DiMugno E, Bliss R, Kadlubar FF. Meat intake and cooking techniques: associations with pancreatic cancer. *Mutat Res* 2002; 506-507:225-231
65. Tominaga S. Major avoidable risk factors of cancer. *Cancer Lett* 1999; 143 Suppl 1:S19-23
66. Lowenfels AB, Maisonneuve P, Cavallini G, Ammann RW, Lankisch PG, Andersen JR, Dimagno EP, Andren-Sandberg A, Domellof L. Pancreatitis and the risk of pancreatic cancer. International Pancreatitis Study Group. *N Engl J Med* 1993; 328(20):1433-1437
67. Chari ST, Mohan V, Pitchumoni CS, Viswanathan M, Madanagopalan N, Lowenfels AB. Risk of pancreatic carcinoma in tropical calcifying pancreatitis: an epidemiologic study. *Pancreas* 1994; 9(1):62-66
68. Gold EB, Cameron JL. Chronic pancreatitis and pancreatic cancer. *N Engl J Med* 1993; 328(20):1485-1486
69. Evans JP, Burke W, Chen R, Bennett RL, Schmidt RA, Dellinger EP, Kimmey M, Crispin D, Brentnall TA, Byrd DR. Familial pancreatic adenocarcinoma: association with diabetes and early molecular diagnosis. *J Med Genet* 1995; 32(5):330-335
70. Tersmette AC, Petersen GM, Offerhaus GJ, Falatko FC, Brune KA, Goggins M, Rozenblum E, Wilentz RE, Yeo CJ, Cameron JL, Kern SE, Hruban RH. Increased risk of incident pancreatic cancer among first-degree relatives of patients with familial pancreatic cancer. *Clin Cancer Res* 2001; 7(3):738-744
71. Warshaw AL, Swanson RS. Pancreatic cancer in 1988. Possibilities and probabilities. *Ann Surg* 1988; 208(5):541-553

72. Rosa JA, Van Linda BM, Abourizk NN. New-onset diabetes mellitus as a harbinger of pancreatic carcinoma. A case report and literature review. *J Clin Gastroenterol* 1989; 11(2):211-215
73. Kloppel G, Lingenthal G, von Bulow M, Kern HF. Histological and fine structural features of pancreatic ductal adenocarcinomas in relation to growth and prognosis: studies in xenografted tumours and clinico-histopathological correlation in a series of 75 cases. *Histopathology* 1985; 9(8):841-856
74. Ordonez NG, Mackay B. Acinar cell carcinoma of the pancreas. *Ultrastruct Pathol* 2000; 24(4):227-241
75. Holen KD, Klimstra DS, Hummer A, Gonen M, Conlon K, Brennan M, Saltz LB. Clinical characteristics and outcomes from an institutional series of acinar cell carcinoma of the pancreas and related tumors. *J Clin Oncol* 2002; 20(24):4673-4678
76. Gudjonsson B. Cancer of the pancreas. 50 years of surgery. *Cancer* 1987; 60(9):2284-2303
77. Wilentz RE, Albores-Saavedra J, Hruban RH. Mucinous cystic neoplasms of the pancreas. *Semin Diagn Pathol* 2000; 17(1):31-42
78. Harper AE, Eckhauser FE, Mulholland MW. Resectional therapy for cystic neoplasms of the pancreas. *Am Surg* 2002; 68(4):353-357; discussion 357-358
79. Solcia E, Klöppel G, Sobin LH. Histological typing of endocrine tumours. Springer, Berlin - Heidelberg- New York, 2000.
80. Rindi G, Capella C, Solcia E. Cell biology, clinicopathological profile, and classification of gastro-enteropancreatic endocrine tumors. *J Mol Med* 1998; 76(6):413-420
81. Tiling N, Ricke J, Wiedenmann B. [Neuroendocrine tumors of the gastrointestinal-pancreatic system. Classification and diagnosis]. *Internist (Berl)* 2002; 43(2):210-218

82. Caplin M, Wiedenmann B. The management of patients with neuroendocrine tumours. *Endocr Relat Cancer* 2003; 10(4):425-426
83. Rose SC, Nelson TR. Ultrasonographic modalities to assess vascular anatomy and disease. *J Vasc Interv Radiol* 2004; 15(1 Pt 1):25-38
84. Saini S, Seltzer SE, Bramson RT, Levine LA, Kelly P, Jordan PF, Chiango BF, Thrall JH. Technical cost of radiologic examinations: analysis across imaging modalities. *Radiology* 2000; 216(1):269-272
85. Goldstein A. Overview of the physics of US. *Radiographics* 1993; 13(3):701-704
86. Deng CX, Lizzi FL. A review of physical phenomena associated with ultrasonic contrast agents and illustrative clinical applications. *Ultrasound Med Biol* 2002; 28(3):277-286
87. Lawson TL. Acute pancreatitis and its complications. Computed tomography and sonography. *Radiol Clin North Am* 1983; 21(3):495-513
88. Minniti S, Bruno C, Biasiutti C, Tonel D, Falzone A, Falconi M, Procacci C. Sonography versus helical CT in identification and staging of pancreatic ductal adenocarcinoma. *J Clin Ultrasound* 2003; 31(4):175-182
89. Bhutani MS, Hoffman BJ, van Velse A, Hawes RH. Contrast-enhanced endoscopic ultrasonography with galactose microparticles: SHU508 A (Levovist). *Endoscopy* 1997; 29(7):635-639
90. Ding H, Kudo M, Onda H, Nomura H, Haji S. Sonographic diagnosis of pancreatic islet cell tumor: value of intermittent harmonic imaging. *J Clin Ultrasound* 2001; 29(7):411-416
91. Torraco A, Tomasella G, Baldan N, Codello L, Parise P, Marchini F, Rigotti P. Efficacy of SH U 508 A (Levovist) in color Doppler imaging of pancreatic grafts. *Transplant Proc* 1998; 30(5):1950-1951

92. Calliada F, Campani R, Bottinelli O, Bozzini A, Sommaruga MG. Ultrasound contrast agents: basic principles. *Eur J Radiol* 1998; 27 Suppl 2:S157-160
93. Hounsfield GN. Computerized transverse axial scanning (tomography). 1. Description of system. *Br J Radiol* 1973; 46(552):1016-1022
94. Raju TN. The Nobel chronicles. 1979: Allan MacLeod Cormack (b 1924); and Sir Godfrey Newbold Hounsfield (b 1919). *Lancet* 1999; 354(9190):1653
95. Kalender WA, Seissler W, Klotz E, Vock P. Spiral volumetric CT with single-breath-hold technique, continuous transport, and continuous scanner rotation. *Radiology* 1990; 176(1):181-183
96. Kalender WA, Vock P, Polacin A, Soucek M. [Spiral-CT: a new technique for volumetric scans. I. Basic principles and methodology]. *Rontgenpraxis* 1990; 43(9):323-330
97. Kopka L, Rogalla P, Hamm B. [Multislice CT of the abdomen--current indications and future trends]. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 2002; 174(3):273-282
98. Foley WD. Special focus session: multidetector CT: abdominal visceral imaging. *Radiographics* 2002; 22(3):701-719
99. Kostakoglu L, Agress H, Jr. , Goldsmith SJ. Clinical role of FDG PET in evaluation of cancer patients. *Radiographics* 2003; 23(2):315-340; quiz 533
100. Bomanji JB, Costa DC, Ell PJ. Clinical role of positron emission tomography in oncology. *Lancet Oncol* 2001; 2(3):157-164
101. Annovazzi A, Peeters M, Maenhout A, Signore A, Dierckx R, Van De Wiele C. 18-fluorodeoxyglucose positron emission tomography in nonendocrine neoplastic disorders of the gastrointestinal tract. *Gastroenterology* 2003; 125(4):1235-1245

102. Bombardieri E, Aliberti G, de Graaf C, Pauwels E, Crippa F. Positron emission tomography (PET) and other nuclear medicine modalities in staging gastrointestinal cancer. *Semin Surg Oncol* 2001; 20(2):134-146
103. Jerusalem G, Hustinx R, Beguin Y, Fillet G. The value of positron emission tomography (PET) imaging in disease staging and therapy assessment. *Ann Oncol* 2002; 13 Suppl 4:227-234
104. Shampo MA, Kyle RA. Edward M. Purcell--Nobel Prize for magnetic resonance imaging. *Mayo Clin Proc* 1997; 72(6):585
105. Rabi, II, Zacharias JR, Millman S, Kusch P. Milestones in magnetic resonance: 'a new method of measuring nuclear magnetic moment' . 1938. *J Magn Reson Imaging* 1992; 2(2):131-133
106. Pincock S. US and UK researchers share Nobel prize. Paul C Lauterbur and Peter Mansfield share award for seminal work on MRI. *Lancet* 2003; 362(9391):1203
107. Rajan SS. MRI: A conceptual overview. Springer, Berlin – Heidelberg – New York; 1997
108. Cohen H, Cooley JW. The Numerical Solution of the Time-Dependent Nernst-Planck Equations. *Biophys J* 1965; 91:145-162
109. Bottomley PA, Hardy CJ, Argersinger RE, Allen-Moore G. A review of ¹H nuclear magnetic resonance relaxation in pathology: are T1 and T2 diagnostic? *Med Phys* 1987; 14(1):1-37
110. Murphy BW, Carson PL, Ellis JH, Zhang YT, Hyde RJ, Chenevert TL. Signal-to-noise measures for magnetic resonance imagers. *Magn Reson Imaging* 1993; 11(3):425-428
111. Owen RS, Wehrli FW. Predictability of SNR and reader preference in clinical MR imaging. *Magn Reson Imaging* 1990; 8(6):737-745
112. De Wilde JP, Lunt JA, Straughan K. Information in magnetic resonance images: evaluation of signal, noise and contrast. *Med Biol Eng Comput* 1997; 35(3):259-265

113. Hennig J, Nauerth A, Friedburg H. RARE imaging: a fast imaging method for clinical MR. *Magn Reson Med* 1986; 3(6):823-833
114. Miyazaki T, Yamashita Y, Tsuchigame T, Yamamoto H, Urata J, Takahashi M. MR cholangiopancreatography using HASTE (half-Fourier acquisition single-shot turbo spin-echo) sequences. *AJR Am J Roentgenol* 1996; 166(6):1297-1303
115. Li T, Mirowitz SA. T2-weighted echo planar MR imaging of the abdomen: optimization of imaging parameters. *Clin Imaging* 2003; 27(2):124-128
116. Li T, Mirowitz SA. Fast T2-weighted MR imaging: impact of variation in pulse sequence parameters on image quality and artifacts. *Magn Reson Imaging* 2003; 21(7):745-753
117. Walter C, Philippi G, Westerhausen R, Kooijman H, Hoffmann HG, Busch HP. [High resolution contrast-enhanced 3D MR-angiography of renal arteries using parallel imaging (SENSE)]. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 2003; 175(9):1244-1250
118. Wallner BK, Schumacher KA, Weidenmaier W, Friedrich JM. Dilated biliary tract: evaluation with MR cholangiography with a T2-weighted contrast-enhanced fast sequence. *Radiology* 1991; 181(3):805-808
119. Griffin N, Wastle ML, Dunn WK, Ryder SD, Beckingham IJ. Magnetic resonance cholangiopancreatography versus endoscopic retrograde cholangiopancreatography in the diagnosis of choledocholithiasis. *Eur J Gastroenterol Hepatol* 2003; 15(7):809-813
120. Coakley FV, Schwartz LH. Magnetic resonance cholangiopancreatography. *J Magn Reson Imaging* 1999; 9(2):157-162
121. Hintze RE, Adler A, Veltzke W, Abou-Rebyeh H, Hammerstingl R, Vogl T, Felix R. Clinical significance of magnetic resonance cholangiopancreatography (MRCP) compared to endoscopic retrograde cholangiopancreatography (ERCP). *Endoscopy* 1997; 29(3):182-187

122. Arslan A, Geitung JT, Viktil E, Abdelnoor M, Osnes M. Pancreaticobiliary diseases. Comparison of 2D single-shot turbo spin-echo MR cholangiopancreatography with endoscopic retrograde cholangiopancreatography. *Acta Radiol* 2000; 41(6):621-626
123. Bearcroft PW, Gimson A, Lomas DJ. Non-invasive cholangiopancreatography by breath-hold magnetic resonance imaging: preliminary results. *Clin Radiol* 1997; 52(5):345-350
124. Becker CD, Grossholz M, Mentha G, de Peyer R, Terrier F. MR cholangiopancreatography: technique, potential indications, and diagnostic features of benign, postoperative, and malignant conditions. *Eur Radiol* 1997; 7(6):865-874
125. Chen JH, Chai JW, Chu WC, Chang JM, Shen WC, Lee SK. Free breathing magnetic resonance cholangiopancreatography (MRCP) at end expiration: a new technique to expand clinical application. *Hepatogastroenterology* 2002; 49(45):593-596
126. Fulcher AS, Turner MA, Capps GW, Zfass AM, Baker KM. Half-Fourier RARE MR cholangiopancreatography: experience in 300 subjects. *Radiology* 1998; 207(1):21-32
127. Heverhagen JT, Battmann A, Kirsch M, Eissele R, Klose KJ, Wagner HJ. [Secretin-stimulated MR cholangiopancreatography (MRCP): visualization of the normal pancreatic duct in comparison with ERCP]. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 2002; 174(9):1154-1157
128. Czako L, Endes J, Takacs T, Boda K, Lonovics J. Evaluation of pancreatic exocrine function by secretin-enhanced magnetic resonance cholangiopancreatography. *Pancreas* 2001; 23(3):323-328
129. Fukukura Y, Fujiyoshi F, Sasaki M, Nakajo M. Pancreatic duct: morphologic evaluation with MR cholangiopancreatography after secretin stimulation. *Radiology* 2002; 222(3):674-680

130. Manfredi R, Brizi MG, Tancioni V, Vecchioli A, Marano P. Magnetic resonance pancreatography (MRP): morphology and function. *Rays* 2001; 26(2):127-133
131. Matos C, Metens T, Deviere J, Delhaye M, Le Moine O, Cremer M. Pancreas divisum: evaluation with secretin-enhanced magnetic resonance cholangiopancreatography. *Gastrointest Endosc* 2001; 53(7):728-733
132. Saloner D. The AAPM/RSNA physics tutorial for residents. An introduction to MR angiography. *Radiographics* 1995; 15(2):453-465
133. Lim TH, Saloner D, Anderson CM. Current applications of magnetic resonance vascular imaging. *Cardiol Clin* 1989; 7(3):661-683
134. Hamm B, Staks T, Taupitz M, Maibauer R, Speidel A, Huppertz A, Frenzel T, Lawaczeck R, Wolf KJ, Lange L. Contrast-enhanced MR imaging of liver and spleen: first experience in humans with a new superparamagnetic iron oxide. *J Magn Reson Imaging* 1994; 4(5):659-668
135. Reimer P, Balzer T. Ferucarbotran (Resovist): a new clinically approved RES-specific contrast agent for contrast-enhanced MRI of the liver: properties, clinical development, and applications. *Eur Radiol* 2003; 13(6):1266-1276
136. Felix R, Schorner W, Laniado M, Niendorf HP, Claussen C, Fiegler W, Speck U. Brain tumors: MR imaging with gadolinium-DTPA. *Radiology* 1985; 156(3):681-688
137. Felix R, Schorner W, Laniado M, Semmler W. [Contrast media in magnetic resonance tomography. A review. 2. Biological basis, research technic and clinical application of gadolinium-DTPA in the diagnosis of intracranial tumors]. *ROFO Fortschr Geb Rontgenstr Nuklearmed* 1985; 143(1):9-14

138. Felix R, Semmler W, Schorner W, Laniado M. [Contrast media in magnetic resonance tomography. A review. 1. Physicochemical and pharmacological bases of MR contrast media using gadolinium-DTPA as an example]. ROFO Fortschr Geb Rontgenstr Nuklearmed 1985; 142(6):641-646
139. Brasch RC. Work in progress: methods of contrast enhancement for NMR imaging and potential applications. A subject review. Radiology 1983; 147(3):781-788
140. Mann JS. Stability of gadolinium complexes in vitro and in vivo. J Comput Assist Tomogr 1993; 17 Suppl 1:S19-23
141. Weinmann HJ, Brasch RC, Press WR, Wesbey GE. Characteristics of gadolinium-DTPA complex: a potential NMR contrast agent. AJR Am J Roentgenol 1984; 142(3):619-624
142. Niendorf HP, Haustein J, Cornelius I, Alhassan A, Clauss W. Safety of gadolinium-DTPA: extended clinical experience. Magn Reson Med 1991; 22(2):222-228; discussion 229-232
143. Matos C, Cappeliez O, Winant C, Coppens E, Deviere J, Metens T. MR imaging of the pancreas: a pictorial tour. Radiographics 2002; 22(1):e2
144. Gong J, Xu J, Zhou K, Shen K. Role of exocrine cells in pancreatic enhancement using Mn-DPDP-enhanced MR imaging. Chin Med J (Engl) 2002; 115(9):1363-1366
145. Diehl SJ, Lehmann KJ, Gaa J, McGill S, Hoffmann V, Georgi M. MR imaging of pancreatic lesions. Comparison of manganese-DPDP and gadolinium chelate. Invest Radiol 1999; 34(9):589-595
146. Schima W, Fugger R. Evaluation of focal pancreatic masses: comparison of mangafodipir-enhanced MR imaging and contrast-enhanced helical CT. Eur Radiol 2002; 12(12):2998-3008
147. Chamberlain RS, Blumgart LH. Hilar cholangiocarcinoma: a review and commentary. Ann Surg Oncol 2000; 7(1):55-66

148. Thuluvath PJ, Rai R, Venbrux AC, Yeo CJ. Cholangiocarcinoma: a review. *Gastroenterologist* 1997; 5(4):306-315
149. Huang JF, Wang LY, Lin ZY, Chen SC, Hsieh MY, Chuang WL, Yu MY, Lu SN, Wang JH, Yeung KW, Chang WY. Incidence and clinical outcome of icteric type hepatocellular carcinoma. *J Gastroenterol Hepatol* 2002; 17(2):190-195
150. Neuhaus P, Jonas S. Surgery for hilar cholangiocarcinoma--the German experience. *J Hepatobiliary Pancreat Surg* 2000; 7(2):142-147
151. Nimura Y. Extended surgery in bilio-pancreatic cancer: the Japanese experience. *Semin Oncol* 2002; 29(6 Suppl 20):17-22
152. Aliperti G. Complications related to diagnostic and therapeutic endoscopic retrograde cholangiopancreatography. *Gastrointest Endosc Clin N Am* 1996; 6(2):379-407
153. Calvo MM, Bujanda L, Calderon A, Heras I, Cabriada JL, Bernal A, Orive V, Astigarraga E. Comparison between magnetic resonance cholangiopancreatography and ERCP for evaluation of the pancreatic duct. *Am J Gastroenterol* 2002; 97(2):347-353
154. Feldman DR, Kulling DP, Kay CL, Cole DJ, Cunningham JT, Hawes RH, Tarnasky PR, Cotton PB, Baron PL. Magnetic resonance cholangiopancreatography: a novel approach to the evaluation of suspected pancreaticobiliary neoplasms. *Ann Surg Oncol* 1997; 4(8):634-638
155. Hintze RE, Abou-Rebyeh H, Adler A, Veltzke-Schlieker W, Felix R, Wiedenmann B. Magnetic resonance cholangiopancreatography-guided unilateral endoscopic stent placement for Klatskin tumors. *Gastrointest Endosc* 2001; 53(1):40-46
156. Neuhaus P, Jonas S, Settmacher U, Thelen A, Benckert C, Lopez-Hanninen E, Hintze RE. Surgical management of proximal bile duct cancer: extended right lobe resection increases resectability and radicality. *Langenbecks Arch Surg* 2003;

157. Bismuth H, Corlette MB. Intrahepatic cholangioenteric anastomosis in carcinoma of the hilus of the liver. *Surg Gynecol Obstet* 1975; 140(2):170-178
158. Stain SC, Baer HU, Dennison AR, Blumgart LH. Current management of hilar cholangiocarcinoma. *Surg Gynecol Obstet* 1992; 175(6):579-588
159. Masui T, Takehara Y, Ichijo K, Naito M, Watahiki H, Kaneko M, Nozaki A, Sun Y. Evaluation of the pancreas: a comparison of single thick-slice MR cholangiopancreatography with multiple thin-slice volume reconstruction MR cholangiopancreatography. *AJR Am J Roentgenol* 1999; 173(6):1519-1526
160. Yamashita Y, Abe Y, Tang Y, Urata J, Sumi S, Takahashi M. In vitro and clinical studies of image acquisition in breath-hold MR cholangiopancreatography: single-shot projection technique versus multislice technique. *AJR Am J Roentgenol* 1997; 168(6):1449-1454
161. Lopera JE, Soto JA, Munera F. Malignant hilar and perihilar biliary obstruction: use of MR cholangiography to define the extent of biliary ductal involvement and plan percutaneous interventions. *Radiology* 2001; 220(1):90-96
162. Zidi SH, Prat F, Le Guen O, Rondeau Y, Pelletier G. Performance characteristics of magnetic resonance cholangiography in the staging of malignant hilar strictures. *Gut* 2000; 46(1):103-106
163. Low RN, Sigeti JS, Francis IR, Weinman D, Bower B, Shimakawa A, Foo TK. Evaluation of malignant biliary obstruction: efficacy of fast multiplanar spoiled gradient-recalled MR imaging vs spin-echo MR imaging, CT, and cholangiography. *AJR Am J Roentgenol* 1994; 162(2):315-323
164. Chen MF, Jan YY, Jeng LB, Hwang TL, Wang CS, Chen SC. Obstructive jaundice secondary to ruptured hepatocellular carcinoma into the common bile duct. Surgical experiences of 20 cases. *Cancer* 1994; 73(5):1335-1340

165. Wu CS, Wu SS, Chen PC, Chiu CT, Lin SM, Jan YY, Hung CF. Cholangiography of icteric type hepatoma. *Am J Gastroenterol* 1994; 89(5):774-777
166. Bolan PJ, Fink AS. Endoscopic retrograde cholangiopancreatography in chronic pancreatitis. *World J Surg* 2003; 27(11):1183-1191
167. Freeny PC, Ball TJ. Endoscopic retrograde cholangiopancreatography (ERCP) and percutaneous transhepatic cholangiography (PTC) in the evaluation of suspected pancreatic carcinoma: diagnostic limitations and contemporary roles. *Cancer* 1981; 47(6 Suppl):1666-1678
168. Masci E, Toti G, Mariani A, Curioni S, Lomazzi A, Dinelli M, Minoli G, Crosta C, Comin U, Fertitta A, Prada A, Passoni GR, Testoni PA. Complications of diagnostic and therapeutic ERCP: a prospective multicenter study. *Am J Gastroenterol* 2001; 96(2):417-423
169. Loperfido S, Angelini G, Benedetti G, Chilovi F, Costan F, De Berardinis F, De Bernardin M, Ederle A, Fina P, Fratton A. Major early complications from diagnostic and therapeutic ERCP: a prospective multicenter study. *Gastrointest Endosc* 1998; 48(1):1-10
170. Ichikawa T, Nitatori T, Hachiya J, Mizutani Y. Breath-held MR cholangiopancreatography with half-averaged single shot hybrid rapid acquisition with relaxation enhancement sequence: comparison of fast GRE and SE sequences. *J Comput Assist Tomogr* 1996; 20(5):798-802
171. Axon AT. Endoscopic retrograde cholangiopancreatography in chronic pancreatitis. Cambridge classification. *Radiol Clin North Am* 1989; 27(1):39-50
172. Lomanto D, Pavone P, Laghi A, Panebianco V, Mazzocchi P, Fiocca F, Lezoche E, Passariello R, Speranza V. Magnetic resonance-cholangiopancreatography in the diagnosis of biliopancreatic diseases. *Am J Surg* 1997; 174(1):33-38

173. Bozkurt T, Braun U, Leferink S, Gilly G, Lux G. Comparison of pancreatic morphology and exocrine functional impairment in patients with chronic pancreatitis. *Gut* 1994; 35(8):1132-1136
174. Punwani S, Gillams AR, Lees WR. Non-invasive quantification of pancreatic exocrine function using secretin-stimulated MRCP. *Eur Radiol* 2003; 13(2):273-276
175. Mariani A, Curioni S, Zanella A, Passaretti S, Masci E, Rossi M, Del Maschio A, Testoni PA. Secretin MRCP and endoscopic pancreatic manometry in the evaluation of sphincter of Oddi function: a comparative pilot study in patients with idiopathic recurrent pancreatitis. *Gastrointest Endosc* 2003; 58(6):847-852
176. Matos C, Winant C, Delhaye M, Deviere J. Functional MRCP in pancreatic and periampullary disease. *Int J Gastrointest Cancer* 2001; 30(1-2):5-18
177. Ishizaki Y, Wakayama T, Okada Y, Kobayashi T. Magnetic resonance cholangiography for evaluation of obstructive jaundice. *Am J Gastroenterol* 1993; 88(12):2072-2077
178. Lee MG, Lee HJ, Kim MH, Kang EM, Kim YH, Lee SG, Kim PN, Ha HK, Auh YH. Extrahepatic biliary diseases: 3D MR cholangiopancreatography compared with endoscopic retrograde cholangiopancreatography. *Radiology* 1997; 202(3):663-669
179. Guibaud L, Bret PM, Reinhold C, Atri M, Barkun AN. Bile duct obstruction and choledocholithiasis: diagnosis with MR cholangiography. *Radiology* 1995; 197(1):109-115
180. Hastier P, Buckley MJ, Dumas R, Kuhdorf H, Staccini P, Demarquay JF, Caroli-Bosc FX, Delmont JP. A study of the effect of age on pancreatic duct morphology. *Gastrointest Endosc* 1998; 48(1):53-57
181. Reinhold C, Bret PM. Current status of MR cholangiopancreatography. *AJR Am J Roentgenol* 1996; 166(6):1285-1295

182. Oi I. ERCP imaging. *Pancreas* 1998; 16(3):402-407
183. Adamek HE, Albert J, Breer H, Weitz M, Schilling D, Riemann JF. Pancreatic cancer detection with magnetic resonance cholangiopancreatography and endoscopic retrograde cholangiopancreatography: a prospective controlled study. *Lancet* 2000; 356(9225):190-193
184. Adamek HE, Breer H, Layer G, Riemann JF. Magnetic resonance cholangiopancreatography. The fine art of bilio-pancreatic imaging. *Pancreatology* 2002; 2(6):499-502
185. Catalano C, Pavone P, Laghi A, Panebianco V, Scipioni A, Fanelli F, Brillo R, Passariello R. Pancreatic adenocarcinoma: combination of MR imaging, MR angiography and MR cholangiopancreatography for the diagnosis and assessment of resectability. *Eur Radiol* 1998; 8(3):428-434
186. Mammone JF, Siegelman ES, Outwater EK. Magnetic resonance imaging of the pancreas and biliary tree. *Semin Ultrasound CT MR* 1998; 19(1):35-52
187. Barish MA, Yucel EK, Ferrucci JT. Magnetic resonance cholangiopancreatography. *N Engl J Med* 1999; 341(4):258-264
188. Prasad SR, Sahani D, Saini S. Clinical applications of magnetic resonance cholangiopancreatography. *J Clin Gastroenterol* 2001; 33(5):362-366
189. Outwater EK, Gordon SJ. Imaging the pancreatic and biliary ducts with MR. *Radiology* 1994; 192(1):19-21
190. Balcom JHt, Rattner DW, Warshaw AL, Chang Y, Fernandez-del Castillo C. Ten-year experience with 733 pancreatic resections: changing indications, older patients, and decreasing length of hospitalization. *Arch Surg* 2001; 136(4):391-398

191. Fitzgerald TL, Smith AJ, Ryan M, Atri M, Wright FC, Law CH, Hanna SS. Surgical treatment of incidentally identified pancreatic masses. *Can J Surg* 2003; 46(6):413-418
192. Fernandez-del Castillo C, Warshaw AL. Cystic neoplasms of the pancreas. *Pancreatology* 2001; 1(6):641-647
193. Sheehan MK, Beck K, Pickleman J, Aranha GV. Spectrum of cystic neoplasms of the pancreas and their surgical management. *Arch Surg* 2003; 138(6):657-660; discussion 660-652
194. Libsch K, Tollefson M, Duininck TM, Zyromski N, Chari ST, Sarr MG, Smyrk TC. Intraductal papillary mucinous tumor of the pancreas. Did it exist before 1980? *Pancreas* 2001; 23:449
195. Khurana B, Morteale KJ, Glickman J, Silverman SG, Ros PR. Macrocystic serous adenoma of the pancreas: radiologic-pathologic correlation. *AJR Am J Roentgenol* 2003; 181(1):119-123
196. Fernandez-del Castillo C, Warshaw AL. Cystic tumors of the pancreas. *Surg Clin North Am* 1995; 75(5):1001-1016
197. Fujiwara H, Ajiki T, Fukuoka K, Mitsutsuji M, Yamamoto M, Kuroda Y. Macrocystic serous cystadenoma of the pancreas. *J Hepatobiliary Pancreat Surg* 2000; 7(1):92-96
198. Kobayashi T, Kawabe A, Uenoyama S, Kazui T, Takehara Y, Kosugi I. Macrocystic serous cystadenoma of the pancreas: case report. *Abdom Imaging* 2001; 26(1):69-71
199. Sperti C, Pasquali C, Perasole A, Liessi G, Pedrazzoli S. Macrocystic serous cystadenoma of the pancreas: clinicopathologic features in seven cases. *Int J Pancreatol* 2000; 28(1):1-7
200. Rosso E, Alexakis N, Ghaneh P, Lombard M, Smart HL, Evans J, Neoptolemos JP. Pancreatic pseudocyst in chronic pancreatitis: endoscopic and surgical treatment. *Dig Surg* 2003; 20(5):397-406

201. Le Borgne J, de Calan L, Partensky C. Cystadenomas and cystadenocarcinomas of the pancreas: a multiinstitutional retrospective study of 398 cases. French Surgical Association. *Ann Surg* 1999; 230(2):152-161
202. Compagno J, Oertel JE. Mucinous cystic neoplasms of the pancreas with overt and latent malignancy (cystadenocarcinoma and cystadenoma). A clinicopathologic study of 41 cases. *Am J Clin Pathol* 1978; 69(6):573-580
203. Compagno J, Oertel JE. Microcystic adenomas of the pancreas (glycogen-rich cystadenomas): a clinicopathologic study of 34 cases. *Am J Clin Pathol* 1978; 69(3):289-298
204. Johnson CD, Stephens DH, Charboneau JW, Carpenter HA, Welch TJ. Cystic pancreatic tumors: CT and sonographic assessment. *AJR Am J Roentgenol* 1988; 151(6):1133-1138
205. Curry CA, Eng J, Horton KM, Urban B, Siegelman S, Kuszyk BS, Fishman EK. CT of primary cystic pancreatic neoplasms: can CT be used for patient triage and treatment? *AJR Am J Roentgenol* 2000; 175(1):99-103
206. Procacci C, Biasiutti C, Carbognin G, Accordini S, Bicego E, Guarise A, Spoto E, Andreis IA, De Marco R, Megibow AJ. Characterization of cystic tumors of the pancreas: CT accuracy. *J Comput Assist Tomogr* 1999; 23(6):906-912
207. Kloppel G, Solcia E, Longnecker DS, Capella C, Sobin LH, Solicia E. World Health Organization international histological classification of tumors. In: *Histological typing of tumors of the exocrine pancreas*. Springer New-York - Berlin. 1996.
208. Lewandrowski K, Warshaw A, Compton C. Macrocystic serous cystadenoma of the pancreas: a morphologic variant differing from microcystic adenoma. *Hum Pathol* 1992; 23(8):871-875

209. Procacci C, Graziani R, Bicego E, Bergamo-Andreis IA, Guarise A, Valdo M, Bogina G, Solarino U, Pistolesi GF. Serous cystadenoma of the pancreas: report of 30 cases with emphasis on the imaging findings. *J Comput Assist Tomogr* 1997; 21(3):373-382
210. Martin I, Hammond P, Scott J, Redhead D, Carter DC, Garden OJ. Cystic tumours of the pancreas. *Br J Surg* 1998; 85(11):1484-1486
211. Nishihara K, Kawabata A, Ueno T, Miyahara M, Hamanaka Y, Suzuki T. The differential diagnosis of pancreatic cysts by MR imaging. *Hepatogastroenterology* 1996; 43(9):714-720
212. Hara T, Kawashima H, Ishigooka M, Kashiwama M, Takanashi S, Yamazaki S, Hosokawa Y. Mucinous cystic tumors of the pancreas. *Surg Today* 2002; 32(11):965-969
213. Prasad SR, Sahani D, Nasser S, Farrell J, Fernandez-Del Castillo C, Hahn PF, Mueller PR, Saini S. Intraductal papillary mucinous tumors of the pancreas. *Abdom Imaging* 2003; 28(3):357-365
214. Takaori K. Dilemma in classifications of possible precursors of pancreatic cancer involving the main pancreatic duct: PanIN or IPMN? *J Gastroenterol* 2003; 38(3):311-313
215. Tollefson MK, Libsch KD, Sarr MG, Chari ST, DiMagno EP, Urrutia R, Smyrk TC. Intraductal papillary mucinous neoplasm: did it exist prior to 1980? *Pancreas* 2003; 26(3):e55-58
216. Dupas B, Le Borgne J. [MRI-cholangiopancreatography characteristics of cystic pancreatic tumors]. *Ann Chir* 2000; 125(6):571-577
217. Horaguchi J, Fujita N, Kobayashi G, Noda Y, Kimura K, Ito K, Kobari M, Yamazaki T. Serous cystadenoma of the pancreas associated with obstructive jaundice. *J Gastroenterol* 2003; 38(5):501-506

218. Telford JJ, Carr-Locke DL. The role of ERCP and pancreatoscopy in cystic and intraductal tumors. *Gastrointest Endosc Clin N Am* 2002; 12(4):747-757
219. Wagner M, Dikopoulos N, Kulli C, Friess H, Buchler MW. Standard surgical treatment in pancreatic cancer. *Ann Oncol* 1999; 10 Suppl 4:247-251
220. Rosewicz S, Wiedenmann B. Pancreatic carcinoma. *Lancet* 1997; 349(9050):485-489
221. Tsiotos GG, Farnell MB, Sarr MG. Are the results of pancreatectomy for pancreatic cancer improving? *World J Surg* 1999; 23(9):913-919
222. Brand RE, Tempero MA. Pancreatic cancer. *Curr Opin Oncol* 1998; 10(4):362-366
223. Karlson BM, Ekblom A, Lindgren PG, Kallskog V, Rastad J. Abdominal US for diagnosis of pancreatic tumor: prospective cohort analysis. *Radiology* 1999; 213(1):107-111
224. Nino-Murcia M, Olcott EW, Jeffrey RB, Jr. Dual-phase helical CT of locally invasive pancreatic adenocarcinoma. *J Comput Assist Tomogr* 1998; 22(2):282-287
225. van Gulik TM, Moojen TM, van Geenen R, Rauws EA, Obertop H, Gouma DJ. Differential diagnosis of focal pancreatitis and pancreatic cancer. *Ann Oncol* 1999; 10 Suppl 4:85-88
226. Kelekis NL, Semelka RC, Worawattanakul S, Molina PL, Mauro MA. Magnetic resonance imaging of the abdominal aorta and iliac vessels using combined 3-D gadolinium-enhanced MRA and gadolinium-enhanced fat-suppressed spoiled gradient echo sequences. *Magn Reson Imaging* 1999; 17(5):641-651
227. Ferrucci JT. MRI and MRCP in pancreaticobiliary malignancy. *Ann Oncol* 1999; 10 Suppl 4:18-19

228. Bret PM, Reinhold C. Magnetic resonance cholangiopancreatography. *Endoscopy* 1997; 29(6):472-486
229. Fulcher AS, Turner MA, Yelon JA, McClain LC, Broderick T, Ivatury RR, Sugerman HJ. Magnetic resonance cholangiopancreatography (MRCP) in the assessment of pancreatic duct trauma and its sequelae: preliminary findings. *J Trauma* 2000; 48(6):1001-1007
230. Fulcher AS. MRCP and ERCP in the diagnosis of common bile duct stones. *Gastrointest Endosc* 2002; 56(6 Suppl):S178-182
231. Sadick M, Diehl SJ, Lehmann KJ, Gaa J, Mockel R, Georgi M. Evaluation of breath-hold contrast-enhanced 3D magnetic resonance angiography technique for imaging visceral abdominal arteries and veins. *Invest Radiol* 2000; 35(2):111-117
232. Kopka L, Rodenwaldt J, Vosshenrich R, Fischer U, Renner B, Lorf T, Graessner J, Ringe B, Grabbe E. Hepatic blood supply: comparison of optimized dual phase contrast-enhanced three-dimensional MR angiography and digital subtraction angiography. *Radiology* 1999; 211(1):51-58
233. Glockner JF. Three-dimensional gadolinium-enhanced MR angiography: applications for abdominal imaging. *Radiographics* 2001; 21(2):357-370
234. Geigy scientific tables, 8th ed. Basel, Switzerland: Geigy 1980; 89-102.
235. Thoeni RF, Mueller-Lisse UG, Chan R, Do NK, Shyn PB. Detection of small, functional islet cell tumors in the pancreas: selection of MR imaging sequences for optimal sensitivity. *Radiology* 2000; 214(2):483-490
236. Fulcher AS, Turner MA. MR pancreatography: a useful tool for evaluating pancreatic disorders. *Radiographics* 1999; 19(1):5-24; discussion 41-24; quiz 148-149

237. Berberat P, Friess H, Kashiwagi M, Beger HG, Buchler MW. Diagnosis and staging of pancreatic cancer by positron emission tomography. *World J Surg* 1999; 23(9):882-887
238. Benson MD, Gandhi MR. Ultrasound of the hepatobiliary-pancreatic system. *World J Surg* 2000; 24(2):166-170
239. Semelka RC, Kelekis NL, Molina PL, Sharp TJ, Calvo B. Pancreatic masses with inconclusive findings on spiral CT: is there a role for MRI? *J Magn Reson Imaging* 1996; 6(4):585-588
240. Ichikawa T, Haradome H, Hachiya J, Nitatori T, Ohtomo K, Kinoshita T, Araki T. Pancreatic ductal adenocarcinoma: preoperative assessment with helical CT versus dynamic MR imaging. *Radiology* 1997; 202(3):655-662
241. Prokesch RW, Chow LC, Beaulieu CF, Nino-Murcia M, Mindelzun RE, Bammer R, Huang J, Jeffrey RB, Jr. Local staging of pancreatic carcinoma with multi-detector row CT: use of curved planar reformations initial experience. *Radiology* 2002; 225(3):759-765
242. Fidler JL, Johnson CD. Imaging of neuroendocrine tumors of the pancreas. *Int J Gastrointest Cancer* 2001; 30(1-2):73-85
243. Owen NJ, Sohaib SA, Peppercorn PD, Monson JP, Grossman AB, Besser GM, Reznek RH. MRI of pancreatic neuroendocrine tumours. *Br J Radiol* 2001; 74(886):968-973
244. Semelka RC, Custodio CM, Cem Balci N, Woosley JT. Neuroendocrine tumors of the pancreas: spectrum of appearances on MRI. *J Magn Reson Imaging* 2000; 11(2):141-148
245. Mertz HR, Sechopoulos P, Delbeke D, Leach SD. EUS, PET, and CT scanning for evaluation of pancreatic adenocarcinoma. *Gastrointest Endosc* 2000; 52(3):367-371
246. Johnson PT, Outwater EK. Pancreatic carcinoma versus chronic pancreatitis: dynamic MR imaging. *Radiology* 1999; 212(1):213-218

247. Hough TJ, Raptopoulos V, Siewert B, Matthews JB. Teardrop superior mesenteric vein: CT sign for unresectable carcinoma of the pancreas. *AJR Am J Roentgenol* 1999; 173(6):1509-1512
248. Imbriaco M, Megibow AJ, Camera L, Pace L, Mainenti PP, Romano M, Selva G, Salvatore M. Dual-phase versus single-phase helical CT to detect and assess resectability of pancreatic carcinoma. *AJR Am J Roentgenol* 2002; 178(6):1473-1479
249. Megibow AJ, Lombardo FP, Guarise A, Carbognin G, Scholes J, Rofsky NM, Macari M, Balthazar EJ, Procacci C. Cystic pancreatic masses: cross-sectional imaging observations and serial follow-up. *Abdom Imaging* 2001; 26(6):640-647
250. Harrison LE, Brennan MF. Portal vein involvement in pancreatic cancer: a sign of unresectability? *Adv Surg* 1997; 31:375-394
251. Sheridan MB, Ward J, Guthrie JA, Spencer JA, Craven CM, Wilson D, Guillou PJ, Robinson PJ. Dynamic contrast-enhanced MR imaging and dual-phase helical CT in the preoperative assessment of suspected pancreatic cancer: a comparative study with receiver operating characteristic analysis. *AJR Am J Roentgenol* 1999; 173(3):583-590
252. Fischer U, Vosshenrich R, Horstmann O, Becker H, Salamat B, Baum F, Grabbe E. Preoperative local MRI-staging of patients with a suspected pancreatic mass. *Eur Radiol* 2002; 12(2):296-303
253. Jensen RT. Pancreatic endocrine tumors: recent advances. *Ann Oncol* 1999; 10 Suppl 4:170-176
254. Yu F, Venzon DJ, Serrano J, Goebel SU, Doppman JL, Gibril F, Jensen RT. Prospective study of the clinical course, prognostic factors, causes of death, and survival in patients with long-standing Zollinger-Ellison syndrome. *J Clin Oncol* 1999; 17(2):615-630