

8 Acknowledgements

My most sincere gratitude goes to my hosts in Sydney, Dr. Hala Zreiqat and Professor C. Rolfe Howlett (Bone Biomaterial Unit, Dept. of Pathology, School of Medical Sciences, University of New South Wales (UNSW), Sydney, Australia) who facilitated performing the in situ hybridization and immunocytochemical studies.

To Dr. Boban Markovic (School of Safety Science, UNSW) my thanks for his support and for accommodating me in his laboratory.

I owe a particular depth of gratitude to Dr. Georg Berger and Mrs. Renate Gildenhaar (Laboratory of Biomaterials, Federal Institute for Materials Research and Testing, Berlin, Germany) for a decade of fruitful collaboration regarding calcium phosphate-based bone substitute and endosseous implant materials.

My most heartfelt thanks go to Prof. Dr. Ralf J. Radlanski for his support. He provided the opportunity to establish biomaterials research in his department in a most positive and harmonious atmosphere.

I am especially grateful to Prof. Dr. Ulrich Gross for sharing his extensive knowledge in bone-biomaterials research and for many years of support in the projects leading up to this work.

To Professor J. E. Davies (Institute of Biomaterials and Biomedical Engineering, University of Toronto, Canada) my most sincere thanks for sharing his unique insight in the use of osteogenic cell cultures in bone-biomaterials research.

My sincere gratitude goes to Dr. Herbert Renz for many fruitful scientific discussions and his excellent help with computer related issues.

I am particularly thankful to PD Dr. Dr. Michael Stiller for his spirit of encouragement and for many years of fruitful collaboration in implant dentistry and the use of bone substitute materials for sinus floor elevation procedures.

To PD Dr. Christian Müller-Mai my thanks for sharing his extensive knowledge on histomorphometry of bone substitute particulates.

Thanks specially goes to Mrs. Barbara James for her assistance with setting up human bone-derived cell cultures.

I am very grateful to Mrs. Anne Kähler, Mrs. Karin Schulze-Dirksen and Mrs. Irene Schwarz for their assistance with the scanning electron microscopy.

My special thanks to Mrs. Margret Dilger-Rein, Mrs. Barbara Danielowski and Mr. Rainer Toll for their assistance in processing the mandibular bone specimens for immunohistochemistry in hard tissue histology.

To Mrs. Beate Lion my utmost thanks for typing the Appendix.

Thanks specially goes to Dr. E. Körperich for his support with computer-related matters.

I am grateful to Merck/Biomet Inc. for providing the Biocement D specimens and to Friadent Dentsply Inc. for providing the various titanium surfaces.

I gratefully acknowledge Dr. Larry Fisher (NIDCR; Bethesda, Maryland) for providing the polyclonal antibodies and Dr. W. R. Walsh (Orthopaedic Research Laboratories, University of New South Wales) for providing some of the cDNA probes.

To Prof. I. M. Shapiro (Division of Orthopaedic Research, Thomas Jefferson University, Philadelphia) I owe special thanks for sharing his unique knowledge in investigating cell adhesion mechanisms and signal transduction pathways as well as apoptosis and survival pathways.

I am particularly grateful to Prof. Dr. U. Belser (Department of Prosthodontics, University of Geneva, Switzerland) for sharing his unique insight and experience in implant prosthodontics and the use of the ITI implant system.

My special thanks to PD Dr. Christian Große-Siestrup for providing the mandibular sheep bone and for his guidance with respect to animal ethics, as well as for his collaboration with regard to percutaneous devices.

To Prof. Dr. M. Shakibaei my thanks for his collaboration regarding signal transduction studies of osteoblasts grown on surface-modified alumina.

My sincere gratitude goes to Prof. Dr. Dr. B. Hoffmeister for numerous years of collaboration and support in the use of dental implants in conjunction with bone graft reconstructive surgery.

I am very grateful to Mrs. Claudia Sinning for her assistance with patient-related matters.

Finally, I am particularly thankful to the German Research Foundation (Deutsche Forschungsgemeinschaft - DFG; grant number KN 377/2-1) and the Australian National Health and Medical Research Council for funding this work.